

10/525536

RECEIVED PCT/PTO 24 FEB 2005

#2

Pl 1070736

RECEIVED 07 OCT 2003

WIPD PPT

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office

September 30, 2003

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/406,237

FILING DATE: August 26, 2002

RELATED PCT APPLICATION NUMBER: PCT/US03/26827



By Authority of the
COMMISSIONER OF PATENTS AND TRADEMARKS:

M. Sias

M. SIAS
Certifying Officer

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

PROVISIONAL APPLICATION COVER SHEET
Additional Page

PTO/SB/18 (02-01)

Approved for use through 10/31/2002. OMB 0651-0032

U S Patent and Trademark Office, U S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

Docket Number

19195.001


INVENTOR(S)/APPLICANT(S)

Given Name (first and middle [if any])	Family or Surname	Residence (City and either State or Foreign Country)
Vega	MASIGNANI	

Number 2 of 2

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

6048 137 .022602

CERTIFICATE OF MAILING BY "EXPRESS MAIL" (37 CFR 1.10) Applicant(s): Tettelin, Herve et al.			Docket No. 19195.001
Serial No. To be assigned	Filing Date 08/26/2002	Examiner To be assigned	Group Art Unit To be assigned
Invention: CONSERVED AND SPECIFIC STREPTOCOCCAL GENOMES			
<p>I hereby certify that the following correspondence:</p> <div style="border: 1px solid black; padding: 5px; margin: 10px 0;">PROVISIONAL APPLICATION FOR PATENT COVER SHEET</div> <p style="text-align: center;"><i>(Identify type of correspondence)</i></p> <p>is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 in an envelope addressed to: The Assistant Commissioner for Patents, Washington, D.C. 20231 on</p> <p style="margin-left: 100px;"><u>August 26, 2002</u> <i>(Date)</i></p> <div style="text-align: right; margin-top: 20px;"><p><u>Esperanza C. Licad</u> <i>(Typed or Printed Name of Person Mailing Correspondence)</i></p><p><u></u> <i>(Signature of Person Mailing Correspondence)</i></p><p><u>EL 701 980 325 US</u> <i>("Express Mail" Mailing Label Number)</i></p></div>			
<p>Note: Each paper must have its own certificate of mailing.</p>			

PATENT APPLICATION
ATTY REF NO. 19195.001

CONSERVED AND SPECIFIC STREPTOCOCCAL GENOMES

FIELD OF THE INVENTION

The invention relates to polynucleotides which are conserved or specific to one or more species of *Streptococcus*, *Streptococcus* species serotypes, and/or serotype isolates. The conserved or specific genomic regions can be used to identify, screen and develop vaccines and other treatments for Streptococcal infections and can be used in diagnostic assays to diagnose and identify Streptococcal infections.

BACKGROUND OF THE INVENTION

The genus *Streptococcus* consists of Gram-positive, chain-forming, spherical bacterial cells. Three species of clinical interest are *S.pneumoniae* ("pneumococcus" or "S.pn."), *S.pyogenes* ('group A streptococcus' or 'GAS') and *S.agalactiae* ('group B streptococcus' or 'GBS'). Infections with these three pathogenic streptococci lead to conditions including pharyngitis, toxic shock syndrome and necrotizing fasciitis.

Once thought to infect only cows, GBS is now known to cause serious disease, bacteraemia and meningitis in immunocompromised individuals and neonates. There are two known types of neonatal infection. The first (early onset, usually within 5 days of birth) is manifested by bacteraemia and infection. It is generally contracted vertically as a baby passes through the birth canal. GBS is thought to colonize the vagina of about 25% of young women; approximately 1% of infants born via a vaginal birth to colonised mothers will become infected. Mortality resulting from these infections is between 50 – 70%. The second type of neonatal infection is a meningitis that occurs 10 to 60 days after birth. If pregnant women are vaccinated with type III capsule so that the infants are passively immunised, the incidence of the late onset meningitis is generally reduced, although not entirely eliminated.

The "B" in "GBS" refers to the Lancefield classification, which is based on the antigenicity of a carbohydrate which is soluble in dilute acid and called the C carbohydrate. Lancefield identified 13 types of C carbohydrate, designated A to O,

PATENT APPLICATION
ATTY REF NO. 19195.001

that could be serologically differentiated. The organisms that most commonly infect humans are found in groups A, B, D, and G. Within group B, strains can be divided into at least 9 serotypes (Ia, Ib, II, III, IV, V, VI, VII, and VIII) based on the structure of their polysaccharide capsule. Further categories based on, for example, the expression of certain proteins have also been developed.

GBS strains of polysaccharide capsule Type V were rarely isolated before the mid-1980's but now account for approximately one-third of clinical isolates in the US. Type V is the most common capsular serotype associated with invasive infection in nonpregnant adults, and the emergence of Type V strain over the past decade has been temporarily linked to an increase in GBS disease in this population.

Group A streptococcus is a frequent human pathogen, estimated to be present in between 5 – 15% of normal individuals without signs of disease. When host defences are compromised, or when the organism is able to exert its virulence, or when it is introduced into vulnerable tissues or hosts, however, an acute infection occurs. Diseases include puerperal fever, scarlet fever, erysipelas, pharyngitis, impetigo, necrotising fasciitis, myositis and streptococcal toxic shock syndrome.

Pneumococcus is the most common cause of acute respiratory infection and otitis media and is estimated to result in over 3 million deaths in children every year worldwide from pneumonia, bacteremia, or meningitis. Even more deaths occur among elderly people, among whom *S. pn.* is the leading cause of community-acquired pneumonia and meningitis. Since 1990, the number of penicillin-resistant strains has increased from 1 to 5% to 25 to 80% of isolates, and many strains are now resistant to commonly prescribed antibiotics such as penicillin, macrolides, and fluoroquinolones. See Tettelin, et al. (2001) *Science* 293, 248-506.

The complete genomic sequence of a virulent isolate of *S. pneumoniae* was published by Tettelin, et al. (2001) *Science* 293, 248-506 and is available at the TIGR website at <http://www.tigr.com>. The genomic sequence, the Tettelin article and its published supplemental material are incorporated herein by reference in their entirety.

PATENT APPLICATION
ATTY REF NO. 19195.001

The complete genomic sequence of an M1 strain of *S. pyrogenes* was published by Ferretti, et al. (2001) *Proc. Natl. Acad. Sci. USA* 98, 4658 – 4663 and is available at the TIGR website at <http://www.tigr.com>. The genomic sequence, the Ferretti article and its published supplemental materials are incorporated herein by reference in their entirety.

The complete genomic sequence of a serotype V strain of *S. agalactiae* (type V strain 2603 V/R) is published on the date of this filing, August 26, 2002 by Tettelin, et al. (2002) *Proc. Natl. Acad. Sci. USA* and/or is available on the same day at the TIGR website at <http://www.tigr.com>. Most of this sequence is also available in PCT International Patent Application Publication WO 02/34771. The genomic sequence, the Tettelin article and its published supplemental materials are incorporated herein by reference in their entirety.

Current treatments for *Streptococcal* infections include both antibiotics and prophylactic vaccination. Current vaccines, particularly with respect to GBS, suffer from poor immunogenicity, while the emergence of antibiotic resistant strains has lessened the effectiveness of currently used antibiotics. Accordingly, there is an increasing need for the development of new vaccines and antibiotics (as well as other small molecule bacterial inhibitors) to help prevent and treat *Streptococcal* infections.

Applicants have identified regions of the *Streptococcal* genomes which can be used to identify and develop new vaccines and treatments for *Streptococcal* infections. Specifically, Applicants have identified polynucleotides of the *Streptococcal* genome which are conserved or specific to *Streptococcal* species, species serotypes, and/or specific serotype isolates. These polynucleotides and their expressed polypeptides can be used to screen, develop and design new vaccines, antibiotics and other small molecule bacterial inhibitors. These polynucleotides and their expressed polypeptides can further be used to diagnose and identify *Streptococcal* infections.

PATENT APPLICATION
ATTY REF NO. 19195.001

SUMMARY OF THE INVENTION

The invention relates to polynucleotides which are conserved or specific to one or more species of *Streptococcus*, *Streptococcus* species serotypes, and/or serotype isolates. In particular, the invention relates to polynucleotides from *Streptococcus* which are conserved or specific to one or more of the species of *S. pneumoniae* ("pneumococcus" or "S. pn."), *S. pyogenes* ("group A streptococcus" or "GAS"), and *S. agalactiae* ("group B streptococcus" or "GBS"). The invention further relates to polynucleotides which are conserved or specific to one or more *Streptococcal* species serotypes, such as GBS serotypes Ia, Ib, II, III, IV, V, VI, VII, and VIII. The invention still further relates to polynucleotides which are conserved or specific to one or more clinical isolates of a *Streptococcus* species.

The invention is based on the identification of the following Subsets of genes. Genes falling within each subset are described with respect to referenced tables, lists, and/or figures (in particular the CGH map depicted in Figure 1).

The following Subsets related to the GBS genome:

GBS Subset 1: 1060 GBS genes which have homologs with GAS and with pneumococcus (Table 8);

GBS Subset 2: 225 GBS genes which have homologues with GAS, but not with pneumococcus (Table 10);

GBS Subset 3: 176 GBS genes which have homologues with pneumococcus but not with GAS (Table 9);

GBS Subset 4: 683 GBS genes which do not have homologues with GAS or pneumococcus (specific to GBS vs GAS and pneumococcus) (Table 11).

The invention is based on the identification of the following subsets of genes within the GAS genome:

GAS Subset 1: 1006 GAS genes which have homologues with GBS and with pneumococcus (Table 33);

GAS Subset 2: 212 GAS genes which have homologues with GBS but do not have homologues with pneumococcus (Table 34);

PATENT APPLICATION
ATTY REF NO. 19195.001

GAS Subset 3: 62 GAS genes which have homologues with pneumococcus but do not have homologues with GBS (Table 35);

GAS Subset 4: 416 GAS genes which do not have homologues with either GBS or pneumococcus. This Subset can be determined by subtracting the above subsets from the published genome.

The invention is based on the identification of the following subsets of genes within the pneumococcus genome:

Spn Subset 1: 1034 Spn genes which have homologues with GBS and GAS (Table 36);

Spn Subset 2: 195 Spn genes which have homologues with GBS but do not have homologues with GAS (Table 37);

Spn Subset 3: 74 Spn genes which have homologues with GAS but do not have homologues with GBS (Table 38);

Spn Subset 4: 836 Spn genes which do not have homologues with either GBS or pneumococcus. This Subset can be determined by subtracting the above Subsets from the published genome.

The invention further provides polynucleotides which are conserved or specific to Streptococcus based on a comparison with a wide range of published bacterial genomes. The following additional Subsets are provided:

GBS Subset 1(a): Of the 1060 GBS genes which have homologues in both GAS and pneumococcus, 12 of those GBS genes do not have homologues with any of the other published bacterial genomes at the time of the invention (i.e., GBS Subset 1(a) is specific to Streptococcus vs non Streptococcus published genomes). (The 12 GBS ORF's are listed in Table 3).

GBS Subset 2(a): This Subset comprises GBS genes which have homologues with GAS, but not with pneumococcus or any other published bacterial genomes at the time of the invention.

PATENT APPLICATION
ATTY REF NO. 19195.001

GBS Subset 3(a): This Subset comprises GBS genes which have homologues with pneumococcus, but not with GAS or any other published bacterial genomes at the time of the invention.

GBS Subset 4(a): Of the 683 GBS genes which do not have homologues in either GAS or pneumococcus, 315 of these GBS genes also do not have homologues with any of the other published bacterial genomes. These include six proteins predicted to be anchored on the cell wall (SAG0677, SAG0771, SAG1052, SAG1331, SAG1473, and SAG1168), three of the capsule-related genes (SAG1163, SAG1167, and SAG1168), six transcriptional regulators, and four genes of the *cyl* operon (SAG0663 – SAG0673) essential for GBS hemolytic activity and production of pigment. See Pritzlaff et al. (2001) *Mol. Microbiol.*, **39**, 236 – 247. The rest of the 315 proteins include 240 hypothetical proteins with no similarity to other proteins in databases.

Many of the 315 genes specific to *S. agalactiae* are located in regions likely to constitute mobile genetic elements. Two of these regions resemble prophages (SAG0545-SAG0610 and SAG1835-SAG1885) displaying a mosaic structure with segments most similar to different bacteriophages, a pattern that suggests frequent recombination events. PblA and PblB are adhesins from a *S. mitis* prophage where they contribute to endocarditis by binding to human platelets (See Bensing, et al. (2001) *Infect. Immun.* **69**, 6186 – 6192; Bensing, et al (2001) *Infect. Immun.* **69**, 1373 – 1380. Their orthologs in *S. agalactiae* are located on separate prophages and display a different protein structure. Another region (SAG1247-SAG1299) encodes a putative conjugative transposon that carries genes for cadmium efflux and mercury resistance.

GAS Subset 1(a): This Subset comprises GAS genes which have homologues with GBS and with pneumococcus, but do not have homologues with any of the other published bacterial genomes at the time of the invention.

PATENT APPLICATION
ATTY REF NO. 19195.001

GAS Subset 2(a): This Subset comprises GAS genes which have homologues with GBS but do not have homologues with pneumococcus or any of the other published bacterial genomes at the time of the invention;

GAS Subset 3(a): This Subset comprises GAS genes which have homologues with pneumococcus but do not have homologues with GBS or any of the other published bacterial genomes at the time of the invention.

GAS Subset 4(a): This Subset comprises GAS genes which do not have homologues with either GBS or pneumococcus or with any of the other published bacterial genomes at the time of the invention.

Spn Subset 1(a): This Subset comprises Spn genes which have homologues with GBS and GAS but which do not have homologues with any of the other published bacterial genomes at the time of the invention;

Spn Subset 2(a): This Subset comprises Spn genes which have homologues with GBS but do not have homologues with GAS or with any of the other published bacterial genomes at the time of the invention;

Spn Subset 3(a): This Subset comprises Spn genes which have homologues with GAS but do not have homologues with GBS or with any of the other published bacterial genomes at the time of the invention;

Spn Subset 4(a): This Subset comprises Spn genes which do not have homologues with either GBS or pneumococcus or with any of the other published bacterial genomes at the time of the invention.

The invention also provides polynucleotides which are conserved or specific to GBS serotypes and/or clinical isolates. Applicants have sequenced 19 GBS genes from a variety of GBS serotypes in 11 different clinical isolates. The sequences of these genes are set forth in Tables 13 - 31. The following additional subsets are provided:

GBS Subset 1(b): of the 1060 GBS genes which have homologues with GAS and with pneumococcus, 47 of these GBS genes vary among the 11 clinical isolates. 1013 of these GBS genes are conserved across the 11 clinical isolates. This list can

PATENT APPLICATION
ATTY REF NO. 19195.001

be determined by comparing the genes listed in Table 8 with the Comparative Genome Hybridization in Figure 1.

GBS Subset 2(b): of the 225 GBS genes which have homologues with GAS, but not pneumococcus, 44 of these GBS genes vary among the 11 clinical isolates. 181 of these GBS genes are conserved across the 11 clinical isolates. This list can be determined by comparing the genes listed in Table 10 with the Comparative Genome Hybridization in Figure 1.

GBS Subset 3(b): of the 176 GBS genes which have homologues with pneumococcus, 44 of these GBS genes vary among 11 clinical isolates. 132 of these GBS genes are conserved across the 11 clinical isolates. This list can be determined by comparing the genes listed in Table 9 with the Comparative Genome Hybridization in Figure 1.

GBS Subset 4(b): of the 683 GBS genes which do not have homologues with GAS or pneumococcus, 260 GBS genes vary among the 11 clinical isolates. 423 of these GBS genes are conserved across the 11 clinical isolates. This list can be determined by comparing the genes listed in Table 11 with the Comparative Genome Hybridization in Figure 1.

The invention further provides polynucleotides which are likely recent genomic duplications in GBS. These duplications include glycosyl transferases, sortases, proteins anchored on the cell wall, β lactam resistance factors, and many hypothetic proteins. The GBS genes are listed in Table 4 (GBS Subset 5).

The invention is also based on the identification of a cluster of 13 adjacent genes (SAG1410 – SAG1424) which is believed to encode enzymes required for synthesis of the group B carbohydrate, a complex multiantennary structure of rhamnose, glucitol phosphate, N-acetylglucosamine, and galactose. (GBS Subset 6). Predicted proteins encoded within this cluster include seven putative glycosyltransferases, four of which are similar to rhamnosyltransferases in other streptococcal species; a putative dTDP-L-rhamnose synthase; and proteins involved in glucitol synthesis. All nine recognized GBS capsular polysaccharide types contain sialic acid residues as part

PATENT APPLICATION
ATTY REF NO. 19195.001

of their repeating unit structure, a feature that contributes to virulence by inhibiting activation of the alternative complement pathway. See Edwards et al. (1982) *J. Immunol.* 128, 1278 – 1283.

The type V capsular polysaccharide gene cluster consists of 18 genes. (GBS Subset 6(a)). A region of glycosyltransferases and related proteins (SAG1162 – SAG1170) that direct the synthesis of the type V polysaccharide repeat unit is flanked on either side by genes that are conserved in all known GBS capsule serotypes. Downstream of this region are genes that encode enzymes for the biosynthesis and activation of sialic acid (SAG1158 – SAG1161). Upstream of the serotype specific region are genes (SAG1171 – SAG1175) found not only in all nine GBS capsular serotypes but also in a variety of other polysaccharide-producing streptococci.

The invention provides for methods of screening a Streptococcal genome for a conserved or a specific genomic sequence using one or more of the subsets of the invention.

The invention further provides for an immunogenic composition comprising a polypeptide expressed by one or more of the polynucleotides in one or more of the subsets of the invention, and methods for designing an immunogenic composition by selecting one or more polypeptides expressed by one or more of the polynucleotides in one or more of the subsets of the invention.

The invention further provides for methods of screening compounds for activity against a Streptococcal bacteria, which method comprises contacting the compounds with a polypeptide expressed by the polynucleotide from one of the subsets of the invention.

The invention further provides for compositions comprising one or more of the polynucleotides, and fragments and derivatives thereof, selected from the group consisting of the sequences set forth in Tables 13 – 31.

The invention further provides for compositions comprising polypeptides and fragments and derivatives thereof encoded by the polynucleotides set forth in Tables 13 – 31.

PATENT APPLICATION
ATTY REF NO. 19195.001

BRIEF DESCRIPTION OF THE TABLES AND DRAWINGS

Table 1 comprises a complete list of GBS predicted genes, listed by SAGxxxx ORF number. This table also includes the predicted amino acid size of the predicted expressed protein and the predicted function, if known.

Table 2 comprises a list of predicted and experimentally characterized surface and secreted proteins from GBS.

Table 3 lists genes which were shared among GBS, GAS and pneumococcus, but which were not found in any of the other completely sequenced genomes.

Table 4 depicts probable recently duplicated genes within GBS.

Table 5 lists the 19 GBS strains used for comparative genome hybridisations and phylogenetic analysis.

Table 6 lists clusters of genes derived from phylogenetic profiling of GBS strains based on comparative genome hybridisations.

Table 7 lists genes and strains used for phylogenetic analyses of the 19 GBS strains.

Table 8 lists the 1060 GBS ORF's which are conserved across GBS, GAS and pneumococcus.

Table 9 lists the 176 GBS ORF's which are conserved across GBS and pneumococcus.

Table 10 lists the 225 GBS ORF's which are conserved across GBS and GAS.

Table 11 lists 683 GBS ORF's which are not shared with either GBS or pneumococcus.

Table 12 lists 315 GBS ORF's which are not shared with any published genomic sequence.

Table 13 lists the sequences of the 11 strains relating to GBS ORF SAG0466.

Table 14 lists the sequences of the 11 strains relating to GBS ORF SAG0471.

Table 15 lists the sequences of the 11 strains relating to GBS ORF SAG0492.

Table 16 lists the sequences of the 11 strains relating to GBS ORF SAG0767.

Table 17 lists the sequences of the 11 strains relating to GBS ORF SAG1086.

PATENT APPLICATION
ATTY REF NO. 19195.001

Table 18 lists the sequences of the 11 strains relating to GBS ORF SAG1600.
Table 19 lists the sequences of the 11 strains relating to GBS ORF SAG1680.
Table 20 lists the sequences of the 11 strains relating to GBS ORF SAG1723.
Table 21 lists the sequences of the 11 strains relating to GBS ORF SAG0079.
Table 22 lists the sequences of the 11 strains relating to GBS ORF SAG0093.
Table 23 lists the sequences of the 11 strains relating to GBS ORF SAG0163.
Table 24 lists the sequences of the 11 strains relating to GBS ORF SAG0290.
Table 25 lists the sequences of the 11 strains relating to GBS ORF SAG0368.
Table 26 lists the sequences of the 11 strains relating to GBS ORF SAG0503.
Table 27 lists the sequences of the 11 strains relating to GBS ORF SAG1473.
Table 28 lists the sequences of the 11 strains relating to GBS ORF SAG1552.
Table 29 lists the sequences of the 11 strains relating to GBS ORF SAG1641.
Table 30 lists the sequences of the 11 strains relating to GBS ORF SAG2147.
Table 31 lists the sequences of the 11 strains relating to GBS ORF SAG2148.
Table 32 provides a conversion table for the ORFxxxx reference numbers to the SAGxxxx reference numbers, which are available at the TIGR website on the day of the filing of this application.

Table 33 lists the 1006 GAS ORF's which are shared with GBS and Spn. The genes corresponding to these ORFs were published in GenBank; the numbers for the GAS ORF refer directly to their GenBank entries.

Table 34 lists the 212 GAS ORF's which are shared with GBS but which do not have homologues with pneumococcus. The genes corresponding to these ORFs were published in GenBank; the numbers for the GAS ORF refer directly to their GenBank entries.

Table 35 lists the 62 GAS ORF's which have homologues with pneumococcus but which do not have homologues with GBS. The genes corresponding to these ORFs were published in GenBank; the numbers for the GAS ORF refer directly to their GenBank entries.

PATENT APPLICATION
ATTY REF NO. 19195.001

Table 36 lists the 1034 Spn ORF's which share homologues with GBS and GAS. These ORF's were published in GenBank. The numbers for Spn correspond to the entry for AE005672.

Table 37 lists the 195 Spn ORF's which share homologues with GBS but do not share homologues with GAS. These ORF's were published in GenBank. The numbers for Spn correspond to the entry for AE005672.

Table 38 lists the 74 Spn ORF's which share homologues with GAS but do not share homologues with GBS. These ORF's were published in GenBank. The numbers for Spn correspond to the entry for AE005672.

Figure 1 is a circular representation of the GBS genome and comparative hybridisations using microarrays.

Figure 2 is a schematic representation of in silico comparisons between streptococci.

Figure 3 depicts a phylogenetic tree of GBS strains based on PCR sequences.

Figure 4 depicts a linear representation of the GBS genome.

Figure 5 demonstrates phylogenetic profiling of GBS strains based on comparative genome hybridisations.

BRIEF DESCRIPTION OF THE SEQUENCE ID NOS.

The following SEQ ID NOS are used in the application and figures.

SEQ ID NOS. 1301 – 1316 represent the polynucleotide sequences corresponding to the SAG0466 ORF (thiolase) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 1401 – 1417 represent the polynucleotide sequences corresponding to the SAG0471 ORF (glucokinase) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 1501 – 1511 represent the polynucleotide sequences corresponding to the SAG0492 ORF (amino acid ABC transporter, ATP-binding

PATENT APPLICATION
ATTY REF NO. 19195.001

protein) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 1601 – 1617 represent the polynucleotide sequences corresponding to the SAG0767 ORF (D-alanine - D-alanine ligase) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 1701 – 1711 represent the polynucleotide sequences corresponding to the SAG1086 ORF (xanthine phosphoribosyltransferase) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 1801 – 1814 represent the polynucleotide sequences corresponding to the SAG1600 ORF (glutamate racemase) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 1901 – 1914 represent the polynucleotide sequences corresponding to the SAG1680 ORF (shikimate 5-dehydrogenase) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 2001 – 2010 represent the polynucleotide sequences corresponding to the SAG1723 ORF (signal peptidase I) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 2101 – 2112 represent the polynucleotide sequences corresponding to the SAG0079 ORF (adenylate kinase) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 2201 – 2211 represent the polynucleotide sequences corresponding to the SAG0093 ORF (D-alanyl-D-alanine carboxypeptidase family protein) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 2301 – 2311 represent the polynucleotide sequences corresponding to the SAG0163 ORF (competence protein Cg1A) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 2401 – 2410 represent the polynucleotide sequences corresponding to the SAG0290 ORF (ABC transporter, substrate-binding protein) in

**PATENT APPLICATION
ATTY REF NO. 19195.001**

the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 2501 – 2511 represent the polynucleotide sequences corresponding to the SAG0368 ORF (protein of unknown function) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 2601 – 2609 represent the polynucleotide sequences corresponding to the SAG0503 ORF (lipase/acylhydrolase) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 2701 – 2711 represent the polynucleotide sequences corresponding to the SAG1473 ORF (cell wall surface anchor family protein) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 2801 – 2811 represent the polynucleotide sequences corresponding to the SAG1552 ORF (conserved hypothetical protein) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 2901 – 2911 represent the polynucleotide sequences corresponding to the SAG1641 ORF (YaeC family protein) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 3001 – 3010 represent the polynucleotide sequences corresponding to the SAG2147 ORF (protein of unknown function / lipoprotein, putative) in the GBS strains indicated for each sequence, including where indicated reverse complements.

SEQ ID NOS. 3101 – 3111 represent the polynucleotide sequences corresponding to the SAG2148 ORF (LysM domain protein) in the GBS strains indicated for each sequence, including where indicated reverse complements.

DETAILED DESCRIPTION OF THE INVENTION

The invention relates to polynucleotides which are conserved or specific to one or more species of *Streptococcus*, *Streptococcus* species serotypes, and/or

PATENT APPLICATION
ATTY REF NO. 19195.001

serotype isolates. In particular, the invention relates to polynucleotides from Streptococcus which are conserved or specific to one or more of the species of *S. pneumoniae* ("pneumococcus" or "S. pn."), *S. pyogenes* ("group A streptococcus" or "GAS"), and *S. agalactiae* ("group B streptococcus" or "GBS"). The invention further relates to polynucleotides which are conserved or specific to one or more Streptococcal species serotypes, such as GBS serotypes Ia, Ib, II, III, IV, V, VI, VII, and VIII. The invention still further relates to polynucleotides which are conserved or specific to one or more clinical isolates of a Streptococcus species.

In order to facilitate an understanding of the invention, selected terms used in the application will be discussed below.

As used herein, the phrase "species of Streptococcus" generally refers to species of the Streptococcus family, including *S. pneumoniae* ("pneumococcus" or "S.pn."), *S. pyogenes* ('group A streptococcus' or 'GAS') and *S. agalactiae* ('group B streptococcus' or 'GBS').

As used herein, the phrase "Streptococcus species serotypes" generally refers to subdivisions based on a distinguishing characteristic within a specific Streptococcus species. The distinguishing characteristic can be identified by any of a wide range of diagnostic tools. For instance, GBS is generally recognized as comprising at least nine subdividing serotypes based on the structure of their polysaccharide capsule.

As used herein, the phrases "serotype isolates" or "clinical isolates" generally refer to specific isolated bacterial strains of a specific Streptococcal species and serotype.

As used herein in reference to bacterial genomes, the phrases "conserved" or "shared" generally refer to genomic sequences which have homologues in the two or more genomes in the reference. Homologous sequences preferably have greater than 50% identity (e.g., 60%, 70%, 80%, 90%, 95%, 99% or more).

As used herein in reference to bacterial genomes, the phrases "specific to" or "not shared" generally refer to genomic sequences which do not have homologues in

PATENT APPLICATION
ATTY REF NO. 19195.001

the two or more genomes in the reference. Sequences which are not homologues preferably have less than 50% identity (e.g., 40%, 35%, 30%, 25%, 20%, 15%, or less).

Identity between nucleotide sequences can be determined using software programs known in the art, for example those described in section 7.7.18 of *Current Protocols in Molecular Biology* (F.M. Ausubel *et al.*, eds., 1987) Supplement 30. A preferred alignment program is GCG Gap (Genetics Computer Group, Wisconsin, Suite Version 10.1), preferably using default parameters, which are as follows: open gap = 3; extend gap = 1.

Sequences within a Subset of the invention include sequences which hybridize to the listed genes. Hybridization reactions can be performed under conditions of different "stringency". Conditions that increase stringency of a hybridization reaction of widely known and published in the art [e.g. page 7.52 of Sambrook *et al.* (1989) *Molecular Cloning: A Laboratory Manual*. NY, Cold Spring Harbor Laboratory]. Examples of relevant conditions include (in order of increasing stringency): incubation temperatures of 25°C, 37°C, 50°C, 55°C and 68°C; buffer concentrations of 10 x SSC, 6 x SSC, 1 x SSC, 0.1 x SSC (where SSC is 0.15 M NaCl and 15 mM citrate buffer) and their equivalents using other buffer systems; formamide concentrations of 0%, 25%, 50%, and 75%; incubation times from 5 minutes to 24 hours; 1, 2, or more washing steps; wash incubation times of 1, 2, or 15 minutes; and wash solutions of 6 x SSC, 1 x SSC, 0.1 x SSC, or de-ionized water. Hybridization techniques and their optimization are well known in the art [e.g. see Sambrook *et al.*; *RNA Methodologies* (Farrell, 1998) (Academic Press; ISBN 0-12-249695-7); *Current Protocols in Molecular Biology* (F.M. Ausubel *et al.*, eds., 1987) Supplement 30; *Short protocols in molecular biology* (4th edition, 1999) Ausubel *et al.* eds. ISBN 0-471-32938-X; US patent 5,707,829 *etc.*].

Identity between polypeptide sequences can be determined using software programs known in the art, for example those described in section 7.7.18 of *Current Protocols in Molecular Biology* (F.M. Ausubel *et al.*, eds., 1987) Supplement 30. A

PATENT APPLICATION
ATTY REF NO. 19195.001

preferred alignment is determined by the Smith-Waterman homology search algorithm [Smith & Waterman (1981) *Adv. Appl. Math.* 2: 482-489.] using an affine gap search with a gap open penalty of 12 and a gap extension penalty of 2, BLOSUM matrix 62.

Typically, 50% identity or more between two proteins may be considered to be an indication of functional equivalence. References to a percentage sequence identity between two amino acid sequences means that, when aligned, that percentage of amino acids are the same in comparing the two sequences.

The terms "polypeptide", "protein" and "amino acid sequence" as used herein generally refer to a polymer of amino acid residues and are not limited to a minimum length of the product. Thus, peptides, oligopeptides, dimers, mulimers, and the like, are included within the definition. Both full-length proteins and fragments thereof are encompassed by the definition. Minimum fragments of polypeptides useful in the invention can be at least 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, or even 15 amino acids. Typically, polypeptides useful in this invention can have a maximum length suitable for the intended application. Generally, the maximum length is not critical and can easily be selected by one skilled in the art.

Reference to polypeptides and the like also includes derivatives of the amino acid sequences of the invention. Such derivatives can include postexpression modifications of the polypeptide, for example, glycosylation, acetylation, phosphorylation, and the like. Amino acid derivatives can also include modifications to the native sequence, such as deletions, additions and substitutions (generally conservative in nature), so long as the protein maintains the desired activity. These modifications may be deliberate, as through site-directed mutagenesis, or may be accidental, such as through mutations of hosts which produce the proteins or errors due to PCR amplification. Furthermore, modifications may be made that have one or more of the following effects: reducing toxicity; facilitating cell processing (*e.g.*, secretion, antigen presentation, etc.); and facilitating presentation to B-cells and/or T-cells.

"Fragment" or **"Portion"** as used herein refers to a polypeptide consisting of only a part of the intact full-length polypeptide sequence and structure as found in nature. For instance, a fragment can include a C-terminal deletion and/or an N-terminal deletion of a protein.

A **"recombinant"** protein is a protein which has been prepared by recombinant DNA techniques as described herein. In general, the gene of interest is cloned and then expressed in transformed organisms, as described further below. The host organism expressed the foreign gene to produce the protein under expression conditions.

The term **"polynucleotide"**, as known in the art, generally refers to a nucleic acid molecule. A "polynucleotide" can include both double- and single-stranded sequences and refers to, but is not limited to, cDNA from viral, prokaryotic or eukaryotic mRNA, genomic RNA and DNA sequences from viral (e.g. RNA and DNA viruses and retroviruses) or prokaryotic DNA, and especially synthetic DNA sequences. The term also captures sequences that include any of the known base analogs of DNA and RNA, and includes modifications such as deletions, additions and substitutions (generally conservative in nature), to the native sequence, so long as the nucleic acid molecule encodes a therapeutic or antigenic protein. These modifications may be deliberate, as through site-directed mutagenesis, or may be accidental, such as through mutations of hosts that produce the antigens. Modifications of polynucleotides may have any number of effects including, for example, facilitating expression of the polypeptide product in a host cell. The term "polynucleotide" further includes DNA, RNA, DNA/RNA hybrids, DNA and RNA analogues such as those containing modified backbones (with modifications in the sugar and/or phosphates *e.g.* phosphorothioates, phosphoramidites *etc.*), and also peptide nucleic acids (PNA) and any other polymer comprising purine and pyrimidine bases or other natural, chemically or biochemically modified, non-natural, or derivatized nucleotide bases *etc.* Nucleic acid according to the invention can be prepared in many ways (*e.g.* by chemical synthesis, from genomic or cDNA libraries,

PATENT APPLICATION
ATTY REF NO. 19195.001

from the organism itself *etc.*) and can take various forms (*e.g.* single stranded, double stranded, vectors, probes *etc.*).

A polynucleotide can encode a biologically active (*e.g.*, immunogenic or therapeutic) protein or polypeptide. Depending on the nature of the polypeptide encoded by the polynucleotide, a polynucleotide can include as little as 10 nucleotides, *e.g.*, where the polynucleotide encodes an antigen.

By "isolated" is meant, when referring to a polynucleotide or a polypeptide, that the indicated molecule is separate and discrete from the whole organism with which the molecule is found in nature or, when the polynucleotide or polypeptide is not found in nature, is sufficiently free of other biological macromolecules so that the polynucleotide or polypeptide can be used for its intended purpose.

"Antibody" as known in the art includes one or more biological moieties that, through chemical or physical means, can bind to or associate with an epitope of a polypeptide of interest. The antibodies of the invention specifically bind to infectious prion conformations. The term "antibody" includes antibodies obtained from both polyclonal and monoclonal preparations, as well as the following: hybrid (chimeric) antibody molecules (see, for example, Winter et al. (1991) *Nature* 349: 293-299; and U.S. Patent No. 4,816,567; F(ab')₂ and F(ab) fragments; F_v molecules (non-covalent heterodimers, see, for example, Inbar et al. (1972) *Proc Natl Acad Sci USA* 69:2659-2662; and Ehrlich et al. (1980) *Biochem* 19:4091-4096); single-chain Fv molecules (sFv) (see, for example, Huston et al. (1988) *Proc Natl Acad Sci USA* 85:5897-5883); dimeric and trimeric antibody fragment constructs; minibodies (see, *e.g.*, Pack et al. (1992) *Biochem* 31:1579-1584; Cumber et al. (1992) *J Immunology* 149B: 120-126); humanized antibody molecules (see, for example, Riechmann et al. (1988) *Nature* 332:323-327; Verhoeyan et al. (1988) *Science* 239:1534-1536; and U.K. Patent Publication No. GB 2,276,169, published 21 September 1994); and, any functional fragments obtained from such molecules, wherein such fragments retain immunological binding properties of the parent antibody molecule. The term

PATENT APPLICATION
ATTY REF NO. 19195.001

"antibody" further includes antibodies obtained through non-conventional processes, such as phage display.

As used herein, the term "monoclonal antibody" refers to an antibody composition having a homogeneous antibody population. The term is not limited regarding the species or source of the antibody, nor is it intended to be limited by the manner in which it is made. Thus, the term encompasses antibodies obtained from murine hybridomas, as well as human monoclonal antibodies obtained using human rather than murine hybridomas. See, e.g., Cote, et al. *Monoclonal Antibodies and Cancer Therapy*, Alan R. Liss, 1985, p 77.

An "immunogenic composition" as used herein refers to a composition that comprises an antigenic molecule where administration of the composition to a subject results in the development in the subject of a humoral and/or a cellular immune response to the antigenic molecule of interest. The immunogenicity of the composition may be facilitated by the use of an adjuvant. The immunogenic composition can be introduced directly into a recipient subject, such as by injection, inhalation, oral, intranasal or any other parenteral or mucosal (e.g., intra-rectally or intra-vaginally) route of administration.

The practice of the present invention will employ, unless otherwise indicated, conventional methods of chemistry, biochemistry, molecular biology, immunology and pharmacology, within the skill of the art. Such techniques are explained fully in the literature. See, e.g., *Remington's Pharmaceutical Sciences*, 18th Edition (Easton, Pennsylvania: Mack Publishing Company, 1990); *Methods In Enzymology* (S. Colowick and N. Kaplan, eds., Academic Press, Inc.); and *Handbook of Experimental Immunology*, Vols. I-IV (D.M. Weir and C.C. Blackwell, eds., 1986, Blackwell Scientific Publications); Sambrook, et al., *Molecular Cloning: A Laboratory Manual* (2nd Edition, 1989); *Handbook of Surface and Colloidal Chemistry* (Birdi, K.S. ed., CRC Press, 1997); *Short Protocols in Molecular Biology*, 4th ed. (Ausubel et al. eds., 1999, John Wiley & Sons); *Molecular Biology Techniques: An Intensive Laboratory Course*, (Ream et al., eds., 1998, Academic Press); *PCR (Introduction to*

PATENT APPLICATION
ATTY REF NO. 19195.001

Biotechniques Series), 2nd ed. (Newton & Graham eds., 1997, Springer Verlag); Peters and Dalrymple, *Fields Virology* (2d ed), Fields et al. (eds.), B.N. Raven Press, New York, NY.

It is understood that the antibodies and methods of this invention are not limited to particular formulations or process parameters as such may, of course, vary. It is also to be understood that the terminology used herein is for the purpose of describing particular embodiments of the invention only, and is not intended to be limiting.

All publications, patents and patent applications cited herein are hereby incorporated by reference in their entirety.

Vaccines and Immunisation

The invention provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof, which is encoded by a polynucleotide sequence which is conserved across one or more species of *Streptococcus*.

The polynucleotide is preferably conserved across one or more species of *Streptococcus* selected from the group consisting of GBS, GAS and pneumococcus. In one embodiment, the polynucleotide is a GBS polynucleotide which is homologous with at least one gene from both GAS and pneumococcus. Preferably, the GBS polynucleotide is selected from GBS Subset 1, which includes 1060 GBS genes which have homologues with both GAS and pneumococcus (Table 8).

In another embodiment, the polynucleotide is a GAS polynucleotide which is homologous with at least one gene from both GBS and pneumococcus. Preferably, the GAS polynucleotide is selected from GAS Subset 1, which includes 1006 GAS genes which have homologues with both GBS and pneumococcus.

In another embodiment, the polypeptide is a pneumococcal polynucleotide which is homologous with at least one gene both GAS and GBS. Preferably, the pneumococcus polynucleotide is selected from Spn Subset 1, which includes 1034 pneumococcal genes which have homologous with both GBS and GAS.

PATENT APPLICATION
ATTY REF NO. 19195.001

In another embodiment, the polynucleotide is a GBS polynucleotide which is homologous with at least one gene from GAS. Preferably, the polynucleotide is selected from one of the genes listed GBS Subset 2, which includes 225 GBS genes which have homologues with GAS, but not with pneumococcus.

In another embodiment, the polynucleotide is a GBS polynucleotide which is homologous with at least one gene from pneumococcus. Preferably, the polynucleotide is selected from GBS Subset 3, which includes 176 GBS genes which have homologues with pneumococcus.

In another embodiment, the polynucleotide is a GAS polynucleotide which is homologous with at least one gene from GBS. Preferably, the polynucleotide is selected from GAS Subset 2, which includes 212 GAS genes which have a homologue with GBS.

In another embodiment, the polynucleotide is a GAS polynucleotide which is homologous with at least one gene from pneumococcus. Preferably, the polynucleotide is selected from GAS Subset 3, which includes 62 GAS genes which have a homologue with pneumococcus.

In another embodiment, the polynucleotide is a pneumococcus polynucleotide which is homologous with at least one gene from GBS. Preferably, the polynucleotide is selected from Spn Subset 2, which includes 195 Spn genes which have a homologue with GBS.

In another embodiment, the polynucleotide is a pneumococcus polynucleotide which is homologous with at least one gene from GAS. Preferably, the polynucleotide is selected from Spn Subset 3, which includes 74 Spn genes which have a homologue with GAS.

The invention further provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof, which is encoded by a polynucleotide sequence which is specific to one or more species of Streptococcus.

The invention further provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof, which is encoded by a polynucleotide

PATENT APPLICATION
ATTY REF NO. 19195.001

which is specific to GBS, GAS and pneumococcus. In one embodiment, the polynucleotide is a GBS polynucleotide which is homologous to at least one gene from both GAS and pneumococcus. Preferably, the GBS polynucleotide is selected from GBS Subset 1. In an alternative embodiment, the polynucleotide is a GBS polynucleotide which is homologous to at least one gene from both GAS and pneumococcus, but which is not homologous to a gene in any other published bacterial genome at the time of the invention. Preferably, the GBS polynucleotide is selected from one of the 12 GBS genes included in GBS Subset 1(a). (Table 3).

In another embodiment, the polynucleotide is a GAS polynucleotide which is homologous to at least one gene in both GBS and pneumococcus. Preferably, the GAS polynucleotide is selected from GAS Subset 1. In another embodiment, the polynucleotide is a GAS polynucleotide which is homologous to at least one gene in both GBS and pneumococcus but which is not homologous to any gene in any other published bacterial genome at the time of the invention. Preferably, the GAS polynucleotide is selected from GAS Subset 1(a).

Alternatively, the polynucleotide is a pneumococcus polynucleotide which is homologous to at least one gene in both GBS and GAS. Preferably, the pneumococcus polynucleotide is selected from Spn Subset 1(a). In another embodiment, the polynucleotide is a pneumococcus polynucleotide which is homologous to at least one gene in both GBS and GAS but which does not have a homologue in any other published bacterial genome at the time of the invention. Preferably, the pneumococcus polynucleotide is selected from Spn Subset 1(a).

The invention further provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof, which is encoded by a polynucleotide sequence which is specific to GBS. In one embodiment, the polynucleotide is a GBS polynucleotide which is not homologue to a gene in either GAS or pneumococcus. Preferably, the GBS polynucleotide is selected from one of the 683 GBS genes included in GBS Subset 4. In a further embodiment, the polynucleotide is a GBS polynucleotide which is not homologous to a gene in either GAS or pneumococcus or

PATENT APPLICATION
ATTY REF NO. 19195.001

any other published bacterial genome at the time of the invention. Preferably, the GBS polynucleotide is selected from one of the 315 GBS genes in GBS Subset 4(a).

The invention further provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof, which is encoded by a polynucleotide sequence which is specific to GAS. In one embodiment, the polynucleotide is a GAS polynucleotide which is not homologous to a gene in either GBS or pneumococcus. Preferably, the GBS polynucleotide is selected from one of the 416 GAS genes included in GAS Subset 4. In a further embodiment, the polynucleotide is a GAS polynucleotide which does not have a homologue in either GBS or pneumococcus or in any other published bacterial genome at the time of the invention. Preferably, the GAS polynucleotide is selected from GAS Subset 4(a).

The invention further provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof, which is encoded by a polynucleotide sequence which is specific to pneumococcus. In one embodiment, the polynucleotide is a pneumococcus polynucleotide which is not homologous to a gene in either GBS or GAS. Preferably, the pneumococcus polynucleotide is selected from one of the 836 Spn genes included in Spn Subset 4. In a further embodiment, the polynucleotide is a pneumococcus polynucleotide which does not have a homologue in either GBS or GAS or in any other published bacterial genome at the time of the invention. Preferably, the pneumococcus polynucleotide is selected from Spn Subset 4(a).

The invention further provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof, which is encoded by a polynucleotide sequence which is specific to GBS and GAS. In one embodiment, the polynucleotide is a GBS polynucleotide which is homologous to at least one gene from GAS but is not homologous to a gene from pneumococcus. Preferably, the GBS polynucleotide is selected from one of the 225 GBS genes included in GBS Subset 2. In another embodiment, the GBS polynucleotide is homologous to at least one gene from GAS but is not homologous to any gene from pneumococcus and does not have a

PATENT APPLICATION
ATTY REF NO. 19195.001

homologue in any other published bacterial genome at the time of the invention.

Preferably, the GBS polynucleotide is selected from GBS Subset 2(a).

In another embodiment, the polynucleotide is a GAS polynucleotide which is homologous to at least one gene from GBS but is not homologous to any gene from pneumococcus. Preferably, the GAS polynucleotide is selected from one of the 212 GAS genes included in GAS Subset 2. In another embodiment, the GAS polynucleotide is homologous to at least one gene from GBS but is not homologous to any gene from pneumococcus and does not have a homologous gene with any other published bacterial genome at the time of the invention. Preferably, the GAS polynucleotide is selected from GAS Subset 2(a).

The invention further provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof, which is encoded by a polynucleotide sequence which is specific to GBS and pneumococcus. In one embodiment, the polynucleotide is a GBS polynucleotide which is homologous to at least one gene from pneumococcus but is not homologous to any gene from GAS. Preferably, the GBS polynucleotide is selected from one of the 176 GBS genes included in GBS Subset 3. In another embodiment, the polynucleotide is a GBS polynucleotide which is homologous with at least one gene from pneumococcus but is not homologous with any GAS polynucleotide and does not have a homologous gene in any of the other published bacterial genomes at the time of the invention. Preferably, the GBS polynucleotide is selected from GBS Subset 3(a).

In another embodiment, the polynucleotide is a pneumococcus polynucleotide which is homologous with at least one gene from GBS, but is not homologous with any gene from GAS. Preferably, the pneumococcus polynucleotide is selected from one of the 195 Spn genes included in Spn Subset 2. In another embodiment, the polynucleotide is a pneumococcus polynucleotide which is homologous with at least one gene from GBS, but is not homologous with any gene from GAS and does not have a homologous gene in any other published bacterial genome at the time of the

PATENT APPLICATION
ATTY REF NO. 19195.001

invention. Preferably, the pneumococcus polynucleotide is selected from Spn Subset 3(a).

The invention further provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof which is encoded by a polynucleotide sequence which is specific to GAS and pneumococcus. In one embodiment, the polynucleotide is a GAS polynucleotide which is homologous with at least one gene from pneumococcus but is not homologous with any gene from GBS. Preferably, the GAS polynucleotide is selected from one of the 62 GAS genes included in GAS Subset 3. In another embodiment, the polynucleotide is a GAS polynucleotide which is homologous with at least one gene from pneumococcus but is not homologous with any gene from GBS and is not homologous with any gene of any published bacterial genome at the time of the invention. Preferably, the GAS polynucleotide is selected from GAS Subset 3(a).

In another embodiment, the polynucleotide is a pneumococcus polynucleotide which is homologous with at least one GAS polynucleotide, but is not homologous with any GBS gene. Preferably, the pneumococcus polynucleotide is selected from one of the 74 Spn genes included in Spn Subset 3. In another embodiment, the polynucleotide is a pneumococcus polynucleotide which is homologous with at least one gene from GAS, but is not homologous with any gene from GBS or with a gene from any other published bacterial genome at the time of the invention. Preferably, the pneumococcus polynucleotide is selected from Spn Subset 3(a).

The invention further provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof, which is encoded by a polynucleotide sequence which is specific to one or more Streptococcal species serotypes. Preferably, the polynucleotide is specific to a Streptococcal species serotype selected from the Streptococcal species GBS, GAS and pneumococcus. More preferably, the polynucleotide is specific to one or more GBS serotypes selected from the group consisting of GBS serotype Ia, Ib, II, III, IV, V, VI, VII and VIII.

PATENT APPLICATION
ATTY REF NO. 19195.001

The invention further provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof, which is encoded by a polynucleotide sequence which is conserved across one or more Streptococcal species serotypes. Preferably, the polynucleotide is specific to a Streptococcal species serotype selected from the Streptococcal species GBS, GAS and pneumococcus. More preferable, the polynucleotide is conserved across one or more GBS serotypes selected from the group consisting of GBS serotype Ia, Ib, II, III, IV, V, VI, VII and VIII.

The invention further provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof, which is encoded by a polynucleotide sequence which is specific to one or more clinical isolates of a Streptococcal species. Preferably, the polynucleotide is specific to a Streptococcal species clinical isolate selected from the Streptococcal species GBS, GAS and pneumococcus. More preferably, the polynucleotide is specific to one or more GBS clinical isolates selected from the clinical isolates identified in Table 5. Still more preferably, the polynucleotide is specific to one or more GBS clinical isolates having one or more genes selected from the genes listed in Table 7.

In another embodiment, the polynucleotide is a GBS polynucleotide which is homologous to at least one gene from both GAS and pneumococcus and which varies among clinical isolates. In another embodiment, the polynucleotide is a GBS polynucleotide which is homologous to at least one gene from both GAS and pneumococcus and which is homologous with at least one gene from at least one of the clinical isolates identified in Table 5. In another embodiment, the polynucleotide is a GBS polynucleotide which is homologous to at least one gene from both GAS and pneumococcus and which is homologous with at least one gene from each of the clinical isolates identified in Table 5. Preferably, the polynucleotide is selected from one of the genes listed in Table 7.

In one embodiment, the polynucleotide is a GBS polynucleotide which is homologous to at least one gene from GAS and is not homologous to any gene from pneumococcus and which varies among clinical isolates. In another embodiment, the

PATENT APPLICATION
ATTY REF NO. 19195.001

polynucleotide is a GBS polynucleotide which is homologous to at least one gene from GAS and is not homologous to any gene from pneumococcus and which is homologous to at least one gene from at least one of the clinical isolates identified in Table 5. In another embodiment, the polynucleotide is a GBS polynucleotide which is homologous to at least one gene from GAS and is not homologous to any gene from pneumococcus and which is homologous to at least one gene from each of the clinical isolates identified in Table 5. Preferably, the polynucleotide is selected from one of the genes listed in Table 7.

In one embodiment, the polynucleotide is a GBS polynucleotide which is homologous to at least one gene from pneumococcus and is not homologous to any gene from GAS and which varies among clinical isolates. In another embodiment, the polynucleotide is a GBS polynucleotide which is homologous to at least one gene from pneumococcus and is not homologous to any gene from GAS and which is homologous to at least one gene from at least one of the clinical isolates identified in Table 5. In another embodiment, the polynucleotide is a GBS polynucleotide which is homologous to at least one gene from pneumococcus and is not homologous to any gene from GAS and which is homologous to at least one gene from each of the clinical isolates identified in Table 5. Preferably, the polynucleotide is selected from one of the genes listed in Table 7.

In one embodiment, the polynucleotide is a GBS polynucleotide which is not homologous to any gene from GAS or pneumococcus and which varies among clinical isolates. In another embodiment, the polynucleotide is a GBS polynucleotide which is not homologous to any gene from GAS or pneumococcus and which is homologous to at least one gene from at least one of the clinical isolates identified in Table 5. In another embodiment, the polynucleotide is a GBS polynucleotide which is not homologous to any gene from GAS or pneumococcus and which is homologous to at least one gene from each of the clinical isolates identified in Table 5. Preferably, the polynucleotide is selected from one of the genes listed in Table 7.

PATENT APPLICATION
ATTY REF NO. 19195.001

The invention further provides an immunogenic composition comprising a polypeptide, or a fragment or derivative thereof, which is encoded by a polynucleotide sequence which is conserved across one or more clinical isolates of a Streptococcal species. Preferably, the polynucleotide is conserved across one or more Streptococcal clinical isolates selected from the Streptococcal species GBS, GAS and pneumococcus. More preferable, the polynucleotide is conserved across one or more GBS clinical isolates identified in Table 5. Still more preferably, the polynucleotide is conserved across one or more clinical isolates having one or more genes selected from the genes listed in Table 7.

The invention further provides for an immunogenic composition comprising a polypeptide encoded by a polynucleotide selected from one or more of the Subsets of the invention.

The invention provides a method for raising an immune response in a patient by administering any one of the immunogenic compositions set forth above. The choice of immunogenic composition means that the immune response may be reactive against all three of GAS, GBS and streptococcus, may be reactive against only two of the three, or may be reactive only against GBS.

The immune response is preferably an antibody response. It may be a protective immune response. The patient is preferably a human.

Essential genes and knockouts

The invention provides a *Streptococcus* bacterium wherein one or more genes within any of the Subsets of this invention have been knocked out. The choice of Subset means that the knocked out gene may be, for instance, a gene found in GBS but not in GAS or pneumococcus (*e.g.* which is involved in the pathogenesis of GBS, but not in the pathogenesis of GAS or pneumococcus, such as binding GBS cellular targets).

Techniques for producing knockout bacteria are well known, and knockout *Streptococci* of various species have been reported [*e.g.* Margolis *et al.* (2001)

PATENT APPLICATION
ATTY REF NO. 19195.001

Antimicrob. Agents Chemother. 45:2432-2435; Zhang *et al.* (2000) *Cell* 102:827-837; Nizet *et al.* (2000) *Infect. Immun.* 68:4245-4254; Nizet *et al.* (1997) *Adv. Exp. Med. Biol.* 418:627-630; *etc.*].

The knockout mutation may be situated in the coding region of the gene or may lie within its transcriptional control regions (*e.g.* within its promoter).

The knockout mutation will reduce the level of mRNA encoding the corresponding polypeptide to <1% of that produced by the wild-type bacterium, preferably <0.5%, more preferably <0.1%, and most preferably to 0%.

The knockout mutants of the invention may be used as immunogenic compositions (*e.g.* as vaccines) to prevent streptococcal infection. Such a vaccine may include the mutant as a live attenuated bacterium.

The knockout mutants of the invention may be used to determine whether genes are essential for bacterial survival, either under normal or stress conditions.

Antisense

The invention provides a single-stranded nucleic acid comprising a fragment of x_1 or more nucleotides from a nucleotide sequence selected from one of the Subsets of the invention. The choice of group means that the nucleic acid may be complementary to a gene sequence found in GBS, GAS and pneumococcus, or a gene sequence specific to GBS.

The single-stranded nucleic acid is at least x_1 nucleotides long. The value of x_1 is at least 7 (*e.g.* 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50 *etc.*). The single-stranded nucleic acid may be at most x_2 nucleotides long, wherein x_2 is 100 or less (*e.g.* 99, 98, 97, 96, 95, 94, 93, 92, 91, 90, 89, 88, 87, 86, 85, 84, 83, 82, 81, 80, 79, 78, 77, 76, 75, 74, 73, 72, 71, 70, 69, 68, 67, 66, 65, 64, 63, 62, 61, 60).

The nucleic acid is preferably of the formula 5'-(N)_a-(X)-(N)_b-3', wherein $0 \leq a \leq 15$, $0 \leq b \leq 15$, N is any nucleotide, and X is the fragment as defined above. The

PATENT APPLICATION
ATTY REF NO. 19195.001

values of a and b may independently be 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 or 15. Each individual nucleotide N in the $-(N)_a-$ and $-(N)_b-$ portions of the nucleic acid may be the same or different. The length of the nucleic acid (*i.e.* $a+b+x_1$) is preferably x_2 or less.

Antisense inhibition of streptococcal gene expression is known *e.g.* Sato *et al.* (1998) *FEMS Microbiol Lett* 159:241-245. Antibacterial antisense techniques are also disclosed in international patent applications WO99/02673 and WO99/13893.

The single-stranded nucleic acid may reduce the level of polypeptide expression from the complementary gene to <1% of that produced by the wild-type bacterium, preferably <0.5%, more preferably <0.1%, and most preferably to 0%.

Antisense experiments may be used to determine whether genes are essential for bacterial survival, either under normal or stress conditions.

Screening methods

The invention provides a method for screening compounds, wherein the method involves contacting the compounds with a polypeptide expressed by one or more of the polynucleotides selected from one of the Subsets of the invention. The method may be for screening for agonists of the polypeptides, antagonists, antibiotics *etc.* The choice of group means, for instance, that the method may be used for identifying an antibiotic with broad anti-streptococcal activity could be identified, or for identifying an antibiotic specific to GBS.

Potential compounds for screening include small organic molecules, peptides, peptoids, polypeptides, lipids, metals, nucleotides, nucleosides, aptamers, polyamines, antibodies, and derivatives thereof. Small organic molecules have a molecular weight between 50 and about 2,500 daltons, and most preferably in the range 200-800 daltons. Complex mixtures of substances, such as extracts containing natural products, compound libraries or the products of mixed combinatorial syntheses also contain potential antagonists.

PATENT APPLICATION
ATTY REF NO. 19195.001

Typically, a polypeptide is incubated with a test compound, and the mixture is then tested to see if the polypeptide and test compound interact, or to see if the polypeptide's activity is inhibited.

For preferred high-throughput screening methods, all the biochemical steps for this assay are performed in a single solution in, for instance, a test tube or microtitre plate, and the test compounds are analysed initially at a single compound concentration. For the purposes of high throughput screening, the experimental conditions are adjusted to achieve a proportion of test compounds identified as "positive" compounds from amongst the total compounds screened.

The invention also provides a compound identified using these methods. These can be used to treat or prevent streptococcal infection. The compound preferably has an affinity for the adhesion-specific protein of at least 10^{-7} M *e.g.* 10^{-8} M, 10^{-9} M, 10^{-10} M or tighter.

Distinguishing Streptococcal species

The invention provides a method for determining whether a *Streptococcus* bacterium of interest is or is not in the species *agalactiae*, *pyogenes* or *pneumoniae*, comprising the step(s) of: (a) contacting the bacterium with a nucleic acid probe comprising the sequence of a gene selected from one of the Subsets of the invention; and/or (b) contacting the bacterium with an antibody which binds to a polypeptide encoded by one or more of the polynucleotides of one or more of the Subsets of the invention. The choice of group means, for instance, that the method may be used for distinguishing GBS from GAS and from pneumococcus, or for confirming that a bacterium is not a GAS or pneumococcus.

The method will typically include the further step of detecting the presence or absence of an interaction between the bacterium of interest and the nucleic acid or protein.

PATENT APPLICATION
ATTY REF NO. 19195.001

The bacterium of interest may be in a cell culture, for example, or may be within a biological sample believed or known to contain a streptococcus. It may be intact or may be, for instance, lysed.

The term "biological sample" encompasses a variety of sample types obtained from an organism and can be used in a diagnostic or monitoring assay. The term encompasses blood and other liquid samples of biological origin, solid tissue samples, such as a biopsy specimen or tissue cultures or cells derived therefrom and the progeny thereof. The term encompasses samples that have been manipulated in any way after their procurement, such as by treatment with reagents, solubilization, or enrichment for certain components. The term encompasses a clinical sample, and also includes cells in cell culture, cell supernatants, cell lysates, serum, plasma, biological fluids, and tissue samples.

GBS 2603 Type V Genomic Sequence

Applicants have sequenced the complete genome sequence of GBS clinical type V isolate 2603 V/R and performed comparative analyses comparing this sequence with other GBS strains, with other species of pathogenic Streptococci and with other known bacterial species. The entire genomic sequence is available as of the filing date of this application at <http://www.tigr.org>. This genomic sequence is incorporated herein by reference in its entirety. The genomic sequence of GBS type V isolate 2603 V/R is also set forth in International Patent Application WO 02/34771.

In one embodiment, the invention relates to the polynucleotides, and fragments and derivatives thereof, set forth in the GBS clinical type V isolate 2603 which are not disclosed within WO 02/34771. The invention further relates to polypeptides expressed by the polynucleotides of the invention.

Applicants have predicted that the GBS 2603 isolate contains approximately 2,176 predicted genes. Each predicted gene is set forth in Table 1, listed by a SAGxxxx ORF number. Table 1 also includes the predicted amino acid size of the

PATENT APPLICATION
ATTY REF NO. 19195.001

predicted expressed protein and the predicted function, if known. The sequence of each SAG reference can be obtained at the TIGR website.

Figure 1 is a circular representation of the GBS genome and comparative hybridisations using microarrays. The outer circle represents predicted coding regions on the plus strand color coded by role categories: violet indicating amino acid biosynthesis; light blue indicating biosynthesis of cofactors, prosthetic groups, and carriers; light green indicating cell envelope; red indicating cellular processes; brown indicating central intermediary metabolism; yellow indicating DNA metabolism; light gray indicating energy metabolism; magenta indicating fatty acid and phospholipid metabolism; pink indicating protein synthesis and fate; orange indicating purines, pyrimidines, nucleosides, and nucleotides; olive indicating regulatory functions and signal transduction; dark green indicating transcription; teal indicating transport and binding proteins; gray indicating unknown function; salmon indicating other categories; blue indicating hypothetical proteins.

The second circle represents predicted coding regions on the minus strand. In the third circle, black represents atypical nucleotide composition curve; green represents most atypical regions; magenta represents insertion elements; red diamonds indicate rRNAs.

Circles 4 – 22 represent comparative hybridisations of strain 2603 V/R with 19 GBS strains. Cy3/Cy5 (2603 V/R signal/test strain) ratio cutoffs were defined arbitrarily as $Cy3/Cy5 = 1.0 - 3.0$, the gene was present in the test strain, no color was added; $Cy3/Cy5 = 3.0 - 10.0$, ambiguous result (blue); $Cy3/Cy5 > 10$, gene absent in test strain (red).

Circles 4 – 9 represent type 1a strains 090, 515, A909, Davis, and DK8. Circles 10 – 11 represent type 1b strains S7 7357b and H36B. Circles 12 – 13 represent type II strains 18RS21 and DK21. Circles 14 – 18 represent type III COH1, COH31, D136C, M732 and M781. Circle 19 represents type V strain CJB111. Circles 20 – 21 represent type VIII strains SMU014 and JM9130013. Circle 22

PATENT APPLICATION
ATTY REF NO. 19195.001

represents nontypable (NT) strain CJB110. Throughout Figure 1, varying regions of five or more consecutive genes are indicated by yellow bullets.

Figure 4 depicts a linear representation of the GBS genome. The location of predicted coding regions color-coded by biological role (see Figure 1) is displayed. Arrowed boxes represent the direction of transcription for each ORF. The number of membrane-spanning domains predicted by TopPred is displayed as lipid bi-layers on top of ORFs, only for those whose products have five or more predicted membrane spanning regions. Genes coding for rRNAs (16S, 23S, 5S) and tRNAs (clover leaf structure with number of genes) are indicated. Predicted Rho-independent transcriptional terminators are represented by hairpins.

ORF's were predicted by GLIMMER (See, Delcher, et al., (1999) *Nucleic Acids Res.* 27, 4636 – 4641 and Salzberg, et al., (1998) *Nucleic Acids Res.* 26, 544-548) trained with ORFs larger than 600 base pairs from the genomic sequence and GBS genes available in GenBank. All predicted proteins larger than 30 amino acids were searched against a nonredundant protein database. (See Fleischmann, et al., (1995) *Science* 269, 496 - 512). Frame-shifts and point mutations were detected and corrected where appropriate; those remaining were annotated as "authentic frame-shift" or "authentic point mutation". Protein membrane-spanning domains were identified by TOPPED (See Claros, et al., (1994) *Comput. Appl. Biosci.* 10, 685 - 686). Candidate lipoprotein signal peptides (See Hayashi et al., (1990) *J. Bioenerg. Biomembr.* 22, 451 - 471) were flagged by N-terminal exact matches to the pattern {DERK} (6)-[LIVMFWSTAG] (2)-[LIVMFYSTAGCQ] – [AGS] – C. Putative signal peptides were identified by using SIGNALP (Nielsen, et al., (1997) *Protein Eng.* 10, 1 - 6). Two sets of hidden Markov models were used to determine ORF membership in families and superfamilies: PFAM Ver. 5.5 (Bateman, et al., (2000) *Nucleic Acids Res.* 28, 263 - 266) and TIGRFAMS 1.0 (Haft et al., (2001) *Nucleic Acids Res.* 29, 41 - 43). Domain-based paralogous families were built by performing all-versus-all searches on the protein sequences by using a modified version of a previously described method. (Niermann, et al., (2001) *Proc. Natl. Acad. Sci. USA*

PATENT APPLICATION
ATTY REF NO. 19195.001

98, 4136 - 4141) Potential lineage-specific gene duplications were estimated by identification of OFRs more similar to ORFs within the GBS genome than to ORFs from other complete genomes. All ORFs were searched with FASTA3 (Pearson (2000) *Methods Mol. Biol.* 132, 185 - 219) against all ORF's from the complete genomes and matches with a FASTA P value of 10^{-15} were considered significant.

The genome consists of a circular chromosome of 2,160,266 base pairs with a G+C content of 35.7%. Base pair one of the chromosome was assigned within the putative origin of replication. The genome contains 80 tRNAs, 7rRNAs, and 3 sRNAs. Approximately 78% of the 2,176 predicted genes are transcribed in the same direction as that of DNA replication, a feature also observed in *S. pn.* and other low-GC Gram positive organisms.

Biological roles were assigned to 1,409 (65%) of the genome according to a classification scheme adapted from Riley (1993) *Microbiol. Rev.* 57, 862 - 952. Another 527 predicted proteins (24%) matched proteins of unknown function, and the remaining 240 (11%) had no database match. The expression of 50 of these hypothetical proteins was confirmed by Western Blot analysis, and the proteins were annotated as "proteins of unknown function." A total of 339 paralogous protein families were identified in strain 2603, containing 941 predicted proteins (43% of the total).

The Western Blot analysis was conducted as follows. GBS strain 2603 V/R cells were grown in Todd-Hewitt broth (Difco) to $OD_{600nm} = 0.5$. The culture was centrifuged for 20 minutes at 5,000 rpm. The supernatant was discarded, and bacteria were washed once with PBS, resuspended in 2 ml of 50 mM Tris-HCl pH 6.8, containing 400 units of Mutanolysin (Sigma), and incubated 2 hours at 37°C. After three cycles of freeze and thaw, cellular debris was removed by centrifugation at 14,000 rpm for 10 minutes, and the protein concentration of the supernatant was measured by the Bio-Rad Protein assay, with BSA as a standard. Purified recombinant proteins (50 ng) and total cell extracts (25 μ g) derived from GBS serotype V 2603 V/R strain were separated by SDS/PAGE and electroblotted onto

PATENT APPLICATION
ATTY REF NO. 19195.001

nitrocellulose membranes for 1 hour at 100 V. The membranes were saturated by overnight incubation at 4° C in 5% skimmed milk and 0.1% Tween 20 in PBS and incubated for 1 hour at room temperature with sera from immunized mice diluted 1:500 - 1:1,000 in saturation buffer. To reduce background due to antibodies raised against contaminating *E. coli* proteins, sera were preincubated with *E. coli* protein extracts absorbed on nitrocellulose strips. The membranes were washed twice in 3% skimmed milk and 0.1% Tween 20 in PBS and incubated for 1 hour with a 1:1,000 dilution of horseradish peroxidase-conjugated antimouse Ig (DAKO). After washing with 0.1% Tween 20 in PBS, the membranes were developed with the Opti-4CN Substrate Kit (Bio-Rad).

Table 2 comprises a list of predicted and experimentally characterized surface and secreted proteins from GBS. Candidate signal peptides and lipoprotein motifs were predicted with PSORT [Nakai, K. & Horton, P. (1999) *Trends Biochem Sci* 24, 34-6] and other methods (see methods), sortase motifs (LPxTG) were detected using the FINDPATTERNS program of the GCG Package [Devereux, J., Haeberli, P. & Smithies, O. (1984) *Nucleic Acids Res* 12, 387-95] and hidden Markov models. Column "Other" indicates proteins carrying other motifs (*e.g.* integrin-binding motif RGD) or are similar to characterized surface-exposed proteins. Western blot results were considered positive when the antibodies revealed a predominant band of the expected molecular weight on the total protein extracts of *S. agalactiae* strain 2603 V/R, ORFs without + or - in this column were not tested in western blot. FACS analyses were performed for western blot positive proteins only. Western blot and FACS data are displayed only for proteins carrying at least one of the other motifs shown in the table. Column "GBS specific" indicates genes unique to *S. agalactiae* (when compared to other completely sequenced genomes) that are present in all the *S. agalactiae* strains tested in comparative genome hybridization analyses. Finally, only proteins carrying less than 3 predicted transmembrane domains are shown in the table, other proteins are likely to be embedded in the cytoplasmic membrane and are probably not exposed on the organism's surface.

PATENT APPLICATION
ATTY REF NO. 19195.001

FACS data was collected as follows: GBS 2603 V/R strain cells were grown in Todd-Hewitt broth (Difco) to OD600nm = 0.5. The culture was centrifuged for 20 minutes at 5,000 rpm, and bacteria were washed once with PBS, resuspended in PBS containing 0.05% paraformaldehyde, and incubated for 1 hour at 37°C and then overnight at 4°C. Fifty microliters of fixed bacteria (OD600nm 0.1) was washed once with PBS, resuspended in 20 µl of newborn calf serum (Sigma), and incubated for 1 hour at 4°C in 100µl of preimmune or immune sera and diluted 1:200 in dilution buffer (PBS, 20% newborn calf serum, 0.1% BSA). After centrifugation and washing with 200µl of washing buffer (0.1% BSA in PBS), samples were incubated for 1 hour at 4°C with 50 µl of R-phycoerythrin-conjugated F(ab)2 goat anti-mouse IgG (Jackson ImmunoResearch) diluted 1:100 in dilution buffer. Cells were washed with 200 µl of washing buffer and resuspended in 200 µl of PBS. Samples were analysed by using a FACS calibur apparatus (Becton Dickinson), and data were analyzed by using CELL QUEST (Becton Dickinson). A shift in mean fluorescence intensity of >75 channels compared with preimmune sera from the same mice was considered positive. This cutoff was determined from the mean plus two standard deviations of shifts obtained with control sera raised against mock purified recombinant proteins from cultures of *E. coli* carrying the empty expression vector and included in every experiment. Artifacts due to bacterial lysis were excluded by using antisera raised against six different known cytoplasmic proteins, all of which gave negative results.

Regions of Atypical Nucleotide Composition.

These regions were identified by the χ^2 analysis: the distribution of all 64 trinucleotides (3 mers) was computed for the complete genome in all six reading frames, followed by the 3-mer distribution in 2,000-bp windows. Windows overlapped by 1,000 bp. For each window, the χ^2 statistic on the difference between its 3-mer content, and that of the whole genome was computed.

In Silico Genome Comparisons

The protein sets of *S. agalactiae*, *Streptococcus pneumoniae* and *S. pyogenes* were compared by using FASTA3. A general description of the FASTA3 sequence comparison program is discussed in Pearson, W.R., "Flexible Sequence Similarity Searching with the FASTA3 Program Package", (2000) *Methods Mol. Biol.*, 132: 185-219. Shared genes were defined using a FASTA3 *P* value cutoff of 10^{-15} . These shared genes and genes that *S. agalactiae* did not share with the other streptococci using this cutoff were subsequently searched against all completely sequenced genomes, and genes were defined as unique to streptococci or *S. agalactiae* when they did not share similarity with any other gene sets with a FASTA3 *P* value of 10^{-5} or lower. The use of two cutoffs provides for a more stringent analysis of shared or unique genes.

Figure 2 is a schematic representation of in silico comparisons between streptococci. The protein sets of GBS, *S. pn.*, and GAS were compared by using FASTA3. Numbers under the species name indicate genes that are not shared with the other species; values in parenthesis are the number of proteins in each species (excluding frame-shifted and degenerated genes). Numbers in the intersections indicate genes shared by two or three species. These are displayed in the color corresponding to the species used as the query. (GBS: green; *S.pn.*: blue; GAS: red). Numbers in any given intersection are slightly different due to gene duplications in some species.

Table 3 lists genes which were shared among GBS, GAS and pneumococcus, but which were not found in any of the other completely sequenced genomes. The protein sets of *S. agalactiae*, *S. pneumoniae*, and *S. pyogenes* were compared using FASTA3 [Pearson, W. R. (2000) *Methods Mol Biol* 132, 185-219]. Shared genes were defined using a FASTA3 *p* value cutoff of 10^{-15} . These shared genes and genes that *S. agalactiae* did not share with the other streptococci using this cutoff were subsequently searched against all completely sequenced genomes and genes were

PATENT APPLICATION
ATTY REF NO. 19195.001

defined as unique to streptococci or *S. agalactiae* when they did not share similarity with any other gene sets with a FASTA3 p value of 10^{-5} or lower.

Synteny

Regions of conservation of gene synteny were computed as windows of 10 kb spanning at least three genes whose order was conserved in the other species. Regions were merged if they were less than 20 kb apart. The number of genes within each broad region was then calculated.

Comparative Genome Hybridizations

Comparative genome hybridizations (See Figure 1) using DNA microarrays were performed between the sequenced type V strain 2603 V/R and 19 other GBS strains of multiple serotypes (See Table %). Predicted genes from strain 2603 V/R were amplified by PCR and arrayed on glass microscope slides. See Peterson, et al., (2000) *J. Bacteriol.* 182, 6192-6202. Genomic DNA was labelled according to protocols provided by J. DeRisi (www.microarrays.org/Pdfs/Genomic-DNALabel_B.pdf), except that the DNA was not digested or sheared before labelling. Arrays were scanned with a GENEPIX 4000B scanner (Axon Instruments, Foster City, CA), and individual hybridisation signals were quantitated with TIGR SPOTFINDER. See Hedge, et al., (2000), *Biotechniques* 29, 548-550, 552-554, 556. Cy3/Cy5 (2603 V/R signal/test strain) ratio cutoffs were defined arbitrarily as Cy3/Cy5 = 1.0 – 3.0, gene present in test strain; 3.0 – 10.0, ambiguous result; >10.0, gene absent. For ambiguous results, the gene may be divergent in the test strain relative to 2603 V/R, or the gene may be absent in the test strain but still produces paralogous gene family or a repetitive elemtn. Although cutoffs are arbitrary, they fit nicely the results for the variation of the capsule locus in the strains tested (see region 9 on Figure 1) where most genes are slightly divergent and only a few are completely different.

PATENT APPLICATION
ATTY REF NO. 19195.001

The CGH detected 1,698 genes in all of the strains, whereas 401 genes from strain 2603 V/R (18% of the gene complement) were not detected in at least one other strain, suggesting that they are absent or significantly divergent in those strains. Two hundred sixty (38%) of the 683 genes specific to *S. agalactiae* when compared with the other two streptococci (Fig. 2), including virulence determinants and surface proteins, vary among *S. agalactiae* strains, whereas only 47 (4%) of the genes common to all three streptococcal species, including 5 of the 6 sortases identified in the genome, vary among strains. Thus, the *in silico* analysis of genes shared by the streptococci that are not expected to vary among this genus is consistent with the CGH analysis. Forty-four (25%) of the genes shared by *S. agalactiae* and *S. pneumoniae* and 44 (20%) of those shared by *S. agalactiae* and *S. pyogenes* vary in the CGH analysis. The first set contains many glycosyl transferases and proteins carrying a cell-wall anchor, whereas the second set displays many phage-related genes. One hundred thirty-six of the 315 genes unique to *S. agalactiae* when compared with all sequenced genomes vary among strains. These include R5, three capsular genes, two cell wall-anchored proteins, and three transcriptional regulators. Three hundred sixty-four (91%) of the 401 varying genes correspond to 15 regions containing more than 5 contiguous genes. Ten of these regions display an atypical nucleotide composition in strain 2603 V/R (Fig. 1), consistent with the possibility that they were horizontally transferred into this strain. Two of the largest regions (region 4, a prophage and region 7, similar to Tn916 from *Enterococcus faecalis*) are flanked by insertion sequence elements. The 15 regions contain many proteins predicted to be anchored on the cell wall or surface exposed, including Rib (region 3), sortases, glycosyl transferases, the capsule locus (region 9, divergent in all strains but the other type V strain CJB111), and phage-related genes. Region 14 is unique to *S. agalactiae* and spans 33 genes (SAG1989- SAG2021), including 25 proteins of unknown function, some of which carry a cell-wall anchor. It is flanked by an ISL3 transposase and displays an atypical nucleotide composition. Region 1, unique to *S. agalactiae*, is a possible plasmid or remnant of a phage (SAG0218-SAG0238), contains mostly

PATENT APPLICATION
ATTY REF NO. 19195.001

hypothetical proteins, and is flanked by a site-specific recombinase. Region 8 is specific to *S. agalactiae*, comprises 20 proteins of unknown function (SAG1018-SAG1037), most of which are predicted to be membrane associated or secreted, and displays an atypical nucleotide composition.

The CGH results were analyzed by profile clustering where genes are grouped based on their distribution patterns (Fig. 5). Sixteen clusters of five or more contiguous and noncontiguous genes comprising a total of 300 genes were identified (Table 6). Several clusters correspond to regions of contiguous genes described above. Some clusters of genes that do not share sequence similarity and are located at different loci in the genome display an identical profile. For instance, a cluster of genes containing a surface antigen (SAG0674-SAG0681) follows the same distribution as another cluster containing only hypothetical proteins (SAG0247-SAG0249). A putative pathogenicity protein (SAG2063) also clusters with a region containing several glycosyl transferases and Sec proteins (SAG1447-SAG1462).

Profile clustering was also used to group strains based on similarity of gene content (Fig. 5). In addition, the sequences of 19 genes from each of 11 *S. agalactiae* strains were determined after PCR amplification and used for phylogenetic analyses. The strains were the following: type Ia, 090 and A909; type Ib, H36B; type II, 18RS21; type III, COH1, M732 and M781; type V, 2603 V/R and 1169NT1; type VIII, JM9130013; and nontypeable strain CJB110. The set comprised 8 housekeeping genes and 11 genes coding for proteins predicted to be surface-exposed (Table 7).

The profile clustering was conducted as follows. The information and absence of genes based on the comparative genome hybridisation results was used to group genes based on their distribution patterns. The analysis used was essentially identical to that used for phylogenetic profile analysis. See Pellegrinie, et al., (1999) *Proc. Natl. Acad. Sci. USA* 96, 4285 – 4288. Each gene was assigned a binary profile based on its presence or absence across the different strains, with presence determined by a

PATENT APPLICATION
ATTY REF NO. 19195.001

Cy3/Cy5 ratio < 3.0 and absence ≥ 3.0 . The gene profiles were then clustered by using the single-linkage clustering algorithm with column weighting (all with default settings) of CLUSTER (<http://rana.lbl.gov>). The CLUSTER program also groups the strains (columns) based on similarity of gene profiles. Clusters of genes and strains were viewed by using TREEVIEW (<http://rana.lbl.gov>).

Phylogenetic trees were inferred for the complete set of 19 genes and for the subsets of housekeeping and surface-exposed genes. Because the branching patterns in all three trees were identical, only the tree of the 19 genes is shown in Fig. 3. The degree of polymorphism of the housekeeping and the surface-exposed genes is similar (~1 variable site among all of the strains per 100 bp).

The sequences of genes from the different strains were aligned by using CLUSTALW (See Thompson (1994), *Nucleic Acids Res.* 22, 4673 – 4680.) and trimmed to remove ambiguously aligned regions. Phylogenetic trees of individual genes and of concatenated alignments of multiple genes were inferred by using maximum likelihood methods of PAUP* 4.0 b10 (Sinauer, Sunderland, MA). Bootstrap analysis was carried out using PAUP* as well. The possibility of recombination among strains was examined by using analysis of sequence variation using SIMPLOT (S.C. Ray) and analysis of phylogenetic heterogeneity by using MACCLADE (Sinauer).

Analysis of this variation showed no evidence for major recombination events between the strains. There were no long stretches of polymorphic sites that strongly supported other trees (analysis with MACCLADE), and there were no significant crossover events in plots of sequence similarity between strains (analysis with SIMPLOT). Some strain groupings (clades) generated by phylogenetic analysis were similar to clusters from the profile analysis (type III strains M781, M732 and COH1; type Ia strain 090 and nontypable strain CJB110), whereas others were different, possibly because of the aforementioned problems with the profile clustering. In both the phylogenetic analysis and the profile clustering, there is serotypedependent and -

PATENT APPLICATION
ATTY REF NO. 19195.001

independent clustering (Figs. 3 and 5). The presence of strains of the same serotype in different clades or clusters could be due to lateral gene transfer.

Figure 5 demonstrates phylogenetic profiling of GBS strains based on comparative genome hybridisations. The information on presence and absence of genes based on the microarray comparative genome hybridization results was used for phylogenetic profile analysis. The presence of a particular gene or gene cluster is indicated in the figure by a red square and the absence of a gene or cluster by a black square. The relationship between strains based on this analysis is depicted by the tree at the top of the figure. The strains and their serotypes are indicated (NT: nontypeable). Clusters with identical profiles are reduced to a single horizontal line and the number of genes in each cluster is indicated on the right. The clusters of 5 or more genes, labeled in red text and numbered, are listed in Table 6. The 1698 genes shared by all 19 strains are labeled in green text.

Figure 3 depicts a phylogenetic tree of GBS strains based on PCR sequences. The sequences of 19 genes (Table 7) from each of 11 GBS strains were aligned and trimmed to remove ambiguously aligned regions, and phylogenetic trees were inferred. Strain names are indicated in bold, and serotypes are indicated under the strain names. Bootstrap values are indicated on the branches.

Techniques

A summary of standard techniques and procedures which may be employed in order to perform the invention (*e.g.* to utilise the disclosed sequences for vaccination or diagnostic purposes) follows. This summary is not a limitation on the invention, but gives examples that may be used, but are not required.

General

The practice of the present invention will employ, unless otherwise indicated, conventional techniques of molecular biology, microbiology, recombinant DNA, and immunology, which are within the skill of the art. Such techniques are explained fully in the

PATENT APPLICATION
ATTY REF NO. 19195.001

literature *eg.* Sambrook *Molecular Cloning; A Laboratory Manual, Second Edition* (1989) or *Third Edition* (2000); *DNA Cloning, Volumes I and II* (D.N Glover ed. 1985); *Oligonucleotide Synthesis* (M.J. Gait ed, 1984); *Nucleic Acid Hybridization* (B.D. Hames & S.J. Higgins eds. 1984); *Transcription and Translation* (B.D. Hames & S.J. Higgins eds. 1984); *Animal Cell Culture* (R.I. Freshney ed. 1986); *Immobilized Cells and Enzymes* (IRL Press, 1986); B. Perbal, *A Practical Guide to Molecular Cloning* (1984); the *Methods in Enzymology* series (Academic Press, Inc.), especially volumes 154 & 155; *Gene Transfer Vectors for Mammalian Cells* (J.H. Miller and M.P. Calos eds. 1987, Cold Spring Harbor Laboratory); Mayer and Walker, eds. (1987), *Immunochemical Methods in Cell and Molecular Biology* (Academic Press, London); Scopes, (1987) *Protein Purification: Principles and Practice*, Second Edition (Springer-Verlag, N.Y.), and *Handbook of Experimental Immunology, Volumes I-IV* (D.M. Weir and C. C. Blackwell eds 1986).

Standard abbreviations for nucleotides and amino acids are used in this specification.

Further Definitions

A composition containing X is "substantially free of" Y when at least 85% by weight of the total X+Y in the composition is X. Preferably, X comprises at least about 90% by weight of the total of X+Y in the composition, more preferably at least about 95% or even 99% by weight.

The term "comprising" means "including" as well as "consisting" *e.g.* a composition "comprising" X may consist exclusively of X or may include something additional *e.g.* X + Y.

The singular forms "a", "and", and "the" include plural referents unless the context clearly dictates otherwise. Thus, for example, reference to "a polynucleotide" includes a plurality of such polynucleotides and reference to "an epithelial cell" includes reference to one or more cells and equivalents thereof known to those skilled in the art, *etc.*

The term "heterologous" refers to two biological components that are not found together in nature. The components may be host cells, genes, or regulatory regions, such as promoters. Although the heterologous components are not found together in nature, they can function together, as when a promoter heterologous to a gene is operably linked to the gene. Another example is where a Streptococcal sequence is heterologous to a mouse host cell. A further

PATENT APPLICATION
ATTY REF NO. 19195.001

examples would be two epitopes from the same or different proteins which have been assembled in a single protein in an arrangement not found in nature.

An "origin of replication" is a polynucleotide sequence that initiates and regulates replication of polynucleotides, such as an expression vector. The origin of replication behaves as an autonomous unit of polynucleotide replication within a cell, capable of replication under its own control. An origin of replication may be needed for a vector to replicate in a particular host cell. With certain origins of replication, an expression vector can be reproduced at a high copy number in the presence of the appropriate proteins within the cell. Examples of origins are the autonomously replicating sequences, which are effective in yeast; and the viral T-antigen, effective in COS-7 cells.

A "mutant" sequence is defined as DNA, RNA or amino acid sequence differing from but having sequence identity with the native or disclosed sequence. Depending on the particular sequence, the degree of sequence identity between the native or disclosed sequence and the mutant sequence is preferably greater than 50% (eg. 60%, 70%, 80%, 90%, 95%, 99% or more, calculated using the Smith-Waterman algorithm as described above). As used herein, an "allelic variant" of a nucleic acid molecule, or region, for which nucleic acid sequence is provided herein is a nucleic acid molecule, or region, that occurs essentially at the same locus in the genome of another or second isolate, and that, due to natural variation caused by, for example, mutation or recombination, has a similar but not identical nucleic acid sequence. A coding region allelic variant typically encodes a protein having similar activity to that of the protein encoded by the gene to which it is being compared. An allelic variant can also comprise an alteration in the 5' or 3' untranslated regions of the gene, such as in regulatory control regions (eg. see US patent 5,753,235).

Expression systems

The Streptococcal nucleotide sequences can be expressed in a variety of different expression systems; for example those used with mammalian cells, baculoviruses, plants, bacteria, and yeast.

PATENT APPLICATION
ATTY REF NO: 19195.001

i. Mammalian Systems

Mammalian expression systems are known in the art. A mammalian promoter is any DNA sequence capable of binding mammalian RNA polymerase and initiating the downstream (3') transcription of a coding sequence (*eg.* structural gene) into mRNA. A promoter will have a transcription initiating region, which is usually placed proximal to the 5' end of the coding sequence, and a TATA box, usually located 25-30 base pairs (bp) upstream of the transcription initiation site. The TATA box is thought to direct RNA polymerase II to begin RNA synthesis at the correct site. A mammalian promoter will also contain an upstream promoter element, usually located within 100 to 200 bp upstream of the TATA box. An upstream promoter element determines the rate at which transcription is initiated and can act in either orientation [Sambrook et al. (1989) "Expression of Cloned Genes in Mammalian Cells." In *Molecular Cloning: A Laboratory Manual*, 2nd ed.].

Mammalian viral genes are often highly expressed and have a broad host range; therefore sequences encoding mammalian viral genes provide particularly useful promoter sequences. Examples include the SV40 early promoter, mouse mammary tumor virus LTR promoter, adenovirus major late promoter (Ad MLP), and herpes simplex virus promoter. In addition, sequences derived from non-viral genes, such as the murine metallothionein gene, also provide useful promoter sequences. Expression may be either constitutive or regulated (inducible), depending on the promoter can be induced with glucocorticoid in hormone-responsive cells. The presence of an enhancer element (enhancer), combined with the promoter elements described above, will usually increase expression levels. An enhancer is a regulatory DNA sequence that can stimulate transcription up to 1000-fold when linked to homologous or heterologous promoters, with synthesis beginning at the normal RNA start site. Enhancers are also active when they are placed upstream or downstream from the transcription initiation site, in either normal or flipped orientation, or at a distance of more than 1000 nucleotides from the promoter [Maniatis et al. (1987) *Science* 236:1237; Alberts et al. (1989) *Molecular Biology of the Cell*, 2nd ed.]. Enhancer elements derived from viruses may be particularly useful, because they usually have a broader host range. Examples include the SV40 early gene enhancer [Dijkema et al (1985) *EMBO J.* 4:761] and the enhancer/promoters derived from the long

terminal repeat (LTR) of the Rous Sarcoma Virus [Gorman et al. (1982b) *Proc. Natl. Acad. Sci.* 79:6777] and from human cytomegalovirus [Boshart et al. (1985) *Cell* 41:521]. Additionally, some enhancers are regulatable and become active only in the presence of an inducer, such as a hormone or metal ion [Sassone-Corsi and Borelli (1986) *Trends Genet.* 2:215; Maniatis et al. (1987) *Science* 236:1237].

A DNA molecule may be expressed intracellularly in mammalian cells. A promoter sequence may be directly linked with the DNA molecule, in which case the first amino acid at the N-terminus of the recombinant protein will always be a methionine, which is encoded by the ATG start codon. If desired, the N-terminus may be cleaved from the protein by *in vitro* incubation with cyanogen bromide.

Alternatively, foreign proteins can also be secreted from the cell into the growth media by creating chimeric DNA molecules that encode a fusion protein comprised of a leader sequence fragment that provides for secretion of the foreign protein in mammalian cells. Preferably, there are processing sites encoded between the leader fragment and the foreign gene that can be cleaved either *in vivo* or *in vitro*. The leader sequence fragment usually encodes a signal peptide comprised of hydrophobic amino acids which direct the secretion of the protein from the cell. The adenovirus tripartite leader is an example of a leader sequence that provides for secretion of a foreign protein in mammalian cells.

Usually, transcription termination and polyadenylation sequences recognized by mammalian cells are regulatory regions located 3' to the translation stop codon and thus, together with the promoter elements, flank the coding sequence. The 3' terminus of the mature mRNA is formed by site-specific post-transcriptional cleavage and polyadenylation [Birnstiel et al. (1985) *Cell* 41:349; Proudfoot and Whitelaw (1988) "Termination and 3' end processing of eukaryotic RNA. In *Transcription and splicing* (ed. B.D. Hames and D.M. Glover); Proudfoot (1989) *Trends Biochem. Sci.* 14:105]. These sequences direct the transcription of an mRNA which can be translated into the polypeptide encoded by the DNA. Examples of transcription terminator/polyadenylation signals include those derived from SV40 [Sambrook et al (1989) "Expression of cloned genes in cultured mammalian cells." In *Molecular Cloning: A Laboratory Manual*].

PATENT APPLICATION
ATTY REF NO. 19195.001

Usually, the above described components, comprising a promoter, polyadenylation signal, and transcription termination sequence are put together into expression constructs. Enhancers, introns with functional splice donor and acceptor sites, and leader sequences may also be included in an expression construct, if desired. Expression constructs are often maintained in a replicon, such as an extrachromosomal element (*eg.* plasmids) capable of stable maintenance in a host, such as mammalian cells or bacteria. Mammalian replication systems include those derived from animal viruses, which require trans-acting factors to replicate. For example, plasmids containing the replication systems of papovaviruses, such as SV40 [Gluzman (1981) *Cell* 23:175] or polyomavirus, replicate to extremely high copy number in the presence of the appropriate viral T antigen. Additional examples of mammalian replicons include those derived from bovine papillomavirus and Epstein-Barr virus. Additionally, the replicon may have two replicon systems, thus allowing it to be maintained, for example, in mammalian cells for expression and in a prokaryotic host for cloning and amplification. Examples of such mammalian-bacteria shuttle vectors include pMT2 [Kaufman et al. (1989) *Mol. Cell. Biol.* 9:946] and pHEBO [Shimizu et al. (1986) *Mol. Cell. Biol.* 6:1074].

The transformation procedure used depends upon the host to be transformed. Methods for introduction of heterologous polynucleotides into mammalian cells are known in the art and include dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei.

Mammalian cell lines available as hosts for expression are known in the art and include many immortalized cell lines available from the American Type Culture Collection (ATCC), including but not limited to, Chinese hamster ovary (CHO) cells, HeLa cells, baby hamster kidney (BHK) cells, monkey kidney cells (COS), human hepatocellular carcinoma cells (*eg.* Hep G2), and a number of other cell lines.

ii. Baculovirus Systems

The polynucleotide encoding the protein can also be inserted into a suitable insect expression vector, and is operably linked to the control elements within that vector. Vector construction

PATENT APPLICATION
ATTY REF NO. 19195.001

employs techniques which are known in the art. Generally, the components of the expression system include a transfer vector, usually a bacterial plasmid, which contains both a fragment of the baculovirus genome, and a convenient restriction site for insertion of the heterologous gene or genes to be expressed; a wild type baculovirus with a sequence homologous to the baculovirus-specific fragment in the transfer vector (this allows for the homologous recombination of the heterologous gene in to the baculovirus genome); and appropriate insect host cells and growth media.

After inserting the DNA sequence encoding the protein into the transfer vector, the vector and the wild type viral genome are transfected into an insect host cell where the vector and viral genome are allowed to recombine. The packaged recombinant virus is expressed and recombinant plaques are identified and purified. Materials and methods for baculovirus/insect cell expression systems are commercially available in kit form from, *inter alia*, Invitrogen, San Diego CA ("MaxBac" kit). These techniques are generally known to those skilled in the art and fully described in Summers & Smith, *Texas Agricultural Experiment Station Bulletin No. 1555* (1987) ("Summers & Smith").

Prior to inserting the DNA sequence encoding the protein into the baculovirus genome, the above described components, comprising a promoter, leader (if desired), coding sequence, and transcription termination sequence, are usually assembled into an intermediate transplacement construct (transfer vector). This may contain a single gene and operably linked regulatory elements; multiple genes, each with its owned set of operably linked regulatory elements; or multiple genes, regulated by the same set of regulatory elements. Intermediate transplacement constructs are often maintained in a replicon, such as an extra-chromosomal element (*e.g.* plasmids) capable of stable maintenance in a host, such as a bacterium. The replicon will have a replication system, thus allowing it to be maintained in a suitable host for cloning and amplification.

Currently, the most commonly used transfer vector for introducing foreign genes into AcNPV is pAc373. Many other vectors, known to those of skill in the art, have also been designed. These include, for example, pVL985 (which alters the polyhedrin start codon from ATG to ATT, and

PATENT APPLICATION
ATTY REF NO. 19195.001

which introduces a BamHI cloning site 32 basepairs downstream from the ATT; see Luckow and Summers, *Virology* (1989) 17:31.

The plasmid usually also contains the polyhedrin polyadenylation signal (Miller et al. (1988) *Ann. Rev. Microbiol.*, 42:177) and a prokaryotic ampicillin-resistance (*amp*) gene and origin of replication for selection and propagation in *E. coli*.

Baculovirus transfer vectors usually contain a baculovirus promoter. A baculovirus promoter is any DNA sequence capable of binding a baculovirus RNA polymerase and initiating the downstream (5' to 3') transcription of a coding sequence (eg. structural gene) into mRNA. A promoter will have a transcription initiation region which is usually placed proximal to the 5' end of the coding sequence. This transcription initiation region usually includes an RNA polymerase binding site and a transcription initiation site. A baculovirus transfer vector may also have a second domain called an enhancer, which, if present, is usually distal to the structural gene. Expression may be either regulated or constitutive.

Structural genes, abundantly transcribed at late times in a viral infection cycle, provide particularly useful promoter sequences. Examples include sequences derived from the gene encoding the viral polyhedron protein, Friesen et al., (1986) "The Regulation of Baculovirus Gene Expression," in: *The Molecular Biology of Baculoviruses* (ed. Walter Doerfler); EPO Publ. Nos. 127 839 and 155 476; and the gene encoding the p10 protein, Vlak et al., (1988), *J. Gen. Virol.* 69:765.

DNA encoding suitable signal sequences can be derived from genes for secreted insect or baculovirus proteins, such as the baculovirus polyhedrin gene (Carbonell et al. (1988) *Gene*, 73:409). Alternatively, since the signals for mammalian cell posttranslational modifications (such as signal peptide cleavage, proteolytic cleavage, and phosphorylation) appear to be recognized by insect cells, and the signals required for secretion and nuclear accumulation also appear to be conserved between the invertebrate cells and vertebrate cells, leaders of non-insect origin, such as those derived from genes encoding human α -interferon, Maeda et al., (1985), *Nature* 315:592; human gastrin-releasing peptide, Lebacqz-Verheyden et al., (1988), *Molec. Cell. Biol.* 8:3129; human IL-2, Smith et al., (1985) *Proc. Nat'l Acad. Sci. USA*, 82:8404;

PATENT APPLICATION
ATTY REF NO. 19195.001

mouse IL-3, (Miyajima et al., (1987) *Gene* 58:273; and human glucocerebrosidase, Martin et al. (1988) *DNA*, 7:99, can also be used to provide for secretion in insects.

A recombinant polypeptide or polyprotein may be expressed intracellularly or, if it is expressed with the proper regulatory sequences, it can be secreted. Good intracellular expression of nonfused foreign proteins usually requires heterologous genes that ideally have a short leader sequence containing suitable translation initiation signals preceding an ATG start signal. If desired, methionine at the N-terminus may be cleaved from the mature protein by *in vitro* incubation with cyanogen bromide.

Alternatively, recombinant polyproteins or proteins which are not naturally secreted can be secreted from the insect cell by creating chimeric DNA molecules that encode a fusion protein comprised of a leader sequence fragment that provides for secretion of the foreign protein in insects. The leader sequence fragment usually encodes a signal peptide comprised of hydrophobic amino acids which direct the translocation of the protein into the endoplasmic reticulum.

After insertion of the DNA sequence and/or the gene encoding the expression product precursor of the protein, an insect cell host is co-transformed with the heterologous DNA of the transfer vector and the genomic DNA of wild type baculovirus -- usually by co-transfection. The promoter and transcription termination sequence of the construct will usually comprise a 2-5kb section of the baculovirus genome. Methods for introducing heterologous DNA into the desired site in the baculovirus virus are known in the art. (See Summers & Smith *supra*; Ju et al. (1987); Smith et al., *Mol. Cell. Biol.* (1983) 3:2156; and Luckow and Summers (1989)). For example, the insertion can be into a gene such as the polyhedrin gene, by homologous double crossover recombination; insertion can also be into a restriction enzyme site engineered into the desired baculovirus gene. Miller et al., (1989), *Bioessays* 4:91. The DNA sequence, when cloned in place of the polyhedrin gene in the expression vector, is flanked both 5' and 3' by polyhedrin-specific sequences and is positioned downstream of the polyhedrin promoter.

The newly formed baculovirus expression vector is subsequently packaged into an infectious recombinant baculovirus. Homologous recombination occurs at low frequency (between about 1% and about 5%); thus, the majority of the virus produced after cotransfection is still wild-type

PATENT APPLICATION
ATTY REF NO. 19195.001

virus. Therefore, a method is necessary to identify recombinant viruses. An advantage of the expression system is a visual screen allowing recombinant viruses to be distinguished. The polyhedrin protein, which is produced by the native virus, is produced at very high levels in the nuclei of infected cells at late times after viral infection. Accumulated polyhedrin protein forms occlusion bodies that also contain embedded particles. These occlusion bodies, up to 15 μm in size, are highly refractile, giving them a bright shiny appearance that is readily visualized under the light microscope. Cells infected with recombinant viruses lack occlusion bodies. To distinguish recombinant virus from wild-type virus, the transfection supernatant is plaqued onto a monolayer of insect cells by techniques known to those skilled in the art. Namely, the plaques are screened under the light microscope for the presence (indicative of wild-type virus) or absence (indicative of recombinant virus) of occlusion bodies. "Current Protocols in Microbiology" Vol. 2 (Ausubel et al. eds) at 16.8 (Supp. 10, 1990); Summers & Smith, *supra*; Miller et al. (1989).

Recombinant baculovirus expression vectors have been developed for infection into several insect cells. For example, recombinant baculoviruses have been developed for, *inter alia*: *Aedes aegypti*, *Autographa californica*, *Bombyx mori*, *Drosophila melanogaster*, *Spodoptera frugiperda*, and *Trichoplusia ni* (WO 89/046699; Carbonell et al., (1985) *J. Virol.* 56:153; Wright (1986) *Nature* 321:718; Smith et al., (1983) *Mol. Cell. Biol.* 3:2156; and see generally, Fraser, et al. (1989) *In Vitro Cell. Dev. Biol.* 25:225).

Cells and cell culture media are commercially available for both direct and fusion expression of heterologous polypeptides in a baculovirus/expression system; cell culture technology is generally known to those skilled in the art. See, eg. Summers & Smith *supra*.

The modified insect cells may then be grown in an appropriate nutrient medium, which allows for stable maintenance of the plasmid(s) present in the modified insect host. Where the expression product gene is under inducible control, the host may be grown to high density, and expression induced. Alternatively, where expression is constitutive, the product will be continuously expressed into the medium and the nutrient medium must be continuously circulated, while removing the product of interest and augmenting depleted nutrients. The product may be purified by such techniques as chromatography, eg. HPLC, affinity

PATENT APPLICATION
ATTY REF NO. 19195.001

chromatography, ion exchange chromatography, *etc.*; electrophoresis; density gradient centrifugation; solvent extraction, *etc.* As appropriate, the product may be further purified, as required, so as to remove substantially any insect proteins which are also present in the medium, so as to provide a product which is at least substantially free of host debris, eg. proteins, lipids and polysaccharides.

In order to obtain protein expression, recombinant host cells derived from the transformants are incubated under conditions which allow expression of the recombinant protein encoding sequence. These conditions will vary, dependent upon the host cell selected. However, the conditions are readily ascertainable to those of ordinary skill in the art, based upon what is known in the art.

iii. Plant Systems

There are many plant cell culture and whole plant genetic expression systems known in the art. Exemplary plant cellular genetic expression systems include those described in patents, such as: US 5,693,506; US 5,659,122; and US 5,608,143. Additional examples of genetic expression in plant cell culture has been described by Zenk, *Phytochemistry* 30:3861-3863 (1991).

Descriptions of plant protein signal peptides may be found in addition to the references described above in Vaulcombe et al., *Mol. Gen. Genet.* 209:33-40 (1987); Chandler et al., *Plant Molecular Biology* 3:407-418 (1984); Rogers, *J. Biol. Chem.* 260:3731-3738 (1985); Rothstein et al., *Gene* 55:353-356 (1987); Whittier et al., *Nucleic Acids Research* 15:2515-2535 (1987); Wirsal et al., *Molecular Microbiology* 3:3-14 (1989); Yu et al., *Gene* 122:247-253 (1992). A description of the regulation of plant gene expression by the phytohormone, gibberellic acid and secreted enzymes induced by gibberellic acid can be found in R.L. Jones and J. MacMillin, *Gibberellins*: in: *Advanced Plant Physiology*, Malcolm B. Wilkins, ed., 1984 Pitman Publishing Limited, London, pp. 21-52. References that describe other metabolically-regulated genes: Sheen, *Plant Cell*, 2:1027-1038(1990); Maas et al., *EMBO J.* 9:3447-3452 (1990); Benkel and Hickey, *Proc. Natl. Acad. Sci.* 84:1337-1339 (1987).

Typically, using techniques known in the art, a desired polynucleotide sequence is inserted into an expression cassette comprising genetic regulatory elements designed for operation in plants.

The expression cassette is inserted into a desired expression vector with companion sequences upstream and downstream from the expression cassette suitable for expression in a plant host. The companion sequences will be of plasmid or viral origin and provide necessary characteristics to the vector to permit the vectors to move DNA from an original cloning host, such as bacteria, to the desired plant host. The basic bacterial/plant vector construct will preferably provide a broad host range prokaryote replication origin; a prokaryote selectable marker; and, for *Agrobacterium* transformations, T DNA sequences for *Agrobacterium*-mediated transfer to plant chromosomes. Where the heterologous gene is not readily amenable to detection, the construct will preferably also have a selectable marker gene suitable for determining if a plant cell has been transformed. A general review of suitable markers, for example for the members of the grass family, is found in Wilink and Dons, 1993, *Plant Mol. Biol. Repr*, 11(2):165-185.

Sequences suitable for permitting integration of the heterologous sequence into the plant genome are also recommended. These might include transposon sequences and the like for homologous recombination as well as Ti sequences which permit random insertion of a heterologous expression cassette into a plant genome. Suitable prokaryote selectable markers include resistance toward antibiotics such as ampicillin or tetracycline. Other DNA sequences encoding additional functions may also be present in the vector, as is known in the art.

The nucleic acid molecules of the subject invention may be included into an expression cassette for expression of the protein(s) of interest. Usually, there will be only one expression cassette, although two or more are feasible. The recombinant expression cassette will contain in addition to the heterologous protein encoding sequence the following elements, a promoter region, plant 5' untranslated sequences, initiation codon depending upon whether or not the structural gene comes equipped with one, and a transcription and translation termination sequence. Unique restriction enzyme sites at the 5' and 3' ends of the cassette allow for easy insertion into a pre-existing vector.

A heterologous coding sequence may be for any protein relating to the present invention. The sequence encoding the protein of interest will encode a signal peptide which allows processing and translocation of the protein, as appropriate, and will usually lack any sequence which might

PATENT APPLICATION
ATTY REF NO. 19195.001

result in the binding of the desired protein of the invention to a membrane. Since, for the most part, the transcriptional initiation region will be for a gene which is expressed and translocated during germination, by employing the signal peptide which provides for translocation, one may also provide for translocation of the protein of interest. In this way, the protein(s) of interest will be translocated from the cells in which they are expressed and may be efficiently harvested. Typically secretion in seeds are across the aleurone or scutellar epithelium layer into the endosperm of the seed. While it is not required that the protein be secreted from the cells in which the protein is produced, this facilitates the isolation and purification of the recombinant protein.

Since the ultimate expression of the desired gene product will be in a eucaryotic cell it is desirable to determine whether any portion of the cloned gene contains sequences which will be processed out as introns by the host's splicosome machinery. If so, site-directed mutagenesis of the "intron" region may be conducted to prevent losing a portion of the genetic message as a false intron code, Reed and Maniatis, *Cell* 41:95-105, 1985.

The vector can be microinjected directly into plant cells by use of micropipettes to mechanically transfer the recombinant DNA. Crossway, *Mol. Gen. Genet*, 202:179-185, 1985. The genetic material may also be transferred into the plant cell by using polyethylene glycol, Krens, et al., *Nature*, 296, 72-74, 1982. Another method of introduction of nucleic acid segments is high velocity ballistic penetration by small particles with the nucleic acid either within the matrix of small beads or particles, or on the surface, Klein, et al., *Nature*, 327, 70-73, 1987 and Knudsen and Muller, 1991, *Planta*, 185:330-336 teaching particle bombardment of barley endosperm to create transgenic barley. Yet another method of introduction would be fusion of protoplasts with other entities, either minicells, cells, lysosomes or other fusible lipid-surfaced bodies, Fraley, et al., *Proc. Natl. Acad. Sci. USA*, 79, 1859-1863, 1982.

The vector may also be introduced into the plant cells by electroporation. (Fromm et al., *Proc. Natl. Acad. Sci. USA* 82:5824, 1985). In this technique, plant protoplasts are electroporated in the presence of plasmids containing the gene construct. Electrical impulses of high field strength reversibly permeabilize biomembranes allowing the introduction of the plasmids. Electroporated plant protoplasts reform the cell wall, divide, and form plant callus.

PATENT APPLICATION
ATTY REF NO. 19195.001

All plants from which protoplasts can be isolated and cultured to give whole regenerated plants can be transformed by the present invention so that whole plants are recovered which contain the transferred gene. It is known that practically all plants can be regenerated from cultured cells or tissues, including but not limited to all major species of sugarcane, sugar beet, cotton, fruit and other trees, legumes and vegetables. Some suitable plants include, for example, species from the genera *Fragaria*, *Lotus*, *Medicago*, *Onobrychis*, *Trifolium*, *Trigonella*, *Vigna*, *Citrus*, *Linum*, *Geranium*, *Manihot*, *Daucus*, *Arabidopsis*, *Brassica*, *Raphanus*, *Sinapis*, *Atropa*, *Capsicum*, *Datura*, *Hyoscyamus*, *Lycopersion*, *Nicotiana*, *Solanum*, *Petunia*, *Digitalis*, *Majorana*, *Cichorium*, *Helianthus*, *Lactuca*, *Bromus*, *Asparagus*, *Antirrhinum*, *Hererocallis*, *Nemesia*, *Pelargonium*, *Panicum*, *Pennisetum*, *Ranunculus*, *Senecio*, *Salpiglossis*, *Cucumis*, *Browaalia*, *Glycine*, *Lolium*, *Zea*, *Triticum*, *Sorghum*, and *Datura*.

Means for regeneration vary from species to species of plants, but generally a suspension of transformed protoplasts containing copies of the heterologous gene is first provided. Callus tissue is formed and shoots may be induced from callus and subsequently rooted. Alternatively, embryo formation can be induced from the protoplast suspension. These embryos germinate as natural embryos to form plants. The culture media will generally contain various amino acids and hormones, such as auxin and cytokinins. It is also advantageous to add glutamic acid and proline to the medium, especially for such species as corn and alfalfa. Shoots and roots normally develop simultaneously. Efficient regeneration will depend on the medium, on the genotype, and on the history of the culture. If these three variables are controlled, then regeneration is fully reproducible and repeatable.

In some plant cell culture systems, the desired protein of the invention may be excreted or alternatively, the protein may be extracted from the whole plant. Where the desired protein of the invention is secreted into the medium, it may be collected. Alternatively, the embryos and embryoless-half seeds or other plant tissue may be mechanically disrupted to release any secreted protein between cells and tissues. The mixture may be suspended in a buffer solution to retrieve soluble proteins. Conventional protein isolation and purification methods will be then used to purify the recombinant protein. Parameters of time, temperature pH, oxygen, and

PATENT APPLICATION
ATTY REF NO. 19195.001

volumes will be adjusted through routine methods to optimize expression and recovery of heterologous protein.

iv. Bacterial Systems

Bacterial expression techniques are known in the art. A bacterial promoter is any DNA sequence capable of binding bacterial RNA polymerase and initiating the downstream (3') transcription of a coding sequence (*eg.* structural gene) into mRNA. A promoter will have a transcription initiation region which is usually placed proximal to the 5' end of the coding sequence. This transcription initiation region usually includes an RNA polymerase binding site and a transcription initiation site. A bacterial promoter may also have a second domain called an operator, that may overlap an adjacent RNA polymerase binding site at which RNA synthesis begins. The operator permits negative regulated (inducible) transcription, as a gene repressor protein may bind the operator and thereby inhibit transcription of a specific gene. Constitutive expression may occur in the absence of negative regulatory elements, such as the operator. In addition, positive regulation may be achieved by a gene activator protein binding sequence, which, if present is usually proximal (5') to the RNA polymerase binding sequence. An example of a gene activator protein is the catabolite activator protein (CAP), which helps initiate transcription of the lac operon in *Escherichia coli* (*E. coli*) [Raibaud *et al.* (1984) *Annu. Rev. Genet.* 18:173]. Regulated expression may therefore be either positive or negative, thereby either enhancing or reducing transcription.

Sequences encoding metabolic pathway enzymes provide particularly useful promoter sequences. Examples include promoter sequences derived from sugar metabolizing enzymes, such as galactose, lactose (*lac*) [Chang *et al.* (1977) *Nature* 198:1056], and maltose. Additional examples include promoter sequences derived from biosynthetic enzymes such as tryptophan (*trp*) [Goeddel *et al.* (1980) *Nuc. Acids Res.* 8:4057; Yelverton *et al.* (1981) *Nucl. Acids Res.* 9:731; US patent 4,738,921; EP-A-0036776 and EP-A-0121775]. The g-laotamase (*bla*) promoter system [Weissmann (1981) "The cloning of interferon and other mistakes." In *Interferon 3* (ed. I. Gresser)], bacteriophage lambda PL [Shimatake *et al.* (1981) *Nature*

PATENT APPLICATION
ATTY REF NO. 19195.001

292:128] and T5 [US patent 4,689,406] promoter systems also provide useful promoter sequences.

In addition, synthetic promoters which do not occur in nature also function as bacterial promoters. For example, transcription activation sequences of one bacterial or bacteriophage promoter may be joined with the operon sequences of another bacterial or bacteriophage promoter, creating a synthetic hybrid promoter [US patent 4,551,433]. For example, the *tac* promoter is a hybrid *trp-lac* promoter comprised of both *trp* promoter and *lac* operon sequences that is regulated by the *lac* repressor [Amann *et al.* (1983) *Gene* 25:167; de Boer *et al.* (1983) *Proc. Natl. Acad. Sci.* 80:21]. Furthermore, a bacterial promoter can include naturally occurring promoters of non-bacterial origin that have the ability to bind bacterial RNA polymerase and initiate transcription. A naturally occurring promoter of non-bacterial origin can also be coupled with a compatible RNA polymerase to produce high levels of expression of some genes in prokaryotes. The bacteriophage T7 RNA polymerase/promoter system is an example of a coupled promoter system [Studier *et al.* (1986) *J. Mol. Biol.* 189:113; Tabor *et al.* (1985) *Proc Natl. Acad. Sci.* 82:1074]. In addition, a hybrid promoter can also be comprised of a bacteriophage promoter and an *E. coli* operator region (EPO-A-0 267 851).

In addition to a functioning promoter sequence, an efficient ribosome binding site is also useful for the expression of foreign genes in prokaryotes. In *E. coli*, the ribosome binding site is called the Shine-Dalgarno (SD) sequence and includes an initiation codon (ATG) and a sequence 3-9 nucleotides in length located 3-11 nucleotides upstream of the initiation codon [Shine *et al.* (1975) *Nature* 254:34]. The SD sequence is thought to promote binding of mRNA to the ribosome by the pairing of bases between the SD sequence and the 3' end of *E. coli* 16S rRNA [Steitz *et al.* (1979) "Genetic signals and nucleotide sequences in messenger RNA." In *Biological Regulation and Development: Gene Expression* (ed. R.F. Goldberger)]. To express eukaryotic genes and prokaryotic genes with weak ribosome-binding site [Sambrook *et al.* (1989) "Expression of cloned genes in Escherichia coli." In *Molecular Cloning: A Laboratory Manual*].

A DNA molecule may be expressed intracellularly. A promoter sequence may be directly linked with the DNA molecule, in which case the first amino acid at the N-terminus will always

PATENT APPLICATION
ATTY REF NO. 19195.001

be a methionine, which is encoded by the ATG start codon. If desired, methionine at the N-terminus may be cleaved from the protein by *in vitro* incubation with cyanogen bromide or by either *in vivo* or *in vitro* incubation with a bacterial methionine N-terminal peptidase (EPO-A-0 219 237).

Fusion proteins provide an alternative to direct expression. Usually, a DNA sequence encoding the N-terminal portion of an endogenous bacterial protein, or other stable protein, is fused to the 5' end of heterologous coding sequences. Upon expression, this construct will provide a fusion of the two amino acid sequences. For example, the bacteriophage lambda cell gene can be linked at the 5' terminus of a foreign gene and expressed in bacteria. The resulting fusion protein preferably retains a site for a processing enzyme (factor Xa) to cleave the bacteriophage protein from the foreign gene [Nagai *et al.* (1984) *Nature* 309:810]. Fusion proteins can also be made with sequences from the *lacZ* [Jia *et al.* (1987) *Gene* 60:197], *trpE* [Allen *et al.* (1987) *J. Biotechnol.* 5:93; Makoff *et al.* (1989) *J. Gen. Microbiol.* 135:11], and *Chey* [EP-A-0 324 647] genes. The DNA sequence at the junction of the two amino acid sequences may or may not encode a cleavable site. Another example is a ubiquitin fusion protein. Such a fusion protein is made with the ubiquitin region that preferably retains a site for a processing enzyme (*eg.* ubiquitin specific processing-protease) to cleave the ubiquitin from the foreign protein. Through this method, native foreign protein can be isolated [Miller *et al.* (1989) *Bio/Technology* 7:698]. Alternatively, foreign proteins can also be secreted from the cell by creating chimeric DNA molecules that encode a fusion protein comprised of a signal peptide sequence fragment that provides for secretion of the foreign protein in bacteria [US patent 4,336,336]. The signal sequence fragment usually encodes a signal peptide comprised of hydrophobic amino acids which direct the secretion of the protein from the cell. The protein is either secreted into the growth media (gram-positive bacteria) or into the periplasmic space, located between the inner and outer membrane of the cell (gram-negative bacteria). Preferably there are processing sites, which can be cleaved either *in vivo* or *in vitro* encoded between the signal peptide fragment and the foreign gene.

DNA encoding suitable signal sequences can be derived from genes for secreted bacterial proteins, such as the *E. coli* outer membrane protein gene (*ompA*) [Masui *et al.* (1983), in:

PATENT APPLICATION
ATTY REF NO. 19195.001

Experimental Manipulation of Gene Expression; Ghrayeb *et al.* (1984) *EMBO J.* 3:2437] and the *E. coli* alkaline phosphatase signal sequence (*phoA*) [Oka *et al.* (1985) *Proc. Natl. Acad. Sci.* 82:7212]. As an additional example, the signal sequence of the alpha-amylase gene from various *Bacillus* strains can be used to secrete heterologous proteins from *B. subtilis* [Palva *et al.* (1982) *Proc. Natl. Acad. Sci. USA* 79:5582; EP-A-0 244 042].

Usually, transcription termination sequences recognized by bacteria are regulatory regions located 3' to the translation stop codon, and thus together with the promoter flank the coding sequence. These sequences direct the transcription of an mRNA which can be translated into the polypeptide encoded by the DNA. Transcription termination sequences frequently include DNA sequences of about 50 nucleotides capable of forming stem loop structures that aid in terminating transcription. Examples include transcription termination sequences derived from genes with strong promoters, such as the *trp* gene in *E. coli* as well as other biosynthetic genes. Usually, the above described components, comprising a promoter, signal sequence (if desired), coding sequence of interest, and transcription termination sequence, are put together into expression constructs. Expression constructs are often maintained in a replicon, such as an extrachromosomal element (*eg.* plasmids) capable of stable maintenance in a host, such as bacteria. The replicon will have a replication system, thus allowing it to be maintained in a prokaryotic host either for expression or for cloning and amplification. In addition, a replicon may be either a high or low copy number plasmid. A high copy number plasmid will generally have a copy number ranging from about 5 to about 200, and usually about 10 to about 150. A host containing a high copy number plasmid will preferably contain at least about 10, and more preferably at least about 20 plasmids. Either a high or low copy number vector may be selected, depending upon the effect of the vector and the foreign protein on the host.

Alternatively, the expression constructs can be integrated into the bacterial genome with an integrating vector. Integrating vectors usually contain at least one sequence homologous to the bacterial chromosome that allows the vector to integrate. Integrations appear to result from recombinations between homologous DNA in the vector and the bacterial chromosome. For example, integrating vectors constructed with DNA from various *Bacillus* strains integrate into

PATENT APPLICATION
ATTY REF NO. 19195.001

the *Bacillus* chromosome (EP-A- 0 127 328). Integrating vectors may also be comprised of bacteriophage or transposon sequences.

Usually, extrachromosomal and integrating expression constructs may contain selectable markers to allow for the selection of bacterial strains that have been transformed. Selectable markers can be expressed in the bacterial host and may include genes which render bacteria resistant to drugs such as ampicillin, chloramphenicol, erythromycin, kanamycin (neomycin), and tetracycline [Davies *et al.* (1978) *Annu. Rev. Microbiol.* 32:469]. Selectable markers may also include biosynthetic genes, such as those in the histidine, tryptophan, and leucine biosynthetic pathways.

Alternatively, some of the above described components can be put together in transformation vectors. Transformation vectors are usually comprised of a selectable marker that is either maintained in a replicon or developed into an integrating vector, as described above.

Expression and transformation vectors, either extra-chromosomal replicons or integrating vectors, have been developed for transformation into many bacteria. For example, expression vectors have been developed for, *inter alia*, the following bacteria: *Bacillus subtilis* [Palva *et al.* (1982) *Proc. Natl. Acad. Sci. USA* 79:5582; EP-A-0 036 259 and EP-A-0 063 953; WO 84/04541], *Escherichia coli* [Shimatake *et al.* (1981) *Nature* 292:128; Amann *et al.* (1985) *Gene* 40:183; Studier *et al.* (1986) *J. Mol. Biol.* 189:113; EP-A-0 036 776, EP-A-0 136 829 and EP-A-0 136 907], *Streptococcus cremoris* [Powell *et al.* (1988) *Appl. Environ. Microbiol.* 54:655]; *Streptococcus lividans* [Powell *et al.* (1988) *Appl. Environ. Microbiol.* 54:655], *Streptomyces lividans* [US patent 4,745,056].

Methods of introducing exogenous DNA into bacterial hosts are well-known in the art, and usually include either the transformation of bacteria treated with CaCl_2 or other agents, such as divalent cations and DMSO. DNA can also be introduced into bacterial cells by electroporation. Transformation procedures usually vary with the bacterial species to be transformed. See *eg.* [Masson *et al.* (1989) *FEMS Microbiol. Lett.* 60:273; Palva *et al.* (1982) *Proc. Natl. Acad. Sci. USA* 79:5582; EP-A-0 036 259 and EP-A-0 063 953; WO 84/04541, *Bacillus*], [Miller *et al.* (1988) *Proc. Natl. Acad. Sci.* 85:856; Wang *et al.* (1990) *J. Bacteriol.* 172:949, *Campylobacter*], [Cohen *et al.* (1973) *Proc. Natl. Acad. Sci.* 69:2110; Dower *et al.* (1988)

PATENT APPLICATION
ATTY REF NO. 19195.001

Nucleic Acids Res. 16:6127; Kushner (1978) "An improved method for transformation of *Escherichia coli* with ColE1-derived plasmids. In *Genetic Engineering: Proceedings of the International Symposium on Genetic Engineering* (eds. H.W. Boyer and S. Nicosia); Mandel *et al.* (1970) *J. Mol. Biol.* 53:159; Taketo (1988) *Biochim. Biophys. Acta* 949:318; *Escherichia*, [Chassy *et al.* (1987) *FEMS Microbiol. Lett.* 44:173 *Lactobacillus*]; [Fiedler *et al.* (1988) *Anal. Biochem* 170:38, *Pseudomonas*]; [Augustin *et al.* (1990) *FEMS Microbiol. Lett.* 66:203, *Staphylococcus*], [Barany *et al.* (1980) *J. Bacteriol.* 144:698; Harlander (1987) "Transformation of *Streptococcus lactis* by electroporation, in: *Streptococcal Genetics* (ed. J. Ferretti and R. Curtiss III); Perry *et al.* (1981) *Infect. Immun.* 32:1295; Powell *et al.* (1988) *Appl. Environ. Microbiol.* 54:655; Somkuti *et al.* (1987) *Proc. 4th Eur. Cong. Biotechnology* 1:412, *Streptococcus*].

v. Yeast Expression

Yeast expression systems are also known to one of ordinary skill in the art. A yeast promoter is any DNA sequence capable of binding yeast RNA polymerase and initiating the downstream (3') transcription of a coding sequence (*eg.* structural gene) into mRNA. A promoter will have a transcription initiation region which is usually placed proximal to the 5' end of the coding sequence. This transcription initiation region usually includes an RNA polymerase binding site (the "TATA Box") and a transcription initiation site. A yeast promoter may also have a second domain called an upstream activator sequence (UAS), which, if present, is usually distal to the structural gene. The UAS permits regulated (inducible) expression. Constitutive expression occurs in the absence of a UAS. Regulated expression may be either positive or negative, thereby either enhancing or reducing transcription.

Yeast is a fermenting organism with an active metabolic pathway, therefore sequences encoding enzymes in the metabolic pathway provide particularly useful promoter sequences. Examples include alcohol dehydrogenase (ADH) (EP-A-0 284 044), enolase, glucokinase, glucose-6-phosphate isomerase, glyceraldehyde-3-phosphate-dehydrogenase (GAP or GAPDH), hexokinase, phosphofructokinase, 3-phosphoglycerate mutase, and pyruvate kinase (PyK)

PATENT APPLICATION
ATTY REF NO. 19195.001

(EPO-A-0 329 203). The yeast *PHO5* gene, encoding acid phosphatase, also provides useful promoter sequences [Myanohara *et al.* (1983) *Proc. Natl. Acad. Sci. USA* 80:1]. In addition, synthetic promoters which do not occur in nature also function as yeast promoters. For example, UAS sequences of one yeast promoter may be joined with the transcription activation region of another yeast promoter, creating a synthetic hybrid promoter. Examples of such hybrid promoters include the ADH regulatory sequence linked to the GAP transcription activation region (US Patent Nos. 4,876,197 and 4,880,734). Other examples of hybrid promoters include promoters which consist of the regulatory sequences of either the *ADH2*, *GAL4*, *GAL10*, OR *PHO5* genes, combined with the transcriptional activation region of a glycolytic enzyme gene such as GAP or PyK (EP-A-0 164 556). Furthermore, a yeast promoter can include naturally occurring promoters of non-yeast origin that have the ability to bind yeast RNA polymerase and initiate transcription. Examples of such promoters include, *inter alia*, [Cohen *et al.* (1980) *Proc. Natl. Acad. Sci. USA* 77:1078; Henikoff *et al.* (1981) *Nature* 283:835; Hollenberg *et al.* (1981) *Curr. Topics Microbiol. Immunol.* 96:119; Hollenberg *et al.* (1979) "The Expression of Bacterial Antibiotic Resistance Genes in the Yeast *Saccharomyces cerevisiae*," in: *Plasmids of Medical, Environmental and Commercial Importance* (eds. K.N. Timmis and A. Puhler); Mercerau-Puigalon *et al.* (1980) *Gene* 11:163; Panthier *et al.* (1980) *Curr. Genet.* 2:109;].

A DNA molecule may be expressed intracellularly in yeast. A promoter sequence may be directly linked with the DNA molecule, in which case the first amino acid at the N-terminus of the recombinant protein will always be a methionine, which is encoded by the ATG start codon. If desired, methionine at the N-terminus may be cleaved from the protein by *in vitro* incubation with cyanogen bromide.

Fusion proteins provide an alternative for yeast expression systems, as well as in mammalian, baculovirus, and bacterial expression systems. Usually, a DNA sequence encoding the N-terminal portion of an endogenous yeast protein, or other stable protein, is fused to the 5' end of heterologous coding sequences. Upon expression, this construct will provide a fusion of the two amino acid sequences. For example, the yeast or human superoxide dismutase (SOD) gene, can be linked at the 5' terminus of a foreign gene and expressed in yeast. The DNA sequence at the

PATENT APPLICATION
ATTY REF NO. 19195.001

junction of the two amino acid sequences may or may not encode a cleavable site. See *eg.* EP-A-0 196 056. Another example is a ubiquitin fusion protein. Such a fusion protein is made with the ubiquitin region that preferably retains a site for a processing enzyme (*eg.* ubiquitin-specific processing protease) to cleave the ubiquitin from the foreign protein. Through this method, therefore, native foreign protein can be isolated (*eg.* WO88/024066).

Alternatively, foreign proteins can also be secreted from the cell into the growth media by creating chimeric DNA molecules that encode a fusion protein comprised of a leader sequence fragment that provide for secretion in yeast of the foreign protein. Preferably, there are processing sites encoded between the leader fragment and the foreign gene that can be cleaved either *in vivo* or *in vitro*. The leader sequence fragment usually encodes a signal peptide comprised of hydrophobic amino acids which direct the secretion of the protein from the cell. DNA encoding suitable signal sequences can be derived from genes for secreted yeast proteins, such as the yeast invertase gene (EP-A-0 012 873; JPO. 62,096,086) and the A-factor gene (US patent 4,588,684). Alternatively, leaders of non-yeast origin, such as an interferon leader, exist that also provide for secretion in yeast (EP-A-0 060 057).

A preferred class of secretion leaders are those that employ a fragment of the yeast alpha-factor gene, which contains both a "pre" signal sequence, and a "pro" region. The types of alpha-factor fragments that can be employed include the full-length pre-pro alpha factor leader (about 83 amino acid residues) as well as truncated alpha-factor leaders (usually about 25 to about 50 amino acid residues) (US Patents 4,546,083 and 4,870,008; EP-A-0 324 274). Additional leaders employing an alpha-factor leader fragment that provides for secretion include hybrid alpha-factor leaders made with a presequence of a first yeast, but a pro-region from a second yeast alphafactor. (*eg.* see WO 89/02463.)

Usually, transcription termination sequences recognized by yeast are regulatory regions located 3' to the translation stop codon, and thus together with the promoter flank the coding sequence. These sequences direct the transcription of an mRNA which can be translated into the polypeptide encoded by the DNA. Examples of transcription terminator sequence and other yeast-recognized termination sequences, such as those coding for glycolytic enzymes.

PATENT APPLICATION
ATTY REF NO. 19195.001

Usually, the above described components, comprising a promoter, leader (if desired), coding sequence of interest, and transcription termination sequence, are put together into expression constructs. Expression constructs are often maintained in a replicon, such as an extrachromosomal element (*eg.* plasmids) capable of stable maintenance in a host, such as yeast or bacteria. The replicon may have two replication systems, thus allowing it to be maintained, for example, in yeast for expression and in a prokaryotic host for cloning and amplification. Examples of such yeast-bacteria shuttle vectors include YEp24 [Botstein *et al.* (1979) *Gene* 8:17-24], pCI/1 [Brake *et al.* (1984) *Proc. Natl. Acad. Sci USA* 81:4642-4646], and YRp17 [Stinchcomb *et al.* (1982) *J. Mol. Biol.* 158:157]. In addition, a replicon may be either a high or low copy number plasmid. A high copy number plasmid will generally have a copy number ranging from about 5 to about 200, and usually about 10 to about 150. A host containing a high copy number plasmid will preferably have at least about 10, and more preferably at least about 20. Enter a high or low copy number vector may be selected, depending upon the effect of the vector and the foreign protein on the host. See *eg.* Brake *et al.*, *supra*.

Alternatively, the expression constructs can be integrated into the yeast genome with an integrating vector. Integrating vectors usually contain at least one sequence homologous to a yeast chromosome that allows the vector to integrate, and preferably contain two homologous sequences flanking the expression construct. Integrations appear to result from recombinations between homologous DNA in the vector and the yeast chromosome [Orr-Weaver *et al.* (1983) *Methods in Enzymol.* 101:228-245]. An integrating vector may be directed to a specific locus in yeast by selecting the appropriate homologous sequence for inclusion in the vector. See Orr-Weaver *et al.*, *supra*. One or more expression construct may integrate, possibly affecting levels of recombinant protein produced [Rine *et al.* (1983) *Proc. Natl. Acad. Sci. USA* 80:6750]. The chromosomal sequences included in the vector can occur either as a single segment in the vector, which results in the integration of the entire vector, or two segments homologous to adjacent segments in the chromosome and flanking the expression construct in the vector, which can result in the stable integration of only the expression construct.

Usually, extrachromosomal and integrating expression constructs may contain selectable markers to allow for the selection of yeast strains that have been transformed. Selectable

PATENT APPLICATION
ATTY REF NO. 19195.001

markers may include biosynthetic genes that can be expressed in the yeast host, such as *ADE2*, *HIS4*, *LEU2*, *TRP1*, and *ALG7*, and the G418 resistance gene, which confer resistance in yeast cells to tunicamycin and G418, respectively. In addition, a suitable selectable marker may also provide yeast with the ability to grow in the presence of toxic compounds, such as metal. For example, the presence of *CUP1* allows yeast to grow in the presence of copper ions [Butt *et al.* (1987) *Microbiol. Rev.* 51:351].

Alternatively, some of the above described components can be put together into transformation vectors. Transformation vectors are usually comprised of a selectable marker that is either maintained in a replicon or developed into an integrating vector, as described above.

Expression and transformation vectors, either extrachromosomal replicons or integrating vectors, have been developed for transformation into many yeasts. For example, expression vectors have been developed for, *inter alia*, the following yeasts: *Candida albicans* [Kurtz, *et al.* (1986) *Mol. Cell. Biol.* 6:142], *Candida maltosa* [Kunze, *et al.* (1985) *J. Basic Microbiol.* 25:141], *Hansenula polymorpha* [Gleeson, *et al.* (1986) *J. Gen. Microbiol.* 132:3459; Roggenkamp *et al.* (1986) *Mol. Gen. Genet.* 202:302], *Kluyveromyces fragilis* [Das, *et al.* (1984) *J. Bacteriol.* 158:1165], *Kluyveromyces lactis* [De Louvencourt *et al.* (1983) *J. Bacteriol.* 154:737; Van den Berg *et al.* (1990) *Bio/Technology* 8:135], *Pichia guilliermondii* [Kunze *et al.* (1985) *J. Basic Microbiol.* 25:141], *Pichia pastoris* [Cregg, *et al.* (1985) *Mol. Cell Biol.* 5:3376; US Patent Nos. 4,837,148 and 4,929,555], *Saccharomyces cerevisiae* [Hinnen *et al.* (1978) *Proc. Natl. Acad. Sci. USA* 75:1929; Ito *et al.* (1983) *J. Bacteriol.* 153:163], *Schizosaccharomyces pombe* [Beach and Nurse (1981) *Nature* 300:706], and *Yarrowia lipolytica* [Davidow, *et al.* (1985) *Curr. Genet.* 10:380471 Gaillardin, *et al.* (1985) *Curr. Genet.* 10:49].

Methods of introducing exogenous DNA into yeast hosts are well-known in the art, and usually include either the transformation of spheroplasts or of intact yeast cells treated with alkali cations. Transformation procedures usually vary with the yeast species to be transformed. See *eg.* [Kurtz *et al.* (1986) *Mol. Cell. Biol.* 6:142; Kunze *et al.* (1985) *J. Basic Microbiol.* 25:141; *Candida*]; [Gleeson *et al.* (1986) *J. Gen. Microbiol.* 132:3459; Roggenkamp *et al.* (1986) *Mol. Gen. Genet.* 202:302; *Hansenula*]; [Das *et al.* (1984) *J. Bacteriol.* 158:1165; De Louvencourt *et*

PATENT APPLICATION
ATTY REF NO. 19195.001

al. (1983) *J. Bacteriol.* 154:1165; Van den Berg *et al.* (1990) *Bio/Technology* 8:135; Kluyveromyces]; [Cregg *et al.* (1985) *Mol. Cell. Biol.* 5:3376; Kunze *et al.* (1985) *J. Basic Microbiol.* 25:141; US Patent Nos. 4,837,148 and 4,929,555; Pichia]; [Hinnen *et al.* (1978) *Proc. Natl. Acad. Sci. USA* 75:1929; Ito *et al.* (1983) *J. Bacteriol.* 153:163 *Saccharomyces*]; [Beach and Nurse (1981) *Nature* 300:706; *Schizosaccharomyces*]; [Davidow *et al.* (1985) *Curr. Genet.* 10:39; Gaillardin *et al.* (1985) *Curr. Genet.* 10:49; Yarrowia].

Antibodies

As used herein, the term "antibody" refers to a polypeptide or group of polypeptides composed of at least one antibody combining site. An "antibody combining site" is the three-dimensional binding space with an internal surface shape and charge distribution complementary to the features of an epitope of an antigen, which allows a binding of the antibody with the antigen. "Antibody" includes, for example, vertebrate antibodies, hybrid antibodies, chimeric antibodies, humanised antibodies, altered antibodies, univalent antibodies, Fab proteins, and single domain antibodies.

Antibodies against the proteins of the invention are useful for affinity chromatography, immunoassays, and distinguishing/identifying *Streptococcal* proteins.

Antibodies to the proteins of the invention, both polyclonal and monoclonal, may be prepared by conventional methods. In general, the protein is first used to immunize a suitable animal, preferably a mouse, rat, rabbit or goat. Rabbits and goats are preferred for the preparation of polyclonal sera due to the volume of serum obtainable, and the availability of labeled anti-rabbit and anti-goat antibodies. Immunization is generally performed by mixing or emulsifying the protein in saline, preferably in an adjuvant such as Freund's complete adjuvant, and injecting the mixture or emulsion parenterally (generally subcutaneously or intramuscularly). A dose of 50-200 µg/injection is typically sufficient. Immunization is generally boosted 2-6 weeks later with one or more injections of the protein in saline, preferably using Freund's incomplete adjuvant. One may alternatively generate antibodies by *in vitro* immunization using methods known in the art, which for the purposes of this invention is considered equivalent to *in vivo* immunization. Polyclonal antisera is obtained by bleeding the immunized animal into a glass or

PATENT APPLICATION
ATTY REF NO. 19195.001

plastic container, incubating the blood at 25°C for one hour, followed by incubating at 4°C for 2-18 hours. The serum is recovered by centrifugation (eg. 1,000g for 10 minutes). About 20-50 ml per bleed may be obtained from rabbits.

Monoclonal antibodies are prepared using the standard method of Kohler & Milstein [*Nature* (1975) 256:495-96], or a modification thereof. Typically, a mouse or rat is immunized as described above. However, rather than bleeding the animal to extract serum, the spleen (and optionally several large lymph nodes) is removed and dissociated into single cells. If desired, the spleen cells may be screened (after removal of nonspecifically adherent cells) by applying a cell suspension to a plate or well coated with the protein antigen. B-cells expressing membrane-bound immunoglobulin specific for the antigen bind to the plate, and are not rinsed away with the rest of the suspension. Resulting B-cells, or all dissociated spleen cells, are then induced to fuse with myeloma cells to form hybridomas, and are cultured in a selective medium (eg. hypoxanthine, aminopterin, thymidine medium, "HAT"). The resulting hybridomas are plated by limiting dilution, and are assayed for production of antibodies which bind specifically to the immunizing antigen (and which do not bind to unrelated antigens). The selected MAb-secreting hybridomas are then cultured either *in vitro* (eg. in tissue culture bottles or hollow fiber reactors), or *in vivo* (as ascites in mice).

If desired, the antibodies (whether polyclonal or monoclonal) may be labeled using conventional techniques. Suitable labels include fluorophores, chromophores, radioactive atoms (particularly ^{32}P and ^{125}I), electron-dense reagents, enzymes, and ligands having specific binding partners. Enzymes are typically detected by their activity. For example, horseradish peroxidase is usually detected by its ability to convert 3,3',5,5'-tetramethylbenzidine (TMB) to a blue pigment, quantifiable with a spectrophotometer. "Specific binding partner" refers to a protein capable of binding a ligand molecule with high specificity, as for example in the case of an antigen and a monoclonal antibody specific therefor. Other specific binding partners include biotin and avidin or streptavidin, IgG and protein A, and the numerous receptor-ligand couples known in the art. It should be understood that the above description is not meant to categorize the various labels into distinct classes, as the same label may serve in several different modes. For example, ^{125}I may serve as a radioactive label or as an electron-dense reagent. HRP may

PATENT APPLICATION
ATTY REF NO. 19195.001

serve as enzyme or as antigen for a MAb. Further, one may combine various labels for desired effect. For example, MAbs and avidin also require labels in the practice of this invention: thus, one might label a MAb with biotin, and detect its presence with avidin labeled with ^{125}I , or with an anti-biotin MAb labeled with HRP. Other permutations and possibilities will be readily apparent to those of ordinary skill in the art, and are considered as equivalents within the scope of the instant invention.

Pharmaceutical Compositions

Pharmaceutical compositions can comprise either polypeptides, antibodies, or nucleic acid of the invention. The pharmaceutical compositions will comprise a therapeutically effective amount of either polypeptides, antibodies, or polynucleotides of the claimed invention. The term "therapeutically effective amount" as used herein refers to an amount of a therapeutic agent to treat, ameliorate, or prevent a desired disease or condition, or to exhibit a detectable therapeutic or preventative effect. The effect can be detected by, for example, chemical markers or antigen levels. Therapeutic effects also include reduction in physical symptoms, such as decreased body temperature. The precise effective amount for a subject will depend upon the subject's size and health, the nature and extent of the condition, and the therapeutics or combination of therapeutics selected for administration. Thus, it is not useful to specify an exact effective amount in advance. However, the effective amount for a given situation can be determined by routine experimentation and is within the judgement of the clinician. For purposes of the present invention, an effective dose will be from about 0.01 mg/kg to 50 mg/kg or 0.05 mg/kg to about 10 mg/kg of the DNA constructs in the individual to which it is administered.

A pharmaceutical composition can also contain a pharmaceutically acceptable carrier. The term "pharmaceutically acceptable carrier" refers to a carrier for administration of a therapeutic agent, such as antibodies or a polypeptide, genes, and other therapeutic agents. The term refers to any pharmaceutical carrier that does not itself induce the production of antibodies harmful to the individual receiving the composition, and which may be administered without undue toxicity. Suitable carriers may be large, slowly metabolized macromolecules such as proteins,

PATENT APPLICATION
ATTY REF NO. 19195.001

polysaccharides, polylactic acids, polyglycolic acids, polymeric amino acids, amino acid copolymers, and inactive virus particles. Such carriers are well known to those of ordinary skill in the art.

Pharmaceutically acceptable salts can be used therein, for example, mineral acid salts such as hydrochlorides, hydrobromides, phosphates, sulfates, and the like; and the salts of organic acids such as acetates, propionates, malonates, benzoates, and the like. A thorough discussion of pharmaceutically acceptable excipients is available in Remington's Pharmaceutical Sciences (Mack Pub. Co., N.J. 1991).

Pharmaceutically acceptable carriers in therapeutic compositions may contain liquids such as water, saline, glycerol and ethanol. Additionally, auxiliary substances, such as wetting or emulsifying agents, pH buffering substances, and the like, may be present in such vehicles. Typically, the therapeutic compositions are prepared as injectables, either as liquid solutions or suspensions; solid forms suitable for solution in, or suspension in, liquid vehicles prior to injection may also be prepared. Liposomes are included within the definition of a pharmaceutically acceptable carrier.

Delivery Methods

Once formulated, the compositions of the invention can be administered directly to the subject. The subjects to be treated can be animals; in particular, human subjects can be treated. Direct delivery of the compositions will generally be accomplished by injection, either subcutaneously, intraperitoneally, intravenously or intramuscularly or delivered to the interstitial space of a tissue. The compositions can also be administered into a lesion. Other modes of administration include oral and pulmonary administration, suppositories, and transdermal or transcutaneous applications (eg. see WO98/20734), needles, and gene guns or hyposprays. Dosage treatment may be a single dose schedule or a multiple dose schedule. See also *Delivery Strategies for Antisense Oligonucleotide Therapeutics* (ed. Akhtar) ISBN 0849347785.

PATENT APPLICATION
ATTY REF NO. 19195.001Vaccines

Vaccines according to the invention may either be prophylactic (*ie.* to prevent infection) or therapeutic (*ie.* to treat disease after infection).

Such vaccines comprise immunising antigen(s), immunogen(s), polypeptide(s), protein(s) or nucleic acid, usually in combination with "pharmaceutically acceptable carriers," which include any carrier that does not itself induce the production of antibodies harmful to the individual receiving the composition. Suitable carriers are typically large, slowly metabolized macromolecules such as proteins, polysaccharides, polylactic acids, polyglycolic acids, polymeric amino acids, amino acid copolymers, lipid aggregates (such as oil droplets or liposomes), and inactive virus particles. Such carriers are well known to those of ordinary skill in the art. Additionally, these carriers may function as immunostimulating agents ("adjuvants").

Furthermore, the antigen or immunogen may be conjugated to a bacterial toxoid, such as a toxoid from diphtheria, tetanus, cholera, *H. pylori*, *etc.* pathogens.

Preferred adjuvants to enhance effectiveness of the composition include, but are not limited to:

(1) aluminum salts (alum), such as aluminum hydroxide, aluminum phosphate, aluminum sulfate, *etc.*; (2) oil-in-water emulsion formulations (with or without other specific immunostimulating agents such as muramyl peptides (see below) or bacterial cell wall components), such as for example (a) MF59TM (WO 90/14837; Chapter 10 in *Vaccine design: the subunit and adjuvant approach*, eds. Powell & Newman, Plenum Press 1995), containing 5% Squalene, 0.5% Tween 80, and 0.5% Span 85 (optionally containing various amounts of MTP-PE (see below), although not required) formulated into submicron particles using a microfluidizer such as Model 110Y microfluidizer (Microfluidics, Newton, MA), (b) SAF, containing 10% Squalane, 0.4% Tween 80, 5% pluronic-blocked polymer L121, and thr-MDP (see below) either microfluidized into a submicron emulsion or vortexed to generate a larger particle size emulsion, and (c) RibiTM adjuvant system (RAS), (Ribi Immunochem, Hamilton, MT) containing 2% Squalene, 0.2% Tween 80, and one or more bacterial cell wall components from the group consisting of monophosphorylipid A (MPL), trehalose dimycolate (TDM), and cell wall skeleton (CWS), preferably MPL + CWS (DetoxTM); (3) saponin adjuvants, such as StimulonTM (Cambridge Bioscience, Worcester, MA) may be used or particles generated

PATENT APPLICATION
ATTY REF NO. 19195.001

therefrom such as ISCOMs (immunostimulating complexes); (4) Complete Freund's Adjuvant (CFA) and Incomplete Freund's Adjuvant (IFA); (5) cytokines, such as interleukins (*eg.* IL-1, IL-2, IL-4, IL-5, IL-6, IL-7, IL-12, *etc.*), interferons (*eg.* gamma interferon), macrophage colony stimulating factor (M-CSF), tumor necrosis factor (TNF), *etc.*; and (6) other substances that act as immunostimulating agents to enhance the effectiveness of the composition. Alum and MF59™ are preferred.

As mentioned above, muramyl peptides include, but are not limited to, N-acetyl-muramyl-L-threonyl-D-isoglutamine (thr-MDP), N-acetyl-normuramyl-L-alanyl-D-isoglutamine (nor-MDP), N-acetylmuramyl-L-alanyl-D-isoglutaminyl-L-alanine-2-(1'-2'-dipalmitoyl-*sn*-glycero-3-hydroxyphosphoryloxy)-ethylamine (MTP-PE), *etc.*

The immunogenic compositions (*eg.* the immunising antigen/immunogen/polypeptide/protein/nucleic acid, pharmaceutically acceptable carrier, and adjuvant) typically will contain diluents, such as water, saline, glycerol, ethanol, *etc.* Additionally, auxiliary substances, such as wetting or emulsifying agents, pH buffering substances, and the like, may be present in such vehicles. Typically, the immunogenic compositions are prepared as injectables, either as liquid solutions or suspensions; solid forms suitable for solution in, or suspension in, liquid vehicles prior to injection may also be prepared. The preparation also may be emulsified or encapsulated in liposomes for enhanced adjuvant effect, as discussed above under pharmaceutically acceptable carriers.

Immunogenic compositions used as vaccines comprise an immunologically effective amount of the antigenic or immunogenic polypeptides, as well as any other of the above-mentioned components, as needed. By "immunologically effective amount", it is meant that the administration of that amount to an individual, either in a single dose or as part of a series, is effective for treatment or prevention. This amount varies depending upon the health and physical condition of the individual to be treated, the taxonomic group of individual to be treated (*eg.* nonhuman primate, primate, *etc.*), the capacity of the individual's immune system to synthesize antibodies, the degree of protection desired, the formulation of the vaccine, the treating doctor's assessment of the medical situation, and other relevant factors. It is expected that the amount will fall in a relatively broad range that can be determined through routine trials.

PATENT APPLICATION
ATTY REF NO. 19195.001

The immunogenic compositions are conventionally administered parenterally, *eg.* by injection, either subcutaneously, intramuscularly, or transdermally/transcutaneously (*eg.* WO98/20734). Additional formulations suitable for other modes of administration include oral and pulmonary formulations, suppositories, and transdermal applications. Dosage treatment may be a single dose schedule or a multiple dose schedule. The vaccine may be administered in conjunction with other immunoregulatory agents.

As an alternative to protein-based vaccines, DNA vaccination may be used [*eg.* Robinson & Torres (1997) *Seminars in Immunol* 9:271-283; Donnelly *et al.* (1997) *Annu Rev Immunol* 15:617-648; later herein].

Gene Delivery Vehicles

Gene therapy vehicles for delivery of constructs including a coding sequence of a therapeutic of the invention, to be delivered to the mammal for expression in the mammal, can be administered either locally or systemically. These constructs can utilize viral or non-viral vector approaches in *in vivo* or *ex vivo* modality. Expression of such coding sequence can be induced using endogenous mammalian or heterologous promoters. Expression of the coding sequence in *in vivo* can be either constitutive or regulated.

The invention includes gene delivery vehicles capable of expressing the contemplated nucleic acid sequences. The gene delivery vehicle is preferably a viral vector and, more preferably, a retroviral, adenoviral, adeno-associated viral (AAV), herpes viral, or alphavirus vector. The viral vector can also be an astrovirus, coronavirus, orthomyxovirus, papovavirus, paramyxovirus, parvovirus, picornavirus, poxvirus, or togavirus viral vector. See generally, Jolly (1994) *Cancer Gene Therapy* 1:51-64; Kimura (1994) *Human Gene Therapy* 5:845-852; Connelly (1995) *Human Gene Therapy* 6:185-193; and Kaplitt (1994) *Nature Genetics* 6:148-153.

Retroviral vectors are well known in the art and we contemplate that any retroviral gene therapy vector is employable in the invention, including B, C and D type retroviruses, xenotropic retroviruses (for example, NZB-X1, NZB-X2 and NZB9-1 (see O'Neill (1985) *J. Virol.* 53:160) polytropic retroviruses *eg.* MCF and MCF-MLV (see Kelly (1983) *J. Virol.* 45:291),

PATENT APPLICATION
ATTY REF NO. 19195.001

spumaviruses and lentiviruses. See RNA Tumor Viruses, Second Edition, Cold Spring Harbor Laboratory, 1985.

Portions of the retroviral gene therapy vector may be derived from different retroviruses. For example, retrovector LTRs may be derived from a Murine Sarcoma Virus, a tRNA binding site from a Rous Sarcoma Virus, a packaging signal from a Murine Leukemia Virus, and an origin of second strand synthesis from an Avian Leukosis Virus.

These recombinant retroviral vectors may be used to generate transduction competent retroviral vector particles by introducing them into appropriate packaging cell lines (see US patent 5,591,624). Retrovirus vectors can be constructed for site-specific integration into host cell DNA by incorporation of a chimeric integrase enzyme into the retroviral particle (see WO96/37626). It is preferable that the recombinant viral vector is a replication defective recombinant virus.

Packaging cell lines suitable for use with the above-described retrovirus vectors are well known in the art, are readily prepared (see WO95/30763 and WO92/05266), and can be used to create producer cell lines (also termed vector cell lines or "VCLs") for the production of recombinant vector particles. Preferably, the packaging cell lines are made from human parent cells (eg. HT1080 cells) or mink parent cell lines, which eliminates inactivation in human serum.

Preferred retroviruses for the construction of retroviral gene therapy vectors include Avian Leukosis Virus, Bovine Leukemia, Virus, Murine Leukemia Virus, Mink-Cell Focus-Inducing Virus, Murine Sarcoma Virus, Reticuloendotheliosis Virus and Rous Sarcoma Virus.

Particularly preferred Murine Leukemia Viruses include 4070A and 1504A (Hartley and Rowe (1976) *J Virol* 19:19-25), Abelson (ATCC No. VR-999), Friend (ATCC No. VR-245), Graffi, Gross (ATCC No. VR-590), Kirsten, Harvey Sarcoma Virus and Rauscher (ATCC No. VR-998) and Moloney Murine Leukemia Virus (ATCC No. VR-190). Such retroviruses may be obtained from depositories or collections such as the American Type Culture Collection ("ATCC") in Rockville, Maryland or isolated from known sources using commonly available techniques.

Exemplary known retroviral gene therapy vectors employable in this invention include those described in patent applications GB2200651, EP0415731, EP0345242, EP0334301,

PATENT APPLICATION
ATTY REF NO. 19195.001

WO89/02468; WO89/05349, WO89/09271, WO90/02806, WO90/07936, WO94/03622, WO93/25698, WO93/25234, WO93/11230, WO93/10218, WO91/02805, WO91/02825, WO95/07994, US 5,219,740, US 4,405,712, US 4,861,719, US 4,980,289, US 4,777,127, US 5,591,624. See also Vile (1993) *Cancer Res* 53:3860-3864; Vile (1993) *Cancer Res* 53:962-967; Ram (1993) *Cancer Res* 53 (1993) 83-88; Takamiya (1992) *J Neurosci Res* 33:493-503; Baba (1993) *J Neurosurg* 79:729-735; Mann (1983) *Cell* 33:153; Cane (1984) *Proc Natl Acad Sci* 81:6349; and Miller (1990) *Human Gene Therapy* 1.

Human adenoviral gene therapy vectors are also known in the art and employable in this invention. See, for example, Berkner (1988) *Biotechniques* 6:616 and Rosenfeld (1991) *Science* 252:431, and WO93/07283, WO93/06223, and WO93/07282. Exemplary known adenoviral gene therapy vectors employable in this invention include those described in the above referenced documents and in WO94/12649, WO93/03769, WO93/19191, WO94/28938, WO95/11984, WO95/00655, WO95/27071, WO95/29993, WO95/34671, WO96/05320, WO94/08026, WO94/11506, WO93/06223, WO94/24299, WO95/14102, WO95/24297, WO95/02697, WO94/28152, WO94/24299, WO95/09241, WO95/25807, WO95/05835, WO94/18922 and WO95/09654. Alternatively, administration of DNA linked to killed adenovirus as described in Curiel (1992) *Hum. Gene Ther.* 3:147-154 may be employed. The gene delivery vehicles of the invention also include adenovirus associated virus (AAV) vectors. Leading and preferred examples of such vectors for use in this invention are the AAV-2 based vectors disclosed in Srivastava, WO93/09239. Most preferred AAV vectors comprise the two AAV inverted terminal repeats in which the native D-sequences are modified by substitution of nucleotides, such that at least 5 native nucleotides and up to 18 native nucleotides, preferably at least 10 native nucleotides up to 18 native nucleotides, most preferably 10 native nucleotides are retained and the remaining nucleotides of the D-sequence are deleted or replaced with non-native nucleotides. The native D-sequences of the AAV inverted terminal repeats are sequences of 20 consecutive nucleotides in each AAV inverted terminal repeat (*ie.* there is one sequence at each end) which are not involved in HP formation. The non-native replacement nucleotide may be any nucleotide other than the nucleotide found in the native D-sequence in the same position. Other employable exemplary AAV vectors are pWP-19, pWN-1, both of

PATENT APPLICATION
ATTY REF NO. 19195.001

which are disclosed in Nahreini (1993) *Gene* 124:257-262. Another example of such an AAV vector is psub201 (see Samulski (1987) *J. Virol.* 61:3096). Another exemplary AAV vector is the Double-D ITR vector. Construction of the Double-D ITR vector is disclosed in US Patent 5,478,745. Still other vectors are those disclosed in Carter US Patent 4,797,368 and Muzyczka US Patent 5,139,941, Chartejee US Patent 5,474,935, and Kotin WO94/288157. Yet a further example of an AAV vector employable in this invention is SSV9AFABTKneo, which contains the AFP enhancer and albumin promoter and directs expression predominantly in the liver. Its structure and construction are disclosed in Su (1996) *Human Gene Therapy* 7:463-470. Additional AAV gene therapy vectors are described in US 5,354,678, US 5,173,414, US 5,139,941, and US 5,252,479.

The gene therapy vectors of the invention also include herpes vectors. Leading and preferred examples are herpes simplex virus vectors containing a sequence encoding a thymidine kinase polypeptide such as those disclosed in US 5,288,641 and EP0176170 (Roizman). Additional exemplary herpes simplex virus vectors include HFEM/ICP6-LacZ disclosed in WO95/04139 (Wistar Institute), pHSVlac described in Geller (1988) *Science* 241:1667-1669 and in WO90/09441 and WO92/07945, HSV Us3::pgC-lacZ described in Fink (1992) *Human Gene Therapy* 3:11-19 and HSV 7134, 2 RH 105 and GAL4 described in EP 0453242 (Breakefield), and those deposited with the ATCC with accession numbers VR-977 and VR-260.

Also contemplated are alpha virus gene therapy vectors that can be employed in this invention. Preferred alpha virus vectors are Sindbis viruses vectors. Togaviruses, Semliki Forest virus (ATCC VR-67; ATCC VR-1247), Middleberg virus (ATCC VR-370), Ross River virus (ATCC VR-373; ATCC VR-1246), Venezuelan equine encephalitis virus (ATCC VR923; ATCC VR-1250; ATCC VR-1249; ATCC VR-532), and those described in US patents 5,091,309, 5,217,879, and WO92/10578. More particularly, those alpha virus vectors described in US Serial No. 08/405,627, filed March 15, 1995, WO94/21792, WO92/10578, WO95/07994, US 5,091,309 and US 5,217,879 are employable. Such alpha viruses may be obtained from depositories or collections such as the ATCC in Rockville, Maryland or isolated from known sources using commonly available techniques. Preferably, alphavirus vectors with reduced cytotoxicity are used (see USSN 08/679640).

PATENT APPLICATION
ATTY REF NO. 19195.001

DNA vector systems such as eukaryotic layered expression systems are also useful for expressing the nucleic acids of the invention. See WO95/07994 for a detailed description of eukaryotic layered expression systems. Preferably, the eukaryotic layered expression systems of the invention are derived from alphavirus vectors and most preferably from Sindbis viral vectors.

Other viral vectors suitable for use in the present invention include those derived from poliovirus, for example ATCC VR-58 and those described in Evans, *Nature* 339 (1989) 385 and Sabin (1973) *J. Biol. Standardization* 1:115; rhinovirus, for example ATCC VR-1110 and those described in Arnold (1990) *J Cell Biochem* L401; pox viruses such as canary pox virus or vaccinia virus, for example ATCC VR-111 and ATCC VR-2010 and those described in Fisher-Hoch (1989) *Proc Natl Acad Sci* 86:317; Flexner (1989) *Ann NY Acad Sci* 569:86, Flexner (1990) *Vaccine* 8:17; in US 4,603,112 and US 4,769,330 and WO89/01973; SV40 virus, for example ATCC VR-305 and those described in Mulligan (1979) *Nature* 277:108 and Madzak (1992) *J Gen Virol* 73:1533; influenza virus, for example ATCC VR-797 and recombinant influenza viruses made employing reverse genetics techniques as described in US 5,166,057 and in Enami (1990) *Proc Natl Acad Sci* 87:3802-3805; Enami & Palese (1991) *J Virol* 65:2711-2713 and Luytjes (1989) *Cell* 59:110, (see also McMichael (1983) *NEJ Med* 309:13, and Yap (1978) *Nature* 273:238 and *Nature* (1979) 277:108); human immunodeficiency virus as described in EP-0386882 and in Buchschacher (1992) *J. Virol.* 66:2731; measles virus, for example ATCC VR-67 and VR-1247 and those described in EP-0440219; Aura virus, for example ATCC VR-368; Bebaru virus, for example ATCC VR-600 and ATCC VR-1240; Cabassou virus, for example ATCC VR-922; Chikungunya virus, for example ATCC VR-64 and ATCC VR-1241; Fort Morgan Virus, for example ATCC VR-924; Getah virus, for example ATCC VR-369 and ATCC VR-1243; Kyzylagach virus, for example ATCC VR-927; Mayaro virus, for example ATCC VR-66; Mucambo virus, for example ATCC VR-580 and ATCC VR-1244; Ndumu virus, for example ATCC VR-371; Pixuna virus, for example ATCC VR-372 and ATCC VR-1245; Tonate virus, for example ATCC VR-925; Trinita virus, for example ATCC VR-469; Una virus, for example ATCC VR-374; Whataroa virus, for example ATCC VR-926; Y-62-33 virus, for example ATCC VR-375; O'Nyong virus,

PATENT APPLICATION
ATTY REF NO. 19195.001

Eastern encephalitis virus, for example ATCC VR-65 and ATCC VR-1242; Western encephalitis virus, for example ATCC VR-70, ATCC VR-1251, ATCC VR-622 and ATCC VR-1252; and coronavirus, for example ATCC VR-740 and those described in Hamre (1966) *Proc Soc Exp Biol Med* 121:190.

Delivery of the compositions of this invention into cells is not limited to the above mentioned viral vectors. Other delivery methods and media may be employed such as, for example, nucleic acid expression vectors, polycationic condensed DNA linked or unlinked to killed adenovirus alone, for example see US Serial No. 08/366,787, filed December 30, 1994 and Curiel (1992) *Hum Gene Ther* 3:147-154 ligand linked DNA, for example see Wu (1989) *J Biol Chem* 264:16985-16987, eucaryotic cell delivery vehicles cells, for example see US Serial No.08/240,030, filed May 9, 1994, and US Serial No. 08/404,796, deposition of photopolymerized hydrogel materials, hand-held gene transfer particle gun, as described in US Patent 5,149,655, ionizing radiation as described in US5,206,152 and in WO92/11033, nucleic charge neutralization or fusion with cell membranes. Additional approaches are described in Philip (1994) *Mol Cell Biol* 14:2411-2418 and in Woffendin (1994) *Proc Natl Acad Sci* 91:1581-1585.

Particle mediated gene transfer may be employed, for example see US Serial No. 60/023,867. Briefly, the sequence can be inserted into conventional vectors that contain conventional control sequences for high level expression, and then incubated with synthetic gene transfer molecules such as polymeric DNA-binding cations like polylysine, protamine, and albumin, linked to cell targeting ligands such as asialoorosomucoid, as described in Wu & Wu (1987) *J. Biol. Chem.* 262:4429-4432, insulin as described in Hucked (1990) *Biochem Pharmacol* 40:253-263, galactose as described in Plank (1992) *Bioconjugate Chem* 3:533-539, lactose or transferrin. Naked DNA may also be employed. Exemplary naked DNA introduction methods are described in WO 90/11092 and US 5,580,859. Uptake efficiency may be improved using biodegradable latex beads. DNA coated latex beads are efficiently transported into cells after endocytosis initiation by the beads. The method may be improved further by treatment of the beads to increase hydrophobicity and thereby facilitate disruption of the endosome and release of the DNA into the cytoplasm.

PATENT APPLICATION
ATTY REF NO. 19195.001

Liposomes that can act as gene delivery vehicles are described in US 5,422,120, WO95/13796, WO94/23697, WO91/14445 and EP-524,968. As described in USSN. 60/023,867, on non-viral delivery, the nucleic acid sequences encoding a polypeptide can be inserted into conventional vectors that contain conventional control sequences for high level expression, and then be incubated with synthetic gene transfer molecules such as polymeric DNA-binding cations like polylysine, protamine, and albumin, linked to cell targeting ligands such as asialoorosomucoid, insulin, galactose, lactose, or transferrin. Other delivery systems include the use of liposomes to encapsulate DNA comprising the gene under the control of a variety of tissue-specific or ubiquitously-active promoters. Further non-viral delivery suitable for use includes mechanical delivery systems such as the approach described in Woffendin *et al* (1994) *Proc. Natl. Acad. Sci. USA* 91(24):11581-11585. Moreover, the coding sequence and the product of expression of such can be delivered through deposition of photopolymerized hydrogel materials. Other conventional methods for gene delivery that can be used for delivery of the coding sequence include, for example, use of hand-held gene transfer particle gun, as described in US 5,149,655; use of ionizing radiation for activating transferred gene, as described in US 5,206,152 and WO92/11033

Exemplary liposome and polycationic gene delivery vehicles are those described in US 5,422,120 and 4,762,915; in WO 95/13796; WO94/23697; and WO91/14445; in EP-0524968; and in Stryer, *Biochemistry*, pages 236-240 (1975) W.H. Freeman, San Francisco; Szoka (1980) *Biochem Biophys Acta* 600:1; Bayer (1979) *Biochem Biophys Acta* 550:464; Rivnay (1987) *Meth Enzymol* 149:119; Wang (1987) *Proc Natl Acad Sci* 84:7851; Plant (1989) *Anal Biochem* 176:420.

A polynucleotide composition can comprises therapeutically effective amount of a gene therapy vehicle, as the term is defined above. For purposes of the present invention, an effective dose will be from about 0.01 mg/ kg to 50 mg/kg or 0.05 mg/kg to about 10 mg/kg of the DNA constructs in the individual to which it is administered.

PATENT APPLICATION
ATTY REF NO. 19195.001*Delivery Methods*

Once formulated, the polynucleotide compositions of the invention can be administered (1) directly to the subject; (2) delivered *ex vivo*, to cells derived from the subject; or (3) *in vitro* for expression of recombinant proteins. The subjects to be treated can be mammals or birds. Also, human subjects can be treated.

Direct delivery of the compositions will generally be accomplished by injection, either subcutaneously, intraperitoneally, intravenously or intramuscularly or delivered to the interstitial space of a tissue. The compositions can also be administered into a lesion. Other modes of administration include oral and pulmonary administration, suppositories, and transdermal or transcutaneous applications (*eg.* see WO98/20734), needles, and gene guns or hypodermic sprays. Dosage treatment may be a single dose schedule or a multiple dose schedule. Methods for the *ex vivo* delivery and reimplantation of transformed cells into a subject are known in the art and described in *eg.* WO93/14778. Examples of cells useful in *ex vivo* applications include, for example, stem cells, particularly hematopoietic, lymph cells, macrophages, dendritic cells, or tumor cells.

Generally, delivery of nucleic acids for both *ex vivo* and *in vitro* applications can be accomplished by the following procedures, for example, dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei, all well known in the art.

Polynucleotide and polypeptide pharmaceutical compositions

The terms "polynucleotide" and "nucleic acid", used interchangeably herein, In addition to the pharmaceutically acceptable carriers and salts described above, the following additional agents can be used with polynucleotide and/or polypeptide compositions.

A. Polypeptides

One example are polypeptides which include, without limitation: asialoglycoprotein (ASOR); transferrin; asialoglycoproteins; antibodies; antibody fragments; ferritin; interleukins;

PATENT APPLICATION
ATTY REF NO. 19195.001

interferons, granulocyte, macrophage colony stimulating factor (GM-CSF), granulocyte colony stimulating factor (G-CSF), macrophage colony stimulating factor (M-CSF), stem cell factor and erythropoietin. Viral antigens, such as envelope proteins, can also be used. Also, proteins from other invasive organisms, such as the 17 amino acid peptide from the circumsporozoite protein of plasmodium falciparum known as RII.

B.Hormones, Vitamins, etc.

Other groups that can be included are, for example: hormones, steroids, androgens, estrogens, thyroid hormone, or vitamins, folic acid.

C.Polyalkylenes, Polysaccharides, etc.

Also, polyalkylene glycol can be included with the desired polynucleotides/polypeptides. In a preferred embodiment, the polyalkylene glycol is polyethylene glycol. In addition, mono-, di-, or polysaccharides can be included. In a preferred embodiment of this aspect, the polysaccharide is dextran or DEAE-dextran. Also, chitosan and poly(lactide-co-glycolide)

D.Lipids, and Liposomes

The desired polynucleotide/polypeptide can also be encapsulated in lipids or packaged in liposomes prior to delivery to the subject or to cells derived therefrom.

Lipid encapsulation is generally accomplished using liposomes which are able to stably bind or entrap and retain nucleic acid. The ratio of condensed polynucleotide to lipid preparation can vary but will generally be around 1:1 (mg DNA:micromoles lipid), or more of lipid. For a review of the use of liposomes as carriers for delivery of nucleic acids, see, Hug and Sleight (1991) *Biochim. Biophys. Acta.* 1097:1-17; Straubinger (1983) *Meth. Enzymol.* 101:512-527. Liposomal preparations for use in the present invention include cationic (positively charged), anionic (negatively charged) and neutral preparations. Cationic liposomes have been shown to mediate intracellular delivery of plasmid DNA (Felgner (1987) *Proc. Natl. Acad. Sci. USA* 84:7413-7416); mRNA (Malone (1989) *Proc. Natl. Acad. Sci. USA* 86:6077-6081); and

PATENT APPLICATION
ATTY REF NO. 19195.001

purified transcription factors (Debs (1990) *J. Biol. Chem.* 265:10189-10192), in functional form.

Cationic liposomes are readily available. For example,

N[1-2,3-dioleoyloxy)propyl]-N,N,N-triethylammonium (DOTMA) liposomes are available under the trademark Lipofectin, from GIBCO BRL, Grand Island, NY. (See, also, Felgner *supra*). Other commercially available liposomes include transfectace (DDAB/DOPE) and DOTAP/DOPE (Boehringer). Other cationic liposomes can be prepared from readily available materials using techniques well known in the art. See, *eg.* Szoka (1978) *Proc. Natl. Acad. Sci. USA* 75:4194-4198; WO90/11092 for a description of the synthesis of DOTAP (1,2-bis(oleoyloxy)-3-(trimethylammonio)propane) liposomes.

Similarly, anionic and neutral liposomes are readily available, such as from Avanti Polar Lipids (Birmingham, AL), or can be easily prepared using readily available materials. Such materials include phosphatidyl choline, cholesterol, phosphatidyl ethanolamine, dioleoylphosphatidyl choline (DOPC), dioleoylphosphatidyl glycerol (DOPG), dioleoylphosphatidyl ethanolamine (DOPE), among others. These materials can also be mixed with the DOTMA and DOTAP starting materials in appropriate ratios. Methods for making liposomes using these materials are well known in the art.

The liposomes can comprise multilamellar vesicles (MLVs), small unilamellar vesicles (SUVs), or large unilamellar vesicles (LUVs). The various liposome-nucleic acid complexes are prepared using methods known in the art. See *eg.* Straubinger (1983) *Meth. Immunol.* 101:512-527; Szoka (1978) *Proc. Natl. Acad. Sci. USA* 75:4194-4198; Papahadjopoulos (1975) *Biochim. Biophys. Acta* 394:483; Wilson (1979) *Cell* 17:77; Deamer & Bangham (1976) *Biochim. Biophys. Acta* 443:629; Ostro (1977) *Biochem. Biophys. Res. Commun.* 76:836; Fraley (1979) *Proc. Natl. Acad. Sci. USA* 76:3348; Enoch & Strittmatter (1979) *Proc. Natl. Acad. Sci. USA* 76:145; Fraley (1980) *J. Biol. Chem.* (1980) 255:10431; Szoka & Papahadjopoulos (1978) *Proc. Natl. Acad. Sci. USA* 75:145; and Schaefer-Ridder (1982) *Science* 215:166.

PATENT APPLICATION
ATTY REF NO. 19195.001

E.Lipoproteins

In addition, lipoproteins can be included with the polynucleotide/polypeptide to be delivered. Examples of lipoproteins to be utilized include: chylomicrons, HDL, IDL, LDL, and VLDL. Mutants, fragments, or fusions of these proteins can also be used. Also, modifications of naturally occurring lipoproteins can be used, such as acetylated LDL. These lipoproteins can target the delivery of polynucleotides to cells expressing lipoprotein receptors. Preferably, if lipoproteins are including with the polynucleotide to be delivered, no other targeting ligand is included in the composition.

Naturally occurring lipoproteins comprise a lipid and a protein portion. The protein portion are known as apoproteins. At the present, apoproteins A, B, C, D, and E have been isolated and identified. At least two of these contain several proteins, designated by Roman numerals, AI, AII, AIV; CI, CII, CIII.

A lipoprotein can comprise more than one apoprotein. For example, naturally occurring chylomicrons comprises of A, B, C & E, over time these lipoproteins lose A and acquire C & E. VLDL comprises A, B, C & E apoproteins, LDL comprises apoprotein B; and HDL comprises apoproteins A, C, & E.

The amino acid of these apoproteins are known and are described in, for example, Breslow (1985) *Annu Rev. Biochem* 54:699; Law (1986) *Adv. Exp Med. Biol.* 151:162; Chen (1986) *J Biol Chem* 261:12918; Kane (1980) *Proc Natl Acad Sci USA* 77:2465; and Utermann (1984) *Hum Genet* 65:232.

Lipoproteins contain a variety of lipids including, triglycerides, cholesterol (free and esters), and phospholipids. The composition of the lipids varies in naturally occurring lipoproteins. For example, chylomicrons comprise mainly triglycerides. A more detailed description of the lipid content of naturally occurring lipoproteins can be found, for example, in *Meth. Enzymol.* 128 (1986). The composition of the lipids are chosen to aid in conformation of the apoprotein for receptor binding activity. The composition of lipids can also be chosen to facilitate hydrophobic interaction and association with the polynucleotide binding molecule.

Naturally occurring lipoproteins can be isolated from serum by ultracentrifugation, for instance. Such methods are described in *Meth. Enzymol. (supra)*; Pitas (1980) *J. Biochem.*

PATENT APPLICATION
ATTY REF NO. 19195.001

255:5454-5460 and Mahey (1979) *J Clin. Invest* 64:743-750. Lipoproteins can also be produced by *in vitro* or recombinant methods by expression of the apoprotein genes in a desired host cell. See, for example, Atkinson (1986) *Annu Rev Biophys Chem* 15:403 and Radding (1958) *Biochim Biophys Acta* 30: 443. Lipoproteins can also be purchased from commercial suppliers, such as Biomedical Technologies, Inc., Stoughton, Massachusetts, USA. Further description of lipoproteins can be found in Zuckermann *et al.* PCT/US97/14465.

F. Polycationic Agents

Polycationic agents can be included, with or without lipoprotein, in a composition with the desired polynucleotide/polypeptide to be delivered.

Polycationic agents, typically, exhibit a net positive charge at physiological relevant pH and are capable of neutralizing the electrical charge of nucleic acids to facilitate delivery to a desired location. These agents have both *in vitro*, *ex vivo*, and *in vivo* applications. Polycationic agents can be used to deliver nucleic acids to a living subject either intramuscularly, subcutaneously, *etc.*

The following are examples of useful polypeptides as polycationic agents: polylysine, polyarginine, polyornithine, and protamine. Other examples include histones, protamines, human serum albumin, DNA binding proteins, non-histone chromosomal proteins, coat proteins from DNA viruses, such as (X174, transcriptional factors also contain domains that bind DNA and therefore may be useful as nucleic acid condensing agents. Briefly, transcriptional factors such as C/CEBP, c-jun, c-fos, AP-1, AP-2, AP-3, CPF, Prot-1, Sp-1, Oct-1, Oct-2, CREP, and TFIIID contain basic domains that bind DNA sequences.

Organic polycationic agents include: spermine, spermidine, and putrescine.

The dimensions and of the physical properties of a polycationic agent can be extrapolated from the list above, to construct other polypeptide polycationic agents or to produce synthetic polycationic agents.

Synthetic polycationic agents which are useful include, for example, DEAE-dextran, polybrene. Lipofectin, and lipofectAMINE are monomers that form polycationic complexes when combined with polynucleotides/polypeptides.

PATENT APPLICATION
ATTY REF NO. 19195.001

Immunodiagnostic Assays

Streptococcus antigens of the invention can be used in immunoassays to detect antibody levels (or, conversely, anti-Streptococcus antibodies can be used to detect antigen levels).

Immunoassays based on well defined, recombinant antigens can be developed to replace invasive diagnostics methods. Antibodies to Streptococcus proteins within biological samples, including for example, blood or serum samples, can be detected. Design of the immunoassays is subject to a great deal of variation, and a variety of these are known in the art. Protocols for the immunoassay may be based, for example, upon competition, or direct reaction, or sandwich type assays. Protocols may also, for example, use solid supports, or may be by immunoprecipitation. Most assays involve the use of labeled antibody or polypeptide; the labels may be, for example, fluorescent, chemiluminescent, radioactive, or dye molecules. Assays which amplify the signals from the probe are also known; examples of which are assays which utilize biotin and avidin, and enzyme-labeled and mediated immunoassays, such as ELISA assays.

Kits suitable for immunodiagnosis and containing the appropriate labeled reagents are constructed by packaging the appropriate materials, including the compositions of the invention, in suitable containers, along with the remaining reagents and materials (for example, suitable buffers, salt solutions, *etc.*) required for the conduct of the assay, as well as suitable set of assay instructions.

Use of Polypeptides to Screen for Peptide Analogs and Antagonists

Polypeptides encoded by the instant polynucleotides and corresponding full length genes can be used to screen peptide libraries to identify binding partners, such as receptors, from within the library. Peptide libraries can be synthesized according to methods known in the art (*e.g.* Us patent 5,010,175; WO91/17823). Agonists or antagonists of the polypeptides of the invention can be screened using any available method known in the art, such as signal transduction, antibody binding, receptor binding, mitogenic assays, chemotaxis assays, *etc.* The assay conditions ideally should resemble the conditions under which the native activity is exhibited *in vivo*, that is, under physiologic pH, temperature, and ionic strength. Suitable agonists or

PATENT APPLICATION
ATTY REF NO. 19195.001

antagonists will exhibit strong inhibition or enhancement of the native activity at concentrations that do not cause toxic side effects in the subject. Agonists or antagonists that compete for binding to the native polypeptide can require concentrations equal to or greater than the native concentration, while inhibitors capable of binding irreversibly to the polypeptide can be added in concentrations on the order of the native concentration.

Such screening and experimentation can lead to identification of a polypeptide binding partner, such as a receptor, encoded by a gene or a cDNA corresponding to a polynucleotide described herein, and at least one peptide agonist or antagonist of the binding partner. Such agonists and antagonists can be used to modulate, enhance, or inhibit receptor function in cells to which the receptor is native, or in cells that possess the receptor as a result of genetic engineering. Further, if the receptor shares biologically important characteristics with a known receptor, information about agonist/antagonist binding can facilitate development of improved agonists/antagonists of the known receptor.

Identification of anti-bacterial agents

Drug Screening Assays

Of particular interest in the present invention is the identification of agents that have activity in modulating expression of one or more of the adhesion-specific genes described herein, so as to inhibit infection and/or disease. Of particular interest are screening assays for agents that have a low toxicity for human cells.

The term "agent" as used herein describes any molecule with the capability of altering or mimicking the expression or physiological function of a gene product of a differentially expressed gene. Generally a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a differential response to the various concentrations. Typically, one of these concentrations serves as a negative control *i.e.* at zero concentration or below the level of detection.

Candidate agents encompass numerous chemical classes, including, but not limited to, organic molecules (*e.g.* small organic compounds having a molecular weight of more than 50 and less than about 2,500 daltons), peptides, antisense polynucleotides, and ribozymes, and the like.

PATENT APPLICATION
ATTY REF NO. 19195.001

Candidate agents can comprise functional groups necessary for structural interaction with proteins, particularly hydrogen bonding, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups. The candidate agents often comprise cyclical carbon or heterocyclic structures and/or aromatic or polyaromatic structures substituted with one or more of the above functional groups. Candidate agents are also found among biomolecules including, but not limited to: polynucleotides, peptides, saccharides, fatty acids, steroids, purines, pyrimidines, derivatives, structural analogs or combinations thereof.

Candidate agents are obtained from a wide variety of sources including libraries of synthetic or natural compounds. For example, numerous means are available for random and directed synthesis of a wide variety of organic compounds and biomolecules, including expression of randomized oligonucleotides and oligopeptides. Alternatively, libraries of natural compounds in the form of bacterial, fungal, plant and animal extracts are available or readily produced. Additionally, natural or synthetically produced libraries and compounds are readily modified through conventional chemical, physical and biochemical means, and may be used to produce combinatorial libraries. Known pharmacological agents may be subjected to directed or random chemical modifications, such as acylation, alkylation, esterification, amidification, *etc.* to produce structural analogs.

Screening of Candidate Agents In Vitro

A wide variety of *in vitro* assays may be used to screen candidate agents for the desired biological activity, including, but not limited to, labeled *in vitro* protein-protein binding assays, protein-DNA binding assays (*e.g.* to identify agents that affect expression), electrophoretic mobility shift assays, immunoassays for protein binding, and the like. For example, by providing for the production of large amounts of a differentially expressed polypeptide, one can identify ligands or substrates that bind to, modulate or mimic the action of the polypeptide. The purified polypeptide may also be used for determination of three-dimensional crystal structure, which can be used for modeling intermolecular interactions, transcriptional regulation, *etc.*

PATENT APPLICATION
ATTY REF NO. 19195.001

The screening assay can be a binding assay, wherein one or more of the molecules may be joined to a label, and the label directly or indirectly provide a detectable signal. Various labels include radioisotopes, fluorescers, chemilumescers, enzymes, specific binding molecules, particles, *e.g.* magnetic particles, and the like. Specific binding molecules include pairs, such as biotin and streptavidin, digoxin and antidigoxin *etc.* For the specific binding members, the complementary member would normally be labeled with a molecule that provides for detection, in accordance with known procedures.

A variety of other reagents may be included in the screening assays described herein. Where the assay is a binding assay, these include reagents like salts, neutral proteins, *e.g.* albumin, detergents, *etc.* that are used to facilitate optimal protein-protein binding, protein-DNA binding, and/or reduce non-specific or background interactions. Reagents that improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, *etc.* may be used. The mixture of components are added in any order that provides for the requisite binding. Incubations are performed at any suitable temperature, typically between 4 and 40°C. Incubation periods are selected for optimum activity, but may also be optimized to facilitate rapid high-throughput screening. Typically between 0.1 and 1 hours will be sufficient. Many mammalian genes have homologs in yeast and lower animals. The study of such homologs' physiological role and interactions with other proteins *in vivo* or *in vitro* can facilitate understanding of biological function. In addition to model systems based on genetic complementation, yeast has been shown to be a powerful tool for studying protein-protein interactions through the two hybrid system.

Nucleic Acid Hybridisation

"Hybridization" refers to the association of two nucleic acid sequences to one another by hydrogen bonding. Typically, one sequence will be fixed to a solid support and the other will be free in solution. Then, the two sequences will be placed in contact with one another under conditions that favor hydrogen bonding. Factors that affect this bonding include: the type and volume of solvent; reaction temperature; time of hybridization; agitation; agents to block the non-specific attachment of the liquid phase sequence to the solid support (Denhardt's reagent or

PATENT APPLICATION
ATTY REF NO. 19195.001

BLOTTO); concentration of the sequences; use of compounds to increase the rate of association of sequences (dextran sulfate or polyethylene glycol); and the stringency of the washing conditions following hybridization. See Sambrook *et al.* [*supra*] Volume 2, chapter 9, pages 9.47 to 9.57.

"Stringency" refers to conditions in a hybridization reaction that favor association of very similar sequences over sequences that differ. For example, the combination of temperature and salt concentration should be chosen that is approximately 120 to 200°C below the calculated T_m of the hybrid under study. The temperature and salt conditions can often be determined empirically in preliminary experiments in which samples of genomic DNA immobilized on filters are hybridized to the sequence of interest and then washed under conditions of different stringencies. See Sambrook *et al.* at page 9.50.

Variables to consider when performing, for example, a Southern blot are (1) the complexity of the DNA being blotted and (2) the homology between the probe and the sequences being detected. The total amount of the fragment(s) to be studied can vary a magnitude of 10, from 0.1 to 1 µg for a plasmid or phage digest to 10^{-9} to 10^{-8} g for a single copy gene in a highly complex eukaryotic genome. For lower complexity polynucleotides, substantially shorter blotting, hybridization, and exposure times, a smaller amount of starting polynucleotides, and lower specific activity of probes can be used. For example, a single-copy yeast gene can be detected with an exposure time of only 1 hour starting with 1 µg of yeast DNA, blotting for two hours, and hybridizing for 4-8 hours with a probe of 10^8 cpm/µg. For a single-copy mammalian gene a conservative approach would start with 10 µg of DNA, blot overnight, and hybridize overnight in the presence of 10% dextran sulfate using a probe of greater than 10^8 cpm/µg, resulting in an exposure time of ~24 hours.

Several factors can affect the melting temperature (T_m) of a DNA-DNA hybrid between the probe and the fragment of interest, and consequently, the appropriate conditions for hybridization and washing. In many cases the probe is not 100% homologous to the fragment. Other commonly encountered variables include the length and total G+C content of the hybridizing sequences and the ionic strength and formamide content of the hybridization buffer. The effects of all of these factors can be approximated by a single equation:

PATENT APPLICATION
ATTY REF NO. 19195.001

$T_m = 81 + 16.6(\log_{10} C_i) + 0.4[\%(G + C)] - 0.6(\% \text{formamide}) - 600/n - 1.5(\% \text{mismatch})$.

where C_i is the salt concentration (monovalent ions) and n is the length of the hybrid in base pairs (slightly modified from Meinkoth & Wahl (1984) *Anal. Biochem.* 138: 267-284).

In designing a hybridization experiment, some factors affecting nucleic acid hybridization can be conveniently altered. The temperature of the hybridization and washes and the salt concentration during the washes are the simplest to adjust. As the temperature of the hybridization increases (*ie.* stringency), it becomes less likely for hybridization to occur between strands that are nonhomologous, and as a result, background decreases. If the radiolabeled probe is not completely homologous with the immobilized fragment (as is frequently the case in gene family and interspecies hybridization experiments), the hybridization temperature must be reduced, and background will increase. The temperature of the washes affects the intensity of the hybridizing band and the degree of background in a similar manner. The stringency of the washes is also increased with decreasing salt concentrations.

In general, convenient hybridization temperatures in the presence of 50% formamide are 42°C for a probe with is 95% to 100% homologous to the target fragment, 37°C for 90% to 95% homology, and 32°C for 85% to 90% homology. For lower homologies, formamide content should be lowered and temperature adjusted accordingly, using the equation above. If the homology between the probe and the target fragment are not known, the simplest approach is to start with both hybridization and wash conditions which are nonstringent. If non-specific bands or high background are observed after autoradiography, the filter can be washed at high stringency and reexposed. If the time required for exposure makes this approach impractical, several hybridization and/or washing stringencies should be tested in parallel.

Nucleic Acid Probe Assays

Methods such as PCR, branched DNA probe assays, or blotting techniques utilizing nucleic acid probes according to the invention can determine the presence of cDNA or mRNA. A probe is said to "hybridize" with a sequence of the invention if it can form a duplex or double stranded complex, which is stable enough to be detected.

PATENT APPLICATION
ATTY REF NO. 19195.001

The nucleic acid probes will hybridize to the *Streptococcus* nucleotide sequences of the invention (including both sense and antisense strands). Though many different nucleotide sequences will encode the amino acid sequence, the native *Streptococcal* sequence is preferred because it is the actual sequence present in cells. mRNA represents a coding sequence and so a probe should be complementary to the coding sequence; single-stranded cDNA is complementary to mRNA, and so a cDNA probe should be complementary to the non-coding sequence.

The probe sequence need not be identical to the *Streptococcal* sequence (or its complement) — some variation in the sequence and length can lead to increased assay sensitivity if the nucleic acid probe can form a duplex with target nucleotides, which can be detected. Also, the nucleic acid probe can include additional nucleotides to stabilize the formed duplex. Additional *Streptococcus* sequence may also be helpful as a label to detect the formed duplex. For example, a non-complementary nucleotide sequence may be attached to the 5' end of the probe, with the remainder of the probe sequence being complementary to a *Streptococcus* sequence. Alternatively, non-complementary bases or longer sequences can be interspersed into the probe, provided that the probe sequence has sufficient complementarity with the a *Streptococcus* sequence in order to hybridize therewith and thereby form a duplex which can be detected. The exact length and sequence of the probe will depend on the hybridization conditions (*e.g.* temperature, salt condition *etc.*). For example, for diagnostic applications, depending on the complexity of the analyte sequence, the nucleic acid probe typically contains at least 10-20 nucleotides, preferably 15-25, and more preferably at least 30 nucleotides, although it may be shorter than this. Short primers generally require cooler temperatures to form sufficiently stable hybrid complexes with the template.

Probes may be produced by synthetic procedures, such as the triester method of Matteucci *et al.* [*J. Am. Chem. Soc.* (1981) 103:3185], or according to Urdea *et al.* [*Proc. Natl. Acad. Sci. USA* (1983) 80: 7461], or using commercially available automated oligonucleotide synthesizers.

The chemical nature of the probe can be selected according to preference. For certain applications, DNA or RNA are appropriate. For other applications, modifications may be incorporated *eg.* backbone modifications, such as phosphorothioates or methylphosphonates,

PATENT APPLICATION
ATTY REF NO. 19195.001

can be used to increase *in vivo* half-life, alter RNA affinity, increase nuclease resistance *etc.*

[*eg.* see Agrawal & Iyer (1995) *Curr Opin Biotechnol* 6:12-19; Agrawal (1996) *TIBTECH* 14:376-387]; analogues such as peptide nucleic acids may also be used [*eg.* see Corey (1997) *TIBTECH* 15:224-229; Buchardt *et al.* (1993) *TIBTECH* 11:384-386].

Alternatively, the polymerase chain reaction (PCR) is another well-known means for detecting small amounts of target nucleic acid. The assay is described in Mullis *et al.* [*Meth. Enzymol.* (1987) 155:335-350] & US patents 4,683,195 & 4,683,202. Two "primer" nucleotides hybridize with the target nucleic acids and are used to prime the reaction. The primers can comprise sequence that does not hybridize to the sequence of the amplification target (or its complement) to aid with duplex stability or, for example, to incorporate a convenient restriction site.

Typically, such sequence will flank the desired *Streptococcus* sequence.

A thermostable polymerase creates copies of target nucleic acids from the primers using the original target nucleic acids as a template. After a threshold amount of target nucleic acids are generated by the polymerase, they can be detected by more traditional methods, such as Southern blots. When using the Southern blot method, the labelled probe will hybridize to the *Streptococcus* sequence (or its complement).

Also, mRNA or cDNA can be detected by traditional blotting techniques described in Sambrook *et al* [*supra*]. mRNA, or cDNA generated from mRNA using a polymerase enzyme, can be purified and separated using gel electrophoresis. The nucleic acids on the gel are then blotted onto a solid support, such as nitrocellulose. The solid support is exposed to a labelled probe and then washed to remove any unhybridized probe. Next, the duplexes containing the labeled probe are detected. Typically, the probe is labelled with a radioactive moiety.

Figure 1




Figure 2




Figure 3




Figure 5




Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0001	453	chromosomal replication initiator protein DnaA
SAG0002	378	DNA polymerase III, beta subunit
SAG0003	293	diacylglycerol kinase catalytic domain protein, putative
SAG0004	65	conserved hypothetical protein
SAG0005	67	hypothetical protein
SAG0006	371	GTP-binding protein YchF
SAG0007	191	peptidyl-tRNA hydrolase
SAG0008	1165	transcription-repair coupling factor
SAG0009	31	hypothetical protein
SAG0010	90	S4 domain protein
SAG0011	123	cell division protein DivIC, putative
SAG0012	44	conserved hypothetical protein
SAG0013	428	protein of unknown function
SAG0014	424	MesJ/Ycf62 family protein
SAG0015	180	hypoxanthine-guanine phosphoribosyltransferase
SAG0016	658	cell division protein FtsH
SAG0017	447	pcsB protein
SAG0018	322	ribose-phosphate pyrophosphokinase
SAG0019	391	aminotransferase, class I
SAG0020	253	recombination protein O
SAG0021	283	protease, putative
SAG0022	330	fatty acid/phospholipid synthesis protein PlsX
SAG0023	79	acyl carrier protein
SAG0024	234	phosphoribosylaminoimidazole-succinocarboxamide synthase
SAG0025	1241	phosphoribosylformylglycinamide synthase, putative
SAG0026	484	amidophosphoribosyltransferase
SAG0027	340	phosphoribosylformylglycinamide cyclo-ligase
SAG0028	182	phosphoribosylglycinamide formyltransferase
SAG0029	250	acetyltransferase, GNAT family
SAG0030	515	phosphoribosylaminoimidazolecarboxamide formyltransferase/IMP cyclohydrolase
SAG0031	299	peptidase, M23/M37 family
SAG0032	434	group B streptococcal surface immunogenic protein
SAG0033	232	N-acetylmannosamine-6-P epimerase, putative
SAG0034	438	sugar ABC transporter, sugar-binding protein
SAG0035	295	sugar ABC transporter, permease protein
SAG0036	276	sugar ABC transporter, permease protein
SAG0037	147	conserved hypothetical protein
SAG0038	220	conserved hypothetical protein
SAG0039	305	N-acetylneuraminase lyase, putative
SAG0040	293	ROK family protein
SAG0041	325	acetyl xylan esterase, putative
SAG0042	267	phosphosugar-binding transcriptional regulator, RpiR family, putative
SAG0043	421	phosphoribosylamine--glycine ligase
SAG0044	162	phosphoribosylaminoimidazole carboxylase, catalytic subunit
SAG0045	363	phosphoribosylaminoimidazole carboxylase, ATPase subunit
SAG0046	463	membrane protein, putative

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0047	432	adenylosuccinate lyase
SAG0048	303	transcriptional regulator, Cro/CI family
SAG0049	332	Holliday junction DNA helicase RuvB
SAG0050	145	phosphotyrosine protein phosphatase, low molecular weight
SAG0051	126	MORN motif family protein
SAG0052	592	membrane protein, putative
SAG0053	880	aldehyde-alcohol dehydrogenase
SAG0054	338	alcohol dehydrogenase, propanol-preferring
SAG0055	496	threonine synthase
SAG0056	412	MATE efflux family protein
SAG0057	102	ribosomal protein S10
SAG0058	208	ribosomal protein L3
SAG0059	207	ribosomal protein L4
SAG0060	98	ribosomal protein L23
SAG0061	277	ribosomal protein L2
SAG0062	92	ribosomal protein S19
SAG0063	114	ribosomal protein L22
SAG0064	217	ribosomal protein S3
SAG0065	137	ribosomal protein L16
SAG0066	68	ribosomal protein L29
SAG0067	86	ribosomal protein S17
SAG0068	122	ribosomal protein L14
SAG0069	101	ribosomal protein L24
SAG0070	180	ribosomal protein L5
SAG0071	61	ribosomal protein S14, putative
SAG0072	132	ribosomal protein S8
SAG0073	178	ribosomal protein L6
SAG0074	118	ribosomal protein L18
SAG0075	164	ribosomal protein S5
SAG0076	59	ribosomal protein L30
SAG0077	146	ribosomal protein L15
SAG0078	434	preprotein translocase, SecY subunit
SAG0079	212	adenylate kinase
SAG0080	72	translation initiation factor IF-1
SAG0081	38	ribosomal protein L36
SAG0082	121	ribosomal protein S13
SAG0083	118	ribosomal protein S11
SAG0084	312	DNA-directed RNA polymerase, alpha subunit
SAG0085	128	ribosomal protein L17
SAG0086	85	lipoprotein, putative
SAG0087	59	hypothetical protein
SAG0088	56	hypothetical protein
SAG0089	183	conserved hypothetical protein
SAG0090	139	conserved hypothetical protein
SAG0091	144	transcriptional regulator ComX1, putative
SAG0092	230	phosphoglycerate mutase family protein
SAG0093	250	D-alanyl-D-alanine carboxypeptidase family protein
SAG0094	191	N-acetylmuramoyl-L-alanine amidase, family 4 protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0095	344	heat-inducible transcription repressor HrcA
SAG0096	190	heat shock protein GrpE
SAG0097	609	dnaK protein
SAG0098	379	dnaJ protein
SAG0099	415	transcriptional regulator, GntR family
SAG0100	258	tRNA pseudouridine synthase A
SAG0101	252	phosphomethylpyrimidine kinase, putative
SAG0102	154	conserved hypothetical protein
SAG0103	189	conserved hypothetical protein TIGR01440
SAG0104	280	conserved hypothetical protein
SAG0105	427	trigger factor
SAG0106	191	DNA-directed RNA polymerase, delta subunit, putative
SAG0107	534	CTP synthase
SAG0108	308	conserved hypothetical protein
SAG0109	148	deoxyuridine 5'-triphosphate nucleotidohydrolase
SAG0110	454	DNA repair protein RadA
SAG0111	165	carbonic anhydrase-related protein
SAG0112	439	pyridine nucleotide-disulphide oxidoreductase family protein
SAG0113	484	glutamyl-tRNA synthetase
SAG0114	322	ribose ABC transporter, periplasmic D-ribose-binding protein
SAG0115	310	ribose ABC transporter, permease protein
SAG0116	492	ribose ABC transporter, ATP-binding protein
SAG0117	132	ribose ABC transporter protein RbsD
SAG0118	303	ribokinase
SAG0119	328	ribose operon repressor RbsR
SAG0120	32	hypothetical protein
SAG0121	362	permease, putative
SAG0122	228	ABC transporter, ATP-binding protein
SAG0123	223	DNA-binding response regulator
SAG0124	356	sensor histidine kinase
SAG0125	396	argininosuccinate synthase
SAG0126	462	argininosuccinate lyase
SAG0127	293	fructose-bisphosphate aldolase
SAG0128	305	L-2-hydroxyisocaproate dehydrogenase
SAG0129	62	ribosomal protein L28
SAG0130	121	conserved hypothetical protein
SAG0131	543	DAK2 domain protein
SAG0132	294	SPFH domain/Band 7 family protein
SAG0133	38	conserved hypothetical protein
SAG0134	96	hypothetical protein
SAG0135	246	amino acid ABC transporter, ATP-binding protein
SAG0136	516	amino acid ABC transporter, amino acid-binding protein/permease protein
SAG0137	627	conserved hypothetical protein
SAG0138	279	undecaprenol kinase, putative
SAG0139	251	negative regulator of competence MecA, putative
SAG0140	386	glycosyl transferase, group 4 family protein
SAG0141	256	ABC transporter, ATP-binding protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0142	420	conserved hypothetical protein
SAG0143	410	selenocysteine lyase
SAG0144	147	NifU family protein
SAG0145	472	conserved hypothetical protein
SAG0146	395	penicillin-binding protein 4, putative
SAG0147	411	D-alanyl-D-alanine carboxypeptidase family protein
SAG0148	551	oligopeptide ABC transporter, substrate-binding protein, putative
SAG0149	304	oligopeptide ABC transporter, permease protein
SAG0150	343	oligopeptide ABC transporter, permease protein
SAG0151	348	oligopeptide ABC transporter, ATP-binding protein
SAG0152	310	oligopeptide ABC transporter, ATP-binding protein
SAG0153	283	4-diphosphocytidyl-2C-methyl-D-erythritol kinase
SAG0154	147	adc operon repressor AdcR
SAG0155	236	zinc ABC transporter, ATP-binding protein
SAG0156	270	zinc ABC transporter, permease protein
SAG0157	NA	deoxyribonuclease-related protein, degenerate
SAG0158	419	tyrosyl-tRNA synthetase
SAG0159	765	penicillin-binding protein 1B, putative
SAG0160	1191	DNA-directed RNA polymerase, beta subunit
SAG0161	1216	DNA-directed RNA polymerase beta' subunit
SAG0162	121	conserved hypothetical protein
SAG0163	323	competence protein CglA
SAG0164	282	competence protein CglB
SAG0165	151	conserved hypothetical protein
SAG0166	123	conserved domain protein
SAG0167	324	conserved hypothetical protein
SAG0168	397	acetate kinase
SAG0169	68	transcriptional regulator, Cro/CI family
SAG0170	45	hypothetical protein
SAG0171	151	hypothetical protein
SAG0172	221	protease, putative
SAG0173	256	pyrroline-5-carboxylate reductase
SAG0174	355	glutamyl-aminopeptidase
SAG0175	79	hypothetical protein
SAG0176	94	conserved hypothetical protein
SAG0177	107	thioredoxin family protein
SAG0178	208	tRNA binding domain protein
SAG0179	238	conserved hypothetical protein
SAG0180	131	single-strand binding protein
SAG0181	214	hydrolase, haloacid dehalogenase-like family
SAG0182	581	sensor histidine kinase, putative
SAG0183	246	response regulator
SAG0184	151	conserved hypothetical protein
SAG0185	242	membrane protein, putative
SAG0186	36	hypothetical protein
SAG0187	542	oligopeptide ABC transporter, oligopeptide-binding protein
SAG0188	325	oligopeptide ABC transporter, permease protein
SAG0189	273	oligopeptide ABC transporter, permease protein

Table 1: C mplete list of GBS predicted genes

ORF	Size (a.a.)	Annotati n
SAG0190	267	peptide ABC transporter, ATP-binding protein
SAG0191	208	peptide ABC transporter, ATP-binding protein
SAG0192	676	PTS system, IIBC components
SAG0193	541	alpha amylase family protein
SAG0194	639	transcriptional antiterminator, BglG family
SAG0195	377	IS1548, transposase
SAG0196	66	conserved domain protein
SAG0197	94	PTS system, IIB component, putative
SAG0198	451	PTS system, IIC component, putative
SAG0199	285	transketolase, N-terminal subunit
SAG0200	309	transketolase, C-terminal subunit
SAG0201	419	oxidoreductase, putative
SAG0202	89	ribosomal protein S15
SAG0203	709	polyribonucleotide nucleotidyltransferase
SAG0204	250	conserved hypothetical protein
SAG0205	194	serine O-acetyltransferase
SAG0206	60	lipoprotein, putative
SAG0207	447	cysteinyI-tRNA synthetase
SAG0208	128	conserved hypothetical protein
SAG0209	251	RNA methyltransferase, TrmH family, group 3
SAG0210	172	conserved hypothetical protein
SAG0211	286	DegV family protein
SAG0212	32	hypothetical protein
SAG0213	39	hypothetical protein
SAG0214	148	ribosomal protein L13
SAG0215	130	ribosomal protein S9
SAG0216	33	hypothetical protein
SAG0217	384	site-specific recombinase, phage integrase family
SAG0218	158	transcriptional regulator, Cro/CI family
SAG0219	101	hypothetical protein
SAG0220	92	conserved hypothetical protein
SAG0221	76	hypothetical protein
SAG0222	108	conserved domain protein
SAG0223	209	conserved hypothetical protein, fusion
SAG0224	332	replication initiation protein, putative
SAG0225	144	hypothetical protein
SAG0226	418	recombination protein
SAG0227	156	hypothetical protein
SAG0228	111	conserved hypothetical protein
SAG0229	95	conserved hypothetical protein
SAG0230	96	conserved hypothetical protein
SAG0231	135	hypothetical protein
SAG0232	186	hypothetical protein
SAG0233	226	hypothetical protein
SAG0234	128	hypothetical protein
SAG0235	93	hypothetical protein
SAG0236	32	hypothetical protein
SAG0237	34	hypothetical protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0238	41	hypothetical protein
SAG0239	286	transcriptional regulator MutR family
SAG0240	393	transporter, putative
SAG0241	213	amino acid ABC transporter, permease protein
SAG0242	308	amino acid ABC transporter, amino acid-binding protein
SAG0243	211	amino acid ABC transporter, permease protein
SAG0244	381	amino acid ABC transporter, ATP-binding protein
SAG0245	152	protein of unknown function/lipoprotein, putative
SAG0246	268	hypothetical protein
SAG0247	116	hypothetical protein
SAG0248	90	hypothetical protein
SAG0249	116	hypothetical protein
SAG0250	193	membrane protein, putative
SAG0251	72	transcriptional regulator, Cro/CI family
SAG0252	186	acetyltransferase, GNAT family
SAG0253	192	acetyltransferase, GNAT family
SAG0254	226	acetyltransferase, GNAT family
SAG0255	315	conserved hypothetical protein
SAG0256	163	RNA polymerase sigma factor, ECF subfamily
SAG0257	53	lipoprotein, putative
SAG0258	202	transcriptional regulator, TetR family
SAG0259	365	ABC transporter efflux protein, DrrB family, putative
SAG0260	238	ABC transporter, ATP-binding protein
SAG0261	129	IS1381, transposase OrfB
SAG0262	127	IS1381, transposase OrfA
SAG0263	171	hypothetical protein
SAG0264	103	conserved hypothetical protein
SAG0265	235	conserved hypothetical protein
SAG0266	382	N-acetylglucosamine-6-phosphate deacetylase
SAG0267	180	conserved hypothetical protein
SAG0268	304	glycyl-tRNA synthetase, alpha subunit
SAG0269	213	acyl carrier protein phosphodiesterase, putative
SAG0270	679	glycyl-tRNA synthetase, beta subunit
SAG0271	85	conserved hypothetical protein
SAG0272	87	membrane protein, putative
SAG0273	502	glycerol kinase
SAG0274	609	alpha-glycerophosphate oxidase
SAG0275	232	glycerol uptake facilitator protein
SAG0276	445	NADH oxidase, putative
SAG0277	476	conserved hypothetical protein
SAG0278	661	transketolase
SAG0279	101	conserved hypothetical protein
SAG0280	244	ABC transporter, ATP-binding protein
SAG0281	534	membrane protein, putative
SAG0282	461	PTS system, IIBC components
SAG0283	267	glutamate 5-kinase
SAG0284	417	gamma-glutamyl phosphate reductase
SAG0285	298	conserved hypothetical protein TIGR00006

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0286	108	cell division protein FtsL, putative
SAG0287	752	penicillin-binding protein 2X
SAG0288	336	phospho-N-acetylmuramoyl-pentapeptide-transferase
SAG0289	447	ATP-dependent RNA helicase, DEAD/DEAH box family
SAG0290	270	ABC transporter, substrate-binding protein
SAG0291	267	amino acid ABC transporter, permease protein
SAG0292	247	amino acid ABC transporter, ATP-binding protein
SAG0293	74	conserved hypothetical protein
SAG0294	304	thioredoxin reductase
SAG0295	486	conserved hypothetical protein
SAG0296	273	NAD synthetase
SAG0297	444	aminopeptidase C
SAG0298	750	penicillin-binding protein 1A
SAG0299	199	recombination protein U
SAG0300	172	conserved hypothetical protein
SAG0301	40	hypothetical protein
SAG0302	110	conserved hypothetical protein
SAG0303	384	conserved hypothetical protein
SAG0304	487	conserved hypothetical protein
SAG0305	160	autoinducer-2 production protein LuxS
SAG0306	535	KH domain protein
SAG0307	33	hypothetical protein
SAG0308	298	ABC transporter, ATP-binding protein
SAG0309	246	ABC transporter, permease protein, putative
SAG0310	361	conserved hypothetical protein
SAG0311	NA	DNA-binding response regulator, authentic point mutation
SAG0312	234	conserved hypothetical protein
SAG0313	209	guanylate kinase
SAG0314	104	DNA-directed RNA polymerase, omega subunit, putative
SAG0315	796	primosomal protein N'
SAG0316	311	methionyl-tRNA formyltransferase
SAG0317	440	sun protein
SAG0318	245	serine/threonine phosphatase, putative
SAG0319	651	serine/threonine protein kinase
SAG0320	231	conserved hypothetical protein
SAG0321	339	sensor histidine kinase, putative
SAG0322	213	DNA-binding response regulator
SAG0323	466	hydrolase, haloacid dehalogenase family/peptidyl-prolyl cis-trans isomerase, cyclophilin type
SAG0324	124	general stress protein, putative
SAG0325	258	pyruvate formate-lyase-activating enzyme
SAG0326	251	transcriptional regulator, DeoR family
SAG0327	327	transcriptional regulator, putative
SAG0328	107	PTS system, cellobiose-specific IIA component
SAG0329	106	PTS system, cellobiose-specific IIB component
SAG0330	433	PTS system, cellobiose-specific IIC component
SAG0331	818	formate acetyltransferase
SAG0332	222	transaldolase family protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0333	362	glycerol dehydrogenase
SAG0334	308	cysteine synthase A
SAG0335	214	conserved hypothetical protein TIGR00257
SAG0336	429	helicase, putative
SAG0337	221	competence protein F, putative
SAG0338	184	ribosomal subunit interface protein
SAG0339	450	aspartate kinase family protein
SAG0340	216	hydrolase, haloacid dehalogenase-like family
SAG0341	49	hypothetical protein
SAG0342	263	enoyl-CoA hydratase/isomerase family protein
SAG0343	144	transcriptional regulator, MarR family
SAG0344	323	3-oxoacyl-(acyl-carrier-protein) synthase III
SAG0345	74	acyl carrier protein
SAG0346	319	enoyl-(acyl-carrier-protein) reductase II
SAG0347	308	malonyl CoA-acyl carrier protein transacylase
SAG0348	244	3-oxoacyl-[acyl-carrier protein] reductase
SAG0349	410	3-oxoacyl-(acyl-carrier-protein) synthase II
SAG0350	166	acetyl-CoA carboxylase, biotin carboxyl carrier protein
SAG0351	140	(3R)-hydroxymyristoyl-(acyl-carrier-protein) dehydratase
SAG0352	456	acetyl-CoA carboxylase, biotin carboxylase
SAG0353	291	acetyl-CoA carboxylase, carboxyl transferase, beta subunit
SAG0354	257	acetyl-CoA carboxylase, carboxyl transferase, alpha subunit
SAG0355	210	conserved hypothetical protein
SAG0356	425	seryl-tRNA synthetase
SAG0357	330	membrane protein, putative
SAG0358	120	conserved hypothetical protein
SAG0359	303	PTS system, mannose-specific IID component
SAG0360	270	PTS system, mannose-specific IIC component
SAG0361	336	PTS system, mannose-specific IIAB components
SAG0362	270	hydrolase, haloacid dehalogenase-like family
SAG0363	194	hypothetical protein
SAG0364	203	membrane protein, putative
SAG0365	473	xanthine/uracil permease family protein
SAG0366	169	conserved hypothetical protein TIGR00150
SAG0367	186	acetyltransferase, GNAT family
SAG0368	435	protein of unknown function
SAG0369	98	conserved hypothetical protein
SAG0370	139	HIT family protein
SAG0371	167	hypothetical protein
SAG0372	85	hypothetical protein
SAG0373	241	ABC transporter, ATP-binding protein
SAG0374	344	ABC transporter, permease protein
SAG0375	266	conserved hypothetical protein
SAG0376	211	conserved hypothetical protein TIGR00091
SAG0377	127	conserved hypothetical protein
SAG0378	379	N utilization substance protein A
SAG0379	98	conserved hypothetical protein
SAG0380	100	ribosomal protein L7A family

Table 1: Complet list of GBS predicted genes

ORF	Size (a.a.)	Annotati n
SAG0381	927	translation initiation factor IF-2
SAG0382	122	ribosome-binding factor A
SAG0383	334	protein of unknown function/lipoprotein, putative
SAG0384	138	transcriptional repressor CopY
SAG0385	744	copper-transporter ATPase CopA
SAG0386	68	copper-transporter protein CopZ
SAG0387	204	membrane protein, putative
SAG0388	270	hydrolase, haloacid dehalogenase-like family
SAG0389	880	DNA polymerase I
SAG0390	146	CoA-binding domain protein
SAG0391	159	transcriptional regulator, Fur family
SAG0392	521	cell wall surface anchor family protein
SAG0393	228	DNA-binding response regulator
SAG0394	345	sensor histidine kinase
SAG0395	246	membrane protein, putative
SAG0396	380	queuine tRNA-ribosyltransferase
SAG0397	102	conserved hypothetical protein
SAG0398	179	BioY family protein
SAG0399	258	AtsA/ElaC family protein
SAG0400	168	cytidine/deoxycytidylate deaminase family protein
SAG0401	44	hypothetical protein
SAG0402	449	glucose-6-phosphate isomerase
SAG0403	175	5-formyltetrahydrofolate cyclo-ligase family protein
SAG0404	225	rhomboid family protein
SAG0405	347	protein of unknown function/lipoprotein, putative
SAG0406	299	UTP-glucose-1-phosphate uridylyltransferase
SAG0407	338	glycerol-3-phosphate dehydrogenase (NAD(P)+)
SAG0408	109	ribonuclease P protein component
SAG0409	271	SpoIIJ family protein
SAG0410	273	R3H domain protein
SAG0411	177	conserved hypothetical protein
SAG0412	258	recX protein
SAG0413	451	RNA methyltransferase, TrmA family
SAG0414	153	conserved hypothetical protein
SAG0415	142	acetyltransferase, GNAT family
SAG0416	1233	protease, putative
SAG0417	302	glycosyl transferase, group 2 family protein
SAG0418	336	ribonucleoside-diphosphate reductase 2, beta subunit
SAG0419	137	nrpI protein
SAG0420	721	ribonucleoside-diphosphate reductase 2, alpha subunit
SAG0421	1055	cell wall surface anchor family protein
SAG0422	129	conserved hypothetical protein
SAG0423	132	conserved domain protein
SAG0424	94	hypothetical protein
SAG0425	105	carboxymuconolactone decarboxylase family protein
SAG0426	131	conserved hypothetical protein
SAG0427	129	transcriptional regulator, MerR family
SAG0428	345	alcohol dehydrogenase, zinc-containing

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0429	284	oxidoreductase, aldo/keto reductase family
SAG0430	287	cation efflux system protein
SAG0431	174	transcriptional regulator, TetR family
SAG0432	397	transcriptional regulator, AraC family
SAG0433	1389	surface protein Rib
SAG0434	61	transposase, IS256 family, truncation
SAG0435	97	DNA-damage-inducible protein J, putative
SAG0436	62	hypothetical protein
SAG0437	123	lipoprotein, putative
SAG0438	145	bacteriophage L54a, integrase, truncation
SAG0439	NA	conserved hypothetical protein, degenerate
SAG0440	84	conserved hypothetical protein
SAG0441	103	conserved domain protein
SAG0442	189	acetyltransferase, GNAT family
SAG0443	194	acetyltransferase, GNAT family
SAG0444	188	conserved hypothetical protein
SAG0445	883	valyl-tRNA synthetase
SAG0446	319	oxidoreductase, Gfo/Idh/MocA family
SAG0447	287	magnesium transporter, CorA family
SAG0448	391	transposase, IS256 family
SAG0449	354	conserved hypothetical protein
SAG0450	330	aspartate--ammonia ligase
SAG0451	149	bacteriocin transport accessory protein, putative
SAG0452	179	type II DNA modification methyltransferase, putative
SAG0453	96	hypothetical protein
SAG0454	161	phosphopantetheine adenylyltransferase
SAG0455	357	conserved hypothetical protein
SAG0456	NA	conserved hypothetical protein, degenerate
SAG0457	192	conserved hypothetical protein
SAG0458	368	conserved hypothetical protein TIGR00048
SAG0459	171	VanZF domain protein
SAG0460	581	ABC transporter, ATP-binding/permease protein
SAG0461	579	ABC transporter, ATP-binding/permease protein
SAG0462	188	anthranilate synthase component II
SAG0463	179	BioY family protein
SAG0464	330	biotin synthetase
SAG0465	164	hypothetical protein
SAG0466	371	thiolase
SAG0467	409	AMP-binding enzyme domain protein
SAG0468	210	endonuclease III
SAG0469	131	type IV prepilin peptidase-related protein
SAG0470	69	conserved hypothetical protein
SAG0471	322	glucokinase
SAG0472	126	rhodanese-like family protein
SAG0473	613	elongation factor Tu family protein
SAG0474	81	conserved hypothetical protein
SAG0475	451	UDP-N-acetylmuramoylalanine--D-glutamate ligase
SAG0476	358	UDP-N-acetylglucosamine--N-acetylmuramyl-(pentapeptide)

Table 1: C mplete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
		pyrophosphoryl-undecaprenol N-acetylglucosamine transferase
SAG0477	378	cell division protein DivIB, putative
SAG0478	429	cell division protein FtsA
SAG0479	426	cell division protein FtsZ
SAG0480	224	ylmE protein, putative
SAG0481	201	ylmF protein
SAG0482	84	YGGT family protein
SAG0483	262	ylmH protein
SAG0484	256	cell division protein DivIVA, putative
SAG0485	930	isoleucyl-tRNA synthetase
SAG0486	100	conserved hypothetical protein
SAG0487	151	MutT/nudix family protein
SAG0488	753	ATP-dependent Clp protease, ATP-binding subunit
SAG0489	34	hypothetical protein
SAG0490	76	conserved hypothetical protein
SAG0491	230	amino acid ABC transporter, permease protein
SAG0492	244	amino acid ABC transporter, ATP-binding protein
SAG0493	564	phosphoglucomutase/phosphomannomutase family protein
SAG0494	284	methylenetetrahydrofolate dehydrogenase/methenyltetrahydrofolate cyclohydrolase
SAG0495	278	protein of unknown function
SAG0496	446	exodeoxyribonuclease VII, large subunit
SAG0497	71	exodeoxyribonuclease VII, small subunit
SAG0498	290	geranyltranstransferase, putative
SAG0499	275	hemolysin A
SAG0500	157	arginine repressor ArgR, putative
SAG0501	552	DNA repair protein RecN
SAG0502	278	DegV family protein
SAG0503	279	lipase/acylhydrolase
SAG0504	200	conserved hypothetical protein
SAG0505	91	DNA-binding protein HU
SAG0506	65	hypothetical protein
SAG0507	310	dihydroorotate dehydrogenase A
SAG0508	411	beta-lactam resistance factor
SAG0509	403	beta-lactam resistance factor
SAG0510	406	murM protein, putative
SAG0511	270	hydrolase, haloacid dehalogenase-like family
SAG0512	438	HD domain protein
SAG0513	128	conserved hypothetical protein
SAG0514	894	cation-transporting ATPase, E1-E2 family
SAG0515	286	conserved hypothetical protein
SAG0516	643	fructose-1,6-bisphosphatase, putative
SAG0517	374	iron-sulfur cluster-binding protein, putative
SAG0518	NA	peptide chain release factor 2, programmed frameshift
SAG0519	230	cell division ABC transporter, ATP-binding protein FtsE
SAG0520	309	cell division ABC transporter, permease protein FtsX
SAG0521	236	carboxymethylenebutenolidase-related protein
SAG0522	232	metallo-beta-lactamase superfamily protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0523	254	oxidoreductase, short chain dehydrogenase/reductase family
SAG0524	835	DNA polymerase III, epsilon subunit/ATP-dependent helicase DinG
SAG0525	397	aspartate aminotransferase
SAG0526	448	asparaginyl-tRNA synthetase
SAG0527	185	conserved hypothetical protein
SAG0528	327	inosine-uridine preferring nucleoside hydrolase
SAG0529	38	hypothetical protein
SAG0530	137	OsmC/Ohr family protein
SAG0531	296	conserved hypothetical protein
SAG0532	324	conserved hypothetical protein
SAG0533	303	conserved hypothetical protein
SAG0534	465	dipeptidase
SAG0535	506	zinc ABC transporter, zinc-binding adhesion liprotein
SAG0536	86	ribosomal protein L31
SAG0537	311	DHH family protein
SAG0538	340	adenosine deaminase, putative
SAG0539	147	flavodoxin
SAG0540	91	chorismate mutase, putative
SAG0541	398	voltage-gated chloride channel family protein
SAG0542	127	IS1381, transposase OrfA
SAG0543	129	IS1381, transposase OrfB
SAG0544	115	ribosomal protein L19
SAG0545	359	prophage LambdaSa1, site-specific recombinase, phage integrase family
SAG0546	67	conserved domain protein
SAG0547	185	hypothetical protein
SAG0548	265	prophage LambdaSa1, repressor protein, putative
SAG0549	47	hypothetical protein
SAG0550	74	conserved hypothetical protein
SAG0551	52	conserved hypothetical protein
SAG0552	62	hypothetical protein
SAG0553	268	hypothetical protein
SAG0554	63	prophage LambdaSa1, transcriptional regulator, Cro/CI family
SAG0555	249	prophage LambdaSa1, antirepressor, putative
SAG0556	47	hypothetical protein
SAG0557	76	hypothetical protein
SAG0558	74	hypothetical protein
SAG0559	286	conserved hypothetical protein
SAG0560	77	conserved hypothetical protein
SAG0561	46	hypothetical protein
SAG0562	84	hypothetical protein
SAG0563	53	hypothetical protein
SAG0564	160	conserved hypothetical protein
SAG0565	224	conserved domain protein
SAG0566	138	prophage LambdaSa1, single-strand binding protein
SAG0567	439	prophage LambdaSa1, reverse transcriptase/maturase family protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0568	67	conserved hypothetical protein
SAG0569	158	conserved hypothetical protein
SAG0570	115	hypothetical protein
SAG0571	43	hypothetical protein
SAG0572	138	conserved hypothetical protein
SAG0573	54	hypothetical protein
SAG0574	89	conserved hypothetical protein
SAG0575	110	hypothetical protein
SAG0576	43	hypothetical protein
SAG0577	177	conserved hypothetical protein
SAG0578	88	conserved hypothetical protein
SAG0579	142	conserved hypothetical protein
SAG0580	111	conserved hypothetical protein, truncation
SAG0581	118	conserved hypothetical protein
SAG0582	422	conserved hypothetical protein
SAG0583	406	conserved hypothetical protein
SAG0584	62	conserved hypothetical protein, truncation
SAG0585	471	conserved hypothetical protein
SAG0586	154	conserved hypothetical protein
SAG0587	300	prophage LambdaSa1, structural protein, putative
SAG0588	71	conserved hypothetical protein
SAG0589	143	conserved hypothetical protein
SAG0590	112	conserved hypothetical protein
SAG0591	78	conserved hypothetical protein
SAG0592	111	conserved hypothetical protein
SAG0593	185	prophage LambdaSa1, structural protein
SAG0594	81	conserved hypothetical protein
SAG0595	123	conserved hypothetical protein
SAG0596	670	prophage LambdaSa1, pblA protein, internal deletion
SAG0597	506	prophage LambdaSa1, minor structural protein, putative
SAG0598	1374	prophage LambdaSa1, N-acetylmuramoyl-L-alanine amidase, family 4
SAG0599	668	prophage LambdaSa1, minor structural protein, putative
SAG0600	109	hypothetical protein
SAG0601	70	hypothetical protein
SAG0602	100	conserved hypothetical protein
SAG0603	111	conserved hypothetical protein
SAG0604	239	prophage LambdaSa1, lysin, putative
SAG0605	323	conserved hypothetical protein
SAG0606	66	conserved hypothetical protein
SAG0607	56	conserved hypothetical protein
SAG0608	59	hypothetical protein
SAG0609	NA	prophage LambdaSa1, integrase, degenerate
SAG0610	134	conserved hypothetical protein
SAG0611	NA	transposase, degenerate
SAG0612	53	conserved hypothetical protein
SAG0613	425	transmembrane protein Vexp1
SAG0614	218	ABC transporter, ATP-binding protein Vexp2

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0615	458	transmembrane protein Vexp3
SAG0616	217	DNA-binding response regulator VncR
SAG0617	439	sensor histidine kinase VncS
SAG0618	195	transposase OrfB, IS3 family, truncation
SAG0619	66	conserved hypothetical protein
SAG0620	62	hypothetical protein
SAG0621	401	rod shape-determining protein RodA, putative□
SAG0622	186	hydrolase, haloacid dehalogenase-like family
SAG0623	650	DNA gyrase, B subunit
SAG0624	574	septation ring formation regulator EzrA, putative
SAG0625	213	phosphoserine phosphatase SerB
SAG0626	161	MutT/nudix family protein
SAG0627	151	conserved hypothetical protein
SAG0628	435	enolase
SAG0629	354	conserved domain protein
SAG0630	427	3-phosphoshikimate 1-carboxyvinyltransferase
SAG0631	170	shikimate kinase
SAG0632	457	psr protein
SAG0633	451	RNA methyltransferase, TrmA family
SAG0634	70	hypothetical protein
SAG0635	245	acid phosphatase, class B
SAG0636	172	conserved hypothetical protein
SAG0637	NA	transcriptional regulator, TetR family, putative, authentic frameshift
SAG0638	109	cell wall surface anchor family protein, truncation
SAG0639	273	transposase OrfB, IS3 family
SAG0640	91	transposase OrfA, IS3 family
SAG0641	NA	Tn5252, Orf 10 protein, degenerate
SAG0642	59	hypothetical protein
SAG0643	NA	chaperonin, 33 kDa, degenerate
SAG0644	402	transcriptional regulator, AraC family
SAG0645	554	cell wall surface anchor family protein
SAG0646	307	cell wall surface anchor family protein
SAG0647	305	sortase family protein
SAG0648	260	sortase family protein
SAG0649	890	cell wall surface anchor family protein, putative
SAG0650	189	sortase family protein
SAG0651	201	protein of unknown function
SAG0652	NA	Tn5252, Orf 28 protein, degenerate
SAG0653	NA	conserved hypothetical protein, degenerate
SAG0654	34	hypothetical protein
SAG0655	57	conserved hypothetical protein
SAG0656	36	hypothetical protein
SAG0657	89	hypothetical protein
SAG0658	383	lipoprotein, putative
SAG0659	330	ABC transporter, ATP-binding protein
SAG0660	272	membrane protein
SAG0661	261	conserved hypothetical protein

Table 1: C mplete list of GBS predicted genes

ORF	Siz (a.a.)	Ann tation
SAG0662	101	cylX protein
SAG0663	282	cylD protein
SAG0664	240	cylG protein
SAG0665	101	acyl carrier protein AcpC
SAG0666	158	cylZ protein
SAG0667	309	cylA protein
SAG0668	292	cylB protein
SAG0669	667	cylE protein
SAG0670	317	cylF protein
SAG0671	731	cylI protein
SAG0672	403	cylJ protein
SAG0673	191	cylK protein
SAG0674	113	hypothetical protein
SAG0675	171	putative secreted protein
SAG0676	885	proteinase, putative
SAG0677	1062	hypothetical protein
SAG0678	NA	endopeptidase O, degenerate
SAG0679	343	protein of unknown function
SAG0680	339	protein of unknown function
SAG0681	353	conserved domain protein
SAG0682	409	permease, putative
SAG0683	NA	transmembrane protein Vexp3, putative, degenerate
SAG0684	223	ABC transporter, ATP-binding protein
SAG0685	472	conserved hypothetical protein
SAG0686	261	DNA-entry nuclease, putative
SAG0687	212	DedA family protein, putative
SAG0688	218	ABC transporter, ATP-binding protein
SAG0689	257	membrane protein, putative
SAG0690	272	conserved hypothetical protein
SAG0691	294	transcriptional regulator, LysR family
SAG0692	193	regulatory protein, putative
SAG0693	377	IS1548, transposase
SAG0694	173	regulatory protein, putative, truncation
SAG0695	330	D-lactate dehydrogenase
SAG0696	516	sodium:galactoside symporter family protein, putative
SAG0697	341	2-keto-3-deoxygluconate kinase
SAG0698	599	beta-glucuronidase
SAG0699	223	transcriptional regulator, GntR family
SAG0700	205	2-dehydro-3-deoxyphosphogluconate aldolase/4-hydroxy-2-oxoglutarate aldolase
SAG0701	466	glucuronate isomerase
SAG0702	348	mannonate dehydratase
SAG0703	279	D-mannonate oxidoreductase
SAG0704	270	hydrolase, haloacid dehalogenase-like family
SAG0705	596	glycosyl hydrolase, family 3
SAG0706	361	proline dipeptidase
SAG0707	334	transcriptional regulator, RegM family
SAG0708	488	alpha amylase family protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0709	332	glycosyl transferase, group 1 family protein
SAG0710	444	glycosyl transferase, group 1 family protein
SAG0711	647	threonyl-tRNA synthetase
SAG0712	234	DNA-binding response regulator
SAG0713	339	conserved hypothetical protein
SAG0714	188	conserved hypothetical protein
SAG0715	216	amino acid ABC transporter, permease protein
SAG0716	231	amino acid ABC transporter, permease protein
SAG0717	266	amino acid ABC transporter, amino acid-binding protein
SAG0718	251	amino acid ABC transporter, ATP-binding protein
SAG0719	236	DNA-binding response regulator
SAG0720	449	sensory box histidine kinase
SAG0721	269	metallo-beta-lactamase superfamily protein
SAG0722	122	conserved hypothetical protein
SAG0723	236	ribonuclease III
SAG0724	1179	chromosome segregation SMC protein
SAG0725	265	hydrolase, haloacid dehalogenase-like family
SAG0726	274	hydrolase, haloacid dehalogenase-like family
SAG0727	536	signal recognition particle-docking protein FtsY
SAG0728	270	ABC transporter, substrate-binding protein
SAG0729	300	ABC transporter, permease protein, putative
SAG0730	42	ABC transporter, ATP-binding protein
SAG0731	347	bacterial luciferase family protein
SAG0732	720	transcriptional accessory protein Tex, putative
SAG0733	142	conserved hypothetical protein
SAG0734	87	phage shock protein C, putative
SAG0735	44	hypothetical protein
SAG0736	311	HPr(Ser) kinase/phosphatase
SAG0737	257	prolipoprotein diacylglycerol transferase
SAG0738	132	conserved hypothetical protein
SAG0739	143	conserved hypothetical protein
SAG0740	91	conserved hypothetical protein
SAG0741	303	peptidase, U32 family, putative
SAG0742	428	peptidase, U32 family
SAG0743	70	conserved hypothetical protein
SAG0744	265	membrane protein, putative
SAG0745	446	Mn ²⁺ /Fe ²⁺ transporter, NRAMP family
SAG0746	369	riboflavin biosynthesis protein RibD
SAG0747	208	riboflavin synthase, alpha subunit
SAG0748	397	riboflavin biosynthesis protein RibA
SAG0749	156	riboflavin synthase, beta subunit
SAG0750	496	lysyl-tRNA synthetase
SAG0751	300	hydrolase, haloacid dehalogenase-like family
SAG0752	213	phosphoglycerate mutase family protein
SAG0753	157	ebsC family protein, putative
SAG0754	205	conserved domain protein
SAG0755	282	peptidase, U32 family
SAG0756	174	conserved hypothetical protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0757	129	protein of unknown function/lipoprotein, putative
SAG0758	599	oligoendopeptidase F, putative
SAG0759	931	phosphoenolpyruvate carboxylase
SAG0760	377	IS1548, transposase
SAG0761	422	cell division protein, FtsW/RodA/SpoVE family
SAG0762	398	translation elongation factor Tu
SAG0763	252	triosephosphate isomerase
SAG0764	230	phosphoglycerate mutase family protein
SAG0765	681	penicillin-binding protein 2b
SAG0766	198	recombination protein RecR
SAG0767	348	D-alanine--D-alanine ligase
SAG0768	455	UDP-N-acetylmuramoylalanyl-D-glutamyl-2,6-diaminopimelate-- D-alanyl-D-alanyl ligase
SAG0769	406	oxalate:formate antiporter
SAG0770	228	membrane protein, putative
SAG0771	512	cell wall surface anchor family protein
SAG0772	514	peptide chain release factor 3
SAG0773	126	conserved hypothetical protein
SAG0774	244	ABC transporter, ATP-binding protein
SAG0775	220	ABC transporter, permease protein
SAG0776	276	YaeC family protein, putative
SAG0777	528	ATP-dependent RNA helicase, DEAD/DEAH box family
SAG0778	88	conserved hypothetical protein
SAG0779	254	conserved hypothetical protein
SAG0780	246	acyltransferase family protein
SAG0781	217	competence protein CeaA
SAG0782	745	DNA internalization-related competence protein ComEC/Rec2
SAG0783	269	hydrolase, haloacid dehalogenase-like family
SAG0784	314	sugar-binding transcriptional regulator, LacI family
SAG0785	330	conserved hypothetical protein
SAG0786	242	conserved domain protein
SAG0787	345	DNA polymerase III, delta subunit, putative
SAG0788	202	superoxide dismutase, Fe-Mn
SAG0789	283	transcriptional antiterminator LicT
SAG0790	622	PTS system, beta-glucosides-specific IIABC components
SAG0791	475	6-phospho-beta-glucosidase
SAG0792	364	conserved hypothetical protein
SAG0793	380	glycerate kinase 2
SAG0794	418	permease, GntP family
SAG0795	354	conserved hypothetical protein
SAG0796	147	transcriptional regulator, MarR family
SAG0797	342	S-adenosylmethionine:tRNA ribosyltransferase-isomerase
SAG0798	226	membrane protein, putative
SAG0799	233	glucosamine-6-phosphate isomerase
SAG0800	318	glutathione S-transferase family protein
SAG0801	239	ribosomal small subunit pseudouridine synthase A
SAG0802	38	hypothetical protein
SAG0803	383	major facilitator family protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0804	315	competence protein CoiA
SAG0805	601	oligoendopeptidase B
SAG0806	208	hydrolase, haloacid dehalogenase-like family
SAG0807	235	O-methyltransferase family protein
SAG0808	309	protease maturation protein, putative
SAG0809	161	conserved hypothetical protein
SAG0810	872	alanyl-tRNA synthetase
SAG0811	238	membrane protein, putative
SAG0812	272	glycosyl transferase, family 8
SAG0813	81	hypothetical protein
SAG0814	95	conserved hypothetical protein
SAG0815	71	transcriptional regulator, Cro/CI family
SAG0816	253	membrane protein, putative
SAG0817	187	membrane protein, putative
SAG0818	319	ribonucleoside-diphosphate reductase 2, beta subunit
SAG0819	719	ribonucleoside-diphosphate reductase 2, alpha subunit
SAG0820	74	ribonucleoside-diphosphate reductase 2, NrdH-redoxin
SAG0821	87	phosphocarrier protein HPr
SAG0822	577	phosphoenolpyruvate-protein phosphotransferase
SAG0823	475	glyceraldehyde-3-phosphate dehydrogenase, NADP-dependent
SAG0824	417	polysaccharide deacetylase family protein
SAG0825	360	ATP-dependent RNA helicase, DEAD/DEAH box family
SAG0826	209	uridine kinase
SAG0827	165	conserved hypothetical protein
SAG0828	554	DNA polymerase III, gamma and tau subunits
SAG0829	64	conserved hypothetical protein
SAG0830	311	biotin--acetyl-CoA-carboxylase ligase
SAG0831	398	S-adenosylmethionine synthetase
SAG0832	753	protein of unknown function
SAG0833	181	hypothetical protein
SAG0834	42	hypothetical protein
SAG0835	188	conserved hypothetical protein
SAG0836	184	conserved hypothetical protein
SAG0837	428	ABC transporter, ATP-binding protein
SAG0838	233	hypothetical protein
SAG0839	226	transcriptional regulator, TenA family
SAG0840	265	phosphomethylpyrimidine kinase
SAG0841	256	hydroxyethylthiazole kinase
SAG0842	223	thiamine-phosphate pyrophosphorylase
SAG0843	419	UDP-N-acetylglucosamine 1-carboxyvinyltransferase
SAG0844	184	acetyltransferase, GNAT family
SAG0845	427	CBS domain protein
SAG0846	286	methionine aminopeptidase, type I
SAG0847	306	ribonuclease BN, putative
SAG0848	151	GtrA family protein
SAG0849	169	conserved hypothetical protein
SAG0850	652	DNA ligase, NAD-dependent
SAG0851	339	bmrU protein, putative

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0852	766	pullulanase, putative
SAG0853	622	1,4-alpha-glucan branching enzyme
SAG0854	379	glucose-1-phosphate adenylyltransferase
SAG0855	NA	glycogen biosynthesis protein GlgD, authentic frameshift
SAG0856	476	glycogen synthase
SAG0857	66	ATP synthase F0, C subunit
SAG0858	238	ATP synthase F0, A subunit
SAG0859	165	ATP synthase F0, B subunit
SAG0860	178	ATP synthase F1, delta subunit
SAG0861	501	ATP synthase F1, alpha subunit
SAG0862	293	ATP synthase F1, gamma subunit
SAG0863	468	ATP synthase F1, beta subunit
SAG0864	137	ATP synthase F1, epsilon subunit
SAG0865	76	conserved hypothetical protein
SAG0866	423	UDP-N-acetylglucosamine 1-carboxyvinyltransferase
SAG0867	63	conserved hypothetical protein
SAG0868	285	DNA-entry nuclease
SAG0869	346	phenylalanyl-tRNA synthetase, alpha subunit
SAG0870	173	acetyltransferase, GNAT family
SAG0871	801	phenylalanyl-tRNA synthetase, beta subunit
SAG0872	300	conserved hypothetical protein
SAG0873	1077	exonuclease RexB
SAG0874	1207	exonuclease RexA
SAG0875	305	magnesium transporter, CorA family, putative
SAG0876	458	tRNA modification GTPase TrmE
SAG0877	636	ABC transporter, ATP-binding protein
SAG0878	322	acetoin dehydrogenase, thymine PPi dependent, E1 component, alpha subunit
SAG0879	332	acetoin dehydrogenase, thymine PPi dependent, E1 component, beta subunit
SAG0880	462	acetoin dehydrogenase, thymine PPi dependent, E2 component, dihydrolipoamide acetyltransferase
SAG0881	585	acetoin dehydrogenase, thymine PPi dependent, E3 component, dihydrolipoamide dehydrogenase
SAG0882	329	lipoate-protein ligase A
SAG0883	261	cobyric acid synthase, putative
SAG0884	447	mur ligase family protein
SAG0885	283	conserved hypothetical protein TIGR00159
SAG0886	319	protein of unknown function
SAG0887	450	phosphoglucomutase/phosphomannomutase family protein
SAG0888	123	conserved hypothetical protein
SAG0889	126	conserved hypothetical protein
SAG0890	376	oxygen-independent coproporphyrinogen III oxidase, putative
SAG0891	245	conserved hypothetical protein
SAG0892	256	hydrolase, haloacid dehalogenase-like family
SAG0893	218	conserved hypothetical protein
SAG0894	1370	protein of unknown function
SAG0895	289	lipoyl-binding domain protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0896	108	oxidoreductase, putative
SAG0897	221	conserved hypothetical protein
SAG0898	83	hypothetical protein
SAG0899	57	hypothetical protein
SAG0900	56	hypothetical protein
SAG0901	127	hypothetical protein
SAG0902	45	hypothetical protein
SAG0903	44	hypothetical protein
SAG0904	56	hypothetical protein
SAG0905	138	nucleoside diphosphate kinase
SAG0906	610	GTP-binding protein LepA
SAG0907	877	protein of unknown function/lipoprotein, putative
SAG0908	203	HD domain protein
SAG0909	154	acetyltransferase, GNAT family
SAG0910	144	PilB-related protein
SAG0911	930	cation-transporting ATPase, E1-E2 family
SAG0912	367	nucleoside diphosphate kinase domain protein
SAG0913	212	chloramphenicol acetyltransferase
SAG0914	203	conserved hypothetical protein
SAG0915	405	Tn916, transposase
SAG0916	67	Tn916, excisionase
SAG0917	83	Tn916, hypothetical protein
SAG0918	76	Tn916, hypothetical protein
SAG0919	157	Tn916, hypothetical protein
SAG0920	23	Tn916, hypothetical protein
SAG0921	117	Tn916, transcriptional regulator, putative
SAG0922	61	Tn916, hypothetical protein
SAG0923	639	Tn916, tetracycline resistance protein
SAG0924	28	Tn916, tetM leader peptide
SAG0925	310	Tn916, hypothetical protein
SAG0926	333	Tn916, NLP/P60 family protein
SAG0927	725	membrane protein, putative
SAG0928	NA	Tn916, hypothetical protein, authentic frameshift
SAG0929	168	Tn916, hypothetical protein
SAG0930	165	Tn916, hypothetical protein
SAG0931	73	Tn916, hypothetical protein
SAG0932	401	Tn916, transcriptional regulator, putative
SAG0933	461	Tn916, FtsK/SpoIIIE family protein
SAG0934	128	Tn916, hypothetical protein
SAG0935	104	Tn916, hypothetical protein
SAG0936	39	Tn916, hypothetical protein
SAG0937	NA	ABC transporter, ATP-binding protein, authentic frameshift
SAG0938	122	transcriptional regulator, GntR family
SAG0939	1034	DNA polymerase III, alpha subunit
SAG0940	340	6-phosphofructokinase
SAG0941	500	pyruvate kinase
SAG0942	185	signal peptidase I, putative
SAG0943	47	hypothetical protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG0944	604	glucosamine--fructose-6-phosphate aminotransferase, isomerizing
SAG0945	377	IS1548, transposase
SAG0946	109	phnA protein
SAG0947	213	amino acid ABC transporter, permease protein
SAG0948	209	amino acid ABC transporter, ATP-binding protein
SAG0949	276	amino acid ABC transporter, amino acid-binding protein
SAG0950	82	ribosomal protein S20
SAG0951	306	pantothenate kinase
SAG0952	196	conserved hypothetical protein
SAG0953	129	cytidine deaminase
SAG0954	349	protein of unknown function/lipoprotein, putative
SAG0955	511	sugar ABC transporter, ATP-binding protein
SAG0956	353	sugar ABC transporter, permease protein, putative
SAG0957	318	sugar ABC transporter, permease protein, putative
SAG0958	456	NADH oxidase
SAG0959	329	L-lactate dehydrogenase
SAG0960	819	DNA gyrase, A subunit
SAG0961	247	sortase SrtA
SAG0962	137	glyoxylase family protein
SAG0963	320	conserved hypothetical protein
SAG0964	375	Na ⁺ /H ⁺ exchanger family protein
SAG0965	127	IS1381, transposase OrfA
SAG0966	129	IS1381, transposase OrfB
SAG0967	520	GMP synthase
SAG0968	232	transcriptional regulator, GntR family
SAG0969	444	gid protein
SAG0970	247	acetyltransferase, GNAT family
SAG0971	282	protein of unknown function/lipoprotein, putative
SAG0972	NA	conserved hypothetical protein, authentic frameshift
SAG0973	320	nisin-resistance protein, putative
SAG0974	250	ABC transporter, ATP-binding protein
SAG0975	651	ABC transporter, permease protein, putative
SAG0976	222	DNA-binding response regulator
SAG0977	312	sensor histidine kinase
SAG0978	356	site-specific recombinase, phage integrase family
SAG0979	553	ABC transporter, substrate-binding protein
SAG0980	257	conserved hypothetical protein
SAG0981	228	satD protein
SAG0982	521	signal recognition particle protein Ffh
SAG0983	110	conserved hypothetical protein
SAG0984	437	sensor histidine kinase CiaH
SAG0985	226	DNA-binding response regulator CiaR
SAG0986	849	aminopeptidase N
SAG0987	217	phosphate transport system regulatory protein PhoU
SAG0988	252	phosphate ABC transporter, ATP-binding protein PstB, putative
SAG0989	267	phosphate ABC transporter, ATP-binding protein PstB, putative
SAG0990	295	phosphate ABC transporter, permease protein PstA, putative
SAG0991	305	phosphate ABC transporter, permease protein

Table 1: C mplete list of GBS predicted genes

ORF	Siz (a.a.)	Annotati n
SAG0992	286	phosphate ABC transporter, phosphate-binding protein
SAG0993	436	NOL1/NOP2/sun family protein
SAG0994	254	inositol monophosphatase family protein
SAG0995	93	conserved hypothetical protein
SAG0996	137	conserved hypothetical protein
SAG0997	310	macrolide-efflux protein mreA/riboflavin biosynthesis protein RibF
SAG0998	294	tRNA pseudouridine synthase B
SAG0999	143	acetyltransferase, GNAT family
SAG1000	423	conserved hypothetical protein
SAG1001	196	conserved hypothetical protein
SAG1002	292	protease, putative
SAG1003	876	permease, putative
SAG1004	233	ABC transporter, ATP-binding protein
SAG1005	706	DNA topoisomerase I
SAG1006	280	DprA/SMF protein, putative DNA processing factor
SAG1007	342	iron-compound ABC transporter, iron-compound-binding protein
SAG1008	253	iron compound ABC transporter, ATP-binding protein
SAG1009	324	iron compound ABC transporter, permease protein
SAG1010	320	iron compound ABC transporter, permease protein
SAG1011	182	acetyltransferase, CysE/LacA/LpxA/NodL family
SAG1012	253	ribonuclease HII
SAG1013	283	GTP-binding protein
SAG1014	190	conserved hypothetical protein
SAG1015	494	carbon starvation protein CstA, putative
SAG1016	244	response regulator
SAG1017	579	sensor histidine kinase, putative
SAG1018	40	lipoprotein, putative
SAG1019	39	hypothetical protein
SAG1020	227	lipoprotein, putative
SAG1021	107	hypothetical protein
SAG1022	177	hypothetical protein
SAG1023	48	hypothetical protein
SAG1024	183	lipoprotein, putative
SAG1025	149	hypothetical protein
SAG1026	NA	immunogenic secreted protein, degenerate
SAG1027	84	conserved hypothetical protein
SAG1028	196	hypothetical protein
SAG1029	101	hypothetical protein
SAG1030	304	protein of unknown function
SAG1031	120	conserved domain protein
SAG1032	85	conserved hypothetical protein
SAG1033	1309	FtsK/SpoIIIE family protein
SAG1034	55	hypothetical protein
SAG1035	424	conserved hypothetical protein
SAG1036	80	conserved hypothetical protein
SAG1037	157	hypothetical protein
SAG1038	1003	phage infection protein, putative

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1039	96	conserved hypothetical protein
SAG1040	260	conserved domain protein
SAG1041	107	hypothetical protein
SAG1042	1060	carbamoyl-phosphate synthase, large subunit
SAG1043	358	carbamoyl-phosphate synthase, small subunit
SAG1044	307	aspartate carbamoyltransferase
SAG1045	430	dihydroorotase, multifunctional complex type
SAG1046	209	orotate phosphoribosyltransferase
SAG1047	233	orotidine 5'-phosphate decarboxylase
SAG1048	410	membrane protein, putative
SAG1049	513	ABC transporter, ATP-binding protein
SAG1050	112	ribonucleotide reductase, truncation
SAG1051	358	aspartate-semialdehyde dehydrogenase
SAG1052	47	cell wall surface anchor family protein, putative
SAG1053	30	hypothetical protein
SAG1054	531	cardiolipin synthetase
SAG1055	556	formate--tetrahydrofolate ligase
SAG1056	339	lipoate-protein ligase A
SAG1057	292	conserved hypothetical protein
SAG1058	272	conserved hypothetical protein
SAG1059	110	glycine cleavage system H protein, putative
SAG1060	328	bacterial luciferase family protein
SAG1061	399	oxidoreductase, FMN-binding
SAG1062	282	lipoate-protein ligase A family protein
SAG1063	228	flavoprotein-related protein
SAG1064	180	flavoprotein family protein
SAG1065	190	membrane protein, putative
SAG1066	572	phosphoglucomutase
SAG1067	178	IS861, transposase OrfA
SAG1068	277	IS861, transposase OrfB
SAG1069	65	hypothetical protein
SAG1070	577	ABC transporter, ATP-binding/permease protein
SAG1071	573	ABC transporter, ATP-binding/permease protein
SAG1072	200	conserved hypothetical protein
SAG1073	325	conserved hypothetical protein
SAG1074	418	serine hydroxymethyltransferase
SAG1075	183	Sua5/YciO/YrdC/YwlC family protein
SAG1076	276	modification methylase, HemK family
SAG1077	359	peptide chain release factor 1
SAG1078	189	thymidine kinases
SAG1079	60	4-oxalocrotonate tautomerase
SAG1080	47	hypothetical protein
SAG1081	312	ApbE family protein
SAG1082	200	conserved hypothetical protein
SAG1083	411	conserved hypothetical protein
SAG1084	262	formate/nitrite transporter family protein
SAG1085	424	xanthine permease
SAG1086	193	xanthine phosphoribosyltransferase

Table 1: C mplete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1087	327	guanosine monophosphate reductase
SAG1088	446	drug resistance transporter, EmrB/QacA family, putative
SAG1089	230	conserved hypothetical protein
SAG1090	666	potassium uptake protein, putative
SAG1091	216	oxidoreductase, short chain dehydrogenase/reductase family
SAG1092	330	phosphate acetyltransferase
SAG1093	294	ribosomal large subunit pseudouridine synthase, RluD subfamily
SAG1094	278	conserved hypothetical protein
SAG1095	223	GTP pyrophosphokinase family protein
SAG1096	190	conserved hypothetical protein
SAG1097	324	ribose-phosphate pyrophosphokinase
SAG1098	371	cysteine desulphurase
SAG1099	115	conserved hypothetical protein
SAG1100	210	conserved hypothetical protein
SAG1101	226	DNA repair protein RadC
SAG1102	377	membrane protein, putative
SAG1103	478	6-phospho-beta-glucosidase
SAG1104	204	platelet activating factor, putative
SAG1105	273	hydrolase, haloacid dehalogenase-like family
SAG1106	309	transcriptional regulator, AraC family, putative
SAG1107	510	voltage-gated chloride channel family protein
SAG1108	357	spermidine/putrescine ABC transporter, spermidine/putrescine-binding protein
SAG1109	258	spermidine/putrescine ABC transporter, permease protein
SAG1110	264	spermidine/putrescine ABC transporter, permease protein
SAG1111	384	spermidine/putrescine ABC transporter, ATP-binding protein
SAG1112	300	UDP-N-acetylenolpyruvoylglucosamine reductase
SAG1113	162	2-amino-4-hydroxy-6-hydroxymethyldihydropteridine pyrophosphokinase
SAG1114	120	dihydroneopterin aldolase
SAG1115	267	dihydropteroate synthase
SAG1116	187	GTP cyclohydrolase I
SAG1117	420	folylpolyglutamate synthase
SAG1118	295	rarD protein
SAG1119	288	homoserine kinase
SAG1120	427	homoserine dehydrogenase
SAG1121	295	polysaccharide deacetylase family protein
SAG1122	515	transporter, BCCT family protein
SAG1123	34	hypothetical protein
SAG1124	458	aldehyde dehydrogenase family protein
SAG1125	335	membrane protein, putative
SAG1126	228	protein of unknown function
SAG1127	446	conserved domain protein
SAG1128	65	transcriptional regulator, Cro/CI family
SAG1129	36	hypothetical protein
SAG1130	49	hypothetical protein
SAG1131	164	thiol peroxidase
SAG1132	219	conserved hypothetical protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1133	254	conserved hypothetical protein
SAG1134	213	transcriptional regulator, GntR family/potassium uptake protein, TrkA family
SAG1135	183	gls24 protein, putative
SAG1136	65	conserved hypothetical protein
SAG1137	180	gls24 protein, putative
SAG1138	64	conserved hypothetical protein
SAG1139	193	conserved hypothetical protein
SAG1140	82	conserved hypothetical protein
SAG1141	112	conserved hypothetical protein
SAG1142	759	ATP-dependent DNA helicase PcrA
SAG1143	128	conserved hypothetical protein
SAG1144	441	uracil permease
SAG1145	448	sodium:alanine symporter family protein
SAG1146	411	cation efflux family protein
SAG1147	130	conserved hypothetical protein
SAG1148	231	membrane protein, putative
SAG1149	207	lipoprotein, putative
SAG1150	400	ribosomal protein S1
SAG1151	76	conserved hypothetical protein
SAG1152	340	branched-chain amino acid aminotransferase
SAG1153	819	DNA topoisomerase IV, A subunit
SAG1154	653	DNA topoisomerase IV, B subunit
SAG1155	212	membrane protein, putative
SAG1156	217	uracil-DNA glycosylase
SAG1157	161	conserved hypothetical protein
SAG1158	413	CMP-N-acetylneuraminic acid synthetase NeuA
SAG1159	209	neuD protein
SAG1160	384	UDP-N-acetylglucosamine-2-epimerase NeuC
SAG1161	341	N-acetyl neuramic acid synthetase NeuB
SAG1162	466	polysaccharide biosynthesis protein CpsL
SAG1163	318	polysaccharide biosynthesis protein CpsK(V)
SAG1164	321	glycosyl transferase CpsJ(V)
SAG1165	327	glycosyl transferase CpsO(V)
SAG1166	295	glycosyl transferase CpsN(V)
SAG1167	241	polysaccharide biosynthesis protein CpsM(V)
SAG1168	364	polysaccharide biosynthesis protein cpsH(V)
SAG1169	163	glycosyl transferase CpsG(V)
SAG1170	149	polysaccharide biosynthesis protein CpsF
SAG1171	462	glycosyl transferase CpsE
SAG1172	229	cpsD protein
SAG1173	230	cpsC protein
SAG1174	243	capsular polysaccharide biosynthesis protein CpsB
SAG1175	485	capsular polysaccharide biosynthesis protein CpsA
SAG1176	290	transcriptional regulator, LysR family, putative
SAG1177	255	conserved hypothetical protein
SAG1178	236	purine nucleoside phosphorylase
SAG1179	418	voltage-gated chloride channel family protein, putative

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1180	269	purine nucleoside phosphorylase
SAG1181	135	arsenate reductase
SAG1182	403	phosphopentomutase
SAG1183	223	ribose 5-phosphate isomerase
SAG1184	236	conserved hypothetical protein
SAG1185	262	tributylin esterase
SAG1186	553	metallo-beta-lactamase superfamily protein
SAG1187	253	ABC transporter, ATP-binding protein
SAG1188	287	ABC transporter, permease protein
SAG1189	334	conserved hypothetical protein
SAG1190	551	adherence and virulence protein A
SAG1191	239	alpha-acetolactate decarboxylase
SAG1192	560	acetolactate synthase, catabolic
SAG1193	408	TPR domain protein
SAG1194	396	membrane protein, putative
SAG1195	153	MutT/nudix family protein
SAG1196	160	mutator MutT protein
SAG1197	1072	hyaluronidase
SAG1198	348	dTDP-glucose 4,6-dehydratase
SAG1199	197	dTDP-4-dehydrorhamnose 3,5-epimerase
SAG1200	289	glucose-1-phosphate thymidyltransferase
SAG1201	367	iminodiacetate oxidase, putative
SAG1202	262	conserved hypothetical protein TIGR00486
SAG1203	227	conserved hypothetical protein
SAG1204	226	DNA replication protein DnaD, putative
SAG1205	172	adenine phosphoribosyltransferase
SAG1206	854	conserved domain protein
SAG1207	32	hypothetical protein
SAG1208	732	single-stranded-DNA-specific exonuclease RecJ
SAG1209	253	oxidoreductase, short chain dehydrogenase/reductase family
SAG1210	309	metallo-beta-lactamase superfamily protein
SAG1211	215	conserved hypothetical protein
SAG1212	412	GTP-binding protein HflX
SAG1213	296	tRNA delta(2)-isopentenylpyrophosphate transferase
SAG1214	58	hypothetical protein
SAG1215	305	exfoliative toxin A, putative
SAG1216	1252	pullulanase, putative
SAG1217	NA	conserved hypothetical protein, authentic frameshift
SAG1218	194	conserved hypothetical protein
SAG1219	468	peptidase, M20/M25/M40 family
SAG1220	200	nitroreductase family protein
SAG1221	NA	glycerophosphoryl diester phosphodiesterase, putative, authentic point mutation
SAG1222	593	excinuclease ABC, C subunit
SAG1223	255	conserved hypothetical protein
SAG1224	446	MATE efflux family protein
SAG1225	136	conserved hypothetical protein
SAG1226	165	conserved hypothetical protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1227	198	protein of unknown function
SAG1228	96	ISSdy1, transposase OrfA
SAG1229	259	ISSdy1, transposase OrfB
SAG1230	96	conserved hypothetical protein
SAG1231	NA	transposase OrfB, IS3 family, degenerate
SAG1232	77	transposase OrfB, IS3 family, truncation
SAG1233	822	streptococcal histidine triad family protein
SAG1234	306	laminin-binding surface protein
SAG1235	425	GBS1, group II intron, maturase
SAG1236	NA	C5a peptidase, authentic frameshift
SAG1237	444	hypothetical protein
SAG1238	202	hypothetical protein
SAG1239	76	conserved hypothetical protein
SAG1240	125	conserved hypothetical protein, truncation
SAG1241	91	transposase OrfA, IS3 family
SAG1242	67	transposase OrfB, IS3 family, truncation
SAG1243	96	ISSdy1, transposase OrfA
SAG1244	259	ISSdy1, transposase OrfB
SAG1245	38	hypothetical protein
SAG1246	389	hypothetical protein
SAG1247	399	site-specific recombinase, phage integrase family
SAG1248	75	conserved hypothetical protein
SAG1249	74	transcriptional regulator, Cro/CI family
SAG1250	621	Tn5252, relaxase
SAG1251	121	Tn5252, Orf 9 protein
SAG1252	120	Tn5252, Orf 10 protein
SAG1253	435	transposase, ISL3 family
SAG1254	546	mercuric reductase
SAG1255	130	mercuric resistance operon regulatory protein MerR
SAG1256	142	IS861, transposase OrfB, truncation
SAG1257	709	cation-transporting ATPase, E1-E2 family
SAG1258	122	cadmium efflux system accessory protein
SAG1259	99	conserved hypothetical protein
SAG1260	262	hypothetical protein
SAG1261	198	conserved hypothetical protein
SAG1262	695	cation-transporting ATPase, E1-E2 family
SAG1263	NA	conserved domain protein, authentic frameshift
SAG1264	148	transcriptional repressor CopY, putative
SAG1265	206	cadmium resistance transporter, putative
SAG1266	152	hypothetical protein
SAG1267	108	hypothetical protein
SAG1268	230	repressor protein, putative
SAG1269	44	hypothetical protein
SAG1270	471	ImpB/MucB/SamB family protein
SAG1271	116	conserved hypothetical protein
SAG1272	102	conserved hypothetical protein
SAG1273	118	conserved hypothetical protein
SAG1274	129	conserved hypothetical protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Ann tation
SAG1275	75	hypothetical protein
SAG1276	358	conserved hypothetical protein
SAG1277	163	hypothetical protein
SAG1278	96	hypothetical protein
SAG1279	99	conserved domain protein
SAG1280	2274	SNF2 family protein
SAG1281	183	hypothetical protein
SAG1282	63	calcium-binding protein, putative
SAG1283	1631	agglutinin receptor
SAG1284	196	abortive infection protein AbiGI
SAG1285	281	abortive infection protein AbiGII
SAG1286	933	Tn5252, Orf28
SAG1287	776	Tn5252, Orf26
SAG1288	NA	Tn5252, Orf25, degenerate
SAG1289	284	Tn5252, Orf23
SAG1290	80	hypothetical protein
SAG1291	605	Tn5252, Orf 21 protein, internal deletion
SAG1292	162	hypothetical protein
SAG1293	194	protease, putative
SAG1294	77	conserved hypothetical protein
SAG1295	127	conserved hypothetical protein
SAG1296	142	conserved hypothetical protein
SAG1297	451	C-5 cytosine-specific DNA methylase
SAG1298	31	hypothetical protein
SAG1299	272	conserved hypothetical protein
SAG1300	57	conserved hypothetical protein
SAG1301	121	ribosomal protein L7/L12
SAG1302	166	ribosomal protein L10
SAG1303	702	ATP-dependent Clp protease, ATP-binding subunit
SAG1304	32	hypothetical protein
SAG1305	314	homocysteine S-methyltransferase MmuM, putative
SAG1306	458	amino acid permease
SAG1307	216	hypothetical protein
SAG1308	167	hypothetical protein
SAG1309	30	hypothetical protein
SAG1310	182	transcriptional regulator; TetR family
SAG1311	198	GTP-binding protein
SAG1312	408	ATP-dependent Clp protease, ATP-binding subunit ClpX
SAG1313	56	conserved hypothetical protein
SAG1314	164	dihydrofolate reductase
SAG1315	279	thymidylate synthase
SAG1316	390	HMG-CoA synthase
SAG1317	427	3-hydroxy-3-methylglutaryl-CoA reductase
SAG1318	149	conserved hypothetical protein
SAG1319	214	hemolysin III, putative
SAG1320	304	conserved hypothetical protein TIGR00147
SAG1321	284	glutathione S-transferase family protein, putative
SAG1322	72	conserved domain protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotati n
SAG1323	331	isopentenyl-diphosphate delta-isomerase
SAG1324	330	phosphomevalonate kinase
SAG1325	314	diphosphomevalonate decarboxylase
SAG1326	292	mevalonate kinase, putative
SAG1327	409	sensor histidine kinase
SAG1328	228	DNA-binding response regulator
SAG1329	208	GTP pyrophosphokinase family protein
SAG1330	68	hypothetical protein
SAG1331	979	R5 protein
SAG1332	146	transcriptional regulator, MarR family, putative
SAG1333	690	5'-nucleotidase family protein
SAG1334	136	polypeptide deformylase, putative
SAG1335	449	NADP-specific glutamate dehydrogenase
SAG1336	169	membrane protein, putative
SAG1337	589	ABC transporter, ATP-binding/permease protein
SAG1338	579	ABC transporter, ATP-binding/permease protein
SAG1339	157	acetyltransferase, GNAT family
SAG1340	622	ABC transporter, ATP-binding protein
SAG1341	402	polyA polymerase family protein
SAG1342	282	DegV family protein
SAG1343	126	protein of unknown function
SAG1344	177	hypothetical protein
SAG1345	164	conserved hypothetical protein
SAG1346	654	PTS system, fructose specific IIABC components
SAG1347	303	1-phosphofructokinase
SAG1348	247	lactose phosphotransferase system repressor
SAG1349	411	beta-lactam resistance factor
SAG1350	544	surface antigen-related protein
SAG1351	307	2-dehydropantoate 2-reductase, putative
SAG1352	356	regulatory protein, putative
SAG1353	330	pyridine nucleotide-disulphide oxidoreductase family protein
SAG1354	251	tRNA (guanine-N1)-methyltransferase
SAG1355	172	16S rRNA processing protein RimM
SAG1356	503	transcriptional regulator, RofA family
SAG1357	80	KH domain protein
SAG1358	90	ribosomal protein S16
SAG1359	415	permease, putative
SAG1360	236	ABC transporter, ATP-binding protein
SAG1361	414	conserved hypothetical protein
SAG1362	532	carbamoyl-phosphate synthase, large subunit, putative
SAG1363	356	carbamoyl-phosphate synthase, small subunit
SAG1364	173	pyrimidine operon regulatory protein
SAG1365	296	ribosomal large subunit pseudouridine synthase, RluD subfamily
SAG1366	154	lipoprotein signal peptidase
SAG1367	301	transcriptional regulator, LysR family
SAG1368	94	ribosomal protein L27
SAG1369	112	conserved hypothetical protein
SAG1370	104	ribosomal protein L21

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotati n
SAG1371	392	conserved hypothetical protein
SAG1372	404	thiamine biosynthesis protein ThiI
SAG1373	381	cysteine desulphurase
SAG1374	150	conserved hypothetical protein
SAG1375	449	glutathione reductase
SAG1376	111	conserved hypothetical protein
SAG1377	388	chorismate synthase
SAG1378	355	3-dehydroquinate synthase
SAG1379	225	3-dehydroquinate dehydratase
SAG1380	385	conserved hypothetical protein
SAG1381	714	sulfatase
SAG1382	119	ribosomal protein L20
SAG1383	66	ribosomal protein L35
SAG1384	176	translation initiation factor IF-3
SAG1385	227	cytidylate kinase
SAG1386	174	conserved hypothetical protein
SAG1387	65	ferredoxin, 4Fe-4S
SAG1388	163	conserved hypothetical protein
SAG1389	406	peptidase T
SAG1390	544	polysaccharide biosynthesis protein, putative
SAG1391	484	UDP-N-acetylmuramoylalanyl-D-glutamate--2,6-diaminopimelate ligase
SAG1392	264	iron compound ABC transporter, ATP-binding protein
SAG1393	310	iron compound ABC transporter, substrate-binding protein
SAG1394	341	iron compound ABC transporter, permease protein
SAG1395	333	iron compound ABC transporter, permease protein
SAG1396	217	conserved hypothetical protein
SAG1397	311	inorganic pyrophosphatase, manganese-dependent
SAG1398	262	pyruvate formate-lyase-activating enzyme
SAG1399	444	CBS domain protein
SAG1400	188	conserved hypothetical protein
SAG1401	311	conserved hypothetical protein TIGR01212
SAG1402	213	PAP2 family protein
SAG1403	194	membrane protein, putative
SAG1404	308	cell wall surface anchor family protein
SAG1405	294	sortase family protein
SAG1406	293	sortase family protein
SAG1407	705	cell wall surface anchor family protein
SAG1408	901	cell wall surface anchor family protein
SAG1409	NA	rogB protein, authentic frameshift
SAG1410	379	glycosyl transferase, group 1 family protein
SAG1411	282	glycosyl transferase, group 2 family protein
SAG1412	474	polysaccharide biosynthesis protein
SAG1413	454	membrane protein, putative
SAG1414	308	glycosyl transferase, group 2 family protein
SAG1415	311	glycosyl transferase, group 2 family protein
SAG1416	352	nucleotide sugar dehydratase, putative
SAG1417	240	nucleotidyl transferase, putative

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1418	274	polysaccharide biosynthesis protein, putative
SAG1419	577	lipoprotein, putative
SAG1420	117	conserved hypothetical protein
SAG1421	243	glycosyl transferase, group 2 family protein
SAG1422	313	glycosyl transferase, group 2 family protein
SAG1423	384	glycosyl transferase, putative
SAG1424	284	dTDP-4-dehydrorhamnose reductase
SAG1425	113	conserved hypothetical protein
SAG1426	369	RNA polymerase sigma-70 factor
SAG1427	602	DNA primase
SAG1428	125	large conductance mechanosensitive channel protein
SAG1429	58	ribosomal protein S21
SAG1430	167	conserved hypothetical protein
SAG1431	268	amino acid ABC transporter, amino acid-binding protein
SAG1432	347	ammonium transporter family protein
SAG1433	375	conserved hypothetical protein
SAG1434	328	rhodanese family protein
SAG1435	101	conserved hypothetical protein
SAG1436	457	glycerol-3-phosphate transporter, putative
SAG1437	55	hypothetical protein
SAG1438	754	glycogen phosphorylase
SAG1439	498	4-alpha-glucanotransferase
SAG1440	342	maltose operon repressor MalR, putative
SAG1441	415	maltose/maltodextrin ABC transporter, maltose/maltodextrin-binding protein
SAG1442	456	maltose ABC transporter, permease protein
SAG1443	278	maltose ABC transporter, permease protein
SAG1444	490	proton/peptide symporter family protein
SAG1445	NA	MutT/nudix family protein, authentic frameshift
SAG1446	62	hypothetical protein
SAG1447	441	conserved hypothetical protein
SAG1448	502	glycosyl transferase, group 1 family protein
SAG1449	795	preprotein translocase SecA subunit, putative
SAG1450	330	conserved domain protein
SAG1451	494	conserved hypothetical protein
SAG1452	514	conserved hypothetical protein
SAG1453	409	preprotein translocase SecY family protein
SAG1454	398	glycosyl transferase, putative
SAG1455	295	glycosyl transferase, group 2 family protein
SAG1456	NA	glycosyl transferase, family 8, degenerate
SAG1457	129	IS1381, transposase OrfB
SAG1458	127	IS1381, transposase OrfA
SAG1459	413	glycosyl transferase family 8
SAG1460	401	glycosyl transferase, family 8
SAG1461	335	conserved hypothetical protein
SAG1462	970	cell wall surface anchor family protein
SAG1463	NA	transcriptional regulator, RofA family, authentic point mutation
SAG1464	663	excinuclease ABC, B subunit

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1465	306	protease, putative
SAG1466	727	glutamine ABC transporter, glutamine-binding protein/permease protein
SAG1467	246	glutamine ABC transporter, ATP-binding protein, GlnQ putative
SAG1468	116	conserved hypothetical protein
SAG1469	52	conserved hypothetical protein
SAG1470	437	GTP-binding protein, GTP1/Obg family
SAG1471	42	conserved hypothetical protein
SAG1472	413	aminopeptidase PepS
SAG1473	192	cell wall surface anchor family protein
SAG1474	680	amidase family protein
SAG1475	240	ribosomal small subunit pseudouridine synthase A
SAG1476	280	oxidoreductase, aldo/keto reductase family
SAG1477	224	nitroreductase family protein
SAG1478	130	lactoylglutathione lyase
SAG1479	308	glycosyl transferase, group 2 family protein
SAG1480	462	amino acid permease
SAG1481	155	SsrA-binding protein
SAG1482	801	exoribonuclease, VacB/Rnb family
SAG1483	78	preprotein translocase, SecG subunit
SAG1484	48	ribosomal protein L33
SAG1485	389	multi-drug resistance protein
SAG1486	548	membrane protein, putative
SAG1487	233	ABC transporter, ATP binding protein
SAG1488	195	dephospho-CoA kinase
SAG1489	273	formamidopyrimidine-DNA glycosylase
SAG1490	282	transcriptional regulator, MutR family
SAG1491	530	hypothetical protein
SAG1492	58	hypothetical protein
SAG1493	66	hypothetical protein
SAG1494	32	hypothetical protein
SAG1495	81	CAAX amino terminal protease family protein
SAG1496	110	hypothetical protein
SAG1497	37	hypothetical protein
SAG1498	133	hypothetical protein
SAG1499	299	GTP-binding protein Era
SAG1500	132	diacylglycerol kinase
SAG1501	161	conserved hypothetical protein TIGR00043
SAG1502	268	tetracenomycin polyketide synthesis O-methyltransferase TcmP, putative
SAG1503	39	hypothetical protein
SAG1504	38	hypothetical protein
SAG1505	158	MutT/nudix family protein
SAG1506	267	hypothetical protein
SAG1507	345	PhoH family protein
SAG1508	590	67 kDa Myosin-crossreactive streptococcal antigen
SAG1509	71	conserved hypothetical protein
SAG1510	169	peptide methionine sulfoxide reductase

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1511	284	conserved hypothetical protein
SAG1512	185	ribosome recycling factor
SAG1513	242	uridylate kinase
SAG1514	226	peptide ABC transporter, ATP-binding protein
SAG1515	262	peptide ABC transporter, ATP-binding protein
SAG1516	255	peptide ABC transporter, permease protein
SAG1517	314	peptide ABC transporter, permease protein
SAG1518	538	peptide ABC transporter, peptide-binding protein
SAG1519	229	ribosomal protein L1
SAG1520	141	ribosomal protein L11
SAG1521	388	transposase, IS30 family, putative
SAG1522	460	transporter, major facilitator family
SAG1523	404	peptidase, M20/M25/M40 family
SAG1524	294	transcriptional regulator, LysR family
SAG1525	117	conserved hypothetical protein
SAG1526	178	IS861, transposase OrfA
SAG1527	277	IS861, transposase OrfB
SAG1528	571	chorismate binding enzyme
SAG1529	816	FtsK/SpoIIIE family protein
SAG1530	267	peptidyl-prolyl cis-trans isomerase, cyclophilin-type
SAG1531	277	manganese ABC transporter, permease protein
SAG1532	238	manganese ABC transporter, ATP-binding protein
SAG1533	308	manganese ABC transporter, manganese-binding adhesion liprotein
SAG1534	215	iron-dependent transcriptional regulator
SAG1535	229	5-methylthioadenosine nucleosidase/S-adenosylhomocysteine nucleosidase
SAG1536	89	conserved hypothetical protein
SAG1537	184	MutT/nudix family protein
SAG1538	459	UDP-N-acetylglucosamine pyrophosphorylase
SAG1539	31	hypothetical protein
SAG1540	137	conserved hypothetical protein
SAG1541	125	glyoxalase family protein
SAG1542	318	oxidoreductase, Gfo/Idh/MocA family
SAG1543	NA	conserved hypothetical protein, authentic frameshift
SAG1544	232	gluconate 5-dehydrogenase, putative
SAG1545	78	conserved hypothetical protein
SAG1546	82	conserved hypothetical protein
SAG1547	166	acetyltransferase, GNAT family
SAG1548	422	glycosyl transferase, group 2 family protein
SAG1549	127	IS1381, transposase OrfA
SAG1550	129	IS1381, transposase OrfB
SAG1551	67	hypothetical protein
SAG1552	719	conserved hypothetical protein
SAG1553	477	hypothetical protein
SAG1554	225	hypothetical protein
SAG1555	231	hypothetical protein
SAG1556	445	branched-chain amino acid transport system II carrier protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1557	665	methionyl-tRNA synthetase
SAG1558	291	tellurite resistance protein TehB
SAG1559	231	membrane protein, putative
SAG1560	40	hypothetical protein
SAG1561	405	PTS system, IIC component, putative
SAG1562	280	conserved hypothetical protein
SAG1563	275	exodeoxyribonuclease
SAG1564	118	conserved hypothetical protein
SAG1565	158	methylated-DNA-protein-cysteine S-methyltransferase
SAG1566	393	D-isomer specific 2-hydroxyacid dehydrogenase family protein
SAG1567	182	acetyltransferase, GNAT family
SAG1568	NA	phosphoserine aminotransferase, authentic frameshift
SAG1569	211	copper homeostasis protein CutC, putative
SAG1570	34	conserved hypothetical protein
SAG1571	53	hypothetical protein
SAG1572	287	tetrapyrrole methylase family protein
SAG1573	108	conserved hypothetical protein
SAG1574	287	DNA polymerase III, delta prime subunit, putative
SAG1575	211	thymidylate kinase
SAG1576	267	transposase, IS30 family, putative, truncation
SAG1577	219	AcuB family protein
SAG1578	236	branched-chain amino acid ABC transporter, ATP-binding protein
SAG1579	254	branched-chain amino acid ABC transporter, ATP-binding protein
SAG1580	317	branched-chain amino acid ABC transporter, permease protein.
SAG1581	289	branched-chain amino acid ABC transporter, permease protein
SAG1582	388	branched-chain amino acid ABC transporter, amino acid-binding protein
SAG1583	81	conserved hypothetical protein
SAG1584	377	IS1548, transposase
SAG1585	196	ATP-dependent Clp protease, proteolytic subunit ClpP
SAG1586	209	uracil phosphoribosyltransferase
SAG1587	389	aminotransferase, class I
SAG1588	182	RNA methyltransferase, TrmH family, group 2
SAG1589	450	amino acid permease, putative
SAG1590	449	potassium uptake protein, Trk family
SAG1591	475	cation uptake protein, Trk family
SAG1592	83	conserved hypothetical protein TIGR00278
SAG1593	240	ribosomal large subunit pseudouridine synthase B
SAG1594	194	conserved hypothetical protein TIGR00281
SAG1595	235	conserved hypothetical protein
SAG1596	246	integrase/recombinase, phage integrase family
SAG1597	157	CBS domain protein
SAG1598	173	conserved hypothetical protein
SAG1599	324	HAM1 protein
SAG1600	264	glutamate racemase
SAG1601	79	conserved hypothetical protein
SAG1602	180	membrane protein, putative
SAG1603	173	transcriptional regulator, biotin repressor family

Table 1: Complete list of GBS predicted genes

ORF	Siz (a.a.)	Annotation
SAG1604	229	membrane protein, putative
SAG1605	167	conserved hypothetical protein
SAG1606	247	RNA methyltransferase, TrmH family
SAG1607	92	acylphosphatase
SAG1608	310	lipoprotein, putative
SAG1609	221	amino acid ABC transporter, permease protein
SAG1610	285	amino acid ABC transporter, substrate-binding protein
SAG1611	486	amidase family protein
SAG1612	160	transcription elongation factor GreA
SAG1613	600	conserved hypothetical protein
SAG1614	167	acetyltransferase, GNAT family
SAG1615	443	UDP-N-acetylmuramate--alanine ligase
SAG1616	205	conserved hypothetical protein
SAG1617	32	hypothetical protein
SAG1618	1032	Snf2 family protein
SAG1619	377	IS1548, transposase
SAG1620	436	phosphoglycerate dehydrogenase-related protein
SAG1621	300	primosomal protein DnaI
SAG1622	391	conserved hypothetical protein
SAG1623	159	conserved hypothetical protein TIGR00244
SAG1624	501	sensor histidine kinase CsrS
SAG1625	229	DNA-binding response regulator CsrR
SAG1626	177	conserved hypothetical protein
SAG1627	296	heat shock protein HtpX
SAG1628	184	lemA protein
SAG1629	237	glucose-inhibited division protein B
SAG1630	459	sodium transport family protein
SAG1631	223	potassium uptake protein, Trk family, putative
SAG1632	276	cobalt transport family protein
SAG1633	558	ABC transporter, ATP-binding protein
SAG1634	212	conserved hypothetical protein
SAG1635	402	sodium:dicarboxylate symporter family protein
SAG1636	455	branched-chain amino acid transport system II carrier protein
SAG1637	351	alcohol dehydrogenase, zinc-containing
SAG1638	230	ABC transporter, permease protein
SAG1639	356	ABC transporter, ATP-binding protein
SAG1640	458	peptidase, M20/M25/M40 family
SAG1641	274	YaeC family protein
SAG1642	277	ABC transporter, substrate-binding protein
SAG1643	229	glutamine amidotransferase, class I
SAG1644	37	hypothetical protein
SAG1645	238	conserved hypothetical protein TIGR01033
SAG1646	32	hypothetical protein
SAG1647	328	dihydroxyacetone kinase family protein
SAG1648	178	transcriptional regulator, TetR family, putative
SAG1649	37	hypothetical protein
SAG1650	329	dihydroxyacetone kinase family protein
SAG1651	192	dihydroxyacetone kinase family protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1652	124	conserved hypothetical protein
SAG1653	237	glycerol uptake facilitator protein
SAG1654	134	conserved hypothetical protein
SAG1655	237	transcriptional regulator, MerR family
SAG1656	369	conserved hypothetical protein
SAG1657	83	hypothetical protein
SAG1658	244	conserved hypothetical protein
SAG1659	118	iojap-related protein
SAG1660	173	isochorismatase family protein
SAG1661	195	conserved hypothetical protein TIGR00488
SAG1662	210	conserved hypothetical protein TIGR00482
SAG1663	105	conserved hypothetical protein TIGR00253
SAG1664	372	GTP-binding protein
SAG1665	177	hydrolase, haloacid dehalogenase-like family
SAG1666	304	membrane protein, putative
SAG1667	480	glutamyl-tRNA(Gln) amidotransferase, B subunit
SAG1668	488	glutamyl-tRNA(Gln) amidotransferase, A subunit
SAG1669	100	glutamyl-tRNA(Gln) amidotransferase, C subunit
SAG1670	881	pyruvate phosphate dikinase
SAG1671	276	protein of unknown function
SAG1672	170	CBS domain protein
SAG1673	321	3-hydroxyacyl-CoA dehydrogenase family protein
SAG1674	182	isochorismatase family protein
SAG1675	261	transcriptional regulator CodY, putative
SAG1676	403	aminotransferase, class I
SAG1677	150	conserved hypothetical protein
SAG1678	460	hydrolase, haloacid dehalogenase-like family
SAG1679	320	asparaginase family protein
SAG1680	292	shikimate 5-dehydrogenase
SAG1681	304	oxidoreductase, aldo/keto reductase family
SAG1682	671	ATP-dependent DNA helicase RecG
SAG1683	512	immunogenic secreted protein, putative
SAG1684	366	alanine racemase
SAG1685	119	holo-(acyl-carrier-protein) synthase
SAG1686	335	phospho-2-dehydro-3-deoxyheptonate aldolase
SAG1687	842	preprotein translocase, SecA subunit
SAG1688	315	mannose-6-phosphate isomerase, class I
SAG1689	293	fructokinase
SAG1690	639	PTS system, IIABC components
SAG1691	479	sucrose-6-phosphate hydrolase
SAG1692	320	sucrose operon repressor ScrR
SAG1693	144	N utilization substance protein B
SAG1694	129	conserved hypothetical protein
SAG1695	186	translation elongation factor P
SAG1696	38	hypothetical protein
SAG1697	48	hypothetical protein
SAG1698	99	conserved hypothetical protein
SAG1699	30	hypothetical protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1700	76	hypothetical protein
SAG1701	56	hypothetical protein
SAG1702	41	hypothetical protein
SAG1703	54	hypothetical protein
SAG1704	150	cytidine/deoxycytidylate deaminase family protein
SAG1705	NA	peptidase, M24 family, authentic point mutation
SAG1706	238	conserved hypothetical protein
SAG1707	499	drug resistance transporter, EmrB/QacA family
SAG1708	38	hypothetical protein
SAG1709	942	excinuclease ABC, A subunit
SAG1710	223	conserved hypothetical protein
SAG1711	314	magnesium transporter, CorA family
SAG1712	79	ribosomal protein S18
SAG1713	163	single-strand binding protein
SAG1714	95	ribosomal protein S6
SAG1715	374	A/G-specific adenine glycosylase
SAG1716	197	transcriptional regulator, Cro/C1 family
SAG1717	104	thioredoxin
SAG1718	166	PAP2 family protein
SAG1719	779	MutS2 family protein
SAG1720	180	conserved hypothetical protein
SAG1721	103	conserved hypothetical protein
SAG1722	297	ribonuclease HIII
SAG1723	197	signal peptidase I
SAG1724	806	helicase, putative
SAG1725	160	conserved hypothetical protein
SAG1726	364	DNA-damage-inducible protein P
SAG1727	770	formate acetyltransferase
SAG1728	124	FMN-binding protein
SAG1729	309	conserved hypothetical protein
SAG1730	251	conserved hypothetical protein
SAG1731	298	membrane protein, putative
SAG1732	282	glycerol uptake facilitator protein, putative
SAG1733	150	universal stress protein family
SAG1734	400	transporter, putative
SAG1735	219	transcriptional regulator, Crp/Fnr family
SAG1736	761	X-pro dipeptidyl-peptidase
SAG1737	119	hypothetical protein
SAG1738	326	polyprenyl synthetase family protein
SAG1739	582	ABC transporter, ATP-binding protein CydC
SAG1740	572	ABC transporter, ATP-binding protein CydD
SAG1741	339	cytochrome d ubiquinol oxidase, subunit II
SAG1742	475	cytochrome d oxidase, subunit I
SAG1743	402	pyridine nucleotide-disulphide oxidoreductase family protein
SAG1744	299	prenyltransferase, UbiA family
SAG1745	148	hypothetical protein
SAG1746	35	hypothetical protein.
SAG1747	99	conserved hypothetical protein TIGR00103

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1748	396	cyclopropane-fatty-acyl-phospholipid synthase
SAG1749	241	transcriptional regulator, merR family
SAG1750	195	exonuclease
SAG1751	178	conserved hypothetical protein
SAG1752	390	conserved hypothetical protein TIGR00275
SAG1753	260	conserved hypothetical protein
SAG1754	89	ribosomal protein S14
SAG1755	38	hypothetical protein
SAG1756	341	conserved hypothetical protein
SAG1757	336	O-sialoglycoprotein endopeptidase family protein
SAG1758	135	ribosomal-protein-alanine acetyltransferase, putative
SAG1759	230	protein of unknown function
SAG1760	76	conserved hypothetical protein
SAG1761	559	metallo-beta-lactamase superfamily protein
SAG1762	169	conserved hypothetical protein
SAG1763	448	glutamine synthetase, type I
SAG1764	123	transcriptional regulator GlnR
SAG1765	179	conserved hypothetical protein
SAG1766	398	phosphoglycerate kinase
SAG1767	289	acid phosphatase
SAG1768	336	glyceraldehyde 3-phosphate dehydrogenase
SAG1769	692	translation elongation factor G
SAG1770	156	ribosomal protein S7
SAG1771	137	ribosomal protein S12
SAG1772	270	pur operon repressor
SAG1773	313	HD domain protein
SAG1774	424	conserved hypothetical protein
SAG1775	210	conserved hypothetical protein
SAG1776	220	ribulose-phosphate 3-epimerase
SAG1777	290	conserved hypothetical protein TIGR00157
SAG1778	283	rRNA (guanine-N1-)-methyltransferase, putative
SAG1779	290	dimethyladenosine transferase
SAG1780	163	hypothetical protein
SAG1781	186	primase-related protein
SAG1782	260	deoxyribonuclease, TatD family
SAG1783	90	hypothetical protein
SAG1784	130	hypothetical protein
SAG1785	430	hypothetical protein
SAG1786	130	protein of unknown function
SAG1787	420	dltD protein
SAG1788	79	D-alanyl carrier protein
SAG1789	421	dltB protein
SAG1790	511	D-alanine-activating enzyme
SAG1791	395	sensor histidine kinase
SAG1792	224	DNA-binding response regulator
SAG1793	44	ribosomal protein L34
SAG1794	451	membrane protein, putative
SAG1795	388	transposase, IS30 family, putative

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1796	575	amino acid ABC transporter, permease protein
SAG1797	407	amino acid ABC transporter, ATP-binding protein
SAG1798	39	hypothetical protein
SAG1799	792	xylulose-5-phosphate/fructose-6-phosphate phosphoketolase
SAG1800	363	conserved hypothetical protein
SAG1801	559	transcriptional antiterminator, BglG family
SAG1802	253	conserved hypothetical protein
SAG1803	505	carbohydrate kinase, FGGY family
SAG1804	329	hypothetical protein
SAG1805	483	PTS system, IIC component, putative
SAG1806	318	glyoxylate reductase, NADH-dependent
SAG1807	339	hypothetical protein
SAG1808	327	sugar binding transcriptional regulator, LacI family
SAG1809	215	transaldolase family protein
SAG1810	238	carbohydrate isomerase, AraD/FucA family
SAG1811	287	hexulose-6-phosphate isomerase, putative
SAG1812	221	hexulose-6-phosphate synthase, putative
SAG1813	161	PTS system, IIA component
SAG1814	92	PTS system, IIB component
SAG1815	479	transport protein SgaT, putative
SAG1816	205	hypothetical protein
SAG1817	157	hypothetical protein
SAG1818	430	adenylosuccinate synthetase
SAG1819	340	perfringolysin O regulator protein
SAG1820	224	conserved hypothetical protein
SAG1821	750	glutamate--cysteine ligase/amino acid ligase, putative
SAG1822	272	protein of unknown function
SAG1823	418	protein of unknown function
SAG1824	291	chaperonin, 33 kDa
SAG1825	325	NifR3/Smm1 family protein
SAG1826	213	deoxynucleoside kinase family protein
SAG1827	163	phosphinothricin N-acetyltransferase
SAG1828	815	ATP-dependent Clp protease, ATP-binding subunit
SAG1829	154	transcriptional regulator CtsR
SAG1830	153	conserved hypothetical protein
SAG1831	346	translation elongation factor Ts
SAG1832	256	ribosomal protein S2
SAG1833	186	alkyl hydroperoxide reductase, subunit C
SAG1834	510	alkyl hydroperoxide reductase, subunit F
SAG1835	134	conserved hypothetical protein
SAG1836	61	conserved hypothetical protein
SAG1837	468	prophage LambdaSa2, lysin, putative
SAG1838	109	prophage LambdaSa2, holin, putative
SAG1839	136	conserved hypothetical protein
SAG1840	112	hypothetical protein
SAG1841	76	conserved domain protein
SAG1842	1224	prophage LambdaSa2, PblB, putative
SAG1843	240	conserved hypothetical protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1844	911	conserved hypothetical protein
SAG1845	42	hypothetical protein
SAG1846	158	hypothetical protein
SAG1847	227	conserved hypothetical protein
SAG1848	114	conserved hypothetical protein
SAG1849	115	hypothetical protein
SAG1850	101	hypothetical protein
SAG1851	111	conserved domain protein
SAG1852	420	conserved domain protein
SAG1853	180	prophage LambdaSa2, protease, putative
SAG1854	380	conserved hypothetical protein
SAG1855	570	prophage LambdaSa2, terminase large subunit, putative
SAG1856	161	hypothetical protein
SAG1857	119	prophage LambdaSa2, HNH endonuclease family protein
SAG1858	95	hypothetical protein
SAG1859	180	prophage LambdaSa2, site-specific recombinase, phage integrase family
SAG1860	154	conserved hypothetical protein
SAG1861	119	prophage LambdaSa2, transcriptional regulator, Cro/CI family
SAG1862	86	hypothetical protein
SAG1863	138	prophage LambdaSa2, single-strand binding protein
SAG1864	68	hypothetical protein
SAG1865	74	conserved hypothetical protein
SAG1866	109	conserved hypothetical protein
SAG1867	163	conserved hypothetical protein
SAG1868	134	hypothetical protein
SAG1869	437	prophage LambdaSa2, type II DNA modification methyltransferase, putative
SAG1870	273	prophage LambdaSa2, DNA replication protein DnaC, putative
SAG1871	248	prophage LambdaSa2, bacteriophage replication protein/hypothetical protein, truncation/fusion
SAG1872	200	hypothetical protein
SAG1873	443	prophage LambdaSa2, replicative DNA helicase
SAG1874	87	hypothetical protein
SAG1875	94	conserved hypothetical protein
SAG1876	176	prophage LambdaSa2, HNH endonuclease family protein
SAG1877	236	prophage LambdaSa2, antirepressor protein, putative
SAG1878	102	conserved domain protein
SAG1879	156	hypothetical protein
SAG1880	54	hypothetical protein
SAG1881	51	hypothetical protein
SAG1882	120	prophage LambdaSa2, repressor protein, putative
SAG1883	128	conserved hypothetical protein
SAG1884	134	hypothetical protein
SAG1885	356	prophage LambdaSa2, site-specific recombinase, phage integrase family
SAG1886	32	hypothetical protein
SAG1887	689	Na ⁺ /H ⁺ exchanger family protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1888	78	hypothetical protein
SAG1889	317	microcin immunity protein MccF, putative
SAG1890	631	endopeptidase O
SAG1891	327	oxidoreductase, Gfo/Idh/MocA family
SAG1892	358	membrane protein, putative
SAG1893	59	hypothetical protein
SAG1894	214	cyclic nucleotide-binding domain protein
SAG1895	204	polypeptide deformylase
SAG1896	333	sugar binding transcriptional regulator RegR
SAG1897	634	conserved hypothetical protein
SAG1898	271	PTS system, IID component
SAG1899	288	PTS system, IIC component
SAG1900	164	PTS system, IIB component
SAG1901	398	glucuronyl hydrolase
SAG1902	144	PTS system, IIA component
SAG1903	34	hypothetical protein
SAG1904	270	oxidoreductase, short-chain dehydrogenase/reductase family
SAG1905	212	conserved hypothetical protein
SAG1906	335	carbohydrate kinase, PfkB family
SAG1907	212	2-dehydro-3-deoxyphosphogluconate aldolase/4-hydroxy-2-oxoglutarate aldolase
SAG1908	499	hypothetical protein
SAG1909	204	nitroreductase family protein
SAG1910	141	transcriptional regulator, MarR family
SAG1911	1468	DNA polymerase III, alpha subunit, Gram-positive type
SAG1912	194	N-acetylmuramoyl-L-alanine amidase, family 4 protein
SAG1913	617	prolyl-tRNA synthetase
SAG1914	419	membrane-associated zinc metalloprotease, putative
SAG1915	264	phosphatidate cytidylyltransferase
SAG1916	250	undecaprenyl diphosphate synthase
SAG1917	113	preprotein translocase, YajC subunit
SAG1918	114	bacteriocin transport accessory protein, putative
SAG1919	387	malate oxidoreductase
SAG1920	445	citrate carrier protein, CCS family
SAG1921	508	sensor histidine kinase
SAG1922	229	response regulator
SAG1923	331	UDP-glucose 4-epimerase
SAG1924	535	glucan 1,6-alpha-glucosidase
SAG1925	377	sugar ABC transporter, ATP-binding protein
SAG1926	283	helix-turn-helix domain protein, fis-type
SAG1927	298	lacX protein
SAG1928	325	tagatose 1,6-diphosphate aldolase
SAG1929	310	tagatose-6-phosphate kinase
SAG1930	171	galactose-6-phosphate isomerase, LacB subunit
SAG1931	141	galactose-6-phosphate isomerase, LacA subunit
SAG1932	816	neuraminidase-related protein
SAG1933	482	PTS system, IIC component, putative
SAG1934	101	PTS system, IIB component, putative

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1935	157	PTS system, IIA component, putative
SAG1936	258	lactose phosphotransferase system repressor
SAG1937	NA	streptococcal histidine triad family protein, degenerate
SAG1938	307	adhesion lipoprotein
SAG1939	147	protein of unknown function TIGR00256
SAG1940	738	GTP pyrophosphokinase family protein
SAG1941	800	2',3'-cyclic-nucleotide 2'-phosphodiesterase
SAG1942	151	nrdI protein
SAG1943	345	conserved hypothetical protein
SAG1944	165	conserved hypothetical protein
SAG1945	345	iron ABC transporter, iron-binding protein
SAG1946	257	DNA-binding response regulator
SAG1947	549	conserved hypothetical protein
SAG1948	275	PTS system, IID component
SAG1949	269	PTS system, IIC component
SAG1950	163	PTS system, IIB component
SAG1951	141	PTS system, IIA component, putative
SAG1952	353	membrane protein, putative
SAG1953	60	hypothetical protein
SAG1954	384	membrane protein, putative
SAG1955	282	ABC transporter, ATP-binding protein
SAG1956	96	conserved hypothetical protein, truncation
SAG1957	250	response regulator
SAG1958	276	conserved hypothetical protein
SAG1959	727	PTS system, IIABC components
SAG1960	551	sensor histidine kinase
SAG1961	225	phosphate regulon response regulator PhoB
SAG1962	218	phosphate transport system regulatory protein PhoU, putative
SAG1963	253	phosphate ABC transporter, ATP-binding protein
SAG1964	292	phosphate ABC transporter, permease protein
SAG1965	281	phosphate ABC transporter, permease protein
SAG1966	293	hemolysin precursor, putative
SAG1967	195	hypothetical protein
SAG1968	246	conserved hypothetical protein TIGR00046
SAG1969	317	ribosomal protein L11 methyltransferase
SAG1970	102	conserved hypothetical protein
SAG1971	41	hypothetical protein
SAG1972	238	transcriptional regulator, MerR family
SAG1973	156	acetyltransferase, GNAT family
SAG1974	152	MutT/nudix family protein
SAG1975	47	hypothetical protein
SAG1976	156	conserved hypothetical protein
SAG1977	163	acetyltransferase, GNAT family
SAG1978	422	ATPase, AAA family
SAG1979	253	membrane protein, putative
SAG1980	300	ABC transporter, ATP-binding protein
SAG1981	68	hypothetical protein
SAG1982	359	transcriptional regulator, Cro/CI family

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG1983	105	conserved hypothetical protein
SAG1984	188	conserved hypothetical protein TIGR00730
SAG1985	51	hypothetical protein
SAG1986	375	site-specific recombinase, phage integrase family
SAG1987	61	conserved hypothetical protein
SAG1988	342	conserved hypothetical protein
SAG1989	139	hypothetical protein
SAG1990	127	hypothetical protein
SAG1991	204	transcriptional regulator, Cro/CI family
SAG1992	518	protein of unknown function
SAG1993	373	site-specific recombinase, phage integrase family
SAG1994	108	conserved hypothetical protein
SAG1995	210	hypothetical protein
SAG1996	263	cell wall surface anchor family protein, putative
SAG1997	182	hypothetical protein
SAG1998	457	hypothetical protein
SAG1999	47	hypothetical protein
SAG2000	666	membrane protein, putative
SAG2001	756	conjugal transfer protein, interruption-C
SAG2002	129	IS1381, transposase OrfB
SAG2003	127	IS1381, transposase OrfA
SAG2004	67	conjugal transfer protein, interruption-N
SAG2005	136	conserved hypothetical protein
SAG2006	88	conserved hypothetical protein
SAG2007	317	conserved hypothetical protein
SAG2008	84	conserved hypothetical protein
SAG2009	88	conserved hypothetical protein
SAG2010	157	hypothetical protein
SAG2011	160	conserved hypothetical protein
SAG2012	90	hypothetical protein
SAG2013	189	hypothetical protein
SAG2014	449	hypothetical protein
SAG2015	99	transcriptional regulator, Cro/CI family
SAG2016	125	hypothetical protein
SAG2017	429	transcriptional regulator, Cro/CI family
SAG2018	553	FtsK/SpoIIIE family protein
SAG2019	153	hypothetical protein
SAG2020	98	hypothetical protein
SAG2021	826	cell wall surface anchor family protein
SAG2022	417	transposase, ISL3 family
SAG2023	546	mercuric reductase
SAG2024	130	mercuric resistance operon regulatory protein MerR
SAG2025	522	Mn2+/Fe2+ transporter, NRAMP family
SAG2026	240	membrane protein, putative
SAG2027	205	ABC transporter, ATP-binding protein
SAG2028	36	conserved hypothetical protein
SAG2029	284	streptomycin resistance protein
SAG2030	130	hypothetical protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG2031	202	hypothetical protein
SAG2032	111	conserved hypothetical protein
SAG2033	162	acetyltransferase, GNAT family
SAG2034	247	membrane protein, putative
SAG2035	300	ABC transporter, ATP-binding protein
SAG2036	68	hypothetical protein
SAG2037	358	transcriptional regulator, Cro/CI family
SAG2038	204	PAP2 family protein
SAG2039	98	conserved hypothetical protein
SAG2040	186	conserved hypothetical protein TIGR00730
SAG2041	287	protease, putative
SAG2042	100	rhodanese family protein
SAG2043	255	cAMP factor
SAG2044	62	hypothetical protein
SAG2045	179	DNA topology modulation protein FlaR, putative
SAG2046	361	glycerol dehydrogenase, putative
SAG2047	235	conserved hypothetical protein
SAG2048	614	5-methyltetrahydrofolate--homocysteine methyltransferase, putative
SAG2049	745	5-methyltetrahydropteroyltriglutamate--homocysteine methyltransferase
SAG2050	107	conserved hypothetical protein
SAG2051	230	branched-chain amino acid transport protein AzlC, putative
SAG2052	41	hypothetical protein
SAG2053	1570	serine protease, subtilase family, putative
SAG2054	228	DNA-binding response regulator
SAG2055	462	sensor histidine kinase
SAG2056	202	chromosome assembly-related protein
SAG2057	833	leucyl-tRNA synthetase
SAG2058	415	major facilitator family protein
SAG2059	281	protein of unknown function
SAG2060	398	glycosyl transferase, family 8
SAG2061	401	glycosyl transferase, family 8
SAG2062	179	transcription antitermination protein NusG
SAG2063	630	pathogenicity protein, putative
SAG2064	57	preprotein translocase, SecE subunit, putative
SAG2065	50	ribosomal protein L33
SAG2066	773	penicillin-binding protein 2A
SAG2067	294	ribosomal large subunit pseudouridine synthase, RluD subfamily
SAG2068	546	conserved hypothetical protein
SAG2069	403	phosphopentomutase
SAG2070	223	deoxyribose-phosphate aldolase
SAG2071	400	Na ⁺ dependent nucleoside transporter
SAG2072	259	uridine phosphorylase
SAG2073	245	transcriptional regulator, GntR family
SAG2074	540	60 kda chaperonin
SAG2075	94	chaperonin, 10 kDa
SAG2076	267	ABC transporter, ATP-binding protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG2077	298	ABC transporter, permease protein
SAG2078	320	protein of unknown function/lipoprotein, putative
SAG2079	265	hydrolase, haloacid dehalogenase-like family
SAG2080	286	glyoxalase family protein
SAG2081	243	conserved hypothetical protein
SAG2082	205	anaerobic ribonucleoside-triphosphate reductase activating protein
SAG2083	163	acetyltransferase, GNAT family
SAG2084	310	virulence factor MviM, putative
SAG2085	47	conserved hypothetical protein
SAG2086	723	anaerobic ribonucleoside-triphosphate reductase
SAG2087	495	membrane protein, putative
SAG2088	40	hypothetical protein
SAG2089	105	conserved hypothetical protein
SAG2090	136	conserved hypothetical protein TIGR00250
SAG2091	88	conserved hypothetical protein
SAG2092	132	conserved hypothetical protein
SAG2093	379	recA protein
SAG2094	NA	competence/damage-inducible protein CinA, authentic frameshift
SAG2095	183	DNA-3-methyladenine glycosylase I
SAG2096	196	Holliday junction DNA helicase RuvA
SAG2097	418	transporter, putative
SAG2098	659	DNA mismatch repair protein HexB
SAG2099	33	hypothetical protein
SAG2100	67	cold shock protein, CSD family
SAG2101	858	DNA mismatch repair protein HexA
SAG2102	145	arginine repressor ArgR, putative
SAG2103	563	arginyl-tRNA synthetase
SAG2104	102	conserved hypothetical protein
SAG2105	290	conserved hypothetical protein
SAG2106	314	conserved hypothetical protein
SAG2107	583	aspartyl-tRNA synthetase
SAG2108	426	histidyl-tRNA synthetase
SAG2109	60	ribosomal protein L32
SAG2110	49	ribosomal protein L33
SAG2111	173	conserved hypothetical protein
SAG2112	494	site-specific recombinase, phage integrase family
SAG2113	82	conserved hypothetical protein
SAG2114	342	conserved hypothetical protein
SAG2115	143	hypothetical protein
SAG2116	151	conserved hypothetical protein
SAG2117	71	hypothetical protein
SAG2118	306	transcriptional regulator, Cro/CI family
SAG2119	373	conserved domain protein
SAG2120	269	hypothetical protein
SAG2121	223	hypothetical protein
SAG2122	223	DNA-binding response regulator
SAG2123	454	sensor histidine kinase
SAG2124	517	membrane protein, putative

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotation
SAG2125	308	carbamate kinase
SAG2126	332	ornithine carbamoyltransferase
SAG2127	431	sensor histidine kinase
SAG2128	277	response regulator
SAG2129	240	amino acid ABC transporter, ATP-binding protein
SAG2130	504	amino acid ABC transporter, amino acid-binding protein/permease protein
SAG2131	847	membrane protein, putative
SAG2132	247	conserved hypothetical protein
SAG2133	118	conserved hypothetical protein
SAG2134	772	membrane protein, putative
SAG2135	179	transcriptional regulator, TetR family, putative
SAG2136	98	conserved hypothetical protein
SAG2137	203	ribosomal protein S4
SAG2138	95	conserved hypothetical protein
SAG2139	451	replicative DNA helicase
SAG2140	150	ribosomal protein L9
SAG2141	660	DHH family protein
SAG2142	613	glucose inhibited division protein A
SAG2143	203	membrane protein, putative
SAG2144	373	tRNA (5-methylaminomethyl-2-thiouridylate)-methyltransferase
SAG2145	222	L-serine dehydratase, iron-sulfur-dependent, beta subunit
SAG2146	290	L-serine dehydratase, iron-sulfur-dependent, alpha subunit
SAG2147	234	protein of unknown function/lipoprotein, putative
SAG2148	179	LysM domain protein
SAG2149	264	cobalt transport family protein
SAG2150	280	ABC transporter, ATP-binding protein
SAG2151	279	ABC transporter, ATP-binding protein
SAG2152	180	CDP-diacylglycerol--glycerol-3-phosphate 3-phosphatidyltransferase
SAG2153	427	peptidase, M16 family
SAG2154	414	conserved hypothetical protein
SAG2155	117	conserved hypothetical protein
SAG2156	369	recF protein
SAG2157	278	transporter, putative
SAG2158	220	transcriptional regulator, Cro/CI family
SAG2159	493	inosine-5'-monophosphate dehydrogenase
SAG2160	161	transcriptional regulator, ArgR family
SAG2161	226	transcriptional regulator, Crp/Fnr family
SAG2162	234	conserved hypothetical protein
SAG2163	410	arginine deiminase
SAG2164	136	acetyltransferase, GNAT family
SAG2165	337	ornithine carbamoyltransferase
SAG2166	475	arginine/ornithine antiporter
SAG2167	318	carbamate kinase
SAG2168	341	tryptophanyl-tRNA synthetase
SAG2169	230	membrane protein, putative
SAG2170	290	conserved hypothetical protein

Table 1: Complete list of GBS predicted genes

ORF	Size (a.a.)	Annotati n
SAG2171	539	ABC transporter, ATP-binding protein
SAG2172	859	ABC transporter, permease protein, putative
SAG2173	159	conserved hypothetical protein TIGR00246
SAG2174	409	serine protease
SAG2175	257	partitioning protein, ParB family

Table 2

ORF	Size (aa)	Signal Peptide	Sortase motif	Lipo- protein	Other	Western blot	FACS	GBS specific	Annotation
SAG0017	447	+							pcsB
SAG0031	299	+							peptidase, M23/M37 family
SAG0032	434	+				+	+		group B streptococcal surface immunogenic protein
SAG0034	438	+		+		+	+		sugar ABC transporter, sugar-binding protein
SAG0051	126	+				+	+		MORN motif family protein
SAG0079	212				+	+	+		adenylate kinase
SAG0086	85			+				+	lipoprotein, putative
SAG0093	250	+				+	+		D-alanyl-D-alanine carboxypeptidase family protein
SAG0094	191	+							N-acetylmuramoyl-L-alanine amidase, family 4 protein
SAG0108	308	+							conserved hypothetical protein
SAG0114	322	+		+					ribose ABC transporter, periplasmic D-ribose-binding protein
SAG0124	356	+							sensor histidine kinase
SAG0132	294	+				+	+		SPFH domain/Band 7 family protein
SAG0134	96	+						+	hypothetical protein
SAG0146	395	+							penicillin-binding protein 4, putative
SAG0147	411	+							D-alanyl-D-alanine carboxypeptidase family protein
SAG0148	551			+		+	-		oligopeptide ABC transporter, substrate-binding protein, putative
SAG0166	123	+							conserved domain protein
SAG0176	94	+							conserved hypothetical protein
SAG0187	542	+		+		+	+		oligopeptide ABC transporter, oligopeptide-binding protein
SAG0206	60			+				+	lipoprotein, putative
SAG0213	39	+						+	hypothetical protein
SAG0231	135	+							hypothetical protein
SAG0242	308			+		+	-		amino acid ABC transporter, amino acid-binding protein
SAG0245	152			+		+	-	+	protein of unknown function/lipoprotein, putative
SAG0255	315	+							conserved hypothetical protein
SAG0257	53			+				+	lipoprotein, putative
SAG0265	235	+				+	-	+	conserved hypothetical protein
SAG0290	270	+				+	+		ABC transporter, substrate-binding protein
SAG0298	750	+							penicillin-binding protein 1A

Table 2

ORF	Size (aa)	Signal Peptide	Sortase motif	Lipo- protein	Other	Western blot	FACS	GBS specific	Annotation
SAG0306	535	+							KH domain protein
SAG0321	339	+							sensor histidine kinase, putative
SAG0329	106	+							PTS system, cellobiose-specific IIB component
SAG0368	435	+				+	+		protein of unknown function
SAG0371	167	+						+	hypothetical protein
SAG0383	334	+		+		+	-		protein of unknown function/lipoprotein, putative
SAG0392	521	+	+			+	+		cell wall surface anchor family protein
SAG0394	345				+				sensor histidine kinase
SAG0405	347	+		+		+	+		protein of unknown function/lipoprotein, putative
SAG0406	299	+							UTP-glucose-1-phosphate uridylyltransferase
SAG0407	338	+							glycerol-3-phosphate dehydrogenase (NAD(P)+)
SAG0416	1233	+	+			+	+		protease, putative
SAG0421	1055		+			+	-		cell wall surface anchor family protein
SAG0433	1389		+						surface protein Rib
SAG0437	123			+					lipoprotein, putative
SAG0451	149	+		+				+	bacteriocin transport accessory protein, putative
SAG0455	357	+							conserved hypothetical protein
SAG0472	126	+				+	-		rhodanese-like family protein
SAG0482	84	+							YGGT family protein
SAG0499	275				+				hemolysin A
SAG0503	279	+				+	+		lipase/acylhydrolase
SAG0504	200	+							conserved hypothetical protein
SAG0506	65	+						+	hypothetical protein
SAG0521	236	+							carboxymethylenebutenolidase-related protein
SAG0535	506	+				+	+		zinc ABC transporter, zinc-binding adhesion lipoprotein
SAG0596	670				+				prophage LambdaSal, pblA protein, internal deletion
SAG0603	111				+				conserved hypothetical protein
SAG0604	239				+				prophage LambdaSal, lysin, putative
SAG0617	439				+				sensor histidine kinase VncS
SAG0624	574	+							septation ring formation regulator EzrA, putative
SAG0629	354	+							conserved domain protein
SAG0635	245	+				+	-		acid phosphatase, class B
SAG0638	109	+							cell wall surface anchor family protein, interruption-N

Table 2

ORF	Size (aa)	Signal Peptide	Sortase motif	Lipo- protein	Other	Western blot	FACS	GBS specific	Annotation
SAG0645	554		+			+	+		cell wall surface anchor family protein
SAG0646	307	+	+			+	-		cell wall surface anchor family protein
SAG0647	305	+							sortase family protein
SAG0649	890		+			+	+		cell wall surface anchor family protein, putative
SAG0658	383	+		+					lipoprotein, putative
SAG0675	171	+							putative secreted protein
SAG0676	885				+				proteinase, putative
SAG0677	1062		+						hypothetical protein
SAG0679	343	+		+		+	-		protein of unknown function
SAG0680	339	+				+	-		protein of unknown function
SAG0681	353	+							conserved domain protein
SAG0686	261	+				+	+		DNA-entry nuclease, putative
SAG0714	188	+						+	conserved hypothetical protein
SAG0717	266	+				+	+		amino acid ABC transporter, amino acid-binding protein
SAG0720	449				+				sensory box histidine kinase
SAG0738	132	+							conserved hypothetical protein
SAG0739	143	+							conserved hypothetical protein
SAG0742	428				+	+	+		peptidase, U32 family
SAG0755	282	+							peptidase, U32 family
SAG0757	129	+		+		+	-		protein of unknown function/lipoprotein, putative
SAG0764	230				+	+	+		phosphoglycerate mutase family protein
SAG0765	681	+							penicillin-binding protein 2b
SAG0771	512	+	+			+	+	+	cell wall surface anchor family protein
SAG0776	276	+		+					YacC family protein, putative
SAG0777	528				+	+	+		ATP-dependent RNA helicase, DEAD/DEAH box family
SAG0785	330	+							conserved hypothetical protein
SAG0808	309	+		+		+	+		protease maturation protein, putative
SAG0824	417	+							polysaccharide deacetylase family protein
SAG0832	753	+				+	+		protein of unknown function
SAG0833	181	+						+	hypothetical protein
SAG0867	63	+							conserved hypothetical protein
SAG0868	285	+				+	-		DNA-entry nuclease
SAG0886	319	+				+	+		protein of unknown function

Table 2

ORF	Size (aa)	Signal Peptide	Sortase motif	Lipo- protein	Other	Western blot	FACS	GBS specific	Annotation
SAG0904	56	+						+	hypothetical protein
SAG0907	877	+		+		+	-		protein of unknown function/lipoprotein, putative
SAG0926	333	+							Tn916, NLP/P60 family protein
SAG0942	185	+				+	+		signal peptidase I, putative
SAG0949	276	+		+		+	+		amino acid ABC transporter, amino acid-binding protein
SAG0954	349			+		+	-		protein of unknown function/lipoprotein, putative
SAG0961	247	+				+	-		sortase SrtA
SAG0963	320	+							conserved hypothetical protein
SAG0971	282	+		+		+	-		protein of unknown function/lipoprotein, putative
SAG0973	320	+						+	nisin-resistance protein, putative
SAG0977	312				+				sensor histidine kinase
SAG0979	553	+		+		+	-		ABC transporter, substrate-binding protein
SAG0984	437	+							sensor histidine kinase CiaH
SAG0992	286	+		+		+	+		phosphate ABC transporter, phosphate-binding protein
SAG1007	342	+		+		+	-		iron-compound ABC transporter, iron-compound-binding protein
SAG1014	190	+				-	-		conserved hypothetical protein
SAG1018	40			+				+	lipoprotein, putative
SAG1024	183	+		+					lipoprotein, putative
SAG1029	101	+							hypothetical protein
SAG1030	304	+				+	+		protein of unknown function
SAG1037	157	+						+	hypothetical protein
SAG1052	47		+					+	cell wall surface anchor family protein, putative
SAG1072	200	+							conserved hypothetical protein
SAG1094	278				+	+	+		conserved hypothetical protein
SAG1108	357	+				+	-		spermidine/putrescine ABC transporter, spermidine/putrescine-binding prot.
SAG1121	295	+							polysaccharide deacetylase family protein
SAG1126	228	+				+	+		protein of unknown function
SAG1127	446	+						+	conserved domain protein
SAG1130	49	+						+	hypothetical protein
SAG1138	64	+							conserved hypothetical protein
SAG1139	193	+							conserved hypothetical protein

Table 2

ORF	Size (aa)	Signal Peptide	Sortase motif	Lipo- protein	Other	Western blot	FACS	GBS specific	Annotation
SAG1149	207	+		+					lipoprotein, putative
SAG1184	236	+							conserved hypothetical protein
SAG1186	553				+				metallo-beta-lactamase superfamily protein
SAG1189	334	+							conserved hypothetical protein
SAG1190	551				+				adherence and virulence protein A
SAG1197	1072	+							hyaluronidase
SAG1201	367	+							iminodiacetate oxidase, putative
SAG1206	854	+							conserved domain protein
SAG1214	58	+							hypothetical protein
SAG1216	1252		+			+	-		pullulanase, putative
SAG1227	198	+				+	-		protein of unknown function
SAG1233	822	+				+	-		streptococcal histidine triad family protein
SAG1234	306	+		+		+	+		laminin-binding surface protein
SAG1238	202	+							hypothetical protein
SAG1283	1631		+			+	+		agglutinin receptor
SAG1313	56	+							conserved hypothetical protein
SAG1327	409	+							sensor histidine kinase
SAG1331	979	+	+			+	+		R5 protein
SAG1333	690	+	+			+	+		5'-nucleotidase family protein
SAG1350	544	+							surface antigen-related protein
SAG1361	414	+							conserved hypothetical protein
SAG1371	392	+							conserved hypothetical protein
SAG1393	310			+					iron compound ABC transporter, substrate-binding protein
SAG1404	308	+	+			+	-		cell wall surface anchor family protein
SAG1405	294	+			+	+	+		sortase family protein
SAG1406	293	+							sortase family protein
SAG1407	705	+	+			+	+		cell wall surface anchor family protein
SAG1408	901		+						cell wall surface anchor family protein
SAG1419	577			+				+	lipoprotein, putative
SAG1431	268			+					amino acid ABC transporter, amino acid-binding protein
SAG1433	375	+							conserved hypothetical protein
SAG1441	415	+				+	+		maltose/maltodextrin ABC transporter, maltose/maltodextrin-binding protein

Table 2

ORF	Size (aa)	Signal Peptide	Sortase motif	Lipo- protein	Other	Western blot	FACS	GBS specific	Annotation
SAG1462	970		+						cell wall surface anchor family protein
SAG1473	192	+	+					+	cell wall surface anchor family protein
SAG1474	680	+	+						amidase family protein
SAG1483	78	+							preprotein translocase, SecE subunit
SAG1488	195	+				+	+		dephospho-CoA kinase
SAG1491	530	+						+	hypothetical protein
SAG1508	590				+	+	-		67 kDa Myosin-crossreactive streptococcal antigen
SAG1518	538	+		+					peptide ABC transporter, peptide-binding protein
SAG1530	267	+		+		+	-		peptidyl-prolyl cis-trans isomerase, cyclophilin-type
SAG1533	308	+		+		+	-		manganese ABC transporter, manganese-binding adhesin lipoprotein
SAG1544	232	+							gluconate 5-dehydrogenase, putative
SAG1551	67	+						+	hypothetical protein
SAG1552	719	+							conserved hypothetical protein
SAG1553	477	+						+	hypothetical protein
SAG1562	280	+							conserved hypothetical protein
SAG1582	388	+		+		+	-		branched-chain amino acid ABC transporter, amino acid- binding protein
SAG1590	449				+	+	+		potassium uptake protein, Trk family
SAG1601	79	+							conserved hypothetical protein
SAG1610	285			+		+	-		amino acid ABC transporter, substrate-binding protein
SAG1618	1032				+	+	+		Snf2 family protein
SAG1624	501	+							sensor histidine kinase CsrS
SAG1628	184	+							lemA protein
SAG1631	223	+				+	-		potassium uptake protein, Trk family, putative
SAG1641	274	+				+	-		YaeC family protein
SAG1642	277	+		+		+	-		ABC transporter, substrate-binding protein
SAG1683	512	+							immunogenic secreted protein, putative
SAG1706	238	+							conserved hypothetical protein
SAG1745	148	+						+	hypothetical protein
SAG1752	390	+							conserved hypothetical protein TIGR00275
SAG1759	230				+	+	+		protein of unknown function
SAG1762	169	+							conserved hypothetical protein

Table 2

ORF	Size (aa)	Signal Peptide	Sortase motif	Lipo- protein	Other	Western blot	FACS	GBS specific	Annotation
SAG1767	289	+		+					acid phosphatase
SAG1768	336				+	+	+		glyceraldehyde 3-phosphate dehydrogenase
SAG1774	424	+							conserved hypothetical protein
SAG1786	130	+				+	-		protein of unknown function
SAG1787	420	+							ditD protein
SAG1791	395	+							sensor histidine kinase
SAG1822	272	+				+	-		protein of unknown function
SAG1823	418				+	+	+		protein of unknown function
SAG1837	468				+				prophage LambdaSa2, lysin, putative
SAG1838	109	+							prophage LambdaSa2, holin, putative
SAG1839	136	+							conserved hypothetical protein
SAG1842	1224				+				prophage LambdaSa2, PblB, putative
SAG1912	194	+							N-acetylmuramoyl-L-alanine amidase, family 4 protein
SAG1921	508	+							sensor histidine kinase
SAG1932	816	+							neuraminidase-related protein
SAG1938	307	+		+		+	-		adhesion lipoprotein
SAG1941	800	+	+			+	-		2',3'-cyclic-nucleotide 2'-phosphodiesterase
SAG1945	345	+							iron ABC transporter, iron-binding protein
SAG1947	549				+				conserved hypothetical protein
SAG1960	551				+	+	+		sensor histidine kinase
SAG1966	293			+		+	-		hemolysin precursor, putative
SAG1996	263	+	+						cell wall surface anchor family protein, putative
SAG1997	182	+							hypothetical protein
SAG1998	457	+							hypothetical protein
SAG2021	826		+						cell wall surface anchor family protein
SAG2043	255	+							cAMP factor
SAG2053	1570	+	+						serine protease, subtilase family, putative
SAG2055	462				+				sensor histidine kinase
SAG2056	202	+						+	chromosome assembly-related protein
SAG2063	630	+	+						pathogenicity protein, putative
SAG2078	320	+		+		+	-		protein of unknown function/lipoprotein, putative
SAG2094		+				+	+		competence/damage-inducible protein CmA, authentic frameshift

Table 2

ORF	Size (aa)	Signal Peptide	Sortase motif	Lipo- protein	Other	Western blot	FACS	GBS specific	Annotation
SAG2121	223	+						+	hypothetical protein
SAG2123	454	+							sensor histidine kinase
SAG2141	660	+				+	-		DHH family protein
SAG2147	234	+		+		+	+		protein of unknown function/lipoprotein, putative
SAG2148	179	+							LysM domain protein
SAG2174	409	+							serine protease
SAG0013	428	+				+	-		protein of unknown function

Table 3

ORF	Annotation
SAG0038	conserved hypothetical protein
SAG0048	transcriptional regulator Cro/CI family
SAG0091	transcriptional regulator ComX1 putative
SAG0137	conserved hypothetical protein
SAG0686	DNA-entry nuclease putative
SAG0770	membrane protein putative
SAG0868	DNA-entry nuclease
SAG1143	conserved hypothetical protein
SAG1233	streptococcal histidine triad family protein
SAG1596	integrase/recombinase phage integrase family
SAG1616	conserved hypothetical protein
SAG1721	conserved hypothetical protein.

Table 4: Probable recently duplicated genes

Probable recently duplicated genes are indicated on the same line and are separated by a semicolon.

SAG0148 oligopeptide ABC transporter, substrate-binding protein, putative; SAG0979 ABC transporter, substrate-binding protein
SAG0151 oligopeptide ABC transporter, ATP-binding protein; SAG1515 peptide ABC transporter, ATP-binding protein
SAG0195 IS1548, transposase; SAG0693 IS1548, transposase; SAG0760 IS1548, transposase; SAG0945 IS1548, transposase; SAG1584 IS1548, transposase; SAG1619 IS1548, transposase
SAG0230 conserved hypothetical protein; SAG1039 conserved hypothetical protein
SAG0233 hypothetical protein; SAG1785 hypothetical protein
SAG0261 IS1381, transposase OrfB; SAG0542 IS1381, transposase OrfA; SAG0543 IS1381, transposase OrfB; SAG0966 IS1381, transposase OrfB; SAG1457 IS1381, transposase OrfB; SAG1550 IS1381, transposase OrfB; SAG2002 IS1381, transposase OrfB
SAG0262 IS1381, transposase OrfA; SAG0965 IS1381, transposase OrfA; SAG1549 IS1381, transposase OrfA; SAG1458 IS1381, transposase OrfA; SAG2003 IS1381, transposase OrfA
SAG0383 protein of unknown function/lipoprotein, putative; SAG0785 conserved hypothetical protein
SAG0405 protein of unknown function/lipoprotein, putative; SAG0954 protein of unknown function/lipoprotein, putative
SAG0417 glycosyl transferase, group 2 family protein; SAG1422 glycosyl transferase, group 2 family protein
SAG0429 oxidoreductase, aldo/keto reductase family; SAG1476 oxidoreductase, aldo/keto reductase family

Table 4: Probable recently duplicated genes

SAG0432	transcriptional regulator, AraC family; SAG0644 transcriptional regulator, AraC family
SAG0434	transposase, IS256 family, truncation; SAG0448 transposase, IS256 family
SAG0438	bacteriophage L54a, integrase, truncation; SAG1986 site-specific recombinase, phage integrase family; SAG1989 hypothetical protein; SAG1993 site-specific recombinase, phage integrase family; SAG2115 hypothetical protein
SAG0442	acetyltransferase, GNAT family; SAG0443 acetyltransferase, GNAT family
SAG0447	magnesium transporter, CorA family; SAG0875 magnesium transporter, CorA family, putative
SAG0508	beta-lactam resistance factor; SAG1349 beta-lactam resistance factor
SAG0566	prophage LambdaSa1, single-strand binding protein; SAG1713 single-strand binding protein; SAG1863 prophage LambdaSa2, single-strand binding protein
SAG0603	conserved hypothetical protein; SAG1838 prophage LambdaSa2, holin, putative
SAG0604	prophage LambdaSa1, lysin, putative; SAG1837 prophage LambdaSa2, lysin, putative
SAG0618	transposase OrfB, IS3 family, truncation; SAG0639 transposase OrfB, IS3 family; SAG1232 transposase OrfB, IS3 family, truncation; SAG1242 transposase OrfB, IS3 family, truncation
SAG0640	transposase OrfA, IS3 family; SAG1241 transposase OrfA, IS3 family
SAG0646	cell wall surface anchor family protein; SAG1404 cell wall surface anchor family protein

Table 4: Probable recently duplicated genes

SAG0647 sortase family protein; SAG0648 sortase family protein; SAG0650 sortase family protein
SAG0649 cell wall surface anchor family protein, putative; SAG1408 cell wall surface anchor family protein
SAG0676 proteinase, putative; SAG2053 serine protease, subtilase family, putative
SAG0679 protein of unknown function; SAG0680 protein of unknown function; SAG0681 conserved domain protein
SAG1002 protease, putative; SAG1465 protease, putative
SAG1025 hypothetical protein; SAG1033 FtsK/SpoIIIE family protein
SAG1067 IS861, transposase OrfA; SAG1526 IS861, transposase OrfA
SAG1068 IS861, transposase OrfB; SAG1256 IS861, transposase OrfB, truncation; SAG1527 IS861, transposase OrfB
SAG1140 conserved hypothetical protein; SAG1141 conserved hypothetical protein
SAG1164 glycosyl transferase CpsJ(V); SAG1165 glycosyl transferase CpsO(V)
SAG1182 phosphopentomutase; SAG2069 phosphopentomutase
SAG1225 conserved hypothetical protein; SAG1540 conserved hypothetical protein
SAG1228 ISSdy1, transposase OrfA; SAG1243 ISSdy1, transposase OrfA
SAG1229 ISSdy1, transposase OrfB; SAG1244 ISSdy1, transposase OrfB
SAG1253 transposase, ISL3 family; SAG2022 transposase, ISL3 family

Table 4: Probable recently duplicated genes

SAG1254 mercuric reductase; SAG2023 mercuric reductase	
SAG1255 mercuric resistance operon regulatory protein MerR; SAG2024 mercuric resistance operon regulatory protein MerR	
SAG1259 conserved hypothetical protein; SAG1272 conserved hypothetical protein	
SAG1283 agglutinin receptor; SAG2021 cell wall surface anchor family protein	
SAG1297 C-5 cytosine-specific DNA methylase; SAG1869 prophage LambdaSa2, type II DNA modification methyltransferase, putative	
SAG1405 sortase family protein; SAG1406 sortase family protein	
SAG1414 glycosyl transferase, group 2 family protein; SAG1415 glycosyl transferase, group 2 family protein	
SAG1456 glycosyl transferase, family 8, degenerate; SAG2060 glycosyl transferase, family 8	
SAG1521 transposase, IS30 family, putative; SAG1576 transposase, IS30 family, putative, truncation; SAG1795 transposase, IS30 family, putative	
SAG1655 transcriptional regulator, MerR family; SAG1972 transcriptional regulator, MerR family	
SAG1979 membrane protein, putative; SAG2034 membrane protein, putative	
SAG1980 ABC transporter, ATP-binding protein; SAG2035 ABC transporter, ATP-binding protein	
SAG1982 transcriptional regulator, Cro/CI family; SAG2037 transcriptional regulator, Cro/CI family	
SAG1983 conserved hypothetical protein; SAG2039 conserved hypothetical protein	

Table 4: Probable recently duplicated genes

SAG1984 conserved hypothetical protein TIGR00730; SAG2040 conserved hypothetical protein TIGR00730

SAG1988 conserved hypothetical protein; SAG2114 conserved hypothetical protein

Table 5

Strain	Source	Capsular serotype	Reference
090	Lancefield	Ia	
515	Houston	Ia	(1)
A909	Lancefield	Ia	(2)
Davis	Channing	Ia	
DK1	Houston	Ia	
DK8	Houston	Ia	
H36b	Lancefield	Ib	(2)
(S7) 7357b	Channing	Ib	(3)
18RS21	Lancefield	II	(4)
DK21	Houston	II	
COH1	Seattle	III	(5)
COH31	Seattle	III	(6)
D136C	Lancefield	III	(4)
M781	Houston	III	(7)
M732	Houston	III	(8)
1169NT1	Atlanta	V	(9)
2603V/R	Italy	V	This study
CJB111	Houston	V	(10)
JM9130013	Japan	VIII	(11)
SMU014	Japan	VIII	(11)
CJB110	Houston	Nontypeable	(12)

Table 5

1. Wessels, M. R., Paoletti, L. C., Rodewald, A. K., Michon, F., DiFabio, J., Jennings, H. J. & Kasper, D. L. (1993) *Infect Immun* **61**, 4760-6.
2. Wilkinson, H. W. & Eagon, R. G. (1971) *Infect Immun* **4**, 596-604.
3. Madoff, L. C., Michel, J. L., Gong, E. W., Rodewald, A. K. & Kasper, D. L. (1992) *Infect Immun* **60**, 4989-94.
4. Lancefield, R. C. (1975) in *New approaches for inducing natural immunity to pyogenic organisms* ed. Robbins, J. E. A. (National Institutes of Health, Bethesda, MD), pp. 145-151.
5. Wessels, M. R., Benedi, V.-J., Kasper, D. L., Heggen, L. M. & Rubens, C. E. (1991) in *Genetics and molecular biology of streptococci, lactococci, and enterococci* eds. Dunne, G. M., Cleary, P. P. & McKay, L. L. (American society for microbiology, Washington, DC), pp. 219-223.
6. Rubens, C. E., Wessels, M. R., Heggen, L. M. & Kasper, D. L. (1987) *Proc. Natl. Acad. Sci. USA* **84**, 7208-12.
7. Wessels, M. R., Paoletti, L. C., Kasper, D. L., DiFabio, J. L., Michon, F., Holme, K. & Jennings, H. J. (1990) *J Clin Invest* **86**, 1428-33.
8. Edwards, M. S., Wessels, M. R. & Baker, C. J. (1993) *Infect Immun* **61**, 2866-71.
9. Wilkinson, H. W. (1977) *J Clin Microbiol* **6**, 183-4.
10. Wessels, M. R., Paoletti, L. C., Pinel, J. & Kasper, D. L. (1995) *J Infect Dis* **171**, 879-84.
11. Lachenauer, C. S., Kasper, D. L., Shimada, J., Iciman, Y., Ohtsuka, H., Kaku, M., Paoletti, L. C. & Madoff, L. C. (1997) in *ICAAC*, pp. K-80.
12. Lachenauer, C. S., Creti, R., Michel, J. L. & Madoff, L. C. (2000) *Proc Natl Acad Sci USA* **97**, 9630-5.

Table 6

Cluster 1

SAG0230	conserved hypothetical protein
SAG0231	hypothetical protein
SAG0232	hypothetical protein
SAG0233	hypothetical protein
SAG0234	hypothetical protein
SAG0235	hypothetical protein

Cluster 2

SAG0222	conserved domain protein
SAG0223	conserved hypothetical protein, fusion
SAG0225	hypothetical protein
SAG0226	recombination protein
SAG0227	hypothetical protein
SAG0228	conserved hypothetical protein
SAG0229	conserved hypothetical protein

Cluster 3

SAG0634	hypothetical protein
SAG0635	acid phosphatase, class B
SAG0636	conserved hypothetical protein
SAG0638	cell wall surface anchor family protein, interruption-N
SAG0640	transposase OrfA, IS3 family

Table 6

SAG0642	hypothetical protein
SAG0643	chaperonin, 33 kDa, degenerate
SAG0644	transcriptional regulator, AraC family
SAG0645	cell wall surface anchor family protein
SAG0646	cell wall surface anchor family protein
SAG0647	sortase family protein
SAG0648	sortase family protein
SAG0649	cell wall surface anchor family protein, putative
SAG0650	sortase family protein
SAG0651	protein of unknown function

Cluster 4

SAG1898	PTS system, IID component
SAG1899	PTS system, IIC component
SAG1900	PTS system, IIB component
SAG1901	glucuronyl hydrolase
SAG1902	PTS system, IIA component
SAG1905	conserved hypothetical protein
SAG1906	carbohydrate kinase, PfkB family

Cluster 5

SAG0247	hypothetical protein
SAG0248	hypothetical protein

Table 6

SAG0249	hypothetical protein
SAG0674	hypothetical protein
SAG0675	putative secreted protein
SAG0676	proteinase, putative
SAG0677	hypothetical protein
SAG0680	protein of unknown function
SAG0681	conserved domain protein
SAG0684	ABC transporter, ATP-binding protein
SAG1698	conserved hypothetical protein

Cluster 6

SAG0261	IS1381, transposase OrfB
SAG0262	IS1381, transposase OrfA
SAG0965	IS1381, transposase OrfA
SAG0966	IS1381, transposase OrfB
SAG2002	IS1381, transposase OrfB

Cluster 7

SAG1027	conserved hypothetical protein
SAG1028	hypothetical protein
SAG1029	hypothetical protein
SAG1030	protein of unknown function
SAG1031	conserved domain protein

Table 6

SAG1032 conserved hypothetical protein

Cluster 8

SAG1253 transposase, ISL3 family

SAG1254 mercuric reductase

SAG1255 mercuric resistance operon regulatory protein MerR

SAG2022 transposase, ISL3 family

SAG2023 mercuric reductase

SAG2024 mercuric resistance operon regulatory protein MerR

Cluster 9

SAG1993 site-specific recombinase, phage integrase family

SAG1994 conserved hypothetical protein

SAG1995 hypothetical protein

SAG1996 cell wall surface anchor family protein, putative

SAG1997 hypothetical protein

SAG1998 hypothetical protein

SAG2000 membrane protein, putative

SAG2001 conjugal transfer protein, interruption-C

SAG2007 conserved hypothetical protein

SAG2008 conserved hypothetical protein

SAG2009 conserved hypothetical protein

SAG2010 hypothetical protein

Table 6

SAG2011	conserved hypothetical protein
SAG2012	hypothetical protein
SAG2016	hypothetical protein
SAG2017	transcriptional regulator, Cro/CI family
SAG2025	Mn²⁺/Fe²⁺ transporter, NRAMP family
Cluster 10	
SAG1039	conserved hypothetical protein
SAG1447	conserved hypothetical protein
SAG1448	glycosyl transferase, group 1 family protein
SAG1449	preprotein translocase SecA subunit, putative
SAG1450	conserved domain protein
SAG1452	conserved hypothetical protein
SAG1453	preprotein translocase SecY family protein
SAG1454	glycosyl transferase, putative
SAG1455	glycosyl transferase, group 2 family protein
SAG1456	glycosyl transferase, family 8, degenerate
SAG1459	glycosyl transferase family 8
SAG1460	glycosyl transferase, family 8
SAG1461	conserved hypothetical protein
SAG1462	cell wall surface anchor family protein
SAG1463	transcriptional regulator, RofA family, authentic point mutation
SAG1469	conserved hypothetical protein

Table 6

SAG1471	conserved hypothetical protein
SAG1933	PTS system, IIC component, putative

Cluster 11

SAG0009	hypothetical protein
SAG0120	hypothetical protein
SAG0157	deoxyribonuclease-related protein, degenerate
SAG0186	hypothetical protein
SAG0216	hypothetical protein
SAG0236	hypothetical protein
SAG0307	hypothetical protein
SAG0308	ABC transporter, ATP-binding protein
SAG0311	DNA-binding response regulator, authentic point mutation
SAG0518	peptide chain release factor 2, programmed frameshift
SAG0553	hypothetical protein
SAG0555	prophage LambdaSa1, antirepressor, putative
SAG0564	conserved hypothetical protein
SAG0579	conserved hypothetical protein
SAG0580	conserved hypothetical protein, truncation
SAG0611	transposase, degenerate
SAG0637	transcriptional regulator, TetR family, putative, authentic frameshift
SAG0641	Tn5252, Orf 10 protein, degenerate
SAG0652	Tn5252, Orf 28 protein, degenerate

Table 6

SAG0655	conserved hypothetical protein
SAG0678	endopeptidase O, degenerate
SAG0683	transmembrane protein Vexp3, putative, degenerate
SAG0855	glycogen biosynthesis protein GlgD, authentic frameshift
SAG0898	hypothetical protein
SAG0899	hypothetical protein
SAG0901	hypothetical protein
SAG0902	hypothetical protein
SAG0903	hypothetical protein
SAG0917	Tn916, hypothetical protein
SAG0920	Tn916, hypothetical protein
SAG0922	Tn916, hypothetical protein
SAG0924	Tn916, tetM leader peptide
SAG0928	Tn916, hypothetical protein, authentic frameshift
SAG0936	Tn916, hypothetical protein
SAG0943	hypothetical protein
SAG0972	conserved hypothetical protein, authentic frameshift
SAG1023	hypothetical protein
SAG1080	hypothetical protein
SAG1123	hypothetical protein
SAG1129	hypothetical protein
SAG1136	conserved hypothetical protein
SAG1217	conserved hypothetical protein, authentic frameshift

Table 6

SAG1231	transposase OrfB, IS3 family, degenerate
SAG1242	transposase OrfB, IS3 family, truncation
SAG1309	hypothetical protein
SAG1331	R5 protein
SAG1437	hypothetical protein
SAG1445	MutT/nudix family protein, authentic frameshift
SAG1484	ribosomal protein L33
SAG1493	hypothetical protein
SAG1539	hypothetical protein
SAG1543	conserved hypothetical protein, authentic frameshift
SAG1560	hypothetical protein
SAG1568	phosphoserine aminotransferase, authentic frameshift
SAG1570	conserved hypothetical protein
SAG1601	conserved hypothetical protein
SAG1644	hypothetical protein
SAG1646	hypothetical protein
SAG1699	hypothetical protein
SAG1705	peptidase, M24 family, authentic point mutation
SAG1708	hypothetical protein
SAG1857	prophage LambdaSa2, HNH endonuclease family protein
SAG1864	hypothetical protein
SAG1868	hypothetical protein

Table 6

SAG1869	prophage LambdaSa2, type II DNA modification methyltransferase, putative
SAG1872	hypothetical protein
SAG1874	hypothetical protein
SAG1876	prophage LambdaSa2, HNH endonuclease family protein
SAG1878	conserved domain protein
SAG1881	hypothetical protein
SAG1883	conserved hypothetical protein
SAG1886	hypothetical protein
SAG1903	hypothetical protein
SAG1937	streptococcal histidine triad family protein, degenerate
SAG1971	hypothetical protein
SAG1979	membrane protein, putative
SAG1980	ABC transporter, ATP-binding protein
SAG1981	hypothetical protein
SAG1982	transcriptional regulator, Cro/CI family
SAG1983	conserved hypothetical protein
SAG1984	conserved hypothetical protein TIGR00730
SAG1985	hypothetical protein
SAG1991	transcriptional regulator, Cro/CI family
SAG1992	protein of unknown function
SAG1999	hypothetical protein
SAG2004	conjugal transfer protein, interruption-N

Table 6

SAG2039	conserved hypothetical protein
SAG2044	hypothetical protein
SAG2052	hypothetical protein
SAG2065	ribosomal protein L33
SAG2094	competence/damage-inducible protein CinA, authentic frameshift
SAG2099	hypothetical protein

Cluster 12

SAG1164	glycosyl transferase CpsJ(V)
SAG1165	glycosyl transferase CpsO(V)
SAG1166	glycosyl transferase CpsN(V)
SAG1167	polysaccharide biosynthesis protein CpsM(V)
SAG1168	polysaccharide biosynthesis protein cpsH(V)

Cluster 13

SAG0581	conserved hypothetical protein
SAG0582	conserved hypothetical protein
SAG0583	conserved hypothetical protein
SAG0585	conserved hypothetical protein
SAG0586	conserved hypothetical protein
SAG0587	prophage LambdaSa1, structural protein, putative
SAG0588	conserved hypothetical protein
SAG0589	conserved hypothetical protein

Table 6

SAG0590	conserved hypothetical protein
SAG0591	conserved hypothetical protein
SAG0593	prophage LambdaSa1, structural protein
SAG0594	conserved hypothetical protein
SAG0595	conserved hypothetical protein
SAG0596	prophage LambdaSa1, pblA protein, internal deletion

Cluster 14

SAG0915	Tn916, transposase
SAG0918	Tn916, hypothetical protein
SAG0919	Tn916, hypothetical protein
SAG0921	Tn916, transcriptional regulator, putative
SAG0925	Tn916, hypothetical protein
SAG0926	Tn916, NLP/P60 family protein
SAG0927	membrane protein, putative
SAG0929	Tn916, hypothetical protein
SAG0930	Tn916, hypothetical protein
SAG0931	Tn916, hypothetical protein
SAG0932	Tn916, transcriptional regulator, putative
SAG0933	Tn916, FtsK/SpoIIIE family protein
SAG0934	Tn916, hypothetical protein
SAG0935	Tn916, hypothetical protein
SAG0937	ABC transporter, ATP-binding protein, authentic frameshift

Table 6**Cluster 15**

SAG1835	conserved hypothetical protein
SAG1837	prophage LambdaSa2, lysin, putative
SAG1839	conserved hypothetical protein
SAG1840	hypothetical protein
SAG1842	prophage LambdaSa2, PblB, putative
SAG1843	conserved hypothetical protein
SAG1844	conserved hypothetical protein
SAG1849	hypothetical protein
SAG1851	conserved domain protein
SAG1852	conserved domain protein
SAG1853	prophage LambdaSa2, protease, putative
SAG1854	conserved hypothetical protein
SAG1855	prophage LambdaSa2, terminase large subunit, putative
SAG1856	hypothetical protein
SAG1858	hypothetical protein
SAG1859	prophage LambdaSa2, site-specific recombinase, phage integrase family
SAG1860	conserved hypothetical protein
SAG1861	prophage LambdaSa2, transcriptional regulator, Cro/CI family
SAG1862	hypothetical protein
SAG1863	prophage LambdaSa2, single-strand binding protein
SAG1865	conserved hypothetical protein

Table 6

SAG1866	conserved hypothetical protein
SAG1867	conserved hypothetical protein
SAG1870	prophage LambdaSa2, DNA replication protein DnaC, putative
SAG1871	prophage LambdaSa2, bacteriophage replication protein/hypothetical protein, truncation/fusion
SAG1873	prophage LambdaSa2, replicative DNA helicase
SAG1877	prophage LambdaSa2, antirepressor protein, putative
SAG1879	hypothetical protein
SAG1882	prophage LambdaSa2, repressor protein, putative
SAG1884	hypothetical protein
SAG1885	prophage LambdaSa2, site-specific recombinase, phage integrase family

Cluster 16

SAG1247	site-specific recombinase, phage integrase family
SAG1250	Tn5252, relaxase
SAG1251	Tn5252, Orf 9 protein
SAG1252	Tn5252, Orf 10 protein
SAG1256	IS861, transposase OrfB, truncation
SAG1257	cation-transporting ATPase, E1-E2 family
SAG1258	cadmium efflux system accessory protein
SAG1259	conserved hypothetical protein
SAG1260	hypothetical protein
SAG1261	conserved hypothetical protein

Table 6

SAG1262	cation-transporting ATPase, E1-E2 family
SAG1263	conserved domain protein, authentic frameshift
SAG1264	transcriptional repressor CopY, putative
SAG1265	cadmium resistance transporter, putative
SAG1266	hypothetical protein
SAG1267	hypothetical protein
SAG1268	repressor protein, putative
SAG1270	ImpB/MucB/SamB family protein
SAG1271	conserved hypothetical protein
SAG1272	conserved hypothetical protein
SAG1273	conserved hypothetical protein
SAG1274	conserved hypothetical protein
SAG1276	conserved hypothetical protein
SAG1277	hypothetical protein
SAG1278	hypothetical protein
SAG1279	conserved domain protein
SAG1280	SNF2 family protein
SAG1281	hypothetical protein
SAG1283	agglutinin receptor
SAG1284	abortive infection protein AbiGI
SAG1285	abortive infection protein AbiGII
SAG1286	Tn5252, Orf28
SAG1287	Tn5252, Orf26

Table 6

SAG1288	Tn5252, Orf25, degenerate
SAG1289	Tn5252, Orf23
SAG1290	hypothetical protein
SAG1291	Tn5252, Orf 21 protein, internal deletion
SAG1292	hypothetical protein
SAG1293	protease, putative
SAG1294	conserved hypothetical protein
SAG1295	conserved hypothetical protein
SAG1296	conserved hypothetical protein
SAG1297	C-5 cytosine-specific DNA methylase
SAG1299	conserved hypothetical protein
SAG1304	hypothetical protein

Table 7

Locus	Annotation
Housekeeping	
SAG0466	thiolase
SAG0471	glucokinase
SAG0492	amino acid ABC transporter, ATP-binding protein
SAG0767	D-alanine--D-alanine ligase
SAG1086	xanthine phosphoribosyltransferase
SAG1600	glutamate racemase
SAG1680	shikimate 5-dehydrogenase
SAG1723	signal peptidase I
Surface-exposed	
SAG0079	adenylate kinase
SAG0093	D-alanyl-D-alanine carboxypeptidase family protein
SAG0163	competence protein CglA
SAG0290	ABC transporter, substrate-binding protein
SAG0368	protein of unknown function
SAG0503	lipase/acylhydrolase
SAG1473	cell wall surface anchor family protein
SAG1552	conserved hypothetical protein
SAG1641	YaeC family protein
SAG2147	protein of unknown function/lipoprotein, putative
SAG2148	LysM domain protein

Table 8

ORFxxxxx Annotation

ORF00003 PcsB protein (pscB)
ORF00004 ribose-phosphate pyrophosphokinase (prsA)
ORF00005 aminotransferase, class I
ORF00006 recombination protein O
ORF00009 fatty acid/phospholipid synthesis protein PlsX (plsX)
ORF00011 phosphoribosylaminoimidazole-succinocarboxamide synthase (purC)
ORF00012 phosphoribosylformylglycinamide synthase, putative
ORF00013 amidophosphoribosyltransferase (purF)
ORF00014 phosphoribosylformylglycinamide cyclo-ligase (purM)
ORF00015 phosphoribosylglycinamide formyltransferase (purN)
ORF00020 group B streptococcal surface immunogenic protein
ORF00021 N-acetylmannosamine-6-P epimerase, putative
ORF00022 sugar ABC transporter, sugar-binding protein
ORF00023 sugar ABC transporter, permease protein
ORF00024 sugar ABC transporter, permease protein
ORF00026 conserved hypothetical protein
ORF00027 N-acetylneuraminate lyase, putative
ORF00028 expressed ROK family protein
ORF00030 phosphosugar-binding transcriptional regulator, RpiR family, putative
ORF00031 phosphoribosylamine-glycine ligase (purD)
ORF00032 phosphoribosylaminoimidazole carboxylase, catalytic subunit (purE)
ORF00033 phosphoribosylaminoimidazole carboxylase, ATPase subunit (purK)
ORF00036 adenylosuccinate lyase (purB)
ORF00037 transcriptional regulator, Cro/C1 family
ORF00038 Holliday junction DNA helicase RuvB (ruvB)
ORF00039 phosphotyrosine protein phosphatase, low molecular weight
ORF00040 MORN motif family protein
ORF00041 membrane protein, putative
ORF00043 alcohol dehydrogenase, propanol-preferring (adhP)
ORF00045 MATE efflux family protein
ORF00046 ribosomal protein S10 (rpsJ)
ORF00047 ribosomal protein L3 (rplC)
ORF00048 ribosomal protein L4 (rplD)
ORF00049 ribosomal protein L23 (rplW)
ORF00050 ribosomal protein L2 (rplB)
ORF00052 ribosomal protein S19 (rpsS)
ORF00054 ribosomal protein L22 (rplV)
ORF00055 ribosomal protein S3 (rpsC)
ORF00056 ribosomal protein L16 (rplP)
ORF00058 ribosomal protein L29 (rpmC)
ORF00059 ribosomal protein S17 (rpsQ)
ORF00060 ribosomal protein L14 (rplN)
ORF00061 ribosomal protein L24 (rplX)
ORF00063 ribosomal protein L5 (rplE)
ORF00065 ribosomal protein S8 (rpsH)
ORF00066 ribosomal protein L6 (rplF)
ORF00068 ribosomal protein L18 (rplR)
ORF00069 ribosomal protein S5 (rpsE)
ORF00070 ribosomal protein L30 (rpmD)
ORF00071 ribosomal protein L15 (rplO)
ORF00072 preprotein translocase, SecY subunit
ORF00073 adenylate kinase (adk)
ORF00074 translation initiation factor IF-1 (infA)
ORF00075 ribosomal protein L36 (rpmJ)
ORF00077 ribosomal protein S13 (rpsM)

Table 8

ORFxxxxx Annotation

ORF00078	ribosomal protein S11 (rpsK)
ORF00080	DNA-directed RNA polymerase, alpha subunit (rpoA)
ORF00093	transcriptional regulator ComX1, putative
ORF00094	phosphoglycerate mutase family protein
ORF00097	heat-inducible transcription repressor HrcA (hrcA)
ORF00098	heat shock protein GrpE (grpE)
ORF00099	dnaK protein (dnaK)
ORF00100	dnaJ protein (dnaJ)
ORF00101	transcriptional regulator, GntR family
ORF00102	tRNA pseudouridine synthase A (truA)
ORF00103	phosphomethylpyrimidine kinase, putative
ORF00104	conserved hypothetical protein
ORF00105	conserved hypothetical protein
ORF00106	conserved hypothetical protein
ORF00107	trigger factor (tig)
ORF00108	DNA-directed RNA polymerase, delta subunit, putative
ORF00109	CTP synthase (pyrG)
ORF00111	deoxyuridine 5'-triphosphate nucleotidohydrolase (dut)
ORF00113	carbonic anhydrase-related protein
ORF00115	pyridine nucleotide-disulphide oxidoreductase family protein
ORF00116	glutamyl-tRNA synthetase (glx)
ORF00119	ribose ABC transporter, ATP-binding protein (rbsA)
ORF00122	ribose operon repressor RbsR (rbsR)
ORF00125	ABC transporter, ATP-binding protein
ORF00126	DNA-binding response regulator
ORF00128	sensor histidine kinase
ORF00131	fructose-bisphosphate aldolase (fba)
ORF00132	L-2-hydroxyisocaproate dehydrogenase
ORF00133	ribosomal protein L28 (rpmB)
ORF00134	conserved hypothetical protein
ORF00135	DAK2 domain protein
ORF00136	expressed SPFH domain/Band 7 family protein
ORF00141	amino acid ABC transporter, ATP-binding protein
ORF00142	amino acid ABC transporter, amino acid-binding protein/permease protein
ORF00143	conserved hypothetical protein
ORF00145	undecaprenol kinase, putative
ORF00146	negative regulator of competence Meca, putative
ORF00149	ABC transporter, ATP-binding protein
ORF00150	conserved hypothetical protein
ORF00151	selenocysteine lyase (csdB)
ORF00152	NifU family protein
ORF00153	conserved hypothetical protein
ORF00155	D-alanyl-D-alanine carboxypeptidase
ORF00158	oligopeptide ABC transporter, permease protein
ORF00160	oligopeptide ABC transporter, ATP-binding protein
ORF00161	oligopeptide ABC transporter, ATP-binding protein
ORF00167	adc operon repressor AdcR (adcR)
ORF00168	zinc ABC transporter, ATP-binding protein
ORF00169	zinc ABC transporter, permease protein
ORF00172	tyrosyl-tRNA synthetase (tyrS)
ORF00173	penicillin-binding protein 1B, putative
ORF00174	DNA-directed RNA polymerase, beta subunit (rpoB)
ORF00176	DNA-directed RNA polymerase beta' subunit (rpoC)
ORF00178	conserved hypothetical protein
ORF00179	competence protein CglA (cglA)

Table 8

ORFxxxxx Ann tati n

ORF00180 competence protein CglB (cglB)
ORF00181 conserved hypothetical protein
ORF00183 conserved hypothetical protein
ORF00184 acetate kinase (ackA)
ORF00190 pyrroline-5-carboxylate reductase (proC)
ORF00191 glutamyl-aminopeptidase (pepA)
ORF00198 single-strand binding protein (ssb)
ORF00211 PTS system, IIBC components
ORF00212 alpha amylase family protein
ORF00214 transcriptional antiterminator, BglG family
ORF00219 PTS system, IIC component, putative
ORF00224 ribosomal protein S15 (rpsO)
ORF00225 polyribonucleotide nucleotidyltransferase (pnp)
ORF00227 serine O-acetyltransferase (cysE)
ORF00229 cysteinyl-tRNA synthetase (cysS)
ORF00230 conserved hypothetical protein
ORF00231 RNA methyltransferase, TrmH family, group 3
ORF00233 DegV family protein
ORF00236 ribosomal protein L13 (rplM)
ORF00237 ribosomal protein S9 (rpsI)
ORF00261 transcriptional regulator MutR family
ORF00262 transporter, putative
ORF00263 amino acid ABC transporter, permease protein
ORF00264 amino acid ABC transporter, amino acid-binding protein
ORF00265 amino acid ABC transporter, permease protein
ORF00266 amino acid ABC transporter, ATP-binding protein
ORF00295 N-acetylglucosamine-6-phosphate deacetylase (nagA)
ORF00296 conserved hypothetical protein
ORF00297 glycyl-tRNA synthetase, alpha subunit (glyQ)
ORF00299 glycyl-tRNA synthetase, beta subunit (glyS)
ORF00300 conserved hypothetical protein
ORF00302 glycerol kinase (glpK)
ORF00303 alpha-glycerophosphate oxidase
ORF00304 glycerol uptake facilitator protein (glpF)
ORF00306 conserved hypothetical protein
ORF00307 transketolase (tkt)
ORF00309 ABC transporter, ATP-binding protein
ORF00310 membrane protein, putative
ORF00313 PTS system, IIBC components
ORF00314 glutamate 5-kinase (proB)
ORF00315 gamma-glutamyl phosphate reductase (proA)
ORF00316 conserved hypothetical protein TIGR00006
ORF00318 penicillin-binding protein 2X (pbpX)
ORF00319 phospho-N-acetylmuramoyl-pentapeptide-transferase (mraY)
ORF00320 ATP-dependent RNA helicase, DEAD/DEAH box family
ORF00321 ABC transporter, substrate-binding protein
ORF00322 amino acid ABC transporter, permease protein
ORF00323 amino acid ABC transporter, ATP-binding protein
ORF00325 thioredoxin reductase (trxB)
ORF00326 conserved hypothetical protein
ORF00327 NAD synthetase (nadE)
ORF00328 aminopeptidase C (pepC)
ORF00329 penicillin-binding protein 1A (pbp1A)
ORF00330 recombination protein U (recU)
ORF00331 conserved hypothetical protein

Table 8

ORFxxxxx Annotation

ORF00335 conserved hypothetical protein
ORF00336 conserved hypothetical protein
ORF00337 autoinducer-2 production protein LuxS (luxS)
ORF00338 KH domain protein
ORF00348 guanylate kinase (gmk)
ORF00349 DNA-directed RNA polymerase, omega subunit, putative
ORF00350 primosomal protein N' (priA)
ORF00351 methionyl-tRNA formyltransferase (fmt)
ORF00352 Sun protein (sun)
ORF00353 serine/threonine phosphatase, putative
ORF00354 serine/threonine protein kinase
ORF00355 conserved hypothetical protein
ORF00356 sensor histidine kinase, putative
ORF00358 DNA-binding response regulator
ORF00359 hydrolase, haloacid dehalogenase family/peptidyl-prolyl cis-trans isomerase, cyclophilin type
ORF00360 general stress protein, putative
ORF00361 pyruvate formate-lyase-activating enzyme (pflA)
ORF00362 transcriptional regulator, DeoR family
ORF00363 transcriptional regulator, putative
ORF00364 PTS system, cellobiose-specific IIA component (celC)
ORF00366 PTS system, cellobiose-specific IIB component (celA)
ORF00367 PTS system, cellobiose-specific IIC component (celB)
ORF00368 formate acetyltransferase (pflD)
ORF00369 transaldolase family protein
ORF00371 glycerol dehydrogenase (gldA)
ORF00372 cysteine synthase A (cysK)
ORF00373 conserved hypothetical protein TIGR00257
ORF00374 helicase, putative
ORF00375 competence protein F, putative
ORF00376 ribosomal subunit interface protein (yflA)
ORF00385 enoyl-CoA hydratase/isomerase family protein
ORF00386 transcriptional regulator, MarR family
ORF00387 3-oxoacyl-(acyl-carrier-protein) synthase III (fabH)
ORF00388 acyl carrier protein (acpP)
ORF00390 enoyl-(acyl-carrier-protein) reductase II (fabK)
ORF00391 malonyl CoA-acyl carrier protein transacylase (fabD)
ORF00392 3-oxoacyl-[acyl-carrier protein] reductase (fabG)
ORF00393 3-oxoacyl-(acyl-carrier-protein) synthase II (fabF)
ORF00394 acetyl-CoA carboxylase, biotin carboxyl carrier protein (accB)
ORF00395 (3R)-hydroxymyristoyl-(acyl-carrier-protein) dehydratase (fabZ)
ORF00396 acetyl-CoA carboxylase, biotin carboxylase (accC)
ORF00397 acetyl-CoA carboxylase, carboxyl transferase, beta subunit (accD)
ORF00398 acetyl-CoA carboxylase, carboxyl transferase, alpha subunit (accA)
ORF00400 seryl-tRNA synthetase (serS)
ORF00403 conserved hypothetical protein
ORF00404 PTS system, mannose-specific IID component
ORF00405 PTS system, mannose-specific IIC component (manM)
ORF00406 PTS system, mannose-specific IIA components (manL)
ORF00407 hydrolase, haloacid dehalogenase-like family
ORF00410 xanthine/uracil permease family protein
ORF00411 conserved hypothetical protein TIGR00150, putative
ORF00412 acetyltransferase, GNAT family
ORF00413 expressed protein of unknown function
ORF00415 HIT family protein (hit)
ORF00419 ABC transporter, ATP-binding protein

Table 8

ORFxxxxx Annotation

ORF00421 ABC transporter, permease protein
ORF00422 conserved hypothetical protein
ORF00423 conserved hypothetical protein TIGR00091
ORF00424 conserved hypothetical protein, POINT MUTATION
ORF00425 N utilization substance protein A (nusA)
ORF00426 conserved hypothetical protein
ORF00427 ribosomal protein L7A family
ORF00428 translation initiation factor IF-2
ORF00429 ribosome-binding factor A (rbfA)
ORF00432 copper-transporter ATPase CopA
ORF00435 hydrolase, haloacid dehalogenase-like family
ORF00436 DNA polymerase I (polA)
ORF00437 CoA binding domain protein
ORF00440 DNA-binding response regulator
ORF00441 sensor histidine kinase
ORF00443 queuine tRNA-ribosyltransferase (tgt)
ORF00444 conserved hypothetical protein
ORF00449 glucose-6-phosphate isomerase (pgi)
ORF00451 rhomboid family protein
ORF00452 expressed putative lipoprotein
ORF00453 UTP-glucose-1-phosphate uridylyltransferase (galU)
ORF00454 glycerol-3-phosphate dehydrogenase (NAD(P)+) (gpsA)
ORF00455 ribonuclease P protein component (mpA)
ORF00456 SpoIIJ family protein
ORF00458 R3H domain protein
ORF00463 conserved hypothetical protein
ORF00464 RecX protein
ORF00465 RNA methyltransferase, TrmA family
ORF00470 ribonucleoside-diphosphate reductase 2, beta subunit (nrdF)
ORF00472 ribonucleoside-diphosphate reductase 2, alpha subunit (nrdE)
ORF00482 alcohol dehydrogenase, zinc-containing
ORF00483 oxidoreductase, aldo/keto reductase family
ORF00484 cation efflux system protein
ORF00485 transcriptional regulator, TetR family
ORF00496 conserved hypothetical protein
ORF00500 acetyltransferase, GNAT family
ORF00501 conserved hypothetical protein
ORF00502 valyl-tRNA synthetase (valS)
ORF00508 aspartate-ammonia ligase (asnA)
ORF00511 type II DNA modification methyltransferase, putative
ORF00513 phosphopantetheine adenylyltransferase (coaD)
ORF00515 conserved hypothetical protein
ORF00519 conserved hypothetical protein
ORF00520 conserved hypothetical protein TIGR00048
ORF00522 ABC transporter, ATP-binding/permease protein
ORF00523 ABC transporter, ATP-binding/permease protein
ORF00524 anthranilate synthase component II (trpG)
ORF00532 endonuclease III (nth)
ORF00534 conserved hypothetical protein
ORF00535 glucokinase (glk)
ORF00536 expressed prot in with rhodan se domain
ORF00537 elongation factor Tu family protein
ORF00540 UDP-N-acetylmuramoylalanine-D-glutamate ligase (murD)
ORF00541 UDP-N-acetylglucosamine-N-acetylmuramyl-(pentapeptide) pyrophosphoryl-undecaprenol N-acetylglucosamine transferase (murG)

Table 8

ORFxxxxx Annotati n

ORF00542 cell division protein DivIB, putative
ORF00544 cell division protein FtsA (ftsA)
ORF00545 cell division protein FtsZ (ftsZ)
ORF00546 ylmE protein, putative
ORF00547 ylmF protein (ylmF)
ORF00549 ylmH protein (ylmH)
ORF00550 cell division protein DivIVA, putative
ORF00552 isoleucyl-tRNA synthetase (ileS)
ORF00553 conserved hypothetical protein
ORF00554 MutT/nudix family protein
ORF00555 ATP-dependent Clp protease, ATP-binding subunit
ORF00557 conserved hypothetical protein
ORF00558 amino acid ABC transporter, permease protein
ORF00559 amino acid ABC transporter, ATP-binding protein
ORF00560 phosphoglucosyltransferase/phosphomannosyltransferase family protein
ORF00562 methylenetetrahydrofolate dehydrogenase/methylenetetrahydrofolate cyclohydrolase (folD)
ORF00564 exodeoxyribonuclease VII, large subunit (xseA)
ORF00566 geranyltransferase, putative
ORF00567 hemolysin A
ORF00570 DNA repair protein RecN (recN)
ORF00571 expressed DegV family protein
ORF00574 DNA-binding protein HU (hup)
ORF00576 dihydroorotate dehydrogenase A (pyrDA)
ORF00577 beta-lactam resistance factor (fibB)
ORF00578 beta-lactam resistance factor (fibA)
ORF00579 murM protein, putative
ORF00580 hydrolase, haloacid dehalogenase-like family
ORF00581 HD domain protein
ORF00582 conserved hypothetical protein
ORF00583 cation-transporting ATPase, E1-E2 family
ORF00588 cell division ABC transporter, ATP-binding protein FtsE (ftsE)
ORF00589 cell division ABC transporter, permease protein FtsX (ftsX)
ORF00591 metallo-beta-lactamase superfamily protein
ORF00593 DNA polymerase III, epsilon subunit/ATP-dependent helicase DinG
ORF00595 aspartate aminotransferase (aspC)
ORF00596 asparaginyl-tRNA synthetase (asnS)
ORF00601 conserved hypothetical protein
ORF00602 conserved hypothetical protein
ORF00603 conserved hypothetical protein
ORF00605 zinc ABC transporter, zinc-binding adhesion liprotein
ORF00606 ribosomal protein L31 (rpmE)
ORF00607 DHH family protein
ORF00609 flavodoxin
ORF00614 ribosomal protein L19 (rplS)
ORF00640 prophage LambdaSa1, single-strand binding protein (ssb)
ORF00693 DNA-binding response regulator VncR (vncR)
ORF00694 sensor histidine kinase VncS (vncS)
ORF00699 rod shape-determining protein RodA, putative (rodA)
ORF00700 hydrolase, haloacid dehalogenase-like family
ORF00701 DNA gyrase, B subunit (gyrB)
ORF00702 septation ring formation regulator EzrA, putative
ORF00705 conserved hypothetical protein
ORF00706 enolase (eno)
ORF00708 3-phosphoshikimate 1-carboxyvinyltransferase (aroA)
ORF00709 shikimate kinase (aroK)

Table 8

ORFxxxxx Annotation

ORF00710	psr protein
ORF00711	RNA methyltransferase, TrmA family
ORF00729	sortase family protein
ORF00731	sortase family protein
ORF00734	sortase family protein, FRAMESHIFT
ORF00743	ABC transporter, ATP-binding protein
ORF00744	membrane protein
ORF00745	conserved hypothetical protein
ORF00748	cylG protein (cylG)
ORF00776	DNA-entry nuclease, putative
ORF00789	2-keto-3-deoxygluconate kinase
ORF00792	2-dehydro-3-deoxyphosphogluconate aldolase/4-hydroxy-2-oxoglutarate aldolase (eda)
ORF00798	proline dipeptidase (pepQ)
ORF00799	transcriptional regulator, RegM family
ORF00802	glycosyl transferase, group 1 family protein
ORF00803	threonyl-tRNA synthetase (thrS)
ORF00804	DNA-binding response regulator
ORF00808	amino acid ABC transporter, permease protein
ORF00810	amino acid ABC transporter, ATP-binding protein
ORF00811	DNA-binding response regulator
ORF00812	sensory box histidine kinase
ORF00813	metallo-beta-lactamase family protein
ORF00815	ribonuclease III (rnc)
ORF00816	expressed putative chromosome segregation SMC protein
ORF00817	hydrolase, haloacid dehalogenase-like family
ORF00818	hydrolase, haloacid dehalogenase-like family
ORF00819	signal recognition particle-docking protein FtsY (ftsY)
ORF00820	ABC transporter, substrate-binding protein
ORF00821	ABC transporter, permease protein, putative
ORF00824	transcriptional accessory protein Tex, putative
ORF00825	conserved hypothetical protein
ORF00828	HPr(Ser) kinase/phosphatase (hprK)
ORF00830	prolipoprotein diacylglycerol transferase (lgt)
ORF00832	conserved hypothetical protein
ORF00835	peptidase, U32 family, putative
ORF00836	peptidase, U32 family
ORF00837	conserved hypothetical protein
ORF00844	lysyl-tRNA synthetase (lysS)
ORF00846	phosphoglycerate mutase family protein
ORF00847	ebsC family protein, putative
ORF00850	peptidase, U32 family
ORF00855	oligoendopeptidase F, putative
ORF00856	phosphoenolpyruvate carboxylase (ppc)
ORF00859	cell division protein, FtsW/RodA/SpoVE family (ftsW)
ORF00861	translation elongation factor Tu (tuf)
ORF00863	triosephosphate isomerase (tpiA)
ORF00865	phosphoglycerate mutase (gpmA)
ORF00867	recombination protein RecR (recR)
ORF00868	D-alanine-D-alanine ligase
ORF00869	UDP-N-acetylmuramoylalanyl-D-glutamyl-2,6-diaminopimelate-D-alanyl-D-alanyl ligase (murF)
ORF00870	oxalate:formate antiporter
ORF00871	membrane protein, putative
ORF00873	peptide chain release factor 3 (prfC)
ORF00876	ABC transporter, ATP-binding protein
ORF00880	ATP-dependent RNA helicase, DEAD/DEAH box family

Table 8

ORFxxxxx Annotati n

ORF00882 conserved hypothetical protein
ORF00883 conserved hypothetical protein
ORF00884 acyltransferase family protein
ORF00885 competence protein CeiA (ceiA)
ORF00887 DNA internalization-related competence protein ComEC/Rec2
ORF00889 sugar-binding transcriptional regulator, LacI family
ORF00892 DNA polymerase III, delta subunit, putative
ORF00893 superoxide dismutase, Fe-Mn (sodA)
ORF00894 transcriptional antiterminator LicT
ORF00895 PTS system, beta-glucosides-specific IIABC components
ORF00896 6-phospho-beta-glucosidase (bglA)
ORF00899 glycerate kinase 2 (gark)
ORF00904 S-adenosylmethionine:tRNA ribosyltransferase-isomerase (queA)
ORF00906 glucosamine-6-phosphate isomerase (nagB)
ORF00908 ribosomal small subunit pseudouridine synthase
ORF00911 competence protein CeiA (ceiA)
ORF00912 oligoendopeptidase B (pepB)
ORF00914 O-methyltransferase family protein
ORF00916 protease maturation protein, putative
ORF00919 alanyl-tRNA synthetase (alaS)
ORF00925 transcriptional regulator, Cro/Ci family
ORF00928 ribonucleoside-diphosphate reductase 2, beta subunit (nrdF)
ORF00929 ribonucleoside-diphosphate reductase 2, alpha subunit (nrdE)
ORF00930 ribonucleoside-diphosphate reductase 2, NrdH-redoxin (nrdH)
ORF00931 phosphocarrier protein HPr (ptsH)
ORF00932 phosphoenolpyruvate-protein phosphotransferase (ptsI)
ORF00933 glyceraldehyde-3-phosphate dehydrogenase, NADP-dependent (gapN)
ORF00934 polysaccharide deacetylase family protein
ORF00935 ATP-dependent RNA helicase, DEAD/DEAH box family
ORF00936 uridine kinase (udk)
ORF00937 conserved hypothetical protein
ORF00938 DNA polymerase III, gamma and tau subunits (dnaX)
ORF00940 biotin-acetyl-CoA-carboxylase ligase
ORF00941 S-adenosylmethionine synthetase (metK)
ORF00955 UDP-N-acetylglucosamine 1-carboxyvinyltransferase (murA)
ORF00956 acetyltransferase, GNAT family
ORF00957 CBS domain protein
ORF00958 methionine aminopeptidase, type-I (map)
ORF00959 ribonuclease BN, putative
ORF00962 conserved hypothetical protein
ORF00963 DNA ligase, NAD-dependent (ligA)
ORF00964 BmrU protein, putative
ORF00966 pullulanase, putative
ORF00973 ATP synthase F0, A subunit (atpB)
ORF00974 ATP synthase F0, B subunit (atpF)
ORF00975 ATP synthase F1, delta subunit (atpH)
ORF00976 ATP synthase F1, alpha subunit (atpA)
ORF00977 ATP synthase F1, gamma subunit (atpG)
ORF00978 ATP synthase F1, beta subunit (atpD)
ORF00979 ATP synthase F1, epsilon subunit (atpC)
ORF00981 UDP-N-acetylglucosamine 1-carboxyvinyltransferase (murA)
ORF00983 DNA-entry nuclease (endA)
ORF00984 phenylalanyl-tRNA synthetase, alpha subunit (pheS)
ORF00986 phenylalanyl-tRNA synthetase, beta subunit (pheT)
ORF00988 exonuclease RexB (rexB)

Table 8

ORFxxxxx Ann tati n

ORF00989 exonucleas	RexA (rexA)
ORF00991 tRNA modification	GTPase TrmE (trmE)
ORF00992 ABC transporter,	ATP-binding protein
ORF00993 acetoin dehydrogenase,	thymine PPi dependent, E1 component, alpha subunit
ORF00994 acetoin dehydrogenase,	thymine PPi dependent, E1 component, beta subunit
ORF00995 acetoin dehydrogenase,	thymine PPi dependent, E2 component, dihydrolipoamide
ORF00996 acetoin dehydrogenase,	thymine PPi dependent, E3 component, dihydrolipoamide dehydrogenase
ORF00997 lipoate-protein ligase A	(lplA)
ORF00998 cobyric acid synthase,	putative
ORF00999 mur ligase family protein	
ORF01000 conserved hypothetical protein	TIGR00159
ORF01001 expressed protein of unknown function	
ORF01002 phosphoglucomutase/phosphomannomutase family protein	
ORF01005 oxygen-independent coproporphyrinogen III oxidase,	putative
ORF01006 conserved hypothetical protein	
ORF01007 hydrolase, haloacid dehalogenase-like family	
ORF01008 conserved hypothetical protein	
ORF01023 GTP-binding protein	LepA (lepA)
ORF01027 PilB-related protein	
ORF01030 cation-transporting ATPase, E1-E2 family	
ORF01033 conserved hypothetical protein	
ORF01040 Tn916, tetracycline resistance protein (tetM)	
ORF01057 transcriptional regulator, GntR family	
ORF01058 DNA polymerase III, alpha subunit (dnaE)	
ORF01059 6-phosphofructokinase (pfk)	
ORF01060 pyruvate kinase (pyk)	
ORF01063 glucosamine-fructose-6-phosphate aminotransferase (isomerizing) (glmS)	
ORF01066 phnA protein (phnA)	
ORF01068 amino acid ABC transporter, permease protein	
ORF01069 amino acid ABC transporter, ATP-binding protein	
ORF01070 amino acid ABC transporter, amino acid-binding protein	
ORF01072 ribosomal protein S20 (rpsT)	
ORF01073 pantothenate kinase (coaA)	
ORF01074 conserved hypothetical protein	
ORF01075 cytidine deaminase (cdd)	
ORF01076 expressed putative lipoprotein	
ORF01077 sugar ABC transporter, ATP-binding protein	
ORF01078 sugar ABC transporter, permease protein, putative	
ORF01079 sugar ABC transporter, permease protein, putative	
ORF01080 NADH oxidase (nox-2)	
ORF01081 L-lactate dehydrogenase (ldh)	
ORF01082 DNA gyrase, A subunit (gyrA)	
ORF01083 sortase SrtA (srtA)	
ORF01089 GMP synthase (guaA)	
ORF01090 transcriptional regulator, GntR family	
ORF01091 gid protein (gid)	
ORF01093 expressed putative lipoprotein	
ORF01097 ABC transporter, ATP-binding protein	
ORF01099 DNA-binding response regulator	
ORF01101 site-specific recombinase, phage integrase family	
ORF01106 signal recognition particle protein Ffh (ffh)	
ORF01108 conserved hypothetical protein	
ORF01109 sensor histidine kinase CiaH	
ORF01110 DNA-binding response regulator CiaR (ciaR)	
ORF01111 aminopeptidas	N (pepN)

Table 8

ORFxxxxx Annotation

ORF01112 phosphate transport system regulatory protein PhoU (phoU)
ORF01113 phosphate ABC transporter, ATP-binding protein PstB, putative
ORF01114 phosphate ABC transporter, ATP-binding protein PstB, putative
ORF01115 phosphate ABC transporter, permease protein PstA, putative
ORF01116 phosphate ABC transporter, permease protein
ORF01117 phosphate ABC transporter, phosphate-binding protein
ORF01118 NOL1/NOP2/sun family protein
ORF01119 inositol monophosphatase family protein
ORF01120 conserved hypothetical protein
ORF01121 conserved hypothetical protein
ORF01122 macrolide-efflux protein mreA/riboflavin biosynthesis protein RibF
ORF01123 tRNA pseudouridine synthase B (truB)
ORF01125 conserved hypothetical protein
ORF01128 permease, putative
ORF01129 ABC transporter, ATP-binding protein
ORF01131 DNA topoisomerase I (topA)
ORF01132 DprA/SMF protein, putative DNA processing factor (dprA)
ORF01134 iron compound ABC transporter, ATP-binding protein
ORF01137 acetyltransferase, CysE/LacA/LpxA/NodL family
ORF01138 ribonuclease HII (rnhB)
ORF01139 GTP-binding protein
ORF01176 carbamoyl-phosphate synthase, large subunit (carB)
ORF01177 carbamoyl-phosphate synthase, small subunit (carA)
ORF01178 aspartate carbamoyltransferase (pyrB)
ORF01179 dihydroorotase, multifunctional complex type (pyrC)
ORF01180 orotate phosphoribosyltransferase (pyrE)
ORF01181 orotidine 5'-phosphate decarboxylase (pyrF)
ORF01183 ABC transporter, ATP-binding protein
ORF01184 ribonucleotide reductase, truncation
ORF01188 cardiolipin synthetase (cls)
ORF01189 formate-tetrahydrofolate ligase (fhs)
ORF01190 lipoate-protein ligase A (lplA)
ORF01198 flavoprotein-related protein
ORF01199 flavoprotein family protein
ORF01200 membrane protein, putative
ORF01201 phosphoglucomutase (pgm)
ORF01203 IS861, transposase OrfB
ORF01205 ABC transporter, ATP-binding/permease protein
ORF01206 ABC transporter, ATP-binding/permease protein
ORF01207 conserved hypothetical protein
ORF01208 conserved hypothetical protein
ORF01209 Serine hydroxymethyltransferase
ORF01210 Sua5/YciO/YrdC/Ywlc family protein
ORF01211 modification methylase, HemK family
ORF01212 peptide chain release factor 1 (prfA)
ORF01213 thymidine kinases (tdk)
ORF01214 4-oxalocrotonate tautomerase (xylM)
ORF01216 ApbE family protein
ORF01220 xanthine permease (pbuX)
ORF01221 xanthine phosphoribosyltransferase (xpt)
ORF01222 guanosine monophosphate reductase (guaC)
ORF01227 phosphate acetyltransferase
ORF01228 ribosomal large subunit pseudouridine synthase, RluD subfamily
ORF01229 express d protein of unknown function
ORF01230 GTP pyrophosphokinase family protein

Table 8

ORFxxxxx Annotation

ORF01231 conserved hypothetical protein
ORF01232 ribose-phosphate pyrophosphokinase (prsA)
ORF01233 cysteine desulphurase (iscS)
ORF01234 conserved hypothetical protein
ORF01235 conserved hypothetical protein
ORF01236 DNA repair protein RadC (radC)
ORF01238 6-phospho-beta-glucosidase (ascB)
ORF01239 platelet activating factor, putative
ORF01240 hydrolase, haloacid dehalogenase-like family
ORF01242 voltage-gated chloride channel family protein
ORF01243 spermidine/putrescine ABC transporter, spermidine/putrescine-binding protein (potD)
ORF01244 spermidine/putrescine ABC transporter, permease protein (potC)
ORF01245 spermidine/putrescine ABC transporter, permease protein (potB)
ORF01246 spermidine/putrescine ABC transporter, ATP-binding protein (potA)
ORF01247 UDP-N-acetylenolpyruvoylglucosamine reductase (murB)
ORF01248 2-amino-4-hydroxy-6-hydroxymethylidihydropteridine pyrophosphokinase (folK)
ORF01250 dihydropteroate synthase (folP)
ORF01251 GTP cyclohydrolase I (folE)
ORF01252 folypolyglutamate synthase (folC)
ORF01259 aldehyde dehydrogenase family protein
ORF01260 membrane protein
ORF01274 gls24 protein, putative
ORF01276 gls24 protein, putative
ORF01279 conserved hypothetical protein
ORF01282 ATP-dependent DNA helicase PcrA (pcrA)
ORF01283 conserved hypothetical protein, FRAMESHIFT
ORF01284 uracil permease (uraA)
ORF01285 sodium:alanine symporter family protein
ORF01286 cation efflux family protein
ORF01290 ribosomal protein S1 (rpsA)
ORF01292 branched-chain amino acid aminotransferase (ilvE)
ORF01294 DNA topoisomerase IV, A subunit (parC)
ORF01295 DNA topoisomerase IV, B subunit (parE)
ORF01296 membrane protein, putative
ORF01297 uracil-DNA glycosylase (ung)
ORF01317 transcriptional regulator, LysR family, putative
ORF01319 purine nucleoside phosphorylase (deoD)
ORF01321 purine nucleoside phosphorylase (deoD)
ORF01323 phosphopentomutase (deoB)
ORF01324 ribose 5-phosphate isomerase (rpiA)
ORF01327 tributyrin esterase (estA)
ORF01328 metallo-beta-lactamase superfamily protein
ORF01329 ABC transporter, ATP-binding protein
ORF01330 ABC transporter, permease protein
ORF01331 conserved hypothetical protein
ORF01332 adherence and virulence protein A (pavA)
ORF01335 TPR domain protein
ORF01336 membrane protein
ORF01338 mutator MutT protein (mutX)
ORF01339 hyaluronidase
ORF01343 iminodiacetate oxidase, putative
ORF01344 conserved hypothetical protein TIGR00486
ORF01345 conserved hypothetical protein
ORF01346 DNA replication protein Dnad, putative
ORF01347 adenine phosphoribosyltransferase (apt)

Table 8

ORFxxxxx Annotation

ORF01350 single-stranded-DNA-specific xonuclease RecJ (recJ)
ORF01351 oxidoreductase, short chain dehydrogenase/reductase family
ORF01352 metallo-beta-lactamase superfamily protein
ORF01353 conserved hypothetical protein
ORF01354 GTP-binding protein HflX (hflX)
ORF01355 tRNA delta(2)-isopentenylpyrophosphate transferase (miaA)
ORF01357 exfoliative toxin A, putative
ORF01358 pullulanase, putative
ORF01362 conserved hypothetical protein
ORF01363 peptidase, M20/M25/M40 family
ORF01364 nitroreductase family protein
ORF01367 excinuclease ABC, C subunit (uvrC)
ORF01380 streptococcal histidine triad family protein
ORF01381 laminin-binding surface protein (lmb)
ORF01397 Tn5252, relaxase
ORF01403 mercuric reductase (merA)
ORF01406 IS861, transposase OrfB, truncation
ORF01407 cation-transporting ATPase, E1-E2 family
ORF01411 conserved hypothetical protein
ORF01412 cation-transporting ATPase, E1-E2 family
ORF01415 transcriptional repressor CopY, putative
ORF01416 cadmium resistance transporter, putative
ORF01451 C-5 cytosine-specific DNA methylase
ORF01453 conserved hypothetical protein
ORF01455 ribosomal protein L7/L12 (rplL)
ORF01456 ribosomal protein L10 (rplJ)
ORF01458 ATP-dependent Clp protease, ATP-binding subunit
ORF01467 GTP-binding protein (cgpA)
ORF01468 ATP-dependent Clp protease, ATP-binding subunit ClpX (clpX)
ORF01470 dihydrofolate reductase (folA)
ORF01471 thymidylate synthase (thyA)
ORF01472 HMG-CoA synthase
ORF01473 3-hydroxy-3-methylglutaryl-CoA reductase
ORF01474 conserved hypothetical protein
ORF01475 hemolysin III, putative
ORF01476 conserved hypothetical protein TIGR00147
ORF01479 isopentenyl-diphosphate delta-isomerase
ORF01480 phosphomevalonate kinase
ORF01481 diphosphomevalonate decarboxylase (mvaD)
ORF01482 mevalonate kinase, putative
ORF01484 DNA-binding response regulator
ORF01491 polypeptide deformylase, putative
ORF01495 ABC transporter, ATP-binding/permease protein
ORF01496 ABC transporter, ATP-binding/permease protein
ORF01498 ABC transporter, ATP-binding protein
ORF01499 polyA polymerase family protein
ORF01500 DegV family protein
ORF01501 expressed protein of unknown function
ORF01504 PTS system, fructose specific IIBC components
ORF01505 1-phosphofructokinase (fruK)
ORF01506 lactose phosphotransferase system repressor (lacR)
ORF01507 beta-lactam resistance factor
ORF01511 pyridine nucleotide-disulphide oxidoreductase family protein
ORF01512 tRNA (guanine-N1)-methyltransferase (trmD)
ORF01513 16S rRNA processing protein RimM (rimM)

Table 8

ORFxxxxx Annotation

ORF01515 transcriptional regulator, RofA family
ORF01516 KH domain protein
ORF01517 ribosomal protein S16 (rpsP)
ORF01518 permease, putative
ORF01519 ABC transporter, ATP-binding protein
ORF01520 conserved hypothetical protein
ORF01523 carbamoyl-phosphate synthase, small subunit (carA)
ORF01524 pyrimidine operon regulatory protein (pyrR)
ORF01525 ribosomal large subunit pseudouridine synthase, RluD subfamily
ORF01526 lipoprotein signal peptidase (lspA)
ORF01527 transcriptional regulator, LysR family
ORF01528 ribosomal protein L27 (rpmA)
ORF01529 conserved hypothetical protein
ORF01530 ribosomal protein L21 (rplU)
ORF01531 conserved hypothetical protein, FRAMESHIFT
ORF01532 thiamine biosynthesis protein Thil (thil)
ORF01533 cysteine desulphurase (iscS)
ORF01536 glutathione reductase (gor)
ORF01537 conserved hypothetical protein
ORF01538 chorismate synthase (aroC)
ORF01539 3-dehydroquinate synthase (aroB)
ORF01540 3-dehydroquinate dehydratase (aroD)
ORF01541 conserved hypothetical protein
ORF01543 ribosomal protein L20 (rplT)
ORF01544 ribosomal protein L35 (rpmI)
ORF01545 translation initiation factor IF-3 (infC)
ORF01546 cytidylate kinase (cmk)
ORF01548 ferredoxin, 4Fe-4S
ORF01550 peptidase t (pepT)
ORF01551 polysaccharide biosynthesis protein, putative
ORF01552 UDP-N-acetylmuramoylalanyl-D-glutamate--2,6-diaminopimelate ligase (murE)
ORF01553 iron compound ABC transporter, ATP-binding protein (fepC)
ORF01555 iron compound ABC transporter, permease protein
ORF01556 iron compound ABC transporter, permease protein
ORF01558 inorganic pyrophosphatase, manganese-dependent (ppa)
ORF01559 pyruvate formate-lyase-activating enzyme (pflA)
ORF01560 CBS domain protein
ORF01561 conserved hypothetical protein
ORF01564 PAP2 family protein
ORF01565 membrane protein, putative
ORF01567 expressed sortase family protein
ORF01568 sortase family protein
ORF01571 rogB protein FRAMESHIFT (rogB)
ORF01587 conserved hypothetical protein
ORF01589 RNA polymerase sigma-70 factor (rpoD)
ORF01590 DNA primase (dnaG)
ORF01591 large conductance mechanosensitive channel protein (mscL)
ORF01592 ribosomal protein S21 (rpsU)
ORF01594 amino acid ABC transporter, amino acid-binding protein
ORF01598 rhodanese family protein
ORF01602 glycogen phosphorylase (glgP)
ORF01603 4-alpha-glucanotransferase (malQ)
ORF01604 maltose operon repressor MalR, putative
ORF01605 maltose/maltodextrin ABC transporter, maltose/maltodextrin-binding protein
ORF01606 maltose ABC transporter, permease protein

Table 8

ORFxxxxx Ann tati n

ORF01607 maltose ABC transporter, permease protein
ORF01614 preprotein translocase SecA subunit, putative
ORF01619 preprotein translocase SecY family protein
ORF01634 excinuclease ABC, B subunit (uvrB)
ORF01636 glutamine ABC transporter, glutamine-binding protein/permease protein (glnP)
ORF01637 glutamine ABC transporter, ATP-binding protein, GlnQ putative
ORF01640 GTP-binding protein, GTP1/Obg family (obg)
ORF01646 amidase family protein
ORF01647 ribosomal small subunit pseudouridine synthase A (rsuA)
ORF01648 oxidoreductase, aldo/keto reductase family
ORF01651 lactoylglutathione lyase (gloA)
ORF01652 glycosyl transferase, group 2 family protein
ORF01654 SsrA-binding protein (smpB)
ORF01655 exoribonuclease, VacB/Rnb family (vacB)
ORF01657 preprotein translocase, SecG subunit
ORF01658 multi-drug resistance protein
ORF01662 dephospho-CoA kinase
ORF01663 formamidopyrimidine-DNA glycosylase (mutM)
ORF01677 GTP-binding protein Era (era)
ORF01678 diacylglycerol kinase (dgcA)
ORF01679 conserved hypothetical protein TIGR00043
ORF01685 PhoH family protein
ORF01687 conserved hypothetical protein
ORF01689 conserved hypothetical protein
ORF01690 ribosome recycling factor (frr)
ORF01691 uridylate kinase (pyrH)
ORF01693 peptide ABC transporter, ATP-binding protein FRAMESHIFT
ORF01697 ribosomal protein L1 (rplA)
ORF01698 ribosomal protein L11 (rplK)
ORF01706 IS861, transposase OrfB
ORF01707 chorismate binding enzyme
ORF01708 FtsK/SpoIIIE family protein
ORF01709 peptidyl-prolyl cis-trans isomerase, cyclophilin-type
ORF01710 manganese ABC transporter, permease protein
ORF01711 manganese ABC transporter, ATP-binding protein
ORF01712 manganese ABC transporter, manganese-binding adhesion liprotein
ORF01713 iron-dependent transcriptional regulator
ORF01714 5-methylthioadenosine nucleosidase/S-adenosylhomocysteine nucleosidase (pfs)
ORF01716 MutT/nudix family protein
ORF01718 UDP-N-acetylglucosamine pyrophosphorylase (glmU)
ORF01722 oxidoreductase, Gfo/Idh/MocA family
ORF01725 gluconate 5-dehydrogenase, putative
ORF01726 conserved hypothetical protein
ORF01738 branched-chain amino acid transport system II carrier protein (brnQ)
ORF01739 methionyl-tRNA synthetase (metG)
ORF01745 exodeoxyribonuclease (exoA)
ORF01746 conserved hypothetical protein
ORF01752 copper homeostasis protein CutC, putative
ORF01755 tetrapyrrole methylase family protein
ORF01756 conserved hypothetical protein
ORF01758 DNA polymerase III, delta prime subunit, putative
ORF01759 thymidylate kinase (tmk)
ORF01773 ATP-dependent Clp protease, proteolytic subunit ClpP (clpP)
ORF01774 uracil phosphoribosyltransferase (upp)
ORF01777 RNA methyltransferase, TtmH family, group 2

Table 8

ORFxxxxx Ann tati n

ORF01781 conserved hypothetical protein TIGR00278
ORF01782 ribosomal large subunit pseudouridine synthase B (rluB)
ORF01783 conserved hypothetical protein TIGR00281
ORF01784 conserved hypothetical protein
ORF01785 integrase/recombinase, phage integrase family
ORF01786 CBS domain protein
ORF01787 conserved hypothetical protein
ORF01788 HAM1 protein
ORF01789 glutamate racemase (murl)
ORF01791 membrane protein, putative
ORF01792 transcriptional regulator, biotin repressor family
ORF01793 membrane protein, putative
ORF01795 RNA methyltransferase, TrmH family
ORF01796 acylphosphatase
ORF01797 lipoprotein, putative
ORF01799 amino acid ABC transporter, permease protein
ORF01801 amidase family protein
ORF01802 transcription elongation factor GreA (greA)
ORF01803 conserved hypothetical protein
ORF01804 acetyltransferase, GNAT family
ORF01805 UDP-N-acetylmuramate--alanine ligase (murC)
ORF01806 conserved hypothetical protein
ORF01808 expressed putative helicase
ORF01811 phosphoglycerate dehydrogenase-related protein
ORF01812 primosomal protein DnaI (dnaI)
ORF01813 conserved hypothetical protein
ORF01814 conserved hypothetical protein TIGR00244
ORF01815 sensor histidine kinase CsrS (csrS)
ORF01816 DNA-binding response regulator CsrR (csrR)
ORF01817 conserved hypothetical protein
ORF01818 heat shock protein HtpX (htpX)
ORF01820 lemA protein (lemA)
ORF01821 glucose-inhibited division protein B (gidB)
ORF01822 sodium transport family protein
ORF01823 potassium uptake protein, Trk family, putative
ORF01825 ABC transporter, ATP-binding protein
ORF01828 branched-chain amino acid transport system II carrier protein (bmQ)
ORF01829 alcohol dehydrogenase, zinc-containing (adh)
ORF01830 ABC transporter, permease protein
ORF01831 ABC transporter, ATP-binding protein
ORF01833 expressed YaeC family protein
ORF01834 ABC transporter, substrate-binding protein
ORF01835 glutamine amidotransferase, class I
ORF01837 conserved hypothetical protein TIGR01033
ORF01846 glycerol uptake facilitator protein (glpF)
ORF01849 conserved hypothetical protein
ORF01851 conserved hypothetical protein
ORF01852 lojap-related protein
ORF01854 conserved hypothetical protein TIGR00488
ORF01855 conserved hypothetical protein TIGR00482
ORF01856 conserved hypothetical protein TIGR00253
ORF01857 GTP-binding protein
ORF01858 hydrolase, haloacid dehalogenase-like family
ORF01860 glutamyl-tRNA(Gln) amidotransferase, B subunit (gatB)
ORF01861 glutamyl-tRNA(Gln) amidotransferase, A subunit (gatA)

Table 8

ORFxxxxx Annotation

ORF01862 glutamyl-tRNA(Gln) amidotransferase, C subunit (gatC)
ORF01867 isochorismatase family protein
ORF01869 transcriptional regulator CodY, putative
ORF01870 aminotransferase, class I
ORF01871 universal stress protein family FRAMESHIFT
ORF01872 hydrolase, haloacid dehalogenase-like family
ORF01873 asparaginase family protein
ORF01874 shikimate 5-dehydrogenase (aroE)
ORF01876 ATP-dependent DNA helicase RecG (recG)
ORF01878 alanine racemase (alr)
ORF01879 holo-(acyl-carrier-protein) synthase (acpS)
ORF01881 preprotein translocase, SecA subunit (secA)
ORF01882 mannose-6-phosphate isomerase, class I (manA)
ORF01883 fructokinase (scrK)
ORF01885 PTS system IIABC components
ORF01886 sucrose-6-phosphate hydrolase (scrB)
ORF01887 sucrose operon repressor ScrR (scrR)
ORF01888 N utilization substance protein B (nusB)
ORF01889 conserved hypothetical protein
ORF01890 translation elongation factor P (efp)
ORF01900 cytidine/deoxycytidylate deaminase family protein
ORF01906 excinuclease ABC, A subunit (uvrA)
ORF01907 conserved hypothetical protein
ORF01908 magnesium transporter, CorA family (corA)
ORF01909 ribosomal protein S18 (rpsR)
ORF01910 single-strand binding protein (ssb)
ORF01911 ribosomal protein S6 (rpsF)
ORF01912 A/G-specific adenine glycosylase (mutY)
ORF01914 thioredoxin (trx)
ORF01915 PAP2 family protein
ORF01916 MutS2 family protein
ORF01917 conserved hypothetical protein
ORF01918 conserved hypothetical protein
ORF01919 ribonuclease HIII (mhC)
ORF01920 signal peptidase I
ORF01921 helicase, putative
ORF01923 DNA-damage inducible protein P (dinP)
ORF01924 formate acetyltransferase (pflD)
ORF01926 conserved hypothetical protein
ORF01927 proteinase, putative, degenerate, FRAMESHIFT
ORF01929 glycerol uptake facilitator protein, putative
ORF01930 universal stress protein family
ORF01933 X-pro dipeptidyl-peptidase (pepX)
ORF01937 ABC transporter, ATP-binding protein CydC (cydC)
ORF01938 ABC transporter, ATP-binding protein CydD
ORF01945 conserved hypothetical protein TIGR00103
ORF01948 exonuclease
ORF01949 conserved hypothetical protein
ORF01950 conserved hypothetical protein TIGR00275
ORF01952 ribosomal protein S14 (rpsN)
ORF01957 O-sialoglycoprotein endopeptidase family protein
ORF01958 ribosomal-protein-alanine acetyltransferase, putative
ORF01960 expressed protein of unknown function
ORF01961 conserved hypothetical protein
ORF01962 metallo-beta-lactamase superfamily protein

Table 8

ORFxxxxx Ann tati n

ORF01963 conserved hypothetical protein
ORF01964 glutamine synthetase, type I (glnA)
ORF01965 transcriptional regulator GlnR (glnR)
ORF01967 conserved hypothetical protein
ORF01969 phosphoglycerate kinase (pgk)
ORF01971 glyceraldehyde 3-phosphate dehydrogenase (gap)
ORF01972 translation elongation factor G (fusA)
ORF01973 ribosomal protein S7 (rpsG)
ORF01974 ribosomal protein S12 (rpsL)
ORF01975 pur operon repressor (purR)
ORF01976 HD domain protein
ORF01977 conserved hypothetical protein
ORF01978 conserved hypothetical protein
ORF01979 ribulose-phosphate 3-epimerase (rpe)
ORF01980 conserved hypothetical protein TIGR00157
ORF01983 dimethyladenosine transferase (ksgA)
ORF01985 primase-related protein
ORF01987 deoxyribonuclease, TatD family
ORF01992 dltD protein (dltD)
ORF01993 D-alanyl carrier protein (dltC)
ORF01994 dltB protein (dltB)
ORF01996 D-alanine-activating enzyme (dltA)
ORF01997 sensor histidine kinase
ORF01998 DNA-binding response regulator
ORF01999 ribosomal protein L34 (rpmH)
ORF02004 amino acid ABC transporter, ATP-binding protein
ORF02007 conserved hypothetical protein
ORF02008 transcriptional antiterminator, BglG family
ORF02017 sugar binding transcriptional regulator, LacI family
ORF02018 transaldolase family protein
ORF02019 carbohydrate isomerase, AraD/FucA family
ORF02020 hexulose-6-phosphate isomerase, putative
ORF02021 hexulose-6-phosphate synthase, putative
ORF02022 PTS system, IIA component
ORF02023 PTS system, IIB component
ORF02024 transport protein SgaT, putative
ORF02027 adenylosuccinate synthetase (purA)
ORF02033 chaperonin, 33 kDa (hslO)
ORF02034 NifR3/Smm1 family protein
ORF02037 ATP-dependent Clp protease, ATP-binding subunit
ORF02038 transcriptional regulator CtsR (ctsR)
ORF02040 translation elongation factor Ts (tsf)
ORF02041 ribosomal protein S2 (rpsB)
ORF02043 alkyl hydroperoxide reductase, subunit F (ahpF)
ORF02076 prophage LambdaSa2, single-strand binding protein (ssb)
ORF02082 prophage LambdaSa2, type II DNA modification methyltransferase, putative
ORF02086 prophage LambdaSa2, replicative DNA helicase (dnaC)
ORF02104 endopeptidase O (pepO)
ORF02110 polypeptide deformylase (def)
ORF02111 sugar binding transcriptional regulator RegR (regR)
ORF02112 conserved hypothetical protein
ORF02113 PTS system, IID component
ORF02114 PTS system, IIC component
ORF02115 PTS system, IIB component
ORF02116 glucuronyl hydrolase

Table 8

ORFxxxxx Annotati n

ORF02118 PTS system, IIA component
ORF02120 oxidoreductase, short-chain dehydrogenase/reductase family
ORF02121 conserved hypothetical protein
ORF02122 carbohydrate kinase, PfkB family
ORF02123 2-dehydro-3-deoxyphosphogluconate aldolase/4-hydroxy-2-oxoglutarate aldolase (eda)
ORF02127 DNA polymerase III, alpha subunit, Gram-positive type
ORF02129 prolyl-tRNA synthetase (proS)
ORF02130 membrane-associated zinc metalloprotease, putative
ORF02131 phosphatidate cytidyltransferase (cdsA)
ORF02132 undecaprenyl diphosphate synthase (uppS)
ORF02133 preprotein translocase, YajC subunit (yajC)
ORF02140 glucan 1,6-alpha-glucosidase (dexB)
ORF02141 sugar ABC transporter, ATP-binding protein (msmK)
ORF02142 helix-turn-helix domain protein, fis-type
ORF02144 tagatose 1,6-diphosphate aldolase (lacD)
ORF02145 tagatose-6-phosphate kinase (lacC)
ORF02146 galactose-6-phosphate isomerase, LacB subunit (lacB)
ORF02147 galactose-6-phosphate isomerase, LacA subunit (lacA)
ORF02149 PTS system, IIC component, putative
ORF02150 PTS system, IIB component, putative
ORF02152 PTS system, IIA component, putative
ORF02153 lactose phosphotransferase system repressor (lacR)
ORF02157 adhesion lipoprotein
ORF02158 expressed protein of unknown function TIGR00256
ORF02159 GTP pyrophosphokinase (relA)
ORF02161 nrdI protein (nrdI)
ORF02164 iron ABC transporter, iron-binding protein
ORF02165 DNA-binding response regulator
ORF02167 PTS system, IID component
ORF02168 PTS system, IIC component
ORF02174 ABC transporter, ATP-binding protein
ORF02176 response regulator
ORF02177 conserved hypothetical protein
ORF02178 PTS system, IIABC components
ORF02179 sensor histidine kinase
ORF02180 phosphate regulon response regulator PhoB (phoB)
ORF02182 phosphate ABC transporter, ATP-binding protein (pstB)
ORF02183 phosphate ABC transporter, permease protein
ORF02184 phosphate ABC transporter, permease protein
ORF02188 conserved hypothetical protein TIGR00046
ORF02189 ribosomal protein L11 methyltransferase (prmA)
ORF02197 conserved hypothetical protein
ORF02199 ATPase, AAA family
ORF02249 mercuric reductase (merA)
ORF02272 DNA topology modulation protein FlaR, putative
ORF02273 glycerol dehydrogenase, putative
ORF02281 DNA-binding response regulator
ORF02285 leucyl-tRNA synthetase (leuS)
ORF02290 transcription antitermination protein NusG (nusG)
ORF02293 penicillin-binding protein 2A (pbp2A)
ORF02294 ribosomal large subunit pseudouridine synthase, RluD subfamily
ORF02296 phosphopentomutase (deoB)
ORF02297 deoxyribose-phosphate aldolase (deoC)
ORF02300 uridine phosphorylase (udp)
ORF02302 60 kda chaperonin (groEL)

Table 8

ORFxxxxx Annotation

ORF02303 chaperonin, 10 kDa (groES)
ORF02305 ABC transporter, ATP-binding protein
ORF02306 ABC transporter, permease protein
ORF02307 expressed putative lipoprotein
ORF02309 glyoxalase family protein
ORF02310 conserved hypothetical protein
ORF02311 anaerobic ribonucleoside-triphosphate reductase activating protein (nrdG)
ORF02312 acetyltransferase, GNAT family
ORF02315 anaerobic ribonucleoside-triphosphate reductase (nrdD)
ORF02318 conserved hypothetical protein
ORF02320 conserved hypothetical protein
ORF02321 conserved hypothetical protein
ORF02322 recA protein (recA)
ORF02325 DNA-3-methyladenine glycosylase I (tag)
ORF02327 Holliday junction DNA helicase RuvA (ruvA)
ORF02329 DNA mismatch repair protein HexB (hexB)
ORF02333 arginine repressor ArgR, putative
ORF02334 arginyl-tRNA synthetase (argS)
ORF02337 conserved hypothetical protein
ORF02338 conserved hypothetical protein
ORF02339 aspartyl-tRNA synthetase (aspS)
ORF02340 histidyl-tRNA synthetase (hisS)
ORF02342 ribosomal protein L33 (rpmG)
ORF02357 DNA-binding response regulator
ORF02359 membrane protein, putative
ORF02360 carbamate kinase (arcC)
ORF02361 ornithine carbamoyltransferase (argF)
ORF02364 amino acid ABC transporter, ATP-binding protein
ORF02365 amino acid ABC transporter, permease and amino acid-binding protein
ORF02370 membrane protein, putative
ORF02371 transcriptional regulator, TetR family, putative
ORF02373 ribosomal protein S4 (rpsD)
ORF02374 conserved hypothetical protein
ORF02375 replicative DNA helicase (dnaC)
ORF02376 ribosomal protein L9 (rplI)
ORF02377 DHH family protein
ORF02378 glucose inhibited division protein A (gidA)
ORF02380 tRNA (5-methylaminomethyl-2-thiouridylate)-methyltransferase (trmU)
ORF02381 L-serine dehydratase, iron-sulfur-dependent, beta subunit (sdhB)
ORF02382 L-serine dehydratase, iron-sulfur-dependent, alpha subunit (sdhA)
ORF02385 cobalt transport family protein
ORF02386 ABC transporter, ATP-binding protein
ORF02387 ABC transporter, ATP-binding protein, FRAMESHIFT
ORF02388 CDP-diacylglycerol-glycerol-3-phosphate 3-phosphatidyltransferase (pgsA)
ORF02389 peptidase, M16 family
ORF02390 conserved hypothetical protein
ORF02391 conserved hypothetical protein
ORF02392 recF protein (recF)
ORF02396 inosine-5'-monophosphate dehydrogenase (guaB)
ORF02397 transcriptional regulator, ArgR family
ORF02400 arginine deiminase (arcA)
ORF02402 ornithine carbamoyltransferase (argF)
ORF02404 carbamate kinase (arcC)
ORF02405 tryptophanyl-tRNA synthetase (trpS)
ORF02407 conserved hypothetical protein

Table 8

ORFxxxxx Annotation

ORF02408 ABC transporter, ATP-binding protein
ORF02409 ABC transporter, permease protein, putative
ORF02410 conserved hypothetical protein TIGR00246
ORF02411 serine protease
ORF02412 partitioning protein, ParB family
ORF02413 chromosomal replication initiator protein DnaA (dnaA)
ORF02415 DNA polymerase III, beta subunit (dnaN)
ORF02417 conserved hypothetical protein
ORF02419 conserved hypothetical GTP-binding protein
ORF02420 peptidyl-tRNA hydrolase (pth)
ORF02421 transcription-repair coupling factor (mfd)
ORF02423 S4 domain protein
ORF02424 cell division protein DivIC, putative
ORF02426 expressed protein of unknown function
ORF02427 MesJ/Ycf62 family protein
ORF02429 cell division protein FtsH (ftsH)

Table 9: GBS genes shared with pneumococcus**ORFxxxxx Ann tati n**

ORF00017 phosphoribosylaminoimidazolecarboxamide formyltransferase/IMP cyclohydrolase (purH)
ORF00025 conserved hypothetical protein
ORF00029 acetyl xylan esterase, putative
ORF00042 aldehyde-alcohol dehydrogenase (adhE)
ORF00044 threonine synthase (thrC)
ORF00081 ribosomal protein L17 (rplQ)
ORF00090 conserved hypothetical protein
ORF00129 argininosuccinate synthase (argG)
ORF00156 oligopeptide ABC transporter, substrate-binding protein, putative
ORF00189 protease, putative
ORF00194 thioredoxin family protein
ORF00195 tRNA binding domain protein
ORF00217 conserved domain protein
ORF00218 PTS system, IIB component, putative
ORF00220 transketolase, N-terminal subunit
ORF00221 transketolase, C-terminal subunit
ORF00223 oxidoreductase, putative
ORF00282 acetyltransferase, GNAT family
ORF00290 IS1381, transposase OrfB
ORF00291 IS1381, transposase OrfA
ORF00293 conserved hypothetical protein
ORF00301 membrane protein, putative
ORF00343 ABC transporter, permease protein, putative
ORF00344 conserved hypothetical protein
ORF00382 aspartate kinase family protein
ORF00399 conserved hypothetical protein
ORF00439 cell wall surface anchor family protein
ORF00447 cytidine/deoxycytidylate deaminase family protein
ORF00450 5-formyltetrahydrofolate cyclo-ligase family protein
ORF00480 transcriptional regulator, MerR family
ORF00499 acetyltransferase, GNAT family
ORF00504 magnesium transporter, CorA family
ORF00521 VanZF domain protein
ORF00612 IS1381, transposase OrfA
ORF00613 IS1381, transposase OrfB
ORF00690 transmembrane protein Vexp1 (vex1)
ORF00691 ABC transporter, ATP-binding protein Vexp2 (vex2)
ORF00692 transmembrane protein Vexp3 (vex3)
ORF00714 conserved hypothetical protein
ORF00732 expressed cell wall surface anchor family protein, putative
ORF00774 ABC transporter, ATP-binding protein
ORF00778 ABC transporter, ATP-binding protein
ORF00780 conserved hypothetical protein
ORF00790 beta-glucuronidase
ORF00800 alpha amylase family protein
ORF00807 amino acid ABC transporter, permease protein
ORF00809 amino acid ABC transporter, amino acid-binding protein
ORF00814 conserved hypothetical protein
ORF00823 bacterial luciferase family protein
ORF00840 riboflavin biosynthesis protein RibD (ribD)
ORF00841 riboflavin synthase, alpha subunit (ribE)
ORF00842 riboflavin biosynthesis protein RibA (ribA)
ORF00843 riboflavin synthase, beta subunit (ribH)
ORF00866 penicillin-binding protein 2b
ORF00905 membrane protein, putative

Table 9: GBS genes shared with pneumococcus

ORFxxxxx Annotation

ORF00910 major facilitator family protein
ORF00913 hydrolase, haloacid dehalogenase-like family
ORF00918 conserved hypothetical protein
ORF00945 conserved hypothetical protein
ORF00948 ABC transporter, ATP-binding protein
ORF00952 phosphomethylpyrimidine kinase (thiD)
ORF00953 hydroxyethylthiazole kinase (thiM)
ORF00954 thiamine-phosphate pyrophosphorylase (thiE)
ORF00961 GtrA family protein
ORF00967 1,4-alpha-glucan branching enzyme (glgB)
ORF00968 glucose-1-phosphate adenylyltransferase (glgC)
ORF00971 glycogen synthase (glgA)
ORF00985 acetyltransferase, GNAT family
ORF00990 magnesium transporter, CorA family, putative
ORF01022 nucleoside diphosphate kinase (ndk)
ORF01031 nucleoside diphosphate kinase domain protein
ORF01085 conserved hypothetical protein
ORF01087 IS1381, transposase OrfA
ORF01088 IS1381, transposase OrfB
ORF01098 ABC transporter, permease protein, putative
ORF01100 sensor histidine kinase
ORF01102 ABC transporter, substrate-binding protein
ORF01127 protease, putative
ORF01135 iron compound ABC transporter, permease protein
ORF01136 iron compound ABC transporter, permease protein
ORF01185 aspartate-semialdehyde dehydrogenase (asd)
ORF01217 conserved hypothetical protein
ORF01218 conserved hypothetical protein
ORF01219 formate/nitrite transporter family protein
ORF01226 oxidoreductase, short chain dehydrogenase/reductase family, FRAMESHIFT
ORF01254 homoserine kinase (thrB)
ORF01255 homoserine dehydrogenase (hom)
ORF01264 transcriptional regulator, Cro/C1 family
ORF01268 thiol peroxidase (psaD)
ORF01305 glycosyltransferase CpsJ(V) (cpsJ)
ORF01306 glycosyltransferase CpsO(V) (cpsO)
ORF01313 CpsD protein (cpsD)
ORF01314 cpsC protein (cpsC)
ORF01315 capsular polysaccharide biosynthesis protein CpsB (cpsB)
ORF01316 capsular polysaccharide biosynthesis protein CpsA (cpsA)
ORF01326 conserved hypothetical protein
ORF01333 alpha-acetolactate decarboxylase (budA)
ORF01334 acetolactate synthase, catabolic (ilvK)
ORF01337 MutT/nudix family protein
ORF01369 MATE efflux family protein
ORF01398 Tn5252, Orf 9 protein
ORF01399 Tn5252, Orf 10 protein
ORF01446 protease, putative
ORF01447 conserved hypothetical protein
ORF01449 conserved hypothetical protein
ORF01492 NADP-specific glutamate dehydrogenase (gdhA)
ORF01569 expressed cell wall surface anchor family protein
ORF01570 cell wall surface anchor family protein
ORF01574 polysaccharide biosynthesis protein
ORF01579 nucleotidyl transferase, putative

Table 9: GBS genes shared with *Neisseria meningitidis*

ORFxxxxx Annotation

ORF01580 polysaccharide biosynthesis protein, putative
ORF01612 conserved hypothetical protein
ORF01613 glycosyl transferase, group 1 family protein
ORF01617 conserved hypothetical protein
ORF01618 conserved hypothetical protein
ORF01621 glycosyl transferase, putative
ORF01622 glycosyl transferase, group 2 family protein
ORF01623 glycosyl transferase, family 8, degenerate
ORF01624 IS1381, transposase OrfB
ORF01625 IS1381, transposase OrfA
ORF01626 glycosyl transferase family 8
ORF01627 glycosyl transferase, family 8
ORF01628 conserved hypothetical protein
ORF01630 cell wall surface anchor family protein
ORF01635 protease, putative
ORF01643 aminopeptidase PepS (pepS)
ORF01702 peptidase, M20/M25/M40 family
ORF01731 IS1381, transposase OrfA
ORF01732 IS1381, transposase OrfB
ORF01740 tellurite resistance protein TehB (tehB)
ORF01747 methylated-DNA-protein-cysteine S-methyltransferase (ogt)
ORF01749 acetyltransferase, GNAT family
ORF01763 AcuB family protein
ORF01764 branched-chain amino acid ABC transporter, ATP-binding protein (livF)
ORF01765 branched-chain amino acid ABC transporter, ATP-binding protein (livG)
ORF01766 branched-chain amino acid ABC transporter, permease protein
ORF01767 branched-chain amino acid ABC transporter, permease protein (livH)
ORF01769 branched-chain amino acid ABC transporter, amino acid-binding protein
ORF01775 aminotransferase, class I
ORF01779 potassium uptake protein, Trk family
ORF01780 cation uptake protein, Trk family
ORF01824 cobalt transport family protein
ORF01826 conserved hypothetical protein
ORF01832 peptidase, M20/M25/M40 family
ORF01845 conserved hypothetical protein
ORF01848 transcriptional regulator, MerR family
ORF01853 isochorismatase family protein
ORF01859 membrane protein
ORF01875 oxidoreductase, aldo/keto reductase family
ORF01880 phospho-2-dehydro-3-deoxyheptonate aldolase
ORF01981 rRNA (guanine-N1-)-methyltransferase, putative
ORF02083 prophage LambdaSa2, DNA replication protein DnaC, putative
ORF02101 Na ⁺ /H ⁺ exchanger family protein
ORF02107 membrane protein, putative
ORF02139 UDP-glucose 4-epimerase (galE)
ORF02143 lacX protein
ORF02162 conserved hypothetical protein
ORF02186 hemolysin precursor, putative
ORF02192 transcriptional regulator, MerR family
ORF02195 MutT/nudix family protein
ORF02228 IS1381, transposase OrfB
ORF02229 IS1381, transposase OrfA
ORF02233 conserved hypothetical protein
ORF02234 conserved hypothetical protein
ORF02276 5-methyltetrahydropteroyltriglutamate--homocysteine methyltransferase (metE)

Tabl 9: GBS g n s shar d with pn um ccocus

ORFxxxxx Annotation

ORF02278	branched-chain amino acid transport protein AzlC, putativ
ORF02288	glycosyl transferase, family 8
ORF02289	glycosyl transferase, family 8
ORF02341	ribosomal protein L32 (rpmF)
ORF02343	conserved hypothetical protein
ORF02358	sensor histidine kinase
ORF02369	conserved hypothetical protein
ORF02384	LysM domain protein
ORF02428	hypoxanthine-guanine phosphoribosyltransferase (hpt)
ORF03011	ribosomal protein L33
ORF03014	ribosomal protein L33

Table 10: GBS genes shared with GAS

ORFxxxxx Annotation

ORF00064	ribosomal protein S14, putative
ORF00095	D-alanyl-D-alanine carboxypeptidase family protein
ORF00096	N-acetylmuramoyl-L-alanine amidase, family 4 protein
ORF00110	conserved hypothetical protein
ORF00112	DNA repair protein RadA (radA)
ORF00124	permease, putative
ORF00148	glycosyl transferase, group 4 family protein
ORF00154	penicillin-binding protein 4, putative
ORF00157	oligopeptide ABC transporter, permease protein
ORF00206	oligopeptide ABC transporter, oligopeptide-binding protein
ORF00207	oligopeptide ABC transporter, permease protein
ORF00208	oligopeptide ABC transporter, permease protein
ORF00209	peptide ABC transporter, ATP-binding protein
ORF00210	peptide ABC transporter, ATP-binding protein
ORF00216	IS1548, transposase
ORF00226	conserved hypothetical protein
ORF00232	conserved hypothetical protein
ORF00239	site-specific recombinase, phage integrase family
ORF00250	conserved hypothetical protein
ORF00251	conserved hypothetical protein
ORF00289	ABC transporter, ATP-binding protein
ORF00305	NADH oxidase, putative
ORF00317	cell division protein FtsL, putative
ORF00333	conserved hypothetical protein
ORF00383	hydrolase, haloacid dehalogenase-like family
ORF00430	expressed putative lipoprotein
ORF00431	transcriptional repressor CopY
ORF00434	membrane protein, putative
ORF00438	transcriptional regulator, Fur family
ORF00442	membrane protein, putative
ORF00445	bioY family protein
ORF00446	AtsA/ElaC family protein
ORF00468	expressed putative protease
ORF00469	glycosyl transferase, group 2 family protein
ORF00471	nrdI protein (nrdI)
ORF00473	expressed protein of unknown function
ORF00474	conserved hypothetical protein
ORF00507	conserved hypothetical protein
ORF00525	bioY family protein
ORF00528	thiolase
ORF00531	AMP-binding enzyme domain protein
ORF00548	YGGT family protein
ORF00565	exodeoxyribonuclease VII, small subunit (xseB)
ORF00568	arginine repressor ArgR, putative
ORF00572	expressed putative lipase/acylhydrolase
ORF00573	conserved hypothetical protein
ORF00586	iron-sulfur cluster-binding protein, putative
ORF00592	oxidoreductase, short chain dehydrogenase/reductase family
ORF00604	dipeptidase
ORF00611	voltage-gated chloride channel family protein
ORF00619	prophage LambdaSa1, repressor protein, putative
ORF00622	conserved hypothetical protein
ORF00627	prophage LambdaSa1, antirepressor, putative
ORF00634	conserved hypothetical protein
ORF00648	conserved hypothetical protein

Table 10: GBS genes shared with GAS

ORFxxxxx Annotation

ORF00654 conserved hypothetical protein
ORF00655 conserved hypothetical protein
ORF00656 conserved hypothetical protein
ORF00658 conserved hypothetical protein
ORF00659 conserved hypothetical protein
ORF00660 prophage LambdaSa1, structural protein, putative
ORF00662 conserved hypothetical protein
ORF00663 conserved hypothetical protein
ORF00664 conserved hypothetical protein
ORF00665 conserved hypothetical protein
ORF00666 prophage LambdaSa1, structural protein
ORF00668 conserved hypothetical protein
ORF00669 prophage LambdaSa1, pblA protein, internal deletion
ORF00677 prophage LambdaSa1, lysin, putative
ORF00679 conserved hypothetical protein
ORF00695 transposase OrfB, IS3 family, truncation
ORF00697 conserved hypothetical protein
ORF00707 conserved domain protein
ORF00713 acid phosphatase precursor, class B
ORF00720 transposase OrfB, IS3 family FRAMESHIFT
ORF00721 transposase OrfA, IS3 family
ORF00751 cylA protein (cylA)
ORF00755 cylI protein (cylI)
ORF00760 serine protease, subtilase family, putative POINT MUTATION
ORF00781 transcriptional regulator, LysR family
ORF00783 regulatory protein, putative
ORF00785 IS1548, transposase
ORF00786 regulatory protein, putative, truncation
ORF00787 D-lactate dehydrogenase (ldhA)
ORF00801 glycosyl transferase, group 1 family protein
ORF00805 conserved hypothetical protein
ORF00826 phage shock protein C, putative
ORF00833 conserved hypothetical protein
ORF00845 hydrolase, haloacid dehalogenase-like family
ORF00852 conserved hypothetical protein
ORF00853 expressed putative lipoprotein
ORF00857 IS1548, transposase
ORF00890 conserved hypothetical protein
ORF00902 conserved hypothetical protein
ORF00926 membrane protein, putative
ORF00927 membrane protein, putative
ORF00987 conserved hypothetical protein
ORF01009 expressed protein of unknown function
ORF01010 lipoyl-binding domain protein
ORF01011 oxidoreductase, putative
ORF01012 conserved hypothetical protein
ORF01024 expressed putative lipoprotein
ORF01061 signal peptidase I, putative
ORF01064 IS1548, transposase
ORF01084 glyoxylase family protein
ORF01104 SatD
ORF01126 conserved hypothetical protein
ORF01191 conserved hypothetical protein
ORF01192 conserved hypothetical protein
ORF01193 glycine cleavage system H protein, putative

Table 10: GBS genes shared with GAS**ORFxxxxx Annotation**

ORF01194 bacterial luciferase family protein
ORF01195 oxidoreductase, FMN-binding
ORF01197 lipote-protein ligase A family protein
ORF01202 IS861, transposase OrfA
ORF01223 drug resistance transporter, EmrB/QacA family, putative
ORF01224 conserved hypothetical protein
ORF01225 potassium uptake protein, putative
ORF01237 membrane protein, putative
ORF01249 dihydroneopterin aldolase (folB)
ORF01256 polysaccharide deacetylase family protein
ORF01273 transcriptional regulator, GntR family/potassium uptake protein, TrkA family
ORF01280 conserved hypothetical protein
ORF01281 conserved hypothetical protein
ORF01289 lipoprotein, putative
ORF01291 conserved hypothetical protein
ORF01298 conserved hypothetical protein
ORF01318 conserved hypothetical protein
ORF01320 voltage-gated chloride channel family protein, putative
ORF01322 arsenate reductase (arsC)
ORF01340 dTDP-glucose 4,6-dehydratase (rfbB)
ORF01341 dTDP-4-dehydrorhamnose 3,5-epimerase
ORF01342 glucose-1-phosphate thymidyltransferase (rfbA)
ORF01356 hypothetical protein
ORF01368 conserved hypothetical protein
ORF01374 ISSdy1, transposase OrfB
ORF01388 transposase OrfA, IS3 family
ORF01389 transposase OrfB, IS3 family, truncation
ORF01391 ISSdy1, transposase OrfB FRAMESHIFT
ORF01396 transcriptional regulator, Cro/C1 family
ORF01419 repressor protein, putative
ORF01461 amino acid permease
ORF01469 conserved hypothetical protein
ORF01483 sensor histidine kinase
ORF01485 GTP pyrophosphokinase family protein
ORF01490 5'-nucleotidase family protein
ORF01509 2-dehydropantoate 2-reductase, putative
ORF01510 regulatory protein, putative
ORF01522 carbamoyl-phosphate synthase, large subunit, putative
ORF01542 sulfatase
ORF01549 conserved hypothetical protein
ORF01554 iron compound ABC transporter, substrate-binding protein
ORF01557 conserved hypothetical protein
ORF01563 conserved hypothetical protein TIGR01212
ORF01583 glycosyltransferase, group 2 family protein
ORF01584 glycosyltransferase, group 2 family protein
ORF01585 glycosyltransferase, putative
ORF01586 dTDP-4-dehydrorhamnose reductase (rfbD)
ORF01593 conserved hypothetical protein
ORF01599 conserved hypothetical protein
ORF01600 glycerol-3-phosphate transporter, putative
ORF01639 conserved hypothetical protein
ORF01650 nitroreductase family protein
ORF01653 amino acid permease
ORF01665 transcriptional regulator, MutR family
ORF01683 MutT/nudix family protein

Tabl 10: GBS genes shar d with GAS

ORFxxxxx Ann tation

ORF01686 67 kDa Myosin-crossreactive streptococcal antigen
ORF01688 peptide methionine sulfoxide reductase (msrA)
ORF01694 peptide ABC transporter, permease protein
ORF01704 conserved hypothetical protein
ORF01705 IS861, transposase OrfA
ORF01741 membrane protein, putative
ORF01770 conserved hypothetical protein
ORF01772 IS1548, transposase
ORF01790 conserved hypothetical protein
ORF01794 conserved hypothetical protein
ORF01800 amino acid ABC transporter, substrate-binding protein
ORF01810 IS1548, transposase
ORF01827 sodium:dicarboxylate symporter family protein
ORF01877 immunogenic secreted protein, putative
ORF01913 transcriptional regulator, Cro/C1 family
ORF01928 membrane protein, putative
ORF01931 transporter, putative
ORF01932 transcriptional regulator, Crp/Fnr family
ORF01947 transcriptional regulator, merR family
ORF01970 acid phosphatase
ORF02002 amino acid ABC transporter, permease protein
ORF02028 perfringolysin O regulator protein (pfoR)
ORF02029 conserved hypothetical protein
ORF02031 expressed protein of unknown function
ORF02032 expressed protein of unknown function
ORF02035 deoxynucleoside kinase family protein
ORF02042 alkyl hydroperoxide reductase, subunit C (ahpC)
ORF02126 transcriptional regulator, MarR family
ORF02128 N-acetylmuramoyl-L-alanine amidase, family 4 protein
ORF02135 malate oxidoreductase
ORF02136 citrate carrier protein, CCS family
ORF02137 sensor histidine kinase family protein
ORF02138 response regulator
ORF02166 conserved hypothetical protein
ORF02169 PTS system, IIB component
ORF02170 PTS system, IIA component, putative
ORF02202 ABC transporter, ATP-binding protein
ORF02262 ABC transporter, ATP-binding protein
ORF02270 cAMP factor (cfb)
ORF02280 serine protease, subtilase family, putative
ORF02286 major facilitator family protein
ORF02292 preprotein translocase, SecE subunit, putative
ORF02295 Lyme disease proteins of unknown function, putative
ORF02298 Na ⁺ dependent nucleoside transporter
ORF02301 transcriptional regulator, GntR family
ORF02313 virulence factor MviM, putative
ORF02316 membrane protein, putative
ORF02319 conserved hypothetical protein TIGR00250
ORF02328 transporter, putative
ORF02331 cold shock protein, CSD family
ORF02332 DNA mismatch repair protein HexA (h ₂ xA)
ORF02335 conserved hypothetical protein
ORF02372 conserved hypothetical protein
ORF02383 expressed putative lipoprotein
ORF02393 transporter, putativ

Table 10: GBS genes shared with GAS**ORFxxxxx Annotation**

ORF02398 transcriptional regulator, Crp/Fnr family
ORF02399 conserved hypothetical protein
ORF02401 acetyltransferase, GNAT family
ORF02403 arginine/ornithine antiporter (arcD)
ORF03002 conserved hypothetical protein, truncation

Table 11: GBS genes not shared with GAS r pneumococcus

ORFxxxxx Annotation
ORF00008 protease, putative
ORF00010 acyl carrier protein (acpP)
ORF00016 acetyltransferase, GNAT family
ORF00018 peptidase, M23/M37 family, putative secreted protein
ORF00035 membrane protein, putative
ORF00087 lipoprotein, putative
ORF00088 hypothetical protein
ORF00089 hypothetical protein
ORF00091 conserved hypothetical protein
ORF00117 ribose ABC transporter, periplasmic D-ribose-binding protein (rbsB)
ORF00118 ribose ABC transporter, permease protein (rbsC)
ORF00120 ribose ABC transporter protein RbsD (rbsD)
ORF00121 ribokinase (rbsK)
ORF00123 hypothetical protein
ORF00130 argininosuccinate lyase (argH)
ORF00137 conserved hypothetical protein
ORF00138 hypothetical protein
ORF00166 4-diphosphocytidyl-2C-methyl-D-erythritol kinase (ispE)
ORF00182 conserved domain protein
ORF00186 transcriptional regulator, Cro/C1 family
ORF00187 hypothetical protein
ORF00188 hypothetical protein
ORF00192 hypothetical protein
ORF00193 conserved hypothetical protein
ORF00196 conserved hypothetical protein
ORF00199 hydrolase, haloacid dehalogenase-like family
ORF00200 sensor histidine kinase, putative
ORF00201 response regulator
ORF00203 conserved hypothetical protein
ORF00204 membrane protein, putative
ORF00205 hypothetical protein
ORF00228 lipoprotein, putative
ORF00234 hypothetical protein
ORF00235 hypothetical protein
ORF00238 hypothetical protein
ORF00240 transcriptional regulator, Cro/C1 family
ORF00241 hypothetical protein
ORF00242 conserved hypothetical protein
ORF00243 hypothetical protein
ORF00244 conserved domain protein
ORF00245 conserved hypothetical protein, fusion
ORF00246 replication initiation protein, putative
ORF00247 hypothetical protein
ORF00248 recombination protein
ORF00249 hypothetical protein
ORF00252 conserved hypothetical protein
ORF00253 hypothetical protein
ORF00254 hypothetical protein
ORF00255 hypothetical protein
ORF00256 hypothetical protein
ORF00257 hypothetical protein
ORF00258 hypothetical protein
ORF00259 hypothetical protein
ORF00260 hypothetical protein
ORF00272 expressed putative lipoprotein

Tabl 11: GBS genes not shared with GAS rpn umococcus

ORFxxxxx Annotation
ORF00273 hypothetical protein
ORF00274 hypothetical protein
ORF00275 hypothetical protein
ORF00276 hypothetical protein
ORF00278 membrane protein, putative
ORF00279 transcriptional regulator, Cro/Ci family
ORF00280 acetyltransferase, GNAT family
ORF00281 acetyltransferase, GNAT family
ORF00283 conserved hypothetical protein
ORF00284 RNA polymerase sigma factor, ECF subfamily
ORF00285 lipoprotein, putative
ORF00287 transcriptional regulator, TetR family
ORF00288 ABC transporter efflux protein, DrrB family, putative
ORF00292 hypothetical protein
ORF00294 expressed protein of unknown function
ORF00298 acyl carrier protein phosphodiesterase, putative
ORF00308 conserved hypothetical protein
ORF00324 conserved hypothetical protein
ORF00332 hypothetical protein
ORF00340 hypothetical protein
ORF00347 conserved hypothetical protein
ORF00384 hypothetical protein
ORF00402 membrane protein, putative
ORF00408 hypothetical protein
ORF00409 membrane protein, putative
ORF00414 conserved hypothetical protein
ORF00416 hypothetical protein
ORF00417 hypothetical protein
ORF00433 copper-transporter protein CopZ
ORF00448 hypothetical protein
ORF00466 conserved hypothetical protein
ORF00467 acetyltransferase, GNAT family
ORF00475 conserved domain protein
ORF00476 hypothetical protein
ORF00478 carboxymuconolactone decarboxylase family protein
ORF00479 conserved hypothetical protein
ORF00486 transcriptional regulator, AraC family
ORF00487 surface protein Rib
ORF00488 transposase, IS256 family, truncation
ORF00489 DNA-damage-inducible protein J, putative
ORF00490 hypothetical protein
ORF00491 lipoprotein, putative
ORF00493 bacteriophage L54a, integrase, truncation
ORF00497 conserved domain protein
ORF00503 oxidoreductase, Gfo/ldh/MocA family
ORF00506 transposase, IS256 family
ORF00510 bacteriocin transport accessory protein, putative
ORF00512 hypothetical protein
ORF00526 biotin synthetase (bioB)
ORF00527 hypothetical protein
ORF00533 type IV prepilin peptidase-related protein
ORF00538 conserved hypothetical protein
ORF00556 hypothetical protein
ORF00563 expressed protein of unknown function
ORF00575 hypothetical protein

Tabl 11: GBS genes not shared with GAS r pneumoniae

ORFxxxxx Annotation
ORF00584 conserved hypothetical protein
ORF00585 fructose-1,6-bisphosphatase, putative
ORF00590 carboxymethylenebutenolidase-related protein
ORF00597 conserved hypothetical protein
ORF00598 inosine-uridine preferring nucleoside hydrolase
ORF00599 hypothetical protein
ORF00600 OsmC/Ohr family protein
ORF00608 adenosine deaminase, putative
ORF00610 chorismate mutase, putative
ORF00615 prophage LambdaSa1, site-specific recombinase, phage integrase family
ORF00617 conserved domain protein
ORF00618 hypothetical protein
ORF00620 hypothetical protein
ORF00621 conserved hypothetical protein
ORF00623 hypothetical protein
ORF00624 hypothetical protein
ORF00626 prophage LambdaSa1, transcriptional regulator, Cro/C1 family
ORF00628 hypothetical protein
ORF00630 hypothetical protein
ORF00632 hypothetical protein
ORF00633 conserved hypothetical protein
ORF00635 hypothetical protein
ORF00636 hypothetical protein
ORF00637 hypothetical protein
ORF00638 conserved hypothetical protein
ORF00639 conserved domain protein
ORF00641 prophage LambdaSa1, reverse transcriptase/maturase family protein
ORF00642 conserved hypothetical protein
ORF00643 conserved hypothetical protein
ORF00644 hypothetical protein
ORF00645 hypothetical protein
ORF00646 conserved hypothetical protein
ORF00647 hypothetical protein
ORF00649 hypothetical protein
ORF00650 hypothetical protein
ORF00652 conserved hypothetical protein
ORF00653 conserved hypothetical protein
ORF00657 conserved hypothetical protein, truncation
ORF00661 conserved hypothetical protein
ORF00667 conserved hypothetical protein
ORF00670 prophage LambdaSa1, minor structural protein, putative
ORF00671 prophage LambdaSa1, N-acetylmuramoyl-L-alanine amidase, family 4
ORF00672 prophage LambdaSa1, minor structural protein, putative
ORF00673 hypothetical protein
ORF00674 hypothetical protein
ORF00675 conserved hypothetical protein
ORF00676 conserved hypothetical protein
ORF00678 conserved hypothetical protein
ORF00681 conserved hypothetical protein
ORF00682 hypothetical protein
ORF00683 prophage LambdaSa1, site-specific recombinase, phage integrase family FRAMESHIFT
ORF00685 conserved hypothetical protein
ORF00689 conserved hypothetical protein, FRAMESHIFT
ORF00698 hypothetical protein
ORF00703 phosphoserine phosphatase SerB (serB)

Tabl 11: GBS genes not shared with GAS or pneumococcus

ORFxxxxx Annotation
ORF00704 MutT/nudix family protein
ORF00712 hypothetical protein
ORF00718 cell wall surface protein, interruption-N
ORF00723 hypothetical protein
ORF00726 transcriptional regulator, AraC family
ORF00727 expressed cell wall surface anchor family protein
ORF00728 expressed cell wall surface anchor family protein
ORF00735 expressed protein of unknown function
ORF00737 conserved hypothetical protein, degenerate
ORF00738 hypothetical protein
ORF00740 hypothetical protein
ORF00741 hypothetical protein
ORF00742 lipoprotein, putative
ORF00747 cylD protein (cylD)
ORF00749 acyl carrier protein AcpC
ORF00750 cylZ protein FRAMESHIFT
ORF00752 cylB protein (cylB)
ORF00753 cylE protein (cylE)
ORF00754 cylF protein (cylF)
ORF00756 cylJ protein (cylJ)
ORF00757 cylK protein (cylK)
ORF00758 hypothetical protein
ORF00759 putative secreted protein
ORF00761 hypothetical protein
ORF00766 expressed putative secreted protein
ORF00767 hypothetical protein
ORF00768 conserved domain protein
ORF00769 permease, putative
ORF00775 conserved hypothetical protein
ORF00777 DedA family protein, putative
ORF00779 membrane protein, putative
ORF00788 sodium:galactoside symporter family protein, putative
ORF00791 transcriptional regulator, GntR family
ORF00793 Glucuronate isomerase (uxaC)
ORF00794 mannonate dehydratase (uxuA)
ORF00795 D-mannonate oxidoreductase
ORF00796 hydrolase, haloacid dehalogenase-like family
ORF00797 glycosyl hydrolase, family 3
ORF00806 conserved hypothetical protein
ORF00822 ABC transporter, ATP-binding protein
ORF00827 hypothetical protein
ORF00834 conserved hypothetical protein
ORF00838 membrane protein, putative
ORF00839 Mn2+/Fe2+ transporter, NRAMP family
ORF00848 conserved domain protein
ORF00872 cell wall surface anchor family protein
ORF00874 conserved hypothetical protein
ORF00878 ABC transporter, permease protein
ORF00879 YaeC family protein, putative
ORF00888 hydrolase, haloacid dehalogenase-like family
ORF00891 conserved domain protein
ORF00898 conserved hypothetical protein
ORF00900 permease, GntP family
ORF00903 transcriptional regulator, MarR family
ORF00907 glutathione S-transferase family protein

Tabl 11: GBS genes not shared with GAS r pneumoniae

ORFxxxxx Annotation
ORF00909 hypothetical protein
ORF00921 membrane protein, putative
ORF00922 glycosyl transferase, family 8
ORF00923 hypothetical protein
ORF00924 conserved hypothetical protein
ORF00939 conserved hypothetical protein
ORF00942 expressed putative secreted protein
ORF00943 hypothetical protein
ORF00944 hypothetical protein
ORF00946 conserved hypothetical protein
ORF00950 hypothetical protein
ORF00951 transcriptional regulator, TenA family
ORF00972 ATP synthase F0, C subunit (atpE)
ORF00980 conserved hypothetical protein
ORF00982 conserved hypothetical protein
ORF01003 conserved hypothetical protein
ORF01004 conserved hypothetical protein
ORF01013 hypothetical protein
ORF01014 hypothetical protein
ORF01015 hypothetical protein
ORF01016 hypothetical protein
ORF01018 hypothetical protein
ORF01019 hypothetical protein
ORF01021 hypothetical protein
ORF01025 HD domain protein
ORF01026 acetyltransferase, GNAT family
ORF01032 chloramphenicol acetyltransferase (cat)
ORF01034 Tn916, transposase
ORF01035 Tn916, excisionase
ORF01037 Tn916, hypothetical protein
ORF01038 Tn916, hypothetical protein
ORF01039 Tn916, transcriptional regulator, putative
ORF01041 Tn916, hypothetical protein
ORF01042 Tn916, NLP/P60 family protein
ORF01044 membrane protein, putative FRAMESHIFT
ORF01048 Tn916, hypothetical protein
ORF01049 Tn916, hypothetical protein
ORF01050 Tn916, hypothetical protein
ORF01051 Tn916, transcriptional regulator, putative
ORF01052 Tn916, FtsK/SpoIIIE family protein
ORF01053 Tn916, hypothetical protein
ORF01054 Tn916, hypothetical protein
ORF01062 hypothetical protein
ORF01086 Na ⁺ /H ⁺ exchanger family protein
ORF01092 acetyltransferase, GNAT family
ORF01096 nisin-resistance protein, putative
ORF01103 conserved hypothetical protein
ORF01124 acetyltransferase, GNAT family
ORF01133 iron-compound ABC transporter, iron-compound-binding protein
ORF01140 conserved hypothetical protein
ORF01142 carbon starvation protein CstA, putative
ORF01143 response regulator
ORF01144 sensor histidine kinase, putative
ORF01145 lipoprotein, putative
ORF01146 conserved hypothetical protein, FRAMESHIFT

Tabl 11: GBS g n s not shared with GAS r pneumococcus

ORFxxxxx Annotation
ORF01148 lipoprotein, putative
ORF01149 hypothetical protein
ORF01150 hypothetical protein
ORF01151 hypothetical protein
ORF01152 lipoprotein, putative
ORF01153 hypothetical protein
ORF01157 conserved hypothetical protein
ORF01158 hypothetical protein
ORF01159 hypothetical protein
ORF01160 expressed protein of unknown function FRAMESHIFT
ORF01161 expressed conserved domain protein
ORF01162 conserved hypothetical protein
ORF01164 FtsK/SpoIIIE family protein FRAMESHIFT
ORF01166 hypothetical protein
ORF01167 conserved hypothetical protein
ORF01168 conserved hypothetical protein
ORF01169 hypothetical protein
ORF01172 phage infection protein, putative
ORF01173 conserved hypothetical protein
ORF01174 conserved domain protein
ORF01175 hypothetical protein
ORF01182 membrane protein, putative
ORF01186 cell wall surface anchor family protein, putative
ORF01187 hypothetical protein
ORF01204 hypothetical protein
ORF01215 hypothetical protein
ORF01241 transcriptional regulator, AraC family, putative
ORF01253 rarD protein (rarD)
ORF01257 transporter, BCCT family protein
ORF01258 hypothetical protein
ORF01261 expressed protein of unknown function
ORF01262 conserved hypothetical protein, FRAMESHIFT
ORF01263 hypothetical protein
ORF01265 hypothetical protein
ORF01266 hypothetical protein
ORF01269 conserved hypothetical protein
ORF01272 conserved hypothetical protein
ORF01277 conserved hypothetical protein
ORF01287 conserved hypothetical protein
ORF01288 membrane protein, putative
ORF01299 CMP-N-acetylneuraminic acid synthetase NeuA (neuA)
ORF01300 neuD protein (neuD)
ORF01301 UDP-N-acetylglucosamine-2-epimerase NeuC (neuC)
ORF01302 N-acetyl neuramic acid synthetase NeuB (neuB)
ORF01303 polysaccharide biosynthesis protein CpsL (cpsL)
ORF01304 polysaccharide biosynthesis protein CpsK(V) (cpsK)
ORF01307 glycosyltransferase CpsN(V) (cpsN)
ORF01308 polysaccharide biosynthesis protein CpsM(V) (cpsM)
ORF01309 polysaccharide biosynthesis protein cpsH(V) (cpsH)
ORF01310 glycosyltransferase CpsG(V) (cpsG)
ORF01311 polysaccharide biosynthesis protein CpsF (cpsF)
ORF01312 glycosyltransferase CpsE (cpsE)
ORF01348 conserved domain protein
ORF01349 hypothetical protein
ORF01370 conserved hypothetical protein

Tabl 11: GBS genes not shared with GAS r pneumococcus

ORFxxxxx Annotation
ORF01371 conserved hypothetical protein
ORF01372 expressed protein of unknown function
ORF01373 ISSdy1, transposase OrfA
ORF01375 conserved hypothetical protein
ORF01379 transposase OrfB, IS3 family, truncation
ORF01382 GBSi1, group II intron, maturase
ORF01384 hypothetical protein
ORF01385 hypothetical protein
ORF01386 conserved hypothetical protein
ORF01387 conserved hypothetical protein, truncation
ORF01390 ISSdy1, transposase OrfA FRAMESHIFT
ORF01392 hypothetical protein
ORF01393 hypothetical protein
ORF01394 site-specific recombinase, phage integrase family
ORF01395 conserved hypothetical protein
ORF01401 transposase, ISL3 family
ORF01404 mercuric resistance operon regulatory protein MerR (merR)
ORF01408 cadmium efflux system accessory protein (CadC)
ORF01409 conserved hypothetical protein
ORF01410 hypothetical protein
ORF01417 hypothetical protein
ORF01418 hypothetical protein
ORF01420 hypothetical protein
ORF01421 ImpB/MucB/SamB family protein
ORF01423 conserved hypothetical protein
ORF01424 conserved hypothetical protein
ORF01425 conserved hypothetical protein
ORF01426 conserved hypothetical protein
ORF01427 hypothetical protein
ORF01428 conserved hypothetical protein
ORF01430 hypothetical protein
ORF01431 hypothetical protein
ORF01432 conserved domain protein
ORF01433 SNF2 family protein
ORF01434 hypothetical protein
ORF01435 calcium-binding protein, putative
ORF01436 agglutinin receptor (ssp-5)
ORF01437 abortive infection protein AbiGI (abiGI)
ORF01438 abortive infection protein AbiGII (abiGII)
ORF01439 conserved hypothetical protein
ORF01440 expressed protein of unknown function
ORF01441 conserved hypothetical protein, degenerate
ORF01442 membrane protein, putative
ORF01443 hypothetical protein
ORF01444 Tn5252, Orf 21 protein, internal deletion
ORF01445 hypothetical protein
ORF01450 conserved hypothetical protein
ORF01452 hypothetical protein
ORF01454 conserved hypothetical protein
ORF01459 hypothetical protein
ORF01460 homocysteine S-methyltransferase MmuM, putative
ORF01463 hypothetical protein
ORF01464 hypothetical protein
ORF01465 hypothetical protein
ORF01466 transcriptional regulator, TetR family

Tabl 11: GBS genes not shared with GAS or pneumococcus

ORFxxxxx Annotation
ORF01477 glutathione S-transferase family protein, putative
ORF01478 conserved domain protein
ORF01486 hypothetical protein
ORF01488 R5 protein
ORF01489 transcriptional regulator, MarR family, putative
ORF01494 membrane protein, putative
ORF01497 acetyltransferase, GNAT family
ORF01502 hypothetical protein
ORF01503 conserved hypothetical protein
ORF01508 surface antigen-related protein
ORF01535 conserved hypothetical protein
ORF01547 conserved hypothetical protein
ORF01566 expressed cell wall surface anchor family protein
ORF01572 glycosyltransferase, group 1 family protein
ORF01573 glycosyltransferase, group 2 family protein
ORF01575 membrane protein, putative
ORF01576 glycosyltransferase, group 2 family protein
ORF01577 glycosyltransferase, group 2 family protein
ORF01578 nucleotide sugar dehydratase, putative
ORF01581 lipoprotein, putative
ORF01582 conserved hypothetical protein
ORF01596 ammonium transporter family protein
ORF01597 conserved hypothetical protein
ORF01601 hypothetical protein
ORF01608 proton/peptide symporter family protein
ORF01611 hypothetical protein
ORF01615 conserved domain protein
ORF01638 conserved hypothetical protein
ORF01641 conserved hypothetical protein
ORF01645 cell wall surface anchor family protein
ORF01660 membrane protein, putative
ORF01661 ABC transporter, ATP binding protein
ORF01666 hypothetical protein
ORF01667 hypothetical protein
ORF01670 hypothetical protein
ORF01672 protease, putative, POINT MUTATION
ORF01673 hypothetical protein
ORF01674 hypothetical protein
ORF01675 hypothetical protein
ORF01680 tetracenomycin polyketide synthesis O-methyltransferase TcmP, putative
ORF01681 hypothetical protein
ORF01682 hypothetical protein
ORF01684 hypothetical protein
ORF01692 peptide ABC transporter, ATP-binding protein
ORF01695 peptide ABC transporter, permease protein
ORF01696 peptide ABC transporter, peptide-binding protein
ORF01699 transposase, IS30 family, putative
ORF01700 transporter, major facilitator family
ORF01703 transcriptional regulator, LysR family
ORF01715 conserved hypothetical protein
ORF01719 hypothetical protein
ORF01720 conserved hypothetical protein
ORF01721 glyoxalase family protein
ORF01727 conserved hypothetical protein
ORF01729 acetyltransferase, GNAT family

Tabl 11: GBS genes not shared with GAS or pneumococcus

ORFxxxxx Annotation
ORF01730 glycosyl transferase, group 2 family protein
ORF01733 hypothetical protein
ORF01734 conserved hypothetical protein
ORF01735 hypothetical protein
ORF01736 hypothetical protein
ORF01737 hypothetical protein
ORF01742 hypothetical protein
ORF01743 PTS system component, putative
ORF01744 conserved hypothetical protein
ORF01748 D-isomer specific 2-hydroxyacid dehydrogenase family protein
ORF01753 conserved hypothetical protein
ORF01754 hypothetical protein
ORF01761 transposase, IS30 family, putative, truncation
ORF01778 amino acid permease, putative
ORF01807 hypothetical protein
ORF01836 hypothetical protein
ORF01838 hypothetical protein
ORF01839 dihydroxyacetone kinase family protein
ORF01840 transcriptional regulator, TetR family, putative
ORF01842 hypothetical protein
ORF01843 dihydroxyacetone kinase family protein
ORF01844 dihydroxyacetone kinase family protein
ORF01847 conserved hypothetical protein
ORF01850 hypothetical protein
ORF01863 pyruvate phosphate dikinase (ppdK)
ORF01864 expressed protein of unknown function
ORF01865 CBS domain protein
ORF01866 3-hydroxyacyl-CoA dehydrogenase family protein, putative secreted protein
ORF01892 hypothetical protein
ORF01893 hypothetical protein
ORF01894 conserved hypothetical protein
ORF01895 hypothetical protein
ORF01896 hypothetical protein
ORF01897 hypothetical protein
ORF01898 hypothetical protein
ORF01899 hypothetical protein
ORF01903 conserved hypothetical protein
ORF01904 drug resistance transporter, EmrB/QacA family
ORF01905 hypothetical protein
ORF01922 conserved hypothetical protein
ORF01925 FMN-binding protein
ORF01934 hypothetical protein
ORF01936 polyprenyl synthetase family protein
ORF01939 cytochrome d ubiquinol oxidase, subunit II (cydB)
ORF01940 cytochrome d oxidase, subunit I (cydA)
ORF01941 pyridine nucleotide-disulphide oxidoreductase family protein
ORF01942 prenyltransferase, UbiA family
ORF01943 hypothetical protein
ORF01944 hypothetical protein
ORF01946 cyclopropane-fatty-acyl-phospholipid synthase (cfa)
ORF01951 conserved hypothetical protein
ORF01953 hypothetical protein
ORF01954 conserved hypothetical protein
ORF01984 hypothetical protein
ORF01988 hypothetical protein

Tabl 11: GBS genes not shared with GAS r pneumococcus

ORFxxxxx Annotation
ORF01989 hypothetical protein
ORF01990 hypothetical protein
ORF01991 hypothetical protein
ORF02000 membrane protein, putative
ORF02001 transposase, IS30 family, putative
ORF02005 hypothetical protein
ORF02006 xylulose-5-phosphate/fructose-6-phosphate phosphoketolase (xfp)
ORF02009 conserved hypothetical protein
ORF02010 carbohydrate kinase, FGGY family
ORF02011 hypothetical protein
ORF02012 PTS system component, putative
ORF02015 glyoxylate reductase, NADH-dependent
ORF02016 hypothetical protein
ORF02025 hypothetical protein
ORF02026 hypothetical protein
ORF02030 glutamate-cysteine ligase-related protein
ORF02036 phosphinothricin N-acetyltransferase (pat)
ORF02039 conserved hypothetical protein
ORF02044 conserved hypothetical protein
ORF02045 conserved hypothetical protein
ORF02046 prophage LambdaSa2, lysin, putative
ORF02047 prophage LambdaSa2, holin, putative
ORF02048 conserved hypothetical protein
ORF02049 hypothetical protein
ORF02050 conserved domain protein
ORF02051 prophage LambdaSa2, PblB, putative
ORF02053 conserved hypothetical protein
ORF02056 conserved hypothetical protein
ORF02057 hypothetical protein
ORF02058 hypothetical protein
ORF02059 conserved hypothetical protein
ORF02060 conserved hypothetical protein
ORF02061 hypothetical protein
ORF02062 hypothetical protein
ORF02063 conserved domain protein
ORF02064 conserved domain protein
ORF02066 prophage LambdaSa2, protease, putative
ORF02067 conserved hypothetical protein
ORF02068 prophage LambdaSa2, terminase large subunit, putative
ORF02069 hypothetical protein
ORF02070 hypothetical protein
ORF02071 prophage LambdaSa2, site-specific recombinase, phage integrase family
ORF02072 conserved hypothetical protein
ORF02073 prophage LambdaSa2, transcriptional regulator, Cro/C1 family
ORF02075 hypothetical protein
ORF02077 hypothetical protein
ORF02078 conserved hypothetical protein
ORF02079 conserved hypothetical protein
ORF02080 conserved hypothetical protein
ORF02081 hypothetical protein
ORF02084 prophage LambdaSa2, bacteriophage replication protein/hypothetical protein, truncation/fusion
ORF02085 hypothetical protein
ORF02087 hypothetical protein
ORF02088 conserved hypothetical protein

Tabl 11: GBS g n s not shared with GAS r pneum c ccus

ORFxxxxx Annotation
ORF02089 prophage LambdaSa2, HNH endonuclease family protein
ORF02090 prophage LambdaSa2, antirepressor protein, putative
ORF02091 conserved domain protein
ORF02092 hypothetical protein
ORF02093 hypothetical protein
ORF02094 hypothetical protein
ORF02095 prophage LambdaSa2, repressor protein, putative
ORF02097 hypothetical protein
ORF02098 prophage LambdaSa2, site-specific recombinase, phage integrase family
ORF02100 hypothetical protein
ORF02102 hypothetical protein
ORF02103 microcin immunity protein MccF, putative
ORF02105 oxidoreductase, Gfo/Idh/MocA family
ORF02108 hypothetical protein
ORF02109 Cyclic nucleotide-binding domain protein
ORF02119 hypothetical protein
ORF02124 hypothetical protein
ORF02125 nitroreductase family protein
ORF02134 bacteriocin transport accessory protein, putative
ORF02148 neuraminidase-related protein
ORF02160 2',3'-cyclic-nucleotide 2'-phosphodiesterase (cpdB)
ORF02163 conserved hypothetical protein
ORF02171 membrane protein, putative
ORF02172 hypothetical protein
ORF02173 membrane protein, putative
ORF02175 conserved hypothetical protein, truncation
ORF02181 phosphate transport system regulatory protein PhoU, putative
ORF02187 hypothetical protein
ORF02190 conserved hypothetical protein
ORF02191 hypothetical protein
ORF02194 acetyltransferase, GNAT family
ORF02196 hypothetical protein
ORF02198 acetyltransferase, GNAT family
ORF02201 membrane protein, putative
ORF02203 hypothetical protein
ORF02205 transcriptional regulator, Cro/C1 family
ORF02206 conserved hypothetical protein
ORF02207 conserved hypothetical protein TIGR00730
ORF02208 hypothetical protein
ORF02209 site-specific recombinase, phage integrase family
ORF02210 conserved hypothetical protein
ORF02211 conserved hypothetical protein
ORF02212 hypothetical protein
ORF02213 hypothetical protein
ORF02214 transcriptional regulator, Cro/C1 family
ORF02215 expressed protein of unknown function
ORF02216 site-specific recombinase, phage integrase family
ORF02217 conserved hypothetical protein
ORF02219 hypothetical protein
ORF02221 cell wall anchor protein-related protein
ORF02223 hypothetical protein
ORF02224 hypothetical protein
ORF02225 hypothetical protein
ORF02226 membrane protein, putative
ORF02227 conjugal transfer protein, interruption-C

Tabl 11: GBS genes not shared with GAS r pneumococcus

ORFxxxxx Annotation
ORF02230 conserved hypothetical protein
ORF02231 conserved hypothetical protein
ORF02232 conserved hypothetical protein
ORF02235 hypothetical protein
ORF02236 conserved hypothetical protein
ORF02237 hypothetical protein
ORF02238 hypothetical protein
ORF02239 hypothetical protein
ORF02240 transcriptional regulator, Cro/Ci family
ORF02241 hypothetical protein
ORF02242 transcriptional regulator, Cro/Ci family
ORF02243 FtsK/SpoIIIE family protein
ORF02244 hypothetical protein
ORF02245 hypothetical protein
ORF02246 cell wall surface anchor family protein
ORF02247 transposase, ISL3 family
ORF02250 mercuric resistance operon regulatory protein MerR (merR)
ORF02251 Mn2+/Fe2+ transporter, NRAMP family
ORF02252 membrane protein, putative
ORF02253 ABC transporter, ATP-binding protein
ORF02254 conserved hypothetical protein
ORF02255 streptomycin resistance protein
ORF02257 hypothetical protein
ORF02258 hypothetical protein
ORF02259 conserved hypothetical protein
ORF02260 acetyltransferase, GNAT family
ORF02261 membrane protein, putative
ORF02263 hypothetical protein
ORF02264 transcriptional regulator, Cro/Ci family
ORF02265 PAP2 family protein
ORF02266 conserved hypothetical protein FRAMESHIFT
ORF02267 conserved hypothetical protein TIGR00730
ORF02268 protease, putative
ORF02269 rhodanese family protein
ORF02271 hypothetical protein
ORF02274 conserved hypothetical protein
ORF02275 5-methyltetrahydrofolate--homocysteine methyltransferase, putative
ORF02277 conserved hypothetical protein
ORF02279 hypothetical protein
ORF02282 sensor histidine kinase
ORF02283 chromosome assembly-related protein
ORF02287 expressed protein of unknown function
ORF02291 pathogenicity protein, putative
ORF02308 hydrolase, haloacid dehalogenase-like family
ORF02314 conserved hypothetical protein
ORF02317 hypothetical protein
ORF02330 hypothetical protein
ORF02344 site-specific recombinase, phage integrase family
ORF02345 conserved hypothetical protein
ORF02346 conserved hypothetical protein
ORF02347 hypothetical protein
ORF02349 conserved hypothetical protein
ORF02350 hypothetical protein
ORF02351 transcriptional regulator, Cro/Ci family
ORF02352 conserved domain protein

Tabl 11: GBS genes not shared with GAS or pneumococcus

ORFxxxxx Annotation
ORF02354 hypothetical protein
ORF02356 expressed putative secreted protein
ORF02362 sensor histidine kinase
ORF02363 response regulator
ORF02367 membrane protein, putative
ORF02368 conserved hypothetical protein
ORF02379 membrane protein, putative
ORF02395 transcriptional regulator, Cro/C1 family
ORF02406 membrane protein, putative
ORF02416 diacylglycerol kinase catalytic domain protein, putative
ORF02418 hypothetical protein
ORF02422 hypothetical protein
ORF02425 conserved hypothetical protein
ORF03001 conserved hypothetical protein
ORF03004 conserved hypothetical protein
ORF03005 cylX protein
ORF03006 Tn916, hypothetical protein
ORF03007 Tn916, hypothetical protein
ORF03008 Tn916, hypothetical protein
ORF03009 Tn916, tetM leader peptide
ORF03010 Tn916, hypothetical protein
ORF03012 prophage LambdaSa2, HNH endonuclease family protein
ORF03013 conserved hypothetical protein
ORF03015 conjugal transfer protein, interruption-N

Table 12: GBS ORF's not shared with any published genome

ORFxxxxx Annotation

ORF00035	membrane protein, putative
ORF00087	lipoprotein, putative
ORF00088	hypothetical protein
ORF00089	hypothetical protein
ORF00123	hypothetical protein
ORF00138	hypothetical protein
ORF00187	hypothetical protein
ORF00188	hypothetical protein
ORF00192	hypothetical protein
ORF00205	hypothetical protein
ORF00228	lipoprotein, putative
ORF00234	hypothetical protein
ORF00235	hypothetical protein
ORF00238	hypothetical protein
ORF00240	transcriptional regulator, Cro/C1 family
ORF00241	hypothetical protein
ORF00242	conserved hypothetical protein
ORF00243	hypothetical protein
ORF00247	hypothetical protein
ORF00249	hypothetical protein
ORF00253	hypothetical protein
ORF00254	hypothetical protein
ORF00255	hypothetical protein
ORF00256	hypothetical protein
ORF00257	hypothetical protein
ORF00258	hypothetical protein
ORF00259	hypothetical protein
ORF00260	hypothetical protein
ORF00272	expressed putative lipoprotein
ORF00273	hypothetical protein
ORF00274	hypothetical protein
ORF00275	hypothetical protein
ORF00276	hypothetical protein
ORF00278	membrane protein, putative
ORF00285	lipoprotein, putative
ORF00292	hypothetical protein
ORF00294	expressed protein of unknown function
ORF00308	conserved hypothetical protein
ORF00332	hypothetical protein
ORF00340	hypothetical protein
ORF00384	hypothetical protein
ORF00402	membrane protein, putative
ORF00408	hypothetical protein
ORF00416	hypothetical protein
ORF00417	hypothetical protein
ORF00448	hypothetical protein
ORF00476	hypothetical protein
ORF00489	DNA-damage-inducible protein J, putative
ORF00490	hypothetical protein
ORF00491	lipoprotein, putative
ORF00497	conserved domain protein
ORF00510	bacteriocin transport accessory protein, putative
ORF00512	hypothetical protein
ORF00527	hypothetical protein
ORF00556	hypothetical protein

Table 12: GBS ORF's not shared with any published g nom

ORFxxxxx Ann tation

ORF00575 hypothetical protein
ORF00599 hypothetical protein
ORF00618 hypothetical protein
ORF00620 hypothetical protein
ORF00623 hypothetical protein
ORF00626 prophage LambdaSa1, transcriptional regulator, Cro/Ci family
ORF00628 hypothetical protein
ORF00630 hypothetical protein
ORF00632 hypothetical protein
ORF00635 hypothetical protein
ORF00636 hypothetical protein
ORF00637 hypothetical protein
ORF00642 conserved hypothetical protein
ORF00644 hypothetical protein
ORF00645 hypothetical protein
ORF00647 hypothetical protein
ORF00649 hypothetical protein
ORF00650 hypothetical protein
ORF00653 conserved hypothetical protein
ORF00657 conserved hypothetical protein, truncation
ORF00661 conserved hypothetical protein
ORF00673 hypothetical protein
ORF00674 hypothetical protein
ORF00675 conserved hypothetical protein
ORF00676 conserved hypothetical protein
ORF00682 hypothetical protein
ORF00685 conserved hypothetical protein
ORF00698 hypothetical protein
ORF00712 hypothetical protein
ORF00718 cell wall surface protein, interruption-N
ORF00723 hypothetical protein
ORF00735 expressed protein of unknown function
ORF00737 conserved hypothetical protein, degenerate
ORF00738 hypothetical protein
ORF00740 hypothetical protein
ORF00741 hypothetical protein
ORF00747 cylD protein (cylD)
ORF00753 cylE protein (cylE)
ORF00756 cylJ protein (cylJ)
ORF00757 cylK protein (cylK)
ORF00758 hypothetical protein
ORF00759 putative secreted protein
ORF00761 hypothetical protein
ORF00796 hydrolase, haloacid dehalogenase-like family
ORF00806 conserved hypothetical protein
ORF00822 ABC transporter, ATP-binding protein
ORF00827 hypothetical protein
ORF00872 cell wall surface anchor family protein
ORF00909 hypothetical protein
ORF00923 hypothetical protein
ORF00924 conserved hypothetical protein
ORF00942 expressed putative secreted protein
ORF00943 hypothetical protein
ORF00944 hypothetical protein
ORF01013 hypothetical protein

Tabl 12: GBS ORF's n t shared with any published g nom

ORFxxxxx Ann tation

ORF01014 hypothetical protein
ORF01015 hypothetical protein
ORF01016 hypothetical protein
ORF01018 hypothetical protein
ORF01019 hypothetical protein
ORF01021 hypothetical protein
ORF01035 Tn916, excisionase
ORF01062 hypothetical protein
ORF01096 nisin-resistance protein, putative
ORF01145 lipoprotein, putative
ORF01146 conserved hypothetical protein, FRAMESHIFT
ORF01148 lipoprotein, putative
ORF01149 hypothetical protein
ORF01150 hypothetical protein
ORF01151 hypothetical protein
ORF01152 lipoprotein, putative
ORF01153 hypothetical protein
ORF01158 hypothetical protein
ORF01159 hypothetical protein
ORF01161 expressed conserved domain protein
ORF01162 conserved hypothetical protein
ORF01166 hypothetical protein
ORF01168 conserved hypothetical protein
ORF01169 hypothetical protein
ORF01174 conserved domain protein
ORF01175 hypothetical protein
ORF01186 cell wall surface anchor family protein, putative
ORF01187 hypothetical protein
ORF01204 hypothetical protein
ORF01215 hypothetical protein
ORF01258 hypothetical protein
ORF01262 conserved hypothetical protein, FRAMESHIFT
ORF01263 hypothetical protein
ORF01265 hypothetical protein
ORF01266 hypothetical protein
ORF01304 polysaccharide biosynthesis protein CpsK(V) (cpsK)
ORF01308 polysaccharide biosynthesis protein CpsM(V) (cpsM)
ORF01309 polysaccharide biosynthesis protein cpsH(V) (cpsH)
ORF01349 hypothetical protein
ORF01384 hypothetical protein
ORF01385 hypothetical protein
ORF01386 conserved hypothetical protein
ORF01392 hypothetical protein
ORF01395 conserved hypothetical protein
ORF01409 conserved hypothetical protein
ORF01410 hypothetical protein
ORF01417 hypothetical protein
ORF01418 hypothetical protein
ORF01420 hypothetical protein
ORF01423 conserved hypothetical protein
ORF01424 conserved hypothetical protein
ORF01425 conserved hypothetical protein
ORF01426 conserved hypothetical protein
ORF01427 hypothetical protein
ORF01431 hypothetical protein

Table 12: GBS ORF's not shared with any published genome**ORFxxxxx Annotation**

ORF01432 conserved domain protein
ORF01434 hypothetical protein
ORF01435 calcium-binding protein, putative
ORF01437 abortive infection protein AbiGI (abiGI)
ORF01438 abortive infection protein AbiGII (abiGII)
ORF01441 conserved hypothetical protein, degenerate
ORF01443 hypothetical protein
ORF01445 hypothetical protein
ORF01452 hypothetical protein
ORF01459 hypothetical protein
ORF01463 hypothetical protein
ORF01464 hypothetical protein
ORF01465 hypothetical protein
ORF01486 hypothetical protein
ORF01488 R5 protein
ORF01575 membrane protein, putative
ORF01581 lipoprotein, putative
ORF01601 hypothetical protein
ORF01611 hypothetical protein
ORF01638 conserved hypothetical protein
ORF01645 cell wall surface anchor family protein
ORF01660 membrane protein, putative
ORF01666 hypothetical protein
ORF01667 hypothetical protein
ORF01670 hypothetical protein
ORF01673 hypothetical protein
ORF01674 hypothetical protein
ORF01675 hypothetical protein
ORF01681 hypothetical protein
ORF01682 hypothetical protein
ORF01684 hypothetical protein
ORF01719 hypothetical protein
ORF01733 hypothetical protein
ORF01735 hypothetical protein
ORF01736 hypothetical protein
ORF01737 hypothetical protein
ORF01742 hypothetical protein
ORF01754 hypothetical protein
ORF01761 transposase, IS30 family, putative, truncation
ORF01807 hypothetical protein
ORF01836 hypothetical protein
ORF01838 hypothetical protein
ORF01842 hypothetical protein
ORF01850 hypothetical protein
ORF01892 hypothetical protein
ORF01893 hypothetical protein
ORF01895 hypothetical protein
ORF01896 hypothetical protein
ORF01897 hypothetical protein
ORF01898 hypothetical protein
ORF01899 hypothetical protein
ORF01905 hypothetical protein
ORF01934 hypothetical protein
ORF01943 hypothetical protein
ORF01944 hypothetical protein

Tabl 12: GBS ORF's not shar d with any published genome

ORFxxxxx Annotation

ORF01953 hypothetical protein
ORF01984 hypothetical protein
ORF01988 hypothetical protein
ORF01989 hypothetical protein
ORF02005 hypothetical protein
ORF02011 hypothetical protein
ORF02016 hypothetical protein
ORF02025 hypothetical protein
ORF02026 hypothetical protein
ORF02045 conserved hypothetical protein
ORF02047 prophage LambdaSa2, holin, putative
ORF02048 conserved hypothetical protein
ORF02049 hypothetical protein
ORF02050 conserved domain protein
ORF02053 conserved hypothetical protein
ORF02057 hypothetical protein
ORF02058 hypothetical protein
ORF02061 hypothetical protein
ORF02062 hypothetical protein
ORF02063 conserved domain protein
ORF02067 conserved hypothetical protein
ORF02069 hypothetical protein
ORF02070 hypothetical protein
ORF02072 conserved hypothetical protein
ORF02073 prophage LambdaSa2, transcriptional regulator, Cro/Ci family
ORF02075 hypothetical protein
ORF02077 hypothetical protein
ORF02078 conserved hypothetical protein
ORF02081 hypothetical protein
ORF02085 hypothetical protein
ORF02087 hypothetical protein
ORF02088 conserved hypothetical protein
ORF02091 conserved domain protein
ORF02092 hypothetical protein
ORF02093 hypothetical protein
ORF02094 hypothetical protein
ORF02097 hypothetical protein
ORF02100 hypothetical protein
ORF02102 hypothetical protein
ORF02108 hypothetical protein
ORF02119 hypothetical protein
ORF02124 hypothetical protein
ORF02171 membrane protein, putative
ORF02172 hypothetical protein
ORF02173 membrane protein, putative
ORF02191 hypothetical protein
ORF02196 hypothetical protein
ORF02203 hypothetical protein
ORF02208 hypothetical protein
ORF02212 hypothetical protein
ORF02213 hypothetical protein
ORF02214 transcriptional regulator, Cro/Ci family
ORF02215 expressed protein of unknown function
ORF02217 conserved hypothetical protein
ORF02219 hypothetical protein

Tabl 12: GBS ORF's n t shared with any published g nom

ORFxxxxx Ann tati n

ORF02221 cell wall anchor protein-related protein
ORF02223 hypothetical protein
ORF02224 hypothetical protein
ORF02225 hypothetical protein
ORF02231 conserved hypothetical protein
ORF02235 hypothetical protein
ORF02236 conserved hypothetical protein
ORF02237 hypothetical protein
ORF02238 hypothetical protein
ORF02239 hypothetical protein
ORF02241 hypothetical protein
ORF02244 hypothetical protein
ORF02245 hypothetical protein
ORF02263 hypothetical protein
ORF02268 protease, putative
ORF02271 hypothetical protein
ORF02279 hypothetical protein
ORF02283 chromosome assembly-related protein
ORF02317 hypothetical protein
ORF02330 hypothetical protein
ORF02344 site-specific recombinase, phage integrase family
ORF02345 conserved hypothetical protein
ORF02347 hypothetical protein
ORF02349 conserved hypothetical protein
ORF02350 hypothetical protein
ORF02351 transcriptional regulator, Cro/C1 family
ORF02354 hypothetical protein
ORF02356 expressed putative secreted protein
ORF02395 transcriptional regulator, Cro/C1 family
ORF02418 hypothetical protein
ORF02422 hypothetical protein
ORF02425 conserved hypothetical protein
ORF03004 conserved hypothetical protein
ORF03005 cylX protein
ORF03006 Tn916, hypothetical protein
ORF03007 Tn916, hypothetical protein
ORF03008 Tn916, hypothetical protein
ORF03009 Tn916, tetM leader peptide
ORF03010 Tn916, hypothetical protein
ORF03015 conjugal transfer protein, interruption-N

Table 13: Comparative Sequences relating to SAG0466 (thiolase)

SEQ ID NO. 1301: SAG0466 FROM THE 2603V/R GBS STRAIN

CTCCTGCCCCGCAATGGCAGTTAGACCCATAGGTTTATTTTATATTTTAAATGCCTGCATAAGATGAAGGATATTAATA
 ATTCCTGAGCAGGCATAAGGGTGTCCGTAAGCTAATGTCCTCCAAAAATATTGAATTTTCTCTCTCTTCAGGATAATA
 ATGATTAAATAGAGCATCAATCGCTGCAATGGTTCATTCCATTCAATTGCATCATAATCCGATATTTTAGTATGAGTTT
 CTGTTAATAGTTTTTCCGTAGCCGTGTGAACCAATTCGGGACTAAGCTTGGGATCTCCTGCTACTTCTACAATGTGAACA
 ATCCGGAATTCTGTTTTCTGACTCTGAAGCGTTAGAAATGCAGCAGCATCGTGCATTAAACAAACATTTCGAATAGTGAG
 CAAAGGTGAATTTTCCATCAATCTTGGAATTTTTGAAAAATGTTTCTTTTAgTTTCTAACGCTTGATCTCGCATCC
 CTTCCATTGGTAAGATTACyTCTTCTAAATAGCCACCTTGTAGCTGTTAAGGCGCGTTTATGGCTCAAGAATGCCAAT
 TTATCTAACATTTCTTTCTAAaCCATATTTTTGACAGACTCTCTGGGCCCCCTCTAACATTACAGTTTCAGCATAAGA
 GTCAGGAGAAAACCTGAGCAACTGTATATTCTCCGTTACGATTATCTTCTTTAGCATAACGCTCTCATAGGTTGAAGAGAAC
 TACTTTCAATCCCCCAACAAGAAGCTTTTTATTAAATACCGGTACTGATTTTGTAGATAACCAAAAAACAAGGCAGAACTT
 GATGAAGCACACTGCATATCAATCGTTTGTACTGGAATATAGGATTCATAATCAGAAAAAGAGTCAATCAACGACCAAT
 ATTGCCCCCAGTACCAACTGTGTTCCACAAATAATACTATCAATGTTAGATTCTGATTCTATTTTTTTTATTGATTTA
 AAAGGTGTGCTCCTAAAAGTTCTGGACGGTAAGTTTAAATTGCTT

SEQ ID NO. 1302: SAG0466 FROM THE M732 GBS TYPE III STRAIN

TCGGTATAAAAGGGAAGCAATTTAAACATTACCGTCCAGAAGCTTTTAGGAGCACACCTCTTAAATCAAATAAAAAAATA
 GAATCAGAATCTAATATTGATAGTATTATTTGTGGGAACACAGTTGGTACTGGGGGCAATATTGGTCGTTTGATGACTCT
 TTTTCTGATTATGAATCCTATATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCAAGTTCTGCCTTGTTTTTG
 GTTATCTAAAAACAGTGCCGGTATTAATGAAAAAGTCTTGTGGGGGGGATTGAAAGTAGTTCTCTTCAACCTATGAGA
 CGTTACGCTAAAGAAGATAATCGTAACGGAGAATATACCGTTGCTCAGTTTTCTCCTGACTCTTATGCTGAAACTGTAAT
 GTTAGAAGGGGCACAAAGAGTCTGTCAAAAATATGGTTTTAGAAAGAGAAATGTTAGATAAATTGGCATTCTTGAGCCATA
 AACGCGCCTTAACAGCTAAACAAGGTGGCTATTTAGAAAGAGTAATCTTACCAATGGAAGGGATGCGAGATCAAGGCGTT
 AGAAAACTAAAAGAAGCATTTTTTCAAAAATACCAAGATTGATGGAAAATTCACCTTTGCTCACTATTGGAAATGTTTG
 TTTAATGCACGATGCTGCTGCATTCTAACGCTTCAGAGTCAGAAAACAGAATTCGGGATTGTTTACATTGTAGAAGTAG
 CAGGAGATCCCAAGCTTAGTCCAGAATTGGTTTACACGGCTACGGAAAACTATTAAACAGAACTCATATAAAATATCG
 GATTATGATGCAATTGAATGGAATGAACCATTTGCAGCGATTGATGCTTTATTTAATCATTATTATCCTGAAGAGAGAGA
 AAAATTCAATATTTTTTGAGGGGCATTAGCTTACGGACACCCTTATGCCTGCTCAGGAATTA

SEQ ID NO. 1303: SAG0466 FROM THE 090 GBS TYPE Ia STRAIN

TTGTGGGAACACAGTTGGTACTGGGGGCAATATTGGTCGTTTGATGACTCTTTTTTCTGATTATGAATCCTATATTCCAG
 TACAAACGATTGATATGCAGTGTGCTTCATCAAGTTCTGCCTTGTTTTTGGTTATCTAAAAATCAGTGCCGGTATTAAT
 GAAAAAGTTCTTGTTGGGGGGGATTGAAAGTAGTTCTCTTCAACCTATGAGACGTTACGCTAAAGAAGATAATCGTAACGG
 AGAATATACCGTTGCTCAGTTTTCTCCTGACTCTTAKGCTGAAACTGTAAATGtTAGAAGGGGCACAAAGAGTCTGTCAAA
 AATATGGTTTTAGAAAGAGAAATGTTAGATAAATTGGCATTCTTGAGCCATAAACGCGCCTTAACAGCTAAACAAGGTGGC
 TATTTAGAAGAGGTAATCTTACCAATGGAAGGGATGCGAGATCAAGGCGTTAGAAAACATAAAGAACCATTTTTTCAAAA
 ATTACCAAGATTGATGGrAAATTCACCTTTGCTCACTATTGGAAATGTTTGTTTAAATGCACGATGCTGCTGCATTCTwa
 CGCTTCAGAGTCAGAAAACAGAATTCCGGATTGTTTACATTGTAGAAGTAGCAGGAGATCCCAAGCTTAGTCCAGAATTG
 GTTACACGGCTACGGAAAACTATTAAACAGAAACTCATACTAAAATATCGGATTATGATGCAATTGAATGGAATGAACC
 ATTTGCAGCGATTGATGCTTTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTTGAGGGGCATTAG
 CTTACGGACACCCTTATGCCTGCTCAGG

SEQ ID NO. 1304: SAG0466 FROM THE COH1 GBS TYPE Ia STRAIN

ATCGGTATAAAAGGGAAGCAATTTAAATACCGTCCAGAAGCTTTTAGGAGCACACCTCTTAAATCAAATAAAAAAATA
 GAATCAGAATCTAATATTGATAGTATTATTTGTGGGAACACAGTTGGTACTGGGGGCAATATTGGTCGTTTGATGACTCT
 TTTTTCTGATTATGAATCCTATATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCAAGTTCTGCCTTGTTTTTG
 GGTATCTAAAAA

SEQ ID NO. 1305 : SAG0466 FROM THE CJB GBS NONTYPEABLE STRAIN REVERSE
COMPLEMENT

TTTTCAAAAATTACCAAGATTGATGGAAAATTCACCTTTGCTCACTATTGGAAATGTTTGTTTAAATGCACGATGCTGCTG
 CATTTCTAACGCTTCAGAGTCAGAAAACAGAATTCGGGATTGTTTACATTGTAGAAGTAGCAGGAGATCCCAAGCTTAGT
 CCAGAATTGGTTCACACGGCTACGGAAAACTATTAAACAGAAACTCATACTAAAATATCGGATTATGATGCAATTGAATG
 GAATGAACCATTTGCAGCGATTGATGCTTTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTGGAG
 GGCATTAGCTTACGGACACCCTTAATGCCTGCTCAGGAATTATTAATATCC

SEQ ID NO. 1306: sag0466 FROM THE CJB110 GBS NONTYPEABLE STRAIN

GGTATAAAAGGGAAGCAATTTAAACATTACCGTCCAGAAGCTTTTAGGAGCACACCTCTTAAATCAAATAAAAAAATA
 ACCAGAATCTAACATTGATAGTATTATTTGTGGGAACACAGTTGGTACTGGGGGCAATATTGGTCGTTTGATGACTCTTT
 TTTCTGATTATGAATCCTATATTC

Table 13: Comparative Sequences relating to SAG0466 (thiolase)

SEQ ID NO. 1307: SAG0466 FROM THE 1169NT1 GBS TYPE V STRAIN REVERSE COMPLEMENT
 CAAGATTGATGGAAAATTCACCTTTGCTCACTATTGGAAATGTTTGTAAATGCACGATGCTGCTGCATTCTAACGCTT
 CAGAGTCAGAAAACAGAATTCCGGATTGTTTCACATTGTAGAAGTAGCAGGAGATCCCAAGCTTAGTCCAGAATTGGTTCA
 CACGGCTACGGAAAACATTAACAGAACTCATACTAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTTG
 CAGCGATTGATGCTTTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTGGAGGGGCATTAGCTTAC
 GGACACCCTTATGCCTGCTCAGGAATTATTAATATCCTTCATCTTATGCAGGCATTAAAAATATAAAAAATAACCTATGGG
 CCTAACTGCCATTGCAGGGGCA

SEQ ID NO. 1308: SAG0466 FROM THE 18RS21 GBS TYPE II STRAIN
 CCTTAACAGTTAAACAAGGTGGCTATTTAGAAGAGGTAATCTTACCAATGGAAGGGATGCGAGATCAAGGCGTTAGAAAA
 CTAAAAGAAACATTTTTCAAAAATTACCAAGATTGATGGAAAATTCACCTTTGCTCACTATTGGAAATGTTTGTAAAT
 GCACGATGCTGCTGCATTCTAACGCTTCAGAGTCAGAAAACAGAATTCGGGATTGTTTCACATTGTAGAAGTAGCAGGAG
 ATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGGAAAACATTAACAGAACTCATACTAAATATCGGATTAT
 GATGCAATTGAATGGAATGAACCATTTGCAGCGATTGATGCTCTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATT
 CAATATTTTTGGAGGGACATTAGCTTACGGACACCCTTATGCCTGCTCAGGAATTATTAATATCCTTCATCTTATGCAGG
 CATTAATAATAAAAAATAAACCTATGGGTCTAACTGCCATTGCAGGGGCA

SEQ ID NO. 1309: SAG0466 FROM THE 18RS21 GBS TYPE II STRAIN
 TCGGTATAAAAGGGAAGCAATTTAAACATTACCGTCCAGAACTTTTAGGAGCACACCTTTTAAATCAAATAAAAAAATA
 GAATCAGAATCTAACATTGATAGTATTATTTGTGGGAACACAGTTGGTACTGGGGGCAATATTGGTCGTTTGATGACTCT
 TTTTTCTGATTATGAATCCTATATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCAAGTTCTGCCTTGTTTTTTG
 GTTATCTAAAAATCAGTACCGGTATTAATGAAAAAGTTCTTGTGGGGGATTGAAAGTAGTTCTCTTCAACCTATGAGA
 CGTTATGCTAAAGAAGATAATCGTAACGGAGAATATACAGTTGCTCAGTTTTCTCCTGACTCTTATGCTGAAACTGTAAT
 GTTAGAAGGGGCCAGAGAGTCTGTCAAAAATATGTTTTAGAAGAGAAATGTTAGATAAATTGGCATTCTTGAGCCATA
 AACCGCCTTAACAGCTAAACA

SEQ ID NO. 1310: SAG0466 FROM THE H36b GBS TYPE Ib STRAIN
 TTTGGGCTACGAACACCTATCGGTATAAAAGGGAAGCAATTTAAACATTACCGTCCAGAACTTTTAGGAGCACACCTTTT
 AAATCAAATAAAAAAATAGAATCAGAATCTAACATTGATAGTATTATTTGTGGGAACACAGTTGGTACTGGGGGCAATA
 TTGGTCGTTTGATGACTCTTTTTCTGATTATGAATCCTATATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCA
 AGTTCTGCCTTGTTTTTGGTTATCTAAAAATCAGTACCGGTATTAATGAAAAAGTTCTTGTGGGGGATTGAAAGTAG
 TTCTCTTCAACCTATGAGACGTTATGCTAAAGAAGATAATCGTAACGGAGAATATACAGTTGCTCAGTTTTCTCCTGACT
 CTTATGCTGAAACTGTAATGTTAGAAGGGGCC

SEQ ID NO. 1311: SAG0466 FROM THE H36b GBS TYPE Ib STRAIN REVERSE COMPLEMENT
 GAAAATTCACCTTTGCTCACTATTGGAAATGTTTGTAAATGCACGATGCTGCTGCATTCTAACGCTTCAGAGTCAGAA
 AACAGAATTCCGGATTGTTTCACATTGTAGAAGTAGCAGGAGATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGG
 AAAAATCATTAAACAGAACTCATACTAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTTGCAGCGATTGAT
 GCTCTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTGGAGGGACATTAGCTTACGGACACCCTTA
 TGCCTGCTCAGGAATTATTAATATCCTTCATCTTATGCAGGCATTAAAAATATAAAAAATAAACCTATGGGTCTAACTGCCA
 TTGCAGGGGCAGGA

SEQ ID NO. 1312: SAG0466 FROM THE M781 GBS TYPE III STRAIN REVERSE COMPLEMENT
 CCTTTGCTCACTATTGGAAATGTTTGTAAATGCACGATGCTGCTGCATTCTAACGCTTCAGAGTCAGAAAACAGAATT
 CCGGATTGTTTCACATTGTAGAAGTAGCAGGAGATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGGAAAACATAT
 TAACAGAACTCATACTAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTTGCAGCGATTGATGCTTTATTT
 AATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTGGAGGGGCATTAGCTTACGGACACCCTTATGCCTGCTC
 AGGAATTATTAATATCCTTCATCTTATGCAGGCATTAAAAATATAAAAAATAAACCTATGGGTCTAACTGCTC

SEQ ID NO. 1313: SAG0466 FROM THE M781 GBS TYPE III STRAIN
 GCAATTTAAACATTACCGTCCAGAACTTTTAGGAGCACACCTCTTAAATCAAATAAAAAAATAGAATCAGAATCTAATA
 TTGATAGTATTATTTGTGGGAACACAGTTGGTACTGGGGGCAATATTGGTCGTTTGATGACTCTTTTTCTGATTATGAA
 TCCTATATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCAAGTTCTGCCTTGTTTTTGGTTATCTAAAAATCAG
 TGCCGGTATTAATGAAAAAGTTCTTGTGGGGGATTGAAAGTAGTTCTCTTCAACCTATGAGACGTTACGCTAAAGAAG
 ATAATCGTAACGGAGAATATACCGTTGCTCAGTTTTCTCCTGACTCTTATGCTGAAACTGTAATGTTAGA

SEQ ID NO 1314: SAG0466 FROM THE A909 GBS TYPE Ia STRAIN (REVERSE COMPLEMENT)
 CCTTTGCTCACTATTGGAAATGTTTGTAAATGCACGATGCTGCTGCATTCTAACGCTTCAGAGTCAGAAAACAGAATT
 CCGGATTGTTTCACATTGTAGAAGTAGCAGGAGATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGGAAAACATAT
 TAACAGAACTCATACTAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTTGCAGCGATTGATGCTCTATTT
 AATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTGGAGGGACATTAGCTTACGGACACCCTTATGCCTGCTC
 AGGAATTATTAATATCCTTCATCTTATGCAGGCATTAAAAATATAAAAAATAAACCTATGGGTCTAACTGCCATTGCAGGGG

C

Table 13: Comparative Sequences relating to SAG0466 (thiolase)

SEQ ID NO. 1315: SAG0466 FROM THE JM9130013 GBS TYPE VIII STRAIN REVERSE COMPLEMENT

GCTCACTATTGGAAATGTTTGTGTTAATGCACGATGCTGCTGCATTTCTAACGCTTCAGAGTCAGAAAAACAGAATTCGGGA
 TTGTTACATTGTAGAAAGTAGCAGGAGATCCCAAGCTTAGTCCAGAATTGGTTCCACACGGCTACGGAAAACTATTAACA
 GAACTCATACTAAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTTGCAGCGATTGATGCTCTATTTAATCA
 TTATTATCCTGAAGAGAGAGAAAAATTCATATTTTTGGAGGGGCATTAGCTTACGGACACCCTTATGCCTGCTCAGGAA
 TTATTAATATCCTTCATCTTATGCAGGCATTAAATATAAAAAATAAACCTATGGGTCTAACTGCCATTGCAGGGGCAGGA

SEQ ID NO. 1316: SAG0466 FROM THE JM9130013 GBS TYPE VIII STRAIN

TTTGGGCTACGAACACCTATCGGTATAAAAGGGAAGCAATTTAAACATTACCGTCCAGAACCTTTAGGAGCACACCTTTT
 AAATCAAATAAAAAAATAGAAATCAGAATCTAACATTGATAGTATTATTTGTGGGAACACAGTTGGTACTGGGGGCAATA
 TTGGTCGTTTGATGACTCTTTTTCTGATTATGAATCCTATATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCA
 AGTTCGCTTGTGTTTTTGGTTATCTAAAAATCAGTACCGGTATTAATGAAAAAGTTCCTGTTGGGGGGATTGAAAGTAG
 TTCTCTCAACCTATGAGACGTTATGCTAAAGAAGATAATCGTAACGGAGAATATA

SEQ1301 -----CTCCTGCCCCCTGCAATGGCAGTTAGACCCATAGGTTTATTTTATATTTTA
 SEQ1302 -----
 SEQ1303 -----
 SEQ1304 -----
 SEQ1305 -----
 SEQ1306 -----
 SEQ1307 -----
 SEQ1308 CTTAACAGTTAAACAAGGTGGCTATTTAGAAAGAGGTAATCTTACCAATGGAAGGGATGC
 SEQ1309 -----
 SEQ1310 -----
 SEQ1311 -----
 SEQ1312 -----
 SEQ1313 -----
 SEQ1314 -----
 SEQ1315 -----
 SEQ1316 -----

SEQ1301 TGCCTGCATAAGATGAAGGATATTAATAATTCTTGAGCAGGCATAAGGGTGTCCGTAAG
 SEQ1302 -----TCGGTATAAAA
 SEQ1303 -----
 SEQ1304 -----ATCGGTATAAAA
 SEQ1305 -----TTTTCAAAAATTACCAAGATTGATGG
 SEQ1306 -----GGTATAAAA
 SEQ1307 -----CAAGATTGATGG
 SEQ1308 AGATCAAGGCGTTAGAAAACATAAAGAAACATTTTTTCAAAAATTACCAAGATTGATGG
 SEQ1309 -----TCGGTATAAAA
 SEQ1310 -----TTTGGGCTACGAACACCTATCGGTATAAAA
 SEQ1311 -----G
 SEQ1312 -----
 SEQ1313 -----
 SEQ1314 -----
 SEQ1315 -----
 SEQ1316 -----TTTGGGCTACGAACACCTATCGGTATAAAA

SEQ1301 TAATGTCCCTCCAAA-AATATTGAATTTTTCTCTCTC-TTCAGGATAATAATGATTAAA
 SEQ1302 GGGAAAGCAATTTAAACATTACCGTCCAGAACCTTTTAGGAGCACACCTCTTAAATCAAAT
 SEQ1303 -----
 SEQ1304 GGGAAAGCAATTTAAA-ATTACCGTCCAGAACCTTTTAGGAGCACACCTCTTAAATCAAAT
 SEQ1305 AAATTCACCTTTGCTCACTATTGGAAATGTTTGTTTAAATGCACGATGCTGCTGCATTTTC
 SEQ1306 GGGAAAGCAATTTAAACATTACCGTCCAGAACCTTTTAGGAGCACACCTCTTAAATCAAAT
 SEQ1307 AAATTCACCTTTGCTCACTATTGGAAATGTTTGTTTAAATGCACGATGCTGCTGCATTTTC
 SEQ1308 AAATTCACCTTTGCTCACTATTGGAAATGTTTGTTTAAATGCACGATGCTGCTGCATTTTC
 SEQ1309 GGGAAAGCAATTTAAACATTACCGTCCAGAACCTTTTAGGAGCACACCTTTTAAATCAAAT
 SEQ1310 GGGAAAGCAATTTAAACATTACCGTCCAGAACCTTTTAGGAGCACACCTTTTAAATCAAAT
 SEQ1311 AAATTCACCTTTGCTCACTATTGGAAATGTTTGTTTAAATGCACGATGCTGCTGCATTTTC
 SEQ1312 -----CCTTTGCTCACTATTGGAAATGTTTGTTTAAATGCACGATGCTGCTGCATTTTC
 SEQ1313 -----GCAATTTAAACATTACCGTCCAGAACCTTTTAGGAGCACACCTCTTAAATCAAAT
 SEQ1314 -----CCTTTGCTCACTATTGGAAATGTTTGTTTAAATGCACGATGCTGCTGCATTTTC
 SEQ1315 -----GCTCACTATTGGAAATGTTTGTTTAAATGCACGATGCTGCTGCATTTTC

Table 13: Comparative Sequences relating to SAG0466 (thi lase)

SEQ1316	GGGAAGCAATTTAAACATTACCGTCCAGAACTTTTAGGAGCACACCTTTTAAATCAAAT
SEQ1301	AGAGCATCAATCGCTGCAAATGGTTCATTCC-ATTCAATTGCATCATAATCCGATATTT
SEQ1302	AAAAAATAGAATCAGAATCTAAT--ATT---GATAGTATTATTTGTGGGAACA-CAGT
SEQ1303	-----TTGTGGGAACA-CAGT
SEQ1304	AAAAAATAGAATCAGAATCTAAT--ATT---GATAGTATTATTTGTGGGAACA-CAGT
SEQ1305	AACGCTTCAGAGTCAGAAAACAGA--ATTCCGGATTGTTTCACATTGTAGAAGTAGCAGG
SEQ1306	AAAAAATATAACCAGAATCTAAC--ATT---GATAGTATTATTTGTGGGAACA-CAGT
SEQ1307	AACGCTTCAGAGTCAGAAAACAGA--ATTCCGGATTGTTTCACATTGTAGAAGTAGCAGG
SEQ1308	AACGCTTCAGAGTCAGAAAACAGA--ATTCCGGATTGTTTCACATTGTAGAAGTAGCAGG
SEQ1309	AAAAAATAGAATCAGAATCTAAT--ATT---GATAGTATTATTTGTGGGAACA-CAGT
SEQ1310	AAAAAATAGAATCAGAATCTAAT--ATT---GATAGTATTATTTGTGGGAACA-CAGT
SEQ1311	AACGCTTCAGAGTCAGAAAACAGA--ATTCCGGATTGTTTCACATTGTAGAAGTAGCAGG
SEQ1312	AACGCTTCAGAGTCAGAAAACAGA--ATTCCGGATTGTTTCACATTGTAGAAGTAGCAGG
SEQ1313	AAAAAATAGAATCAGAATCTAAT--ATT---GATAGTATTATTTGTGGGAACA-CAGT
SEQ1314	AACGCTTCAGAGTCAGAAAACAGA--ATTCCGGATTGTTTCACATTGTAGAAGTAGCAGG
SEQ1315	AACGCTTCAGAGTCAGAAAACAGA--ATTCCGGATTGTTTCACATTGTAGAAGTAGCAGG
SEQ1316	AAAAAATAGAATCAGAATCTAAT--ATT---GATAGTATTATTTGTGGGAACA-CAGT
SEQ1301	AGTATGAGTTTCTGTTAATAGTTTTTCCGTAGCCGTGTGAACCAATTCTGGACTAAGCT
SEQ1302	GGTACTGGGGGCAATATTGG-TCGTTTGATGACTCTTTTTTCTGATTATGAATCCTA--
SEQ1303	GGTACTGGGGGCAATATTGG-TCGTTTGATGACTCTTTTTTCTGATTATGAATCCTA--
SEQ1304	GGTACTGGGGGCAATATTGG-TCGTTTGATGACTCTTTTTTCTGATTATGAATCCTA--
SEQ1305	GATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGGAAAACTATTAACAGAAAC
SEQ1306	GGTACTGGGGGCAATATTGG-TCGTTTGATGACTCTTTTTTCTGATTATGAATCCTA--
SEQ1307	GATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGGAAAACTATTAACAGAAAC
SEQ1308	GATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGGAAAACTATTAACAGAAAC
SEQ1309	GGTACTGGGGGCAATATTGG-TCGTTTGATGACTCTTTTTTCTGATTATGAATCCTA--
SEQ1310	GGTACTGGGGGCAATATTGG-TCGTTTGATGACTCTTTTTTCTGATTATGAATCCTA--
SEQ1311	GATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGGAAAACTATTAACAGAAAC
SEQ1312	GATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGGAAAACTATTAACAGAAAC
SEQ1313	GGTACTGGGGGCAATATTGG-TCGTTTGATGACTCTTTTTTCTGATTATGAATCCTA--
SEQ1314	GATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGGAAAACTATTAACAGAAAC
SEQ1315	GATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGGAAAACTATTAACAGAAAC
SEQ1316	GGTACTGGGGGCAATATTGG-TCGTTTGATGACTCTTTTTTCTGATTATGAATCCTA--
SEQ1301	GGGATCTCCTGCTACTTCTACAATGTGAACAATCCGGA-ATTCTGTTTTCTGACTCTGA
SEQ1302	TATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCAAGT--TCTGCCTTGTTTTT
SEQ1303	TATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCAAGT--TCTGCCTTGTTTTT
SEQ1304	TATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCAAGT--TCTGCCTTGTTTTT
SEQ1305	CATACTAAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTTGCAGCGATTGA
SEQ1306	TATTC-----
SEQ1307	CATACTAAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTTGCAGCGATTGA
SEQ1308	CATACTAAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTTGCAGCGATTGA
SEQ1309	TATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCAAGT--TCTGCCTTGTTTTT
SEQ1310	TATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCAAGT--TCTGCCTTGTTTTT
SEQ1311	CATACTAAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTTGCAGCGATTGA
SEQ1312	CATACTAAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTTGCAGCGATTGA
SEQ1313	TATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCAAGT--TCTGCCTTGTTTTT
SEQ1314	CATACTAAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTTGCAGCGATTGA
SEQ1315	CATACTAAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTTGCAGCGATTGA
SEQ1316	TATTCCAGTACAAACGATTGATATGCAGTGTGCTTCATCAAGT--TCTGCCTTGTTTTT

Table 13: Comparative Sequences relating to SAG0466 (thiolase)

SEQ1301	GCGTTAGAAATGCAGCAGCATCGTGCATTAAACAAACATTTTC--CAATAGTGAGCAAAG
SEQ1302	GGT-TATCTAAAAATCAGTG-CCGGTATTAATGAAAAAGTTCTTGTTGGGGGGATTGAA
SEQ1303	GGT-TATCTAAAAATCAGTG-CCGGTATTAATGAAAAAGTTCTTGTTGGGGGGATTGAA
SEQ1304	GGG-TATCTAAAAA-----
SEQ1305	GCTTTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTTGGAGGGGC
SEQ1306	-----
SEQ1307	GCTTTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTTGGAGGGGC
SEQ1308	GCTCTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTTGGAGGGAC
SEQ1309	GGT-TATCTAAAAATCAGTA-CCGGTATTAATGAAAAAGTTCTTGTTGGGGGGATTGAA
SEQ1310	GGT-TATCTAAAAATCAGTA-CCGGTATTAATGAAAAAGTTCTTGTTGGGGGGATTGAA
SEQ1311	GCTCTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTTGGAGGGAC
SEQ1312	GCTTTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTTGGAGGGGC
SEQ1313	GGT-TATCTAAAAATCAGTG-CCGGTATTAATGAAAAAGTTCTTGTTGGGGGGATTGAA
SEQ1314	GCTCTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTTGGAGGGAC
SEQ1315	GCTCTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTTTTTGGAGGGGC
SEQ1316	GGT-TATCTAAAAATCAGTA-CCGGTATTAATGAAAAAGTTCTTGTTGGGGGGATTGAA
SEQ1301	TGAATTTTCCATCAATCTTGG--TAATTTTGAAGAAAAATGTTTCTTTTAGTTTTCTAAC
SEQ1302	GTAGTTCTCTTCAACCTATGAGACGTTACGCTAAAGAAGATAATCGTAACGGAGAATAT
SEQ1303	GTAGTTCTCTTCAACCTATGAGACGTTACGCTAAAGAAGATAATCGTAACGGAGAATAT
SEQ1304	-----
SEQ1305	TTAGCTTACGGACACCCTTAA--TGCCTGCTCAGGAATTATTAATATCC-----
SEQ1306	-----
SEQ1307	TTAGCTTACGGACACCCTTA---TGCCTGCTCAGGAATTATTAATATCCTTCATCTTAT
SEQ1308	TTAGCTTACGGACACCCTTA---TGCCTGCTCAGGAATTATTAATATCCTTCATCTTAT
SEQ1309	GTAGTTCTCTTCAACCTATGAGACGTTATGCTAAAGAAGATAATCGTAACGGAGAATAT
SEQ1310	GTAGTTCTCTTCAACCTATGAGACGTTATGCTAAAGAAGATAATCGTAACGGAGAATAT
SEQ1311	TTAGCTTACGGACACCCTTA---TGCCTGCTCAGGAATTATTAATATCCTTCATCTTAT
SEQ1312	TTAGCTTACGGACACCCTTA---TGCCTGCTCAGGAATTATTAATATCCTTCATCTTAT
SEQ1313	GTAGTTCTCTTCAACCTATGAGACGTTACGCTAAAGAAGATAATCGTAACGGAGAATAT
SEQ1314	TTAGCTTACGGACACCCTTA---TGCCTGCTCAGGAATTATTAATATCCTTCATCTTAT
SEQ1315	TTAGCTTACGGACACCCTTA---TGCCTGCTCAGGAATTATTAATATCCTTCATCTTAT
SEQ1316	GTAGTTCTCTTCAACCTATGAGACGTTATGCTAAAGAAGATAATCGTAACGGAGAATAT
SEQ1301	CCTTGATCTCGCATCCCTTCCATTGGTAAGATTACYTCTTCTAAATAGCCACCTTGTTT
SEQ1302	CCGTTGCTCAGTTTTTCTCCTGACTCTTATGCTG--AACTGTAATGTTAGAAGGGGCAC
SEQ1303	CCGTTGCTCAGTTTTTCTCCTGACTCTTAKGCTG--AACTGTAATGTTAGAAGGGGCAC
SEQ1304	-----
SEQ1305	-----
SEQ1306	-----
SEQ1307	CAGGCATTAAATATATAAAATAAACCTATGGGC-CTAACTGCCATTGCAGGGGCA----
SEQ1308	CAGGCATTAAATATATAAAATAAACCTATGGGT-CTAACTGCCATTGCAGGGGCAG---
SEQ1309	CAGTTGCTCAGTTTTTCTCCTGACTCTTATGCTG--AACTGTAATGTTAGAAGGGGCCC
SEQ1310	CAGTTGCTCAGTTTTTCTCCTGACTCTTATGCTG--AACTGTAATGTTAGAAGGGGCCC
SEQ1311	CAGGCATTAAATATATAAAATAAACCTATGGGT-CTAACTGCCATTGCAGGGGCAGGA-
SEQ1312	CAGGCATTAAATATATAAAATAAACCTATGGGTTCTAACTGC-----
SEQ1313	CCGTTGCTCAGTTTTTCTCCTGACTCTTATGCTG--AACTGTAATGTTAGA-----
SEQ1314	CAGGCATTAAATATATAAAATAAACCTATGGGT-CTAACTGCCATTGCAGGGGC-----
SEQ1315	CAGGCATTAAATATATAAAATAAACCTATGGGT-CTAACTGCCATTGCAGGGGCAGGA-
SEQ1316	TABCMARATVSTNCSRATNGTSAGTHAS-----

Table 13: Comparative Sequences relating to SAG0466 (thiolase)

SEQ1301	GCTGTTAAGGCGCGTTTATGGCTCAAGAATGCCAATTTATCTAACATTTCTCTTCTAAA
SEQ1302	AAGAGTCTGTCAAAAATATGGTTTTAGAAAGAGAAATGTTAGATAAATTGGCATTCTTGA
SEQ1303	AAGAGTCTGTCAAAAATATGGTTTTAGAAAGAGAAATGTTAGATAAATTGGCATTCTTGA
SEQ1304	-----
SEQ1305	-----
SEQ1306	-----
SEQ1307	-----
SEQ1308	-----
SEQ1309	GAGAGTCTGTCAAAAATATGGTTTTAGAAAGAGAAATGTTAGATAAATTGGCATTCTTGA
SEQ1310	-----
SEQ1311	-----
SEQ1312	-----
SEQ1313	-----
SEQ1314	-----
SEQ1315	-----
SEQ1316	-----
SEQ1301	CCATATTTTGGACAGACTCTCTGGGCCCCCTT--CTAACATTACAGTTTCAGCATAAGAG
SEQ1302	CCATAAACGCGCCTTAACAGCTAAACAAGGTGGCTATTTAGAAAGAGGTAATCTTACCAA
SEQ1303	CCATAAACGCGCCTTAACAGCTAAACAAGGTGGCTATTTAGAAAGAGGTAATCTTACCAA
SEQ1304	-----
SEQ1305	-----
SEQ1306	-----
SEQ1307	-----
SEQ1308	-----
SEQ1309	CCATAAACGCGCCTTAACAGCTAAACA--
SEQ1310	-----
SEQ1311	-----
SEQ1312	-----
SEQ1313	-----
SEQ1314	-----
SEQ1315	-----
SEQ1316	-----
SEQ1301	CAGGAGAAAAC TGAGCAACTGTATATTCTCCGTTACGATTATCTTCTTTAGCATAACGT
SEQ1302	GGAAGGGATGCGAGATCAAGGCGTTAGAAAAC TAAAAGAAGCATTTTTTCAAAAATTAC
SEQ1303	GGAAGGGATGCGAGATCAAGGCGTTAGAAAAC TAAAAGAAGCATTTTTTCAAAAATTAC
SEQ1304	-----
SEQ1305	-----
SEQ1306	-----
SEQ1307	-----
SEQ1308	-----
SEQ1309	-----
SEQ1310	-----
SEQ1311	-----
SEQ1312	-----
SEQ1313	-----
SEQ1314	-----
SEQ1315	-----
SEQ1316	-----

Table 13: Comparative Sequences relating to SAG0466 (thiolase)

SEQ1301	TCATAGGTTGAAGAGAACTACTTTCAATCCCCCAACAAGAAGCTTTTTCATTAAATACCG
SEQ1302	AAGATTGATGGAAAATTCACCTTTGCTCACTATTGGAAATGTTTGTTTAATGCACGATG
SEQ1303	AAGATTGATGGRAAATTCACCTTTGCTCACTATTGGAAATGTTTGTTTAATGCACGATG
SEQ1304	-----
SEQ1305	-----
SEQ1306	-----
SEQ1307	-----
SEQ1308	-----
SEQ1309	-----
SEQ1310	-----
SEQ1311	-----
SEQ1312	-----
SEQ1313	-----
SEQ1314	-----
SEQ1315	-----
SEQ1316	-----
SEQ1301	TACTGATTTTGTAGATAACCAAAAAAC--AAGGCAGAACTTGATGAAGCACACTGCATAT
SEQ1302	TGCTGCATTTCTAACGCTTCAGAGTCAGAAAACAGAATTCCGGATTGTTTCACATTGTAG
SEQ1303	TGCTGCATTTCTWACGCTTCAGAGTCAGAAAACAGAATTCCGGATTGTTTCACATTGTAG
SEQ1304	-----
SEQ1305	-----
SEQ1306	-----
SEQ1307	-----
SEQ1308	-----
SEQ1309	-----
SEQ1310	-----
SEQ1311	-----
SEQ1312	-----
SEQ1313	-----
SEQ1314	-----
SEQ1315	-----
SEQ1316	-----
SEQ1301	AATCGTTTGTACTGGAATATAGGATTCTAATCAGAAAAAAGAGTCATCAAACGACCAA
SEQ1302	AGTAGCAGGAGATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGGAAAAACTAT
SEQ1303	AGTAGCAGGAGATCCCAAGCTTAGTCCAGAATTGGTTCACACGGCTACGGAAAAACTAT
SEQ1304	-----
SEQ1305	-----
SEQ1306	-----
SEQ1307	-----
SEQ1308	-----
SEQ1309	-----
SEQ1310	-----
SEQ1311	-----
SEQ1312	-----
SEQ1313	-----
SEQ1314	-----
SEQ1315	-----
SEQ1316	-----

Table 13: Comparative Sequences relating to SAG0466 (thiolase)

SEQ1301	ATTGCCCCCAGTACCAACTGTGTTCCACAAATAATACTATCAATGTTAGATTCTGATT
SEQ1302	AACAGAAACTCATACTAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTG
SEQ1303	AACAGAAACTCATACTAAATATCGGATTATGATGCAATTGAATGGAATGAACCATTG
SEQ1304	-----
SEQ1305	-----
SEQ1306	-----
SEQ1307	-----
SEQ1308	-----
SEQ1309	-----
SEQ1310	-----
SEQ1311	-----
SEQ1312	-----
SEQ1313	-----
SEQ1314	-----
SEQ1315	-----
SEQ1316	-----
SEQ1301	TATTTTTTTTATTTGATTTAAAAGGTGTGCTCCTAAAAGTTCTGGACGGTAAGTTTAAA
SEQ1302	AGCGATTGATGCTTTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTT
SEQ1303	AGCGATTGATGCTTTATTTAATCATTATTATCCTGAAGAGAGAGAAAAATTCAATATTT
SEQ1304	-----
SEQ1305	-----
SEQ1306	-----
SEQ1307	-----
SEQ1308	-----
SEQ1309	-----
SEQ1310	-----
SEQ1311	-----
SEQ1312	-----
SEQ1313	-----
SEQ1314	-----
SEQ1315	-----
SEQ1316	-----
SEQ1301	TGCTT-----
SEQ1302	TGGAGGGGCATTAGCTTACGGACACCCTTATGCCTGCTCAGGAATTA
SEQ1303	TGGAGGGGCATTAGCTTACGGACACCCTTATGCCTGCTCAGG-----
SEQ1304	-----
SEQ1305	-----
SEQ1306	-----
SEQ1307	-----
SEQ1308	-----
SEQ1309	-----
SEQ1310	-----
SEQ1311	-----
SEQ1312	-----
SEQ1313	-----
SEQ1314	-----
SEQ1315	-----
SEQ1316	-----

Table 14: C mparative Sequences relating to SAG0471 (glucokinase)

SEQ ID NO. 1401: SAG0471 FROM THE 18RS21 GBS TYPE II STRAIN

TTAAATTTGGTATCTTGACGCTTGAGGGAGAAGTACAAGAAAAATGGGCAATTGAGACCAATACTTTAGAAAACGGAAGACATATCGTT
TCTGATATCGTTGAATCTCTCAAACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGGTATCGGTATGGGTTCTCCAGG
AGCTGTTGATAGAACTAGTAAACAGTAACAGGTGCTTTTAATCTAAATTTGGGCTGATACTCAAGAAGTAGGTTTCAGTTATTGAAAAAG
AAGTTGGAATTCATTTTTTTATGATAACGATGCTAATGTTGCAGCACTTGGTGAACGCTGGGTAGGTGCTGGTCCCAATAATCCCGAC
GTTGTTTTCGTAACCCCTCGGAACAGGAGTAGGTGGAGGTGTTATCGCAGATGGTAACCTCATCCATGGTGTGTCAGGAGCAGGTGGAGA
AATTGGGCATATGATTGTTGATCCAGAAAATGGATTTACGTGCACATGTGGTAACAAAGGCTGCCTTGAGACAGTTGCATCAGCGACAG
GTGTTGTTAGAGTAGCAGCTCAACTCGCAGAACAAATATGAGGGTTCGTCTGCCATTAAAGCAGCGATTGACACCGGTGATACTGTTACA
AGTAAAGATATTTTTATAGCAGCAGAAAGATGGGGATAAATTTGCTAATTTCTGTTGTTGAACGTGTATCACGTTACCTTGGACTGGCAGC
AGCTAATATTTCAAATATTTTAAACCCCTGATTCTGTGGTTATTGGTGGCGGTGTCTCAGCAGCAGGTGAATTTTTACGTAGTCGCGTTG
AGAAATACTTTGTACATTTGCTTTCCACAAGTTAAAAAGTCAACTAAAATTAAGAT

SEQ ID NO. 1402: SAG0471 FROM THE 090 GBS TYPE Ia STRAIN

CGTTTCTGATATCGTTGAATCTCTCAAACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGGTATCGGTATGGGTTCTC
CAGGAGCTGTTGATAGAACTAGTAAACAGTAACAGGTGCTTTTAATCTAAATTTGGGCTGATACTCAAGAAGTAGGTTTCGTTATTGAA
AAAGAAGTTGGAATTCATTTTTTTATTGATAACGATGCTAATGTTGCAGCACTTGGTGAACGCTGGGTAGGTGCTGGTCCCAATAATCC
CGATGTTGTTTTCTGTAACCCCTCGGAACAGGAGTAGGTGGAGGTGTTATCGCAGATGGTAACCTCATCCATGGTGTGTCAGGAGCAGGTG
GAGAAATTTGGGCATATGATTGTTGATCCAGAKAATGGATTTACGTGCACATGTGGTAACAAAGGCTGTCTTGAGACAGTTGCATCAGCG
ACAGGTGTTGTTAGAGTAGCAGCTCAACTCGCAGAACAAATATGAAGTTTCGTCTGCCATTAAAGCAGCGATTGACAACGCTGATACTGT
TACAAGTAAAGATATTTTTATAGCAGCAGAAAGATGGGGATAAATTTGCTAATTTCTGTTGTTGAACGTGTATCACGTTACCTTGGACTGG
CAGCAGCTAATATTTCAAATATTTTAAACCCCTGATTCTGTGGTTATTGGTGGCGGTGTCTCAGCAGCAGGTGAATTTTTACGTAGTCGC
GTTGAGAAATACTTTGTACATTTG

SEQ ID NO. 1403: SAG0471 FROM THE COH1 GBS TYPE Ia STRAIN

ACAAGAAAAATGGGCAATTGAGACCAATACTTTAGAAAACGGAAGACATATCGTTTCTGATATCGTTGAATCTCTCAAACATCGTTTGA
GCCTCTATGGATTACAAAAGATGACTTTCTCGGTATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAACAGTAACAGGT
GCTTTTAATCTAAATTTGGGCTGATACTCAAGA

SEQ ID NO. 1404: SAG0471 FROM THE CJB110 GBS NONTYPEABLE STRAIN

TTGGTATCTTGACGCTTGAGGAGAAGTACAAGAAAAATGGGCAATTGAGACCAATACTTTAGAAAACGGAAGACATATCGTTTCTGATA
TCGTTGAATCTCTCAAACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGGTATCGGTATGGGTTCTCCAGGAGCTGTT
GATAGAACTAGTAAAC

SEQ ID NO. 1405: SAG0471 FROM THE CJB110 GBS NONTYPEABLE STRAIN

CACCAGCTAATATTTCAAATATTTTAAACCCCTGATTCTGTGGTTATTGGTGGCGGTGTCTCAGCAGCAGGTGAATTTTTACGTAGTCGC
GTTGAGAAATACTTTGTACATTTGCTTTCCACAAGTTAAAAAGTCAACTA

SEQ ID NO. 1406: SAG0471 FROM THE 2603V/R GBS TYPE V STRAIN

GGGCAATTGAGACCAATACTTTAGAAAACGGAAGACATATCGTTTCTGATATCGTTGAATCTCTCAAACATCGTTTGAGCCTCTATGGA
TTAACAAAAGATGACTTTCTCGGTATCGGTATGGGTTCTCCAGGAGCTG

SEQ ID NO. 1407: SAG0471 FROM THE H36b GBS TYPE Ib STRAIN

GGCAATTGAGACCAATACTTTAGAAAACGGAAGACATATCGTTTCTGATATCGTTGAATCTCTCAAACATCGTTTGAGCCTCTATGGAT
TAACAAAAGATGACTTTCTCGGTATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAACAGTAACAGGTGCTTTTAATCTA
AATTGGGCTGATACTCAAGAAGTAGGTTTCAGTTATTGAAAAAGAAAGTTGGAATTCATTTTTTTATTGATAACGATGCTAATGTGTCAGC
ACTTGGTGAACGCTGGGTAGGTGCTGGTGCCAATAATCCGACGTTGTTTTCTGAACC

SEQ ID NO. 1408: SAG0471 FROM THE H36 GBS TYPE Ib STRAIN REVERSE COMPLEMENT

GAGACAGTTGCATCAGCGACAGGTGTTGTTAGAGTAGCAGCTCAACTCGCAGAACAAATATGAGGGTTCGTCTGCCATTAAAGCAGCGAT
TGACAACGCTGATACTGTTACAAGTAAAGATATTTTTATAGCAGCAGAAAGATGGGGATAAATTTGCTAATTTCTGTTGTTGAACGTGTAT
CAGGTTACCTTGGAGTGGCAGCAGCTAATATTTCAAATATTTTAAACCCCTGATTCTGTGGTTATTGGTGGCGGTGTCTCAGCAGCAGGT
GAATTTTTACGTAGTCGCGTTGAGAAATACTTTGTACATTTGCTTTCCACA

SEQ ID NO. 1409: SAG0471 FROM THE M732 GBS TYPE III STRAIN

ACAAGAAAAATGGGCAATTGAGACCATACTTAGAAAACGGAAGACATATCGTTTCTGATATCGTTGAATCTCTCAAACATCGTTTGAGC
CTCTATGGATTAACAAAAGATGACTTTCTCGGTATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAACAGTAACAGGTGTC
TTTAAATCTAAATTTGGGCTGATACTCAAGAAGTAGGTTTCGGTTATTGAAAAAGAAAGTTGGAATTCATTTTTTTATTGATAACGATGCTA
ATGTTGCAGCACTTGGTGAACGCTGGGTAGGTGCTGGTGCCAATAATCCCGATGTTGTTTTCTGTAACCCCTCGGAACAGGAGTAGGTGGA
GGTGTATCCAGATGGTAACCTCATCCATGGTGTGCAAGAGCAGGTGGAGAAATTGGGCATATGATT

SEQ ID NO. 1410: SAG0471 FROM THE M732 GBS TYPE III STRAIN REVERSE COMPLEMENT

CAGCAGCAGGTGAATTTTTACGTAGTCGCGTTGAGAAATACTTTGTACATTTGCTTTCCACAAGTTAAAAAGTCAACTAAAATTAAG
ATTGCTGAACAGGTAATGAT

SEQ ID NO. 1411: SAG0471 FROM THE M781 GBS TYPE III STRAIN

AGAAGTACAAGAAAAATGGGCAATTGAGACCATACTTAGAAAACGGAAGACATATCGTTTCTGATATCGTTGAATCTCTCAAACATCGTT
TGAGCCTCTATGGATTAAACAAAAGATGACTTTCTCGGTATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAACAGTAACA
GGTGCTTTTAAATCTAAATTTGGGCTGATACTCAAGAAGTAGGTTTCGGTTATTGAAAAAGAAAGTTGGAATTCATTTTTTTATTGATAACGA
TGCTAATGTTGCAGCACTTGGTGAACGCTGGGTAGGTGCTGGTGCCAATAATCCCGATGTTGTTTTCTGTAACCCCTCGGAACAGGAGTA

Table 14: Comparative Sequences relating to SAG0471 (glucokinase)

SEQ ID NO. 1412: SAG0471 FROM THE M781 GBS TYPE III STRAIN REVERSE COMPLEMENT
 GATACTGTTACAAGTAAAGATATTTTATAGCAGCAGAAGATGGGGATAAATTTGCTAATTCTGTTGTTGAACGTGTATCACGTTACCT
 TGGACTGGCAGCAGCTAATATTTCAAATATTTTAAACCCCTGATTCTGTGGTTATTGGTGGCGGTGTCTCAGCAGCAGGTGAATTTTAC
 GTAGTCGCGTTGAGAAATACTTTGTCACATTTGCTTTCCACAAGTTAAAA

SEQ ID NO. 1413: SAG0471 FROM THE 090 GBS TYPE Ia STRAIN
 AAATTTGGTATCTTGACGCTTGAGGGAGAAGTACAAGAAAAATGGGCATTGAGACCATACTTAGAAAACGGAAGACATATCGTTTCTGA
 TATCGTTGAATCTCTCAAACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGGTATCGGTATGGGTTCTCCAGGAGCTG
 TTGATAGAAGTAAACAGTAACAGGTGCTTTAATCTAAATTGGGCTGATACTCAAGAAGTAGGTTCAAGTTATTGAAAAAGAAGTT
 GGAATTCATTTTTTTATTGATAACGATGCTAATGTTGCAGCACTTGGTGAACGCTGGGTAGGTGCTGGTGCCAATAATCCCAGCGTTGT
 TTTTCGTACCCCTCGGAACAGGAGTAGGTGGAG

SEQ ID NO. 1414: SAG0471 FROM THE 090 GBS TYPE Ia STRAIN REVERSE COMPLEMENT
 GTGATACGTTACAAGTAAAGATATTTTATAGCAGCAGAAGATGGGGATAAATTTGCTAATTCTGTTGTTGAACGTGTATCACGTTAC
 CTGGACTGGCAGCAGCTAATATTTCAAATATTTTAAACCCCTGATTCTGTGGTTATTGGTGGCGGTGTCTCAGCAGCAGGTGAATTTT
 ACGTAGTCGCGTTGAGAAATACTTTATCACATTTGCTTTCCACAAGTTAAAAAGTCAACTAAAATTAAGATTG

SEQ ID NO. 1415: SAG0471 FROM THE JM9130013 GBS TYPE VIII STRAIN REVERSE COMPLEMENT
 GTTATCGCAGATGGTAACCTCATCCATGGTGTTCAGGAGCAGGTGGAGAAATTGGGCATATGATTGTTGATCCAGAAAATGGATTAC
 GTGCACATGTGGTAACAAAGGCTGCCTTGAGACAGTTGCATCAGCGACAGGTGTTGTTAGAGTAGCACGTCAACTCGCAGAACAAATATG
 AGGGTTCGTCTGCCATTAAAGCAGCGATTGACCACGGTGATACTGTTACAAGTAAAGATATTTTATAGCAGCAGAAGATGGGGATAAAA
 TTTGCTAATTCTGTTGTTGAACGTGTATCACGTTACCTTGGACTGGCAGCAGCTAATATTTCAAATATTTTAAACCCCTGATTCTGTGGT
 TATTGGTGGCGGTGTCTCAGCAGCAGGTGAATTTTACGTAGTCGCGTTGAGAAATACTTTGTACATTTGCTTTCCACAAGTTAAAA
 AGTCAACTAA

SEQ ID NO. 1416: SAG0471 FROM THE JM9130013 GBS TYPE VIII STRAIN REVERSE COMPLEMENT
 TGGTATCTTGACGCTTGAGGGAGAAGTACAAGAAAAATGGGCAATTGAGACCATACTTAGAAAACGGAAGACATATCGTTTCTGATATC
 GTTGAATCTCTCAAACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGGTATCGGTATGGGTTCTCCAGGAGCTGTTGA
 TAGAACTAGTAAACAGTCACAGGTGCTTTAATCTAAATTGGGCTGATACTCAAGAAGTAGGTTCAAGTTATTGAAAAAGAAGCTGGAA
 TTCCATTTTTTATTG

SEQ ID NO. 1417: SAG0471 FROM THE 2603V/R TYPE V GBS STRAIN REVERSE COMPLEMENT
 AGCAGCTAATATTTCAAATATTTTAAACCCCTGATTCTGTGGTTATTGGTGGCGGTGTCTCAGCAGCAGGTGAATTTTACGTAGTCGCG
 TTGAGAAATACTTTGTACATTTGTTTCCACAAGGT

SEQ1401 -----
 SEQ1402 -----
 SEQ1403 -----
 SEQ1404 -----
 SEQ1405 -----
 SEQ1406 -----
 SEQ1407 -----
 SEQ1408 -----
 SEQ1409 -----
 SEQ1410 -----
 SEQ1411 -----
 SEQ1412 -----
 SEQ1413 -----
 SEQ1414 -----
 SEQ1415 TTATCGCAGATGGTAACCTCATCCATGGTGTTCAGGAGCAGGTGGAGAAATTGGGCAT
 SEQ1416 -----
 SEQ1417 -----

SEQ1401 -----
 SEQ1402 -----
 SEQ1403 -----
 SEQ1404 -----
 SEQ1405 -----
 SEQ1406 -----
 SEQ1407 -----
 SEQ1408 -----
 SEQ1409 -----
 SEQ1410 -----
 SEQ1411 -----
 SEQ1412 -----
 SEQ1413 -----
 SEQ1414 -----
 SEQ1415 TGATTGTTGATCCAGAAAATGGATTACGTGCACATGTGGTAACAAAGGCTGCCTTGAG
 SEQ1416 -----
 SEQ1417 -----

Tabl 14: Comparative Sequences relating t SAG0471 (glucokinase)

SEQ1401	-----
SEQ1402	-----
SEQ1403	-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	-----
SEQ1408	CAGTTGCATCAGCGACAGGTGTTGTTAGAGTAGCACGTCAACTCGCAGAACAAATATGAG
SEQ1409	-----
SEQ1410	-----
SEQ1411	-----
SEQ1412	-----
SEQ1413	-----
SEQ1414	-----
SEQ1415	CAGTTGCATCAGCGACAGGTGTTGTTAGAGTAGCACGTCAACTCGCAGAACAAATATGAG
SEQ1416	-----
SEQ1417	-----
SEQ1401	-----
SEQ1402	-----
SEQ1403	-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	-----
SEQ1408	GTTTCGTCTGCCATTAAAGCAGCGATTGACAACGGTGATACTGTTACAAGTAAAGATATT
SEQ1409	-----
SEQ1410	-----
SEQ1411	-----
SEQ1412	-----GATACTGTTACAAGTAAAGATATT
SEQ1413	-----
SEQ1414	-----GTGATACTGTTACAAGTAAAGATATT
SEQ1415	GTTTCGTCTGCCATTAAAGCAGCGATTGACCACGGTGATACTGTTACAAGTAAAGATATT
SEQ1416	-----
SEQ1417	-----
SEQ1401	-----TTAAATTTGGTATCTTGACGCTTGAGGGAGAAGTACAA
SEQ1402	-----
SEQ1403	-----ACAA
SEQ1404	-----TTGGTATCTTGACGCTTGAGG-AGAAGTACAA
SEQ1405	-----
SEQ1406	-----
SEQ1407	-----
SEQ1408	TTATAGCAGCAGAAGATGGGGATAAATTTGCTAATTCTGTTGTTGAACGTGTATCACGT
SEQ1409	-----ACAA
SEQ1410	-----
SEQ1411	-----AGAAGTACAA
SEQ1412	TTATAGCAGCAGAAGATGGGGATAAATTTGCTAATTCTGTTGTTGAACGTGTATCACGT
SEQ1413	-----AAATTTGGTATCTTGACGCTTGAGGGAGAAGTACAA
SEQ1414	TTATAGCAGCAGAAGATGGGGATAAATTTGCTAATTCTGTTGTTGAACGTGTATCACGT
SEQ1415	TTATAGCAGCAGAAGATGGGGATAAATTTGCTAATTCTGTTGTTGAACGTGTATCACGT
SEQ1416	-----TGGTATCTTGACGCTTGAGGGAGAAGTACAA
SEQ1417	-----

Table 14: C mparative Sequences relating t SAG0471 (gluc kinase)

SEQ1401	AAAAATGGGCAATTGAGACCAATACTTTAGAAAACGGAAGACATATCGTTTCTGATATC
SEQ1402	-----CGTTTCTGATATC
SEQ1403	AAAAATGGGCAATTGAGACCAATACTTTAGAAAACGGAAGACATATCGTTTCTGATATC
SEQ1404	AAAAATGGGCAATTGAGACCAATACTTTAGAAAACGGAAGACATATCGTTTCTGATATC
SEQ1405	-----CACCAGCTAATATTTCAAATATTTAAACCCGATTCTGTGGTTATT
SEQ1406	-----GGGCAATTGAGACCAATACTTTAGAAAACGGAAGACATATCGTTTCTGATATC
SEQ1407	-----GGCAATTGAGACCAATACTTTAGAAAACGGAAGACATATCGTTTCTGATATC
SEQ1408	ACCTTGGACTGGCAGCAGCTAATATTTCAAATATTTAAACCCGATTCTGTGGTTATT
SEQ1409	AAAAATGGGCAATTGAGACCA-TACTT-AGAAAACGGAAGACATATCGTTTCTGATATC
SEQ1410	-----
SEQ1411	AAAA-TGGGCAATTGAGACCA-TACTT-AGAAAACGGAAGACATATCGTTTCTGATATC
SEQ1412	ACCTTGGACTGGCAGCAGCTAATATTTCAAATATTTAAACCCGATTCTGTGGTTATT
SEQ1413	AAAAATGGGCA-TTGAGACCA-TACTT-AGAAAACGGAAGACATATCGTTTCTGATATC
SEQ1414	ACCTTGGACTGGCAGCAGCTAATATTTCAAATATTTAAACCCGATTCTGTGGTTATT
SEQ1415	ACCTTGGACTGGCAGCAGCTAATATTTCAAATATTTAAACCCGATTCTGTGGTTATT
SEQ1416	AAAAATGGGCAATTGAGACCA-TACTT-AGAAAACGGAAGACATATCGTTTCTGATATC
SEQ1417	-----AGCAGCTAATATTTCAAATATTTAAACCCGATTCTGTGGTTATT
SEQ1401	TTGAATCTCTCA-AACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGG
SEQ1402	TTGAATCTCTCA-AACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGG
SEQ1403	TTGAATCTCTCA-AACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGG
SEQ1404	TTGAATCTCTCA-AACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGG
SEQ1405	GTGGCGGTGTCTCAGCAGCAGGTGAATTTTACGTAGTCGCGTTGAGAAATACTTT---
SEQ1406	TTGAATCTCTCA-AACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGG
SEQ1407	TTGAATCTCTCA-AACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGG
SEQ1408	GTGGCGGTGTCTCAGCAGCAGGTGAATTTTACGTAGTCGCGTTGAGAAATACTTT---
SEQ1409	TTGAATCTCTCA-AACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGG
SEQ1410	-----CAGCAGCAGGTGAATTTTACGTAGTCGCGTTGAGAAATACTTT---
SEQ1411	TTGAATCTCTCA-AACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGG
SEQ1412	GTGGCGGTGTCTCAGCAGCAGGTGAATTTTACGTAGTCGCGTTGAGAAATACTTT---
SEQ1413	TTGAATCTCTCA-AACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGG
SEQ1414	GTGGCGGTGTCTCAGCAGCAGGTGAATTTTACGTAGTCGCGTTGAGAAATACTTT---
SEQ1415	GTGGCGGTGTCTCAGCAGCAGGTGAATTTTACGTAGTCGCGTTGAGAAATACTTT---
SEQ1416	TTGAATCTCTCA-AACATCGTTTGAGCCTCTATGGATTAACAAAAGATGACTTTCTCGG
SEQ1417	GTGGCGGTGTCTCAGCAGCAGGTGAATTTTACGTAGTCGCGTTGAGAAATACTTT---
SEQ1401	ATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAAACAGTAACAGGTGCTTT
SEQ1402	ATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAAACAGTAACAGGTGCTTT
SEQ1403	ATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAAACAGTAACAGGTGCTTT
SEQ1404	ATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAAAC-----
SEQ1405	GTCACATTTGCTTTCCCACAAGTTAAAAAGTCAACTA-----
SEQ1406	ATCGGTATGGGTTCTCCAGGAGCTG-----
SEQ1407	ATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAAACAGTAACAGGTGCTTT
SEQ1408	GTCACATTTGCTTTCCCACA-----
SEQ1409	ATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAAACAGTAACAGGTGCTTT
SEQ1410	GTCACATTTGCTTTCCCACAAGTTAAAAAGTCAACTAAAATTAAGATTGCTGAAGTAGG
SEQ1411	ATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAAACAGTAACAGGTGCTTT
SEQ1412	GTCACATTTGCTTTCCCACAAGTTAAAA-----
SEQ1413	ATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAAACAGTAACAGGTGCTTT
SEQ1414	ATCACATTTGCTTTCCCACAAGTTAAAAAGTCAACTAAAATTAAGATTG-----
SEQ1415	GTCACATTTGCTTTCCCACAAGTTAAAAAGTCAACTAA-----
SEQ1416	ATCGGTATGGGTTCTCCAGGAGCTGTTGATAGAACTAGTAAAACAGTCACAGGTGCTTT
SEQ1417	GTCACATTTGTTTTCCCACAAGGT-----

Table 14: Comparative Sequences relating to SAG0471 (glucokinase)

SEQ1401	AATCTAAATTGGGCTGATACTCAAGAAGTAGGTTTCAGTTATTGAAAAAGAAGTTGGAAT
SEQ1402	AATCTAAATTGGGCTGATACTCAAGAAGTAGGTTTCGGTTATTGAAAAAGAAGTTGGAAT
SEQ1403	AATCTAAATTGGGCTGATACTCAAGA-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	AATCTAAATTGGGCTGATACTCAAGAAGTAGGTTTCAGTTATTGAAAAAGAAGTTGGAAT
SEQ1408	-----
SEQ1409	AATCTAAATTGGGCTGATACTCAAGAAGTAGGTTTCGGTTATTGAAAAAGAAGTTGGAAT
SEQ1410	AATGAT-----
SEQ1411	AATCTAAATTGGGCTGATACTCAAGAAGTAGGTTTCGGTTATTGAAAAAGAAGTTGGAAT
SEQ1412	-----
SEQ1413	AATCTAAATTGGGCTGATACTCAAGAAGTAGGTTTCAGTTATTGAAAAAGAAGTTGGAAT
SEQ1414	-----
SEQ1415	-----
SEQ1416	AATCTAAATTGGGCTGATACTCAAGAAGTAGGTTTCAGTTATTGAAAAAGAAGTTGGAAT
SEQ1417	-----
SEQ1401	CCATTTTTTTATTGATAACGATGCTAATGTTGCAGCACTTGGTGAACGCTGGGTAGGTGC
SEQ1402	CCATTTTTTTATTGATAACGATGCTAATGTTGCAGCACTTGGTGAACGCTGGGTAGGTGC
SEQ1403	-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	CCATTTTTTTATTGATAACGATGCTAATGTTGCAGCACTTGGTGAACGCTGGGTAGGTGC
SEQ1408	-----
SEQ1409	CCATTTTTTTATTGATAACGATGCTAATGTTGCAGCACTTGGTGAACGCTGGGTAGGTGC
SEQ1410	-----
SEQ1411	CCATTTTTTTATTGATAACGATGCTAATGTTGCAGCACTTGGTGAACGCTGGGTAGGTGC
SEQ1412	-----
SEQ1413	CCATTTTTTTATTGATAACGATGCTAATGTTGCAGCACTTGGTGAACGCTGGGTAGGTGC
SEQ1414	-----
SEQ1415	-----
SEQ1416	CCATTTTTTTATTG-----
SEQ1417	-----
SEQ1401	GGTGCCAATAATCCCGACGTTGTTTTTCGTAACCCTCGGAACAGGAGTAGGTGGAGGTGT
SEQ1402	GGTGCCAATAATCCCGATGTTGTTTTTCGTAACCCTCGGAACAGGAGTAGGTGGAGGTGT
SEQ1403	-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	GGTGCCAATAATCCCGACGTTGTTTTTCGTAACC-----
SEQ1408	-----
SEQ1409	GGTGCCAATAATCCCGATGTTGTTTTTCGTAACCCTCGGAACAGGAGTAGGTGGAGGTGT
SEQ1410	-----
SEQ1411	GGTGCCAATAATCCCGATGTTGTTTTTCGTAACCCTCGGAACAGGAGTA-----
SEQ1412	-----
SEQ1413	GGTGCCAATAATCCCGACGTTGTTTTTCGTAACCCTCGGAACAGGAGTAGGTGGAGG---
SEQ1414	-----
SEQ1415	-----
SEQ1416	-----
SEQ1417	-----

Table 14: C mparative Sequences relating to SAG0471 (glucokinase)

SEQ1401	ATCGCAGATGGTAACCTCATCCATGGTGTTCAGGAGCAGGTGGAGAAATTGGGCATAT
SEQ1402	ATCGCAGATGGTAACCTCATCCATGGTGTTCAGGAGCAGGTGGAGAAATTGGGCATAT
SEQ1403	-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	-----
SEQ1408	-----
SEQ1409	ATCGCAGATGGTAACCTCATCCATGGTGTTCAGGAGCAGGTGGAGAAATTGGGCATAT
SEQ1410	-----
SEQ1411	-----
SEQ1412	-----
SEQ1413	-----
SEQ1414	-----
SEQ1415	-----
SEQ1416	-----
SEQ1417	-----
SEQ1401	ATTGTTGATCCAGAAATGGATTACGTGCACATGTGGTAACAAAGGCTGCCTTGAGAC
SEQ1402	ATTGTTGATCCAGAKAATGGATTACGTGCACATGTGGTAACAAAGGCTGTCTTGAGAC
SEQ1403	-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	-----
SEQ1408	-----
SEQ1409	ATT-----
SEQ1410	-----
SEQ1411	-----
SEQ1412	-----
SEQ1413	-----
SEQ1414	-----
SEQ1415	-----
SEQ1416	-----
SEQ1417	-----
SEQ1401	GTTGCATCAGCGACAGGTGTTGTTAGAGTAGCACGTCAACTCGCAGAACAAATATGAGGG
SEQ1402	GTTGCATCAGCGACAGGTGTTGTTAGAGTAGCACGTCAACTCGCAGAACAAATATGAAGG
SEQ1403	-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	-----
SEQ1408	-----
SEQ1409	-----
SEQ1410	-----
SEQ1411	-----
SEQ1412	-----
SEQ1413	-----
SEQ1414	-----
SEQ1415	-----
SEQ1416	-----
SEQ1417	-----

Table 14: Comparative Sequences relating t SAG0471 (glucokinase)

SEQ1401_	TCGTCTGCCATTAAAGCAGCGATTGACACCGGTGATACTGTTACAAGTAAAGATATTTT
SEQ1402_	TCGTCTGCCATTAAAGCAGCGATTGACAACGGTGATACTGTTACAAGTAAAGATATTTT
SEQ1403	-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	-----
SEQ1408	-----
SEQ1409	-----
SEQ1410	-----
SEQ1411	-----
SEQ1412	-----
SEQ1413	-----
SEQ1414	-----
SEQ1415	-----
SEQ1416	-----
SEQ1417	-----
SEQ1401_	ATAGCAGCAGAAGATGGGGATAAATTTGCTAATTCTGTTGTTGAACGTGTATCACGTTA
SEQ1402_	ATAGCAGCAGAAGATGGGGATAAATTTGCTAATTCTGTTGTTGAACGTGTATCACGTTA
SEQ1403	-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	-----
SEQ1408	-----
SEQ1409	-----
SEQ1410	-----
SEQ1411	-----
SEQ1412	-----
SEQ1413	-----
SEQ1414	-----
SEQ1415	-----
SEQ1416	-----
SEQ1417	-----
SEQ1401_	CTTGGACTGGCAGCAGCTAATATTTCAAATATTTTAAACCCTGATTCTGTGGTTATTGG
SEQ1402_	CTTGGACTGGCAGCAGCTAATATTTCAAATATTTTAAACCCTGATTCTGTGGTTATTGG
SEQ1403	-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	-----
SEQ1408	-----
SEQ1409	-----
SEQ1410	-----
SEQ1411	-----
SEQ1412	-----
SEQ1413	-----
SEQ1414	-----
SEQ1415	-----
SEQ1416	-----
SEQ1417	-----

Table 14: C mparative Sequences relating to SAG0471 (glucokinase)

SEQ1401	GGCGGTGTCTCAGCAGCAGGTGAATTTTACGTAGTCGCGTTGAGAAATACTTTGTCAC
SEQ1402	GGCGGTGTCTCAGCAGCAGGTGAATTTTACGTAGTCGCGTTGAGAAATACTTTGTCAC
SEQ1403	-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	-----
SEQ1408	-----
SEQ1409	-----
SEQ1410	-----
SEQ1411	-----
SEQ1412	-----
SEQ1413	-----
SEQ1414	-----
SEQ1415	-----
SEQ1416	-----
SEQ1417	-----
SEQ1401	TTTGCTTTCCCAAGTTAAAAAGTCAACTAAAATTAAGAT
SEQ1402	TTTG-----
SEQ1403	-----
SEQ1404	-----
SEQ1405	-----
SEQ1406	-----
SEQ1407	-----
SEQ1408	-----
SEQ1409	-----
SEQ1410	-----
SEQ1411	-----
SEQ1412	-----
SEQ1413	-----
SEQ1414	-----
SEQ1415	-----
SEQ1416	-----
SEQ1417	-----

Table 15: Comparative Sequences relating to SAG0492

SEQ ID NO. 1501: SAG0492 FROM THE 1169NT1 GBS NONTYPEABLE STRAIN

TGACTTGGATATTCATCAAGGAGAAGTGGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACATTTTAAAGAACAATGAATCTCT
 TGGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGAATTGATATAACAGACAAAAAATGATATTTTAAATGCGCGAAAAAATG
 GGCATGGTTTTTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTATTAAGACAAAGGGACTTTC
 TAAGCTTGATGCTCAGACAAAAGCATACGAGCTACTTGA AAAAGTTGGACTCAAAGAGAAGGCTAATGCTTATCCAGCTAGCTTATCTG
 GAGGACAAACAACACGATTGCTATTTGCAAGAGGCTTGAATGAATCCTGATGTCCTTCTTTTATGATGAACCTACTTCAGCTCTTGAT
 CCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAGCTAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTT
 TGCACGTGAAGTAGCGGATCGTGTCATTTTTATGGATGCAGGCATTATTGTGAGCAAGGGACCCCTAAGGAAGTAT

SEQ ID NO. 1502: SAG0492 FROM THE 18RS21 GBS TYPE II STRAIN

TTGGGAAAAATGAGGTTTTAAAGGCATTGACTTGGATATTCATCAAGGAGAAGTAGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAG
 TCAACATTTTAAAGAACAATGAATCTCTTGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGATTGATATAACAGACAAAAAGAA
 TGATATTTTAAATGCGCGAAAAAATGGGCATGGTTTTTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTT
 TATCACCTATTAAGACAAAGGGGCTTTCTAATCTTGATGCTCAGACAAAAGCATATGAGCTACTTGA AAAAGTTGGACTCAAAGAGAAG
 GCTAATACTTATCCAGCTAGCTTATCTGGAGGACAACAACGAAATGCTATTTGCAAGAGGCTTGAATGAATCCTCATGTCCTTCT
 TTTTATGATGAACCTACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAGCTAAATCTGGTATGACGA
 TGGTTATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAGCGGATCGTGTCATTTTTATGGACGCAGAAATTAT

SEQ ID NO. 1503: SAG0492 FROM THE 2603V/R GBS TYPE V STRAIN REVERSE COMPLEMENT

AAAAATGAGGTTTTAAAGGCATTGACTTGGATATTCATCAAGGAGAAGTAGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAAC
 ATTTTAAAGAACAATGAATCTCTTGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGATTGATATAACAGACAAAAAGAAATGATA
 TTTTAAATGCGCGAAAAAATGGGCATGGTTTTTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCA
 CCTATTAAGACAAAGGGGCTTTCTAATCTTGATGCTCAGACAAAAGCATATGAGCTACTTGA AAAAGTTGGACTCAAAGAGAAGGCTAA
 TACTTATCCAGCTAGCTTATCTGGAGGACAACAACGAAATGCTATTTGCAAGAGGCTTGAATGAATCCTGATGTCCTTCTTTTGG
 ATGAACCTACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAGCTAAATCTGGTATGACGATGGTT
 ATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAGCGGATCGTGTCATTTTTATGGATGCAGGAATTATTGTTGAGCAAGGGGCC

SEQ ID NO. 1504: SAG0492 FROM THE M781 GBS TYPE III STRAIN REVERSE COMPLEMENT

GAGGTTTTAAAGGCATTGACTTGGATATTCATCAAGGAGAAGTGGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACATTTTT
 AAGAACAATGAATCTCTTGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGATTGATATAACAGACAAAAAGAAATGATATTTTAA
 AATGCGCGAAAAAATGGGCATGGTTTTTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTATT
 AAGACAAAGGGACTTTCTAAGCTTGATGCTCAGACAAAAGCATACGAGCTACTTGA AAAAGTTGGACTCAAAGAGAAGGCTAATGCTTA
 TCCAGCAAGCTTATCTGGAGGACAACAACGAAATGCTATTTGCAAGAGGCTTGAATGAATCCTGATGTCCTTCTTTTATGATGAAC
 CTACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAGCTAAATCTGGTATGACGATGGTTATGTC
 ACTCATGAAATGGGTTTTGCACGTGAAGTAGCGGATCGTGTCATTTTTATGGATGCAGGAATTATTGTTGAGCAAGGGACCCCTAAGAA
 AGTAT

SEQ ID NO. 1505: SAG0492 FROM THE 090 GBS TYPE Ia STRAIN

TGGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACATTTTAAAGAACAATGAATCTCTTGAAGTACCAACAAAGGGAACAGTG
 ACTTTTGAAGGGATTGATATAACAGACAAAAAGAAATGATATTTTAAATGCGCGAAAAAATGGGCATGGTTTTTCAACAGTTCAATCT
 ATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTATTAAGACAAAGGGACTTTCTAAGCTTGATGCTCAGACAAAAGCAT
 ACGAGCTACTTGA AAAAGTTGGACTCAAAGAGAAGGCTAATGCTTATCCAGCTAGCTTATCTGGAGGGCAACAACGAAATGCTATT
 GCAAGAGGCTTGAATGAATCCTGATGTCCTTCTTTTATGATGAACCTACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGAC
 TGTTATGCAAGATTTAGCTAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAGCGGATCGTGTC
 TTTTATGGATGCAGGCATTATTGTTgAsCAAGGGACCCCTAAGGAAGTA

SEQ ID NO. 1506: SAG0492 FROM THE A909 GBS TYPE Ia STRAIN

CAATACAGGACTTCATAAAGTTTTGGGAAAAATGAGGTTTTAAAGGCATTGACTTGGATATTCATCAAGGAGAAGTAGTGGTTATT
 ATTGGCCCTTCTGGCTCTGGTAAGTCAACATTTTAAAGAACAATGAATCTCTTGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGG
 GATTGATATAACAGACAAAAAGAAATGATATTTTAAATGCGCGAAAAAATGGGCATGGTTTTTCAACAGTTCAATCTATTTCCCAATA
 TGACTGTACTAGAAAAATATTACTTTATCACCTATTAAGACAAAGGGGCTTTCTAAGCTTGATGCTCAGACAAAAGCATATGAGCTACTT
 GAAAAAGTTGGACTCAAAGAGAAGGCTAATACTTATCCAGCTAGCTTATCTGGAGGACAACAACGAAATGCTATTGCAAGAGGTTCT
 TGCAATGAATCCTGATGTCCTTCTTTTATGATGAACCTACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAG
 ATTTAGCTAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAGCGGATCGTGTCATTTTTATGGAT
 GCAGGAATTATTGTgAGCAAGGGGCCCTAAGGAAGTATTGAGCAGACAAAAAGAAATCCGCACAAGAGATTTCTT

SEQ ID NO. 1507: SAG0492 FROM THE CJB110 GBS NONTYPEABLE STRAIN REVERSE COMPLEMENT

GACTTGGATATTCATCAAGGAGAAGTGGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACATTTTAAAGAACAATGAATCTCTT
 GGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGATTGATATAACAGACAAAAAGAAATGATATTTTAAATGCGCGAAAAAATGG
 GCATGGTTTTTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTATTAAGACAAAGGGACTTTCT
 AAGCTTGATGCTCAGACAAAAGCATACGAGCTACTTGA AAAAGTTGGACTCAAAGAGAAGGCTAATGCTTATCCAGCTAGCTTATCTGG
 AGGACAACAACGAAATGCTATTGCAAGAGGCTTGAATGAATCCTGATGTCCTTCTTTTATGATGAACCTACTTCAGCTCTTGATC
 CTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAGCTAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTTT
 GCACGTGAAGTAGCGGATCGTGCTTTTTATGGATGCAGGAATTATTGTGAGCAAGGGACC

Table 15: Comparative Sequences relating to SAG0492

SEQ ID NO. 1508: SAG0492 FROM THE H36b GBS TYPE Ib STRAIN

ATGAGGTTTTAAAAGGCATTGACTTGGATATTCATCAAGGAGAAGTAGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACATTT
 TTAAGAACAATGAATCTCTTGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGATTGATATAACAGACAAAAGAATGATATTTT
 TAAAATGCGCGAAAAAATGGGCATGGTTTTTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAATATTACTTTATCACCTA
 TTAAGACAAAGGGGCTTTCTAAGCTTGATGCTCAGACAAAAGCATATGAGCTACTTGAAAAAGTTGGACTCAAAGAGAAGGCTAATACT
 TATCCAGCTAGCTTATCTGGAGGACAACAACAACGAATTGCTATTGCAAGAGGTCTTGCAATGAATCCTGATGTCCTTCTTTTGATGA
 ACCTACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAGCTAAATCTGGTATGACGATGGTTATTG
 TCACTCATGAAATGGGTTTTGCACGTGAAGTAGCGGATCGTGTCATTTTTATGGATGCASGAATTATTGTTGAGCAAGGGGCCCTAAG
 GAAGTAT

SEQ ID NO. 1509: SAG0492 FROM THE JM9130013 GBS TYPE VIII STRAIN REVERSE COMPLEMENT

GGTTTTAAAAGGCATTGACTTGGATATTCATCAAGGAGAAGTAGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACATTTTAA
 GAACAATGAATCTCTTGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGATTGATATAACAGACAAAAGAATGATATTTTAAA
 ATGCGCGAAAAAATGGGCATGGTTTTTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAATATTACTTTATCACCTATTAA
 GACAAAGGGGCTTTCTAAGCTTGATGCTCAGACAAAAGCATATGAGCTACTTGAAAAAGTTGGACTCAAAGAGAAGGCTAATACTTATC
 CAGCTAGCTTATCTGGAGGACAACAACAACGAATTGCTATTGCAAGAGGTCTTGCAATGAATCCTGATGTCCTTCTTTTGATGAACCT
 ACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAGCTAAATCTGGTATGACGATGGTTATTGTCAC
 TCATGAAATGGGTTTTGCACGTGAAGTAGCGGATCGTGTCATTTTTATGGATGCAGGAATTATTGTTGAGCAAGGGGCCCTAAGGAAG
 TATTTAGCAAAACAAAAGAAAT

SEQ ID NO. 1510: SAG0492 FROM THE M732 GBS TYPE III STRAIN

GGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACATTTTTAAGAACAATGAATCTCTTGAAGTACCAACAAAGGGAACAGTGA
 CTTTTGAAGGGATTGATATAACAGACAAAAGAATGATATTTTAAAATGCGCGAAAAAATGGGCATGGTTTTTCAACAGTTCAATCTA
 TTTCCCAATATGACTGTACTAGAAAATATTACTTTATCACCTATTAAGACAAAGGGACTTTCTAAGCTTGATGCTCAGACAAAAGCATA
 CGAGCTACTTGAAAAAGTTGGACTCAAAGAGAAGGCTAATGCTTATCCAGCAAGCTTATCTGG

SEQ ID NO. 1511: SAG0492 FROM THE COH1 GBS TYPE Ia STRAIN

ATTGACTTGGATATTCATCAAGGAGAAGTGGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACATTTTTAAGAACAATGAATCT
 CTTGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGATTGATATAACAGACAAAAGAATGATATTTTAAAATGCGCGAAAAA
 TGGGCATGGTTTTTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAATATTACTTTATCACCTATTAAGACAAAGGGACTT
 TCTAAGCTTGATGCTCAGACAAAAGCATACGAGCTACTTGAAAAAGTTGGACTCAAAGAGAAGGCTAATGCTTATCCAGCAAGCTTATC
 TGG

Table 15: Comparative Sequences relating t SAG0492

SEQ1501	-----TGACTTGG
SEQ1502	-----TTGGGAAAAATGAGGTTTTAAAAGGCATTGACTTGG
SEQ1503	-----AAAAATGAGGTTTTAAAAGGCATTGACTTGG
SEQ1504	-----GAGGTTTTAAAAGGCATTGACTTGG
SEQ1505	-----
SEQ1506	AATACAAGGACTTCATAAAAGTTTTGGGAAAAATGAGGTTTTAAAAGGCATTGACTTGG
SEQ1507	-----GACTTGG
SEQ1508	-----ATGAGGTTTTAAAAGGCATTGACTTGG
SEQ1509	-----GGTTTTAAAAGGCATTGACTTGG
SEQ1510	-----
SEQ1511	-----ATTGACTTGG
SEQ1501	TATTCATCAAGGAGAAGTGGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACAT
SEQ1502	TATTCATCAAGGAGAAGTAGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACAT
SEQ1503	TATTCATCAAGGAGAAGTAGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACAT
SEQ1504	TATTCATCAAGGAGAAGTGGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACAT
SEQ1505	-----TGGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACAT
SEQ1506	TATTCATCAAGGAGAAGTAGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACAT
SEQ1507	TATTCATCAAGGAGAAGTGGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACAT
SEQ1508	TATTCATCAAGGAGAAGTAGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACAT
SEQ1509	TATTCATCAAGGAGAAGTAGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACAT
SEQ1510	-----GGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACAT
SEQ1511	TATTCATCAAGGAGAAGTGGTGGTTATTATTGGCCCTTCTGGCTCTGGTAAGTCAACAT
SEQ1501	TTTTAAGAACAATGAATCTCTTGGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGAA
SEQ1502	TTTTAAGAACAATGAATCTCTTGGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGA
SEQ1503	TTTTAAGAACAATGAATCTCTTGGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGA
SEQ1504	TTTTAAGAACAATGAATCTCTTGGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGA
SEQ1505	TTTTAAGAACAATGAATCTCTTGGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGA
SEQ1506	TTTTAAGAACAATGAATCTCTTGGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGA
SEQ1507	TTTTAAGAACAATGAATCTCTTGGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGA
SEQ1508	TTTTAAGAACAATGAATCTCTTGGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGA
SEQ1509	TTTTAAGAACAATGAATCTCTTGGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGA
SEQ1510	TTTTAAGAACAATGAATCTCTTGGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGA
SEQ1511	TTTTAAGAACAATGAATCTCTTGGAAGTACCAACAAAGGGAACAGTGACTTTTGAAGGGA
SEQ1501	TTGATATAACAGACAAAAAATGATATTTTTAAAATGCGCGAAAAAATGGGCATGGTTT
SEQ1502	TTGATATAACAGACAAAAAGAATGATATTTTTAAAATGCGCGAAAAAATGGGCATGGTTT
SEQ1503	TTGATATAACAGACAAAAAGAATGATATTTTTAAAATGCGCGAAAAAATGGGCATGGTTT
SEQ1504	TTGATATAACAGACAAAAAGAATGATATTTTTAAAATGCGCGAAAAAATGGGCATGGTTT
SEQ1505	TTGATATAACAGACAAAAAGAATGATATTTTTAAAATGCGCGAAAAAATGGGCATGGTTT
SEQ1506	TTGATATAACAGACAAAAAGAATGATATTTTTAAAATGCGCGAAAAAATGGGCATGGTTT
SEQ1507	TTGATATAACAGACAAAAAGAATGATATTTTTAAAATGCGCGAAAAAATGGGCATGGTTT
SEQ1508	TTGATATAACAGACAAAAAGAATGATATTTTTAAAATGCGCGAAAAAATGGGCATGGTTT
SEQ1509	TTGATATAACAGACAAAAAGAATGATATTTTTAAAATGCGCGAAAAAATGGGCATGGTTT
SEQ1510	TTGATATAACAGACAAAAAGAATGATATTTTTAAAATGCGCGAAAAAATGGGCATGGTTT
SEQ1511	TTGATATAACAGACAAAAAGAATGATATTTTTAAAATGCGCGAAAAAATGGGCATGGTTT
SEQ1501	TTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTA
SEQ1502	TTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTA
SEQ1503	TTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTA
SEQ1504	TTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTA
SEQ1505	TTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTA
SEQ1506	TTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTA
SEQ1507	TTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTA
SEQ1508	TTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTA
SEQ1509	TTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTA
SEQ1510	TTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTA
SEQ1511	TTCAACAGTTCAATCTATTTCCCAATATGACTGTACTAGAAAAATATTACTTTATCACCTA

Table 15: Comparative Sequences relating to SAG0492

SEQ1501	TTAAGACAAAGGGACTTTCTAAGCTTGATGCTCAGACAAAAGCATACGAGCTACTTGAAA
SEQ1502	TTAAGACAAAGGGGCTTTCTAATCTTGATGCTCAGACAAAAGCATATGAGCTACTTGAAA
SEQ1503	TTAAGACAAAGGGGCTTTCTAATCTTGATGCTCAGACAAAAGCATATGAGCTACTTGAAA
SEQ1504	TTAAGACAAAGGGACTTTCTAAGCTTGATGCTCAGACAAAAGCATACGAGCTACTTGAAA
SEQ1505	TTAAGACAAAGGGACTTTCTAAGCTTGATGCTCAGACAAAAGCATACGAGCTACTTGAAA
SEQ1506	TTAAGACAAAGGGGCTTTCTAAGCTTGATGCTCAGACAAAAGCATATGAGCTACTTGAAA
SEQ1507	TTAAGACAAAGGGACTTTCTAAGCTTGATGCTCAGACAAAAGCATACGAGCTACTTGAAA
SEQ1508	TTAAGACAAAGGGGCTTTCTAAGCTTGATGCTCAGACAAAAGCATATGAGCTACTTGAAA
SEQ1509	TTAAGACAAAGGGGCTTTCTAAGCTTGATGCTCAGACAAAAGCATATGAGCTACTTGAAA
SEQ1510	TTAAGACAAAGGGACTTTCTAAGCTTGATGCTCAGACAAAAGCATACGAGCTACTTGAAA
SEQ1511	TTAAGACAAAGGGACTTTCTAAGCTTGATGCTCAGACAAAAGCATACGAGCTACTTGAAA
SEQ1501	AAGTTGGACTCAAAGAGAAGGCTAATGCTTATCCAGCTAGCTTATCTGGAGGACAACAAC
SEQ1502	AAGTTGGACTCAAAGAGAAGGCTAATACTTATCCAGCTAGCTTATCTGGAGGACAACAAC
SEQ1503	AAGTTGGACTCAAAGAGAAGGCTAATACTTATCCAGCTAGCTTATCTGGAGGACAACAAC
SEQ1504	AAGTTGGACTCAAAGAGAAGGCTAATGCTTATCCAGCAAGCTTATCTGGAGGACAACAAC
SEQ1505	AAGTTGGACTCAAAGAGAAGGCTAATGCTTATCCAGCTAGCTTATCTGGAGGACAACAAC
SEQ1506	AAGTTGGACTCAAAGAGAAGGCTAATACTTATCCAGCTAGCTTATCTGGAGGACAACAAC
SEQ1507	AAGTTGGACTCAAAGAGAAGGCTAATGCTTATCCAGCTAGCTTATCTGGAGGACAACAAC
SEQ1508	AAGTTGGACTCAAAGAGAAGGCTAATACTTATCCAGCTAGCTTATCTGGAGGACAACAAC
SEQ1509	AAGTTGGACTCAAAGAGAAGGCTAATACTTATCCAGCTAGCTTATCTGGAGGACAACAAC
SEQ1510	AAGTTGGACTCAAAGAGAAGGCTAATGCTTATCCAGCAAGCTTATCTGG-----
SEQ1511	AAGTTGGACTCAAAGAGAAGGCTAATGCTTATCCAGCAAGCTTATCTGGTABC MARATVS
SEQ1501	ACGGATTGCTATTGCAAGAGGTCTTGCAATGAATCCTGATGTCCTTCTTTTTGATGAAC
SEQ1502	ACGAATTGCTATTGCAAGAGGTCTTGCAATGAATCCTCATGTCCTTCTTTTTGATGAAC
SEQ1503	ACGAATTGCTATTGCAAGAGGTCTTGCAATGAATCCTGATGTCCTTCTTTTTGATGAAC
SEQ1504	ACGGATTGCTATTGCAAGAGGTCTTGCAATGAATCCTGATGTCCTTCTTTTTGATGAAC
SEQ1505	ACGAATTGCTATTGCAAGAGGTCTTGCAATGAATCCTGATGTCCTTCTTTTTGATGAAC
SEQ1506	ACGAATTGCTATTGCAAGAGGTCTTGCAATGAATCCTGATGTCCTTCTTTTTGATGAAC
SEQ1507	ACGAATTGCTATTGCAAGAGGTCTTGCAATGAATCCTGATGTCCTTCTTTTTGATGAAC
SEQ1508	ACGAATTGCTATTGCAAGAGGTCTTGCAATGAATCCTGATGTCCTTCTTTTTGATGAAC
SEQ1509	ACGAATTGCTATTGCAAGAGGTCTTGCAATGAATCCTGATGTCCTTCTTTTTGATGAAC
SEQ1510	-----
SEQ1511	NCSRATNGTSAG-----
SEQ1501	TACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAG
SEQ1502	TACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAG
SEQ1503	TACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAG
SEQ1504	TACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAG
SEQ1505	TACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAG
SEQ1506	TACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAG
SEQ1507	TACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAG
SEQ1508	TACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAG
SEQ1509	TACTTCAGCTCTTGATCCTGAAATGGTAGGTGAAGTCTTGACTGTTATGCAAGATTTAG
SEQ1510	-----
SEQ1511	-----
SEQ1501	TAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAG
SEQ1502	TAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAG
SEQ1503	TAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAG
SEQ1504	TAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAG
SEQ1505	TAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAG
SEQ1506	TAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAG
SEQ1507	TAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAG
SEQ1508	TAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAG
SEQ1509	TAAATCTGGTATGACGATGGTTATTGTCACTCATGAAATGGGTTTTGCACGTGAAGTAG
SEQ1510	-----
SEQ1511	-----

Table 15: Comparative Sequences relating t SAG0492

SEQ1501	GGATCGTGTCAATTTTTATGGATGCAGGCATTATTGT-GAGCAAGGGACCCCTAAGGAAG
SEQ1502	GGATCGTGTCAATTTTTATGGACGCAGAAATTAT-----
SEQ1503	GGATCGTGTCAATTTTTATGGATGCAGGAATTATTGTTGAGCAAGGGGCCC-----
SEQ1504	GGATCGTGTCAATTTTTATGGATGCAGGGATTATTGTTGAGCAAGGGACCCCTAAGAAAG
SEQ1505	GGATCGTGTCAATTTTTATGGATGCAGGCATTATTGTTGASCAAGGGACCCCTAAGGAAG
SEQ1506	GGATCGTGTCAATTTTTATGGATGCAGGAATTATTGTGAGCAAGGGGCCCCCTAAGGAAGT
SEQ1507	GGATCGTGTCTTTTTATGGATGCGGGAATTATTGT-GAGCAAGGGACC-----
SEQ1508	GGATCGTGTCAATTTTTATGGATGCASGAATTATTGTTGAGCAAGGGGCCCCCTAAGGAAG
SEQ1509	GGATCGTGTCAATTTTTATGGATGCAGGAATTATTGTTGAGCAAGGGGCCCCCTAAGGAAG
SEQ1510	-----
SEQ1511	-----
SEQ1501	AT-----
SEQ1502	-----
SEQ1503	-----
SEQ1504	AT-----
SEQ1505	A-----
SEQ1506	TTTGAGCAGACAAAAGAAATCCGCACAAGAGATTCTT
SEQ1507	-----
SEQ1508	AT-----
SEQ1509	ATTTAGCAAAAACAAAAGAAAT-----
SEQ1510	-----
SEQ1511	-----

Table 16: Comparative Sequences relating to SAG0767 (D-alanine - D-alanine ligase)

SEQ ID NO. 1601: SAG0767 FROM THE M781 GBS TYPE III STRAIN

TGGTCGCTCTGTGCGAACGTGAAGTATCTGTACTGTCTGCAGAAAGCGTCATGCGTGCTATTAATTATGATAAAATTTTTT
 GTTAAACTTATTTTATCACGCAAGTAGGTCAATTTATTAACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAA
 GTTAATGACAAACCAAACTGTTGATTTAGACAAAATGGTTCGTCGAAGTGATATCTATGATGATAATGCAATTGTTTTCC
 CCGTTTTACATGGACCAATGGGGGAAGATGGTTCTATCCAAGGATTTTTAGAAAGTTTTAAGGATGCCTTATGTTGGGACT
 AATATTCTATCTTCAAGCGTGGCTATGGATAAAATTACAACAAAACAAGTCCTTGCAACAGTAGGTGTACCTCAGGTTGC
 ATATCAAACCTATTTTTGAGGGTGATGATTTGGAACATGCGATTAAACTCTCTTTAGAACTTTAAGTTTCCCAATTTTTG
 TAAAACCGGCTAATATGGGGTCATCAGTAGGTATTTCAAAGCGACAGATGAATCCTCACTTCGCTCTGCAATTGACTTA
 GCTCTCAAGTATGATAGCCGTATTTTGATTGAACAAGGCGTGACAGCTCGTGAAATTGAAGTAGGTATTTTAGGCAATAA
 TGATGTTAAGACAACTTTTCTGGCGAAGTTGTTAAAGACGTCGATTTCATGACTATGACGCCAAATATATTGATAATA
 AAATTACTATGGATATTCAGCTAAAGTTGATGAAGCAACTTGGAAGCAATGCGTCAATATGCAAGTAAAGCTTTTAAA
 GCAATCGGGGCTTGTGGTTTATCACGCTGTGATTTCTTTTTGACGAAAGATGGACAAATCTTCTTAAACGAACTGAATAC
 AATGCCCCGTTTTACTCAGTGGTCAATGTATCCTCTGCTTTGGGAAATATGGGGCTAACTTATAGTGATTGATTG

SEQ ID NO. 1602: SAG0767 FROM THE 090 GBS TYPE Ia STRAIN

AAACCGGGCATTGTATTTCAGTTCGTTTAAAGAAGACTTGTCCATCTTTTCGTCAAAAAGAAATCACAGCGTGATAAACCACA
 AGCCCCGATTGCTTTTAAAGCTTTACTTGCATATTGACGCATTGCTTCCATAGTTGCTTCATCAACTTTAGCTGGAATAT
 CCATAGTAATTTTATTATCAATATATTTGGCGTCATAGTCATAGAAATCGACGCTTTTAAACGACTTCGCCAAGAAAGTT
 GTCTTAACATCATTATTGCCTAAAATACCTACTTCAATTTACAGAGCTGTACGCCCTTGTTCATCAAAAATACGGCTATC
 ATACTTGAGAGCTAAGTCAATksCAGAGCGAAGTGAGGATTCATCTGTGCTTTTGAAATACCTACTGATGACCCCATAT
 TAGCCGGTTTTACAAAATTGGGAACTTAAAGTTTCTAAAGAGAGTTTAAATCGCATGTTCCAAATCATCACCTCAAAA
 TAAGTTTGATATGCAACCTGAGGTACACCTACTGTTGCAAGGACTTGTGTTGTTGTAATTTTATCCATAGCCACGCTTGA
 AGATAGAATATTAGTCCCAACATAAGGCATCCTTAAACTTCTAAAACTTGGATAGAACCATCTTCCCCATTGGTC
 CATGTAAAACGGGGAAAACAATTGCATTATCATCATAGATATCACTTGGACGAACCATTTTGTCTAAATCAACAGTTTGG
 TTTGTCATTAACCTTTTCATCTGAAGATGGCATTTCATCAAATCTTGTGTTTTAATAAATTGACCTACTTGCCTG

SEQ ID NO. 1603: SAG0767 FROM THE COH1 TYPE Ia STRAIN

TCGCTCTGCGGAACGTGAAGTATCTGTACTGTCTGCAGAAAGCGTCATGCGTGCTATTAATTATGATAAAATTTTTGTTA
 AAACCTATTATTCACGCAAGTAGGTCAATTTATTAACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAAGTTA
 ATGACAAAACCAAACTGTTGATTTAGACAAAATGGTTCGTCGAAGTGATATCTATGATGATAATGCAATTGTTTTCCCGT
 TTTACATGGACCAATGGGGGAAGATGGTTCTATCCAAGGATTTTTAGAAAGTTTTAAGGATGCCTTATGTTGGGACTAATA
 TTCTATCTTCAAGCGTGGCTAT

SEQ ID NO. 1604: SAG0767 FROM THE CJB110 GBS NONTYPEABLE STRAIN REVERSE
COMPLEMENT

CGTCGATTTCTATGACTATGACGCCAAATATATTGATAATAAAATTACTATGGATATTCCAGCTAAAGTTGATGAAGCAA
 CTATGGAAGCAATGCGTCAATATGCAAGTAAAGCTTTTAAAGCAATCGGGGCTTGTGGTTTATCACGCTGTGATTCTTT
 TTGACGAAAGATGGACAAATCTTCTTAAACGAAGTGAATACAATGCC

SEQ ID NO. 1605: SAG0767 FROM THE CJB110 GBS NONTYPEABLE STRAIN

AACGTGAAGTATCTGTACTGCTCTGCAGAAAGCGTCATGCGTGCTATTAATTATGATAAAATTTTTGTTAAACTTATT
 TTATCACGCAAGTAGGTCAATTTATTAACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAA

SEQ ID NO. 1606: SAG0767 FROM THE 1169NT1 GBS TYPE V STRAIN REVERSE COMPLEMENT

CTAATATGGGGTCATCAGTAGGTATTTCAAAGCGACAGATGAATCCTCACTTCGCTCTGCAATTGACTTAGCTCTCAAG
 TATGATAGCCGTATTTTGATTGAACAAGGCGTGACAGCTCGTGAAATTGAAGTAGGTATTTTAGGCAATAATGATGTTAA
 GACAACTTTTCTGGCGAAGTCGTTAAAGACGTCGATTTCTATGACTATGACGCCAAATATATTGATAATAAAATTACTA
 TGGATATTCCAGCTAAAGTTGATGAAGCAACTATGGAAGCAATGCGTCAATATGCAAGTAAAGCTTTTAAAGCAATCGGG
 GCTTGTGGTTTATCACGCTGTGATTCTTTTTGACGAAAGATGGACAAATCTTCTTAAACGAAGTGAATACAATGCCCGG
 TTTTACTCAGTGGTCAATGTATCCTCTGCTTTGGGAAAAAT

SEQ ID NO. 1607: SAG0767 FROM THE 18RS21 GBS TYPE II STRAIN REVERSE COMPLEMENT

TTGACTTAGCTCTCAAGTATGATAGCCGTATTTTGATTGAACAAGGCGTGACAGCTCGTGAAATTGAAGTAGGTATTTTA
 GGCAATAATGATGTTAAGACAACCTTTTCTGGCGAAGTCGTTAAAGACGTCGATTTCTATGACTATGACGCCAAATATAT
 TGATAATAAAATTACTATGGATATTCCAGCTAAAGTTGATGAAGCAACTATGGAAGCAATGCGTCAATATGCAAGTAAAG
 CTTTTAAAGCAATCGGGGCTTGTGGTTTATCACGCTGTGATTCTTTTTGACGAAAGATGGACAAATCTTCTTAAACGAA
 CTGAATACAATGCCCGTTTTTACTCAGTGGTCAATGTATCCCTGCTTTGGGAAAAGTATGGGGCTAACCTT

SEQ ID NO. 1608: SAG0767 FROM THE 18RS21 GBS TYPE II STRAIN

ATCTGTACTGTCTGCAGAAAGCGTCATGCGTGCTATTAATTATGATAAAATTTTTGTTAAACTTATTTTATCACGCCAA
 GTAGGTCAATTTATTAACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAAGTTAATGACAAACCAAACTGTTGA
 TTTAGACAAAATGGTTCGTCGAAGTGATATCTATGATGATAATGCAATTGTTTTCCCGTTTTACATGGACCAATGGGGG
 AAGATGGTTCTATCCAAGGATTTTTAGAAAGTTTTAAGGATGCCTTATGTTGGGACTAATATTCTATCTTCAA

Table 16: Comparative Sequences relating to SAG0767 (D-alanine – D-alanine ligase)

SEQ ID NO. 1609: SAG0767 FROM THE 2603V/R GBS TYPE V STRAIN REVERSE COMPLEMENT
 GGCTATGGATAAAATTACAACAAAACAAGTCCTTGCAACAGTAGGTGTACCTCAGGTTGCATATCAAACCTATTTTGGAGG
 GTGATGATTTGGAACATGCGATTAACTCTCTTTAGAACTTTAAGTTTCCCAATTTTGTAAAACCGGCTAATATGGGG
 TCATCAGTAGGTATTTCAAAGCGACAGATGAATCCTCACTTCGCTCTGCAATTGACTTAGCTCTCAAGTATGATAGCCG
 TATTTTGATTGAACAAGGCGTGACAGCTCGTGAAATTGAAGTAGGTATTTTAGGCAATAATGATGTTAAGACAACTTTTT
 CTGGCGAAGTCGTTAAAGACGTCGATTTCTATGACTATGACGCCAAATATATTGATAATAAAATTACTATGGATATTCCA
 GCTAAAGTTGATGAAGCAACTATGGAAGCAATGCGTCAATATGCAAGTAAAGCTTTTAAAGCAATCGGGGCTTGTGGTTT
 ATCACGCTGTGATTTCTTTTTGACGAAAGAATGGACAAATCTTCTTAAACGAACTGAAATAC

SEQ ID NO. 1610: SAG0767 FROM THE 2603V/R GBS TYPE V STRAIN
 TCTGTAAGTGTCTGCAGAAAGCGTCATGCGTGCTATTAATTATGATAAATTTTTTGTAAAACCTATTTTATCACGCAAGT
 AGGTCAATTTATTAAACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAAGTTAATGACAAACCAACTGTTGATT
 TAGACAAAATGGTTCGTCCAAGTGATATCTATGATGATAAT

SEQ ID NO. 1611: SAG0767 FROM THE H36b GBS TYPE 1b STRAIN REVERSE COMPLEMENT
 AAAACCGGCTAATATGGGGTCATCAGTAGGTATTTCAAAGCGACAGATGAATCCTCACTTCGCTCTGCAATTGACTTAG
 CTCTCAAGTATGATAGCCGTTATTTGATTGAACAAGGCGTGACAGCTCGTGAAATTGAAGTAGGTATTTAGGCAATAAT
 GATGTTAAGACAACTTTTCTGGCGAAGTCGTTAAAGACGTCGATTTCTATGACTATGACGCCAAATATATTGATAATAA
 AATTACTATGGATATTCCAGCTAAAGTTGATGAAGCAACTATGGAAGCAATGCGTCAATATGCAAGTAAAGCTTTTAAAG
 CAATCGGGGCTTGTGGTTTATCACGCTGTGATTTCTTTTTGACGAAAGATGGACAAATCTTCTTAAACGAACTGAATACA
 ATGCCCGGTTTTACTCAGTGGTCAATGTATCCCTGCTTTGGGAAAATATGGGGCTAACTTATAG

SEQ ID NO. 1612: SAG0767 FROM THE H36b TYPE 1b STRAIN
 CGTGAAGTATCTGTACTGTCTGCAGAAAGCGTCATGCGTGCTATTAATTATGATAAATTTTTTGTAAAACCTATTTTAT
 CACGCAAGTAGGTCAATTTATTAAACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAAGTTAATGACAAACCAAA
 CTGTTGATTTAGACAAAATGGTTCGTCCAAGTGATATCTATGATGATAATGCAATTGTTTTCCCGTTTTACATGGACCA
 ATGGGGGAAGATGGTTCATCCAAGGATTTTTAGAAAGTTTTAAGGATGCCTTATGTTGGGACTAATATTCTATCTTCAAG
 CGTGGCTATGGATAAAATTACAACAAAACAAGTCCTTGCAACAGTAG

SEQ ID NO. 1613: SAG0767 FROM THE M732 GBS TYPE III STRAIN REVERSE COMPLEMENT
 ATGCGATTAACTCTCTTTAGAACCTTTAAGTTTCCCAATTTTGTAAACCCGGCTAATATGGGGTCATCAGTAGGTATT
 TCAAAAGCGACAGATGAATCCTCACTTCGCTCTGCAATTGACTTAGCTCTCAAGTATGATAGCCGTTATTTGATTGAACA
 AGGCGTGACAGCTCGTGAAATTGAAGTAGGTATTTTAGGCAATAATGATGTTAAGACAACCTTTTCTGGCGAAGTTGTTA
 AAGACGTCGATTTCTATGACTATGACGCCAAATATATTGATAATAAAATTACTATGGATATTCCAGCTAAAGTTGATGAA
 GCAACTATGGAAGCAATGCGTCAATATGCAAGTAAAGCTTTTAAAGCAATCGGGGCTTGTGGTTTATCACGCTGTGATTT
 CTTTTTGACGAAAGATGGACAAATCTTCTTAAACGAACTGAATACAATGCCCGGTTTTACTCAGTGGTCAATGTATCCTC
 TGCTTTGGGAAAATATGGGGCTAACTT

SEQ ID NO. 1614: SAG0767 FROM THE M732 GBS TYPE III STRAIN
 GTCATGCCGTGCTATTAATTATGATAAATTTTTTGTAAAACCTATTTTATCACGCAAGTAGGTCAATTTATTAAACAC
 AAGAATTTGATGAAATGCCATCTTCAGATGAAAAGTTAATGACAAACCAACTGTTGATTTAGACAAAATGGTTCGTCCA
 AGTGATATCTATGATGATAATGCAATTGTTTTCCCGTTTTACATGGACCAATGGGGGAAGATGGTTCATCCAAGGATT
 TTTAGAAGTTTTAAGGATGCCTTATGTTGGGACTAATATTCTATCTTCAAGCGTGGCTATGGATAAAATTACAACAAAAC
 AAGTCCTTGCAACAGTAGGTGTACCTCAGG

SEQ ID NO. 1615: SAG0767 FROM THE A909 GBS TYPE Ia STRAIN REVERSE COMPLEMENT
 TTTTGAGGGTGATGATTTGGAACATGCGATTAACTCTCTTTAGAACTTTAAGTTTCCCAATTTTGTAAAACCGGCTA
 ATATGGGGTCATCAGTAGGTATTTCAAAGCGACAGATGAATCCTCACTTCGCTCTGCAATTGACTTAGCTCTCAAGTAT
 GATAGCCGTATTTTGATTGAACAAGGCGTGACAGCTCGTGAAATTGAAGTAGGTATTTTAGGCAATAATGATGTTAAGAC
 AACTTTTTCTGGCGAAGTCGTTAAAGACGTCGATTTCTATGACTATGACGCCAAATATATTGATAATAAAATTACTATGG
 ATATTCCAGCTAAAGTTGATGAAGCAACTATGGAAGCAATGCGTCAATATGCAAGTAAAGCTTTTAAAGCAATCGGGGCT
 TGTGGTTTATCACGCTGTGATTTCTTTTTGACGAAAGATGGACAAATCTTCTTAAACGAACTGAATACAATGCCCGGTTT
 TACTCAGTGGTCAATGTATCCCTGCTTTGGGAAAATATGGGGCTAACTTATAGTGA

SEQ ID NO. 1616: SAG0767 FROM THE A909 GBS TYPE Ia STRAIN
 TGGTCGCTCTGCGGAACGTGAAGTATCTGTACTGTCTGCAGAAAGCGTCATGCGTGCTATTAATTATGATAAATTTTTTG
 TTTAAACCTTATTTTATCACGCAAGTAGGTCAATTTATTAAACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAAG
 TTAATGACAAACCAACTGTTGATTTAGACAAAATGGTTCGTCCAAGTGATATCTATGATGATAATGCAATTGTTTTCCC
 CGTTTTACATGGACCAATGGGGGAAGATGGTTCATCCAAGGATTTTTAGAAAGTTTTAAGGATGCCTTATGTTGGGACTA
 ATATTCTATCTTCAAGCGTGGCTATGGATAAAATTACAACAAAACAAGTCCTTGCAACAGTAGG

Table 16: Comparative Sequences relating to SAG0767 (D-alanine – D-alanine ligase)

SEQ ID NO. 1617: SAG0767 FROM THE JM9130013 GBS TYPE VIII STRAIN REVERSE
COMPLEMENT

AAGCAGGGGATACATTGACCACTGAGTAAAACCGGGCATTGTATTTCAGTTCGTTTAAGAAGATCTGTCCATCTTTTCGTCA
AAAAGAAATCACAGCGTGATAAACCAAGCCCCGATTGCTTTAAAAGCTTTACTTGTCATATTGACGCATTGCTTCCATA
GATGCTTCATCAACTTTAGCTGGAATATCCATAGCAATTTTATTATCAATATATTTGGCG

SEQ1601	GGTCGCTCTGTCCGAACGTGAAGTATCTGTACTGTCTGCAGAAAGCGTCATGCGTGCTA
SEQ1602	-----
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----

SEQ1601	TAATTATGATAAAATTTTTTGTTAAACTTATTTTATCACGCAAGTAGGTCAATTTATTA
SEQ1602	-----
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----

SEQ1601	AACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAAGTTAATGACAAACCAAAGTG
SEQ1602	-----
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----

Table 16: Comparative Sequences relating to SAG0767 (D-alanine – D-alanine ligase)

SEQ1601	TGATTTAGACAAAATGGTTCGTCCAAGTGATATCTATGATGATAATGCAATTGTTTTCC
SEQ1602	-----
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----
SEQ1601	CGTTTTACATGGACCAATGGGGGAAGATGGTTCTATCCAAGGATTTTGTAAAGTTTAA
SEQ1602	-----
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----
SEQ1601	GATGCCTTATGTTGGGACTAATATTCTATCTTCAAGCGTGGCTATGGATAAAATTACAA
SEQ1602	-----
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----GGCTATGGATAAAATTACAA
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----

Table 16: Comparative Sequences relating to SAG0767 (D-alanine – D-alanine ligase)

SEQ1601	AAAACAAGTCCTTGCAACAGTAGGTGTACCTCAGGTTGCATATCAAACCTATTTTGAGG
SEQ1602	-----
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	AAAACAAGTCCTTGCAACAGTAGGTGTACCTCAGGTTGCATATCAAACCTATTTTGAGG
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----TTTTGAGG
SEQ1616	-----
SEQ1617	-----
SEQ1601	TGATGATTTGGAACATGCGATTAAACTCTCTTTAGAACTTTAAGTTTCCCAATTTTG
SEQ1602	-----
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	TGATGATTTGGAACATGCGATTAAACTCTCTTTAGAACTTTAAGTTTCCCAATTTTG
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----ATGCGATTAAACTCTCTTTAGAACCTTTAAGTTTCCCAATTTTG
SEQ1614	-----
SEQ1615	TGATGATTTGGAACATGCGATTAAACTCTCTTTAGAACTTTAAGTTTCCCAATTTTG
SEQ1616	-----
SEQ1617	-----
SEQ1601	AAAACCGGCTAATATGGGGTCATCAGTAGGTATTTCAAAAGCGACAGATGAATCCTCAC
SEQ1602	-----AAACCGGGC
SEQ1603	-----TCGCTCTGCGGAACGTGAAGTATCTGTACTG-TCTGCAGAAA-GCGT
SEQ1604	-----
SEQ1605	-----AACGTGAAGTATCTGTACTGCTCTGCAGAAAAGCGT
SEQ1606	-----CTAATATGGGGTCATCAGTAGGTATTTCAAAAGCGACAGATGAATCCTCAC
SEQ1607	-----
SEQ1608	-----ATCTGTACTG-TCTGCAGAAAAGCGT
SEQ1609	AAAACCGGCTAATATGGGGTCATCAGTAGGTATTTCAAAAGCGACAGATGAATCCTCAC
SEQ1610	-----TCTGTACTG-TCTGCAGAAA-GCGT
SEQ1611	AAAACCGGCTAATATGGGGTCATCAGTAGGTATTTCAAAAGCGACAGATGAATCCTCAC
SEQ1612	-----CGTGAAGTATCTGTACTG-TCTGCAGAAA-GCGT
SEQ1613	AAACCCGGCTAATATGGGGTCATCAGTAGGTATTTCAAAAGCGACAGATGAATCCTCAC
SEQ1614	-----GT
SEQ1615	AAAACCGGCTAATATGGGGTCATCAGTAGGTATTTCAAAAGCGACAGATGAATCCTCAC
SEQ1616	-----TGGTCGCTCTGCGGAACGTGAAGTATCTGTACTG-TCTGCAGAAA-GCGT
SEQ1617	-----AAGCAGGGGATACATTGACCACTGAGTAAAACCGGGC
SEQ1601	TCGCTCTGCAATTGACTTAGCTCTCAAGTATGATAGCCGTATTTTGATTGAACAAGGCG
SEQ1602	TTGT-ATTCAAGTTCGTTTAAAGAAGACTTGTCATCTTTCGTCAAAAAGAAATCACAGCG
SEQ1603	ATGC-GTGCTATTAATTATGATAAATTTTTGTTAAACTTATTTTATCACGCAAGTAG
SEQ1604	-----
SEQ1605	ATGC-GTGCTATTAATTATGATAAATTTTTGTTAAACTTATTTTATCACGCAAGTAG
SEQ1606	TCGCTCTGCAATTGACTTAGCTCTCAAGTATGATAGCCGTATTTTGATTGAACAAGGCG
SEQ1607	-----TTGACTTAGCTCTCAAGTATGATAGCCGTATTTTGATTGAACAAGGCG
SEQ1608	ATGC-GTGCTATTAATTATGATAAATTTTTGTTAAACTTATTTTATCACGCAAGTAG
SEQ1609	TCGCTCTGCAATTGACTTAGCTCTCAAGTATGATAGCCGTATTTTGATTGAACAAGGCG

Table 16: Comparative Sequences relating t SAG0767 (D-alanine – D-alanine ligase)

SEQ1610	ATGC-GTGCTATTAATTATGATAAATTTTTGTTAAACTTATTTTATCACGCAAGTAG
SEQ1611	TCGCTCTGCAATTGACTTAGCTCTCAAGTATGATAGCCGTATTTTGATTGAACAAGGCG
SEQ1612	ATGC-GTGCTATTAATTATGATAAATTTTTGTTAAACTTATTTTATCACGCAAGTAG
SEQ1613	TCGCTCTGCAATTGACTTAGCTCTCAAGTATGATAGCCGTATTTTGATTGAACAAGGCG
SEQ1614	ATGCCGTGCTATTAATTATGATAAATTTTTGTTAAACTTATTTTATCACGCAAGTAG
SEQ1615	TCGCTCTGCAATTGACTTAGCTCTCAAGTATGATAGCCGTATTTTGATTGAACAAGGCG
SEQ1616	ATGC-GTGCTATTAATTATGATAAATTTTTGTTAAACTTATTTTATCACGCAAGTAG
SEQ1617	TTGT-ATTCAGTTCGTTTAAAGATCTGTCCATCTTTCGTCAAAAAGAAATCACAGCG
SEQ1601	GACAGCTCGTGAAATTGAAGTAGGTATTTTAGGCAATAATGATGTTAAGACAACCTTTTC
SEQ1602	GATAAACCACAAGC----CCCGATTGCTTTAAAGCTTTACTTGCATATTGACGCATTG
SEQ1603	GTCAATTTATTAAA---ACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAAGTTA
SEQ1604	-----
SEQ1605	GTCAATTTATTAAA---ACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAA-----
SEQ1606	GACAGCTCGTGAAATTGAAGTAGGTATTTTAGGCAATAATGATGTTAAGACAACCTTTTC
SEQ1607	GACAGCTCGTGAAATTGAAGTAGGTATTTTAGGCAATAATGATGTTAAGACAACCTTTTC
SEQ1608	GTCAATTTATTAAA---ACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAAGTTA
SEQ1609	GACAGCTCGTGAAATTGAAGTAGGTATTTTAGGCAATAATGATGTTAAGACAACCTTTTC
SEQ1610	GTCAATTTATTAAA---ACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAAGTTA
SEQ1611	GACAGCTCGTGAAATTGAAGTAGGTATTTTAGGCAATAATGATGTTAAGACAACCTTTTC
SEQ1612	GTCAATTTATTAAA---ACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAAGTTA
SEQ1613	GACAGCTCGTGAAATTGAAGTAGGTATTTTAGGCAATAATGATGTTAAGACAACCTTTTC
SEQ1614	GTCAATTTATTAAA---ACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAAGTTA
SEQ1615	GACAGCTCGTGAAATTGAAGTAGGTATTTTAGGCAATAATGATGTTAAGACAACCTTTTC
SEQ1616	GTCAATTTATTAAA---ACACAAGAATTTGATGAAATGCCATCTTCAGATGAAAAGTTA
SEQ1617	GATAAACCACAAGC----CCCGATTGCTTTAAAGCTTTACTTGCATATTGACGCATTG
SEQ1601	TGGCGAAGTTGTTAAAGACGTCGATTTCATGA--CTATGACGCCAAAT-ATATTGATA
SEQ1602	TTCCATAGTT----GCTTCATCAACTTTAGCTGGAATATCCATAGTAATTTATTATCA
SEQ1603	TGACAAACC-----AAACTGTTGATTAGACAAAATGGTTCGTCCAAGTGATATCTATG
SEQ1604	-----CGTCGATTTCTATGA--CTATGACGCCAAAT-ATATTGATA
SEQ1605	-----
SEQ1606	TGGCGAAGTCGTTAAAGACGTCGATTTCATGA--CTATGACGCCAAAT-ATATTGATA
SEQ1607	TGGCGAAGTCGTTAAAGACGTCGATTTCATGA--CTATGACGCCAAAT-ATATTGATA
SEQ1608	TGACAAACC-----AAACTGTTGATTAGACAAAATGGTTCGTCCAAGTGATATCTATG
SEQ1609	TGGCGAAGTCGTTAAAGACGTCGATTTCATGA--CTATGACGCCAAAT-ATATTGATA
SEQ1610	TGACAAACC-----AAACTGTTGATTAGACAAAATGGTTCGTCCAAGTGATATCTATG
SEQ1611	TGGCGAAGTCGTTAAAGACGTCGATTTCATGA--CTATGACGCCAAAT-ATATTGATA
SEQ1612	TGACAAACC-----AAACTGTTGATTAGACAAAATGGTTCGTCCAAGTGATATCTATG
SEQ1613	TGGCGAAGTCGTTAAAGACGTCGATTTCATGA--CTATGACGCCAAAT-ATATTGATA
SEQ1614	TGACAAACC-----AAACTGTTGATTAGACAAAATGGTTCGTCCAAGTGATATCTATG
SEQ1615	TGGCGAAGTCGTTAAAGACGTCGATTTCATGA--CTATGACGCCAAAT-ATATTGATA
SEQ1616	TGACAAACC-----AAACTGTTGATTAGACAAAATGGTTCGTCCAAGTGATATCTATG
SEQ1617	TTCCATAGAT----GCTTCATCAACTTTAGCTGGAATATCCATAGCAATTTATTATCA
SEQ1601	TAAAATTACTAT--GGATATTCCAGCTAAAGTTGATGAAGCAACTATGGAAGCAATGCG
SEQ1602	TATATTTGGCGTCATAGTCATAGAAATCGACGCTTTAACCAGCTTCGCCAGG--AAAAG
SEQ1603	TGATAATGCAAT--TGTTTTCCCCGTTTTAC---ATGGACCAATGGGGGAAG--ATGGT
SEQ1604	TAAAATTACTAT--GGATATTCCAGCTAAAGTTGATGAAGCAACTATGGAAGCAATGCG
SEQ1605	-----
SEQ1606	TAAAATTACTAT--GGATATTCCAGCTAAAGTTGATGAAGCAACTATGGAAGCAATGCG
SEQ1607	TAAAATTACTAT--GGATATTCCAGCTAAAGTTGATGAAGCAACTATGGAAGCAATGCG
SEQ1608	TGATAATGCAAT--TGTTTTCCCCGTTTTAC---ATGGACCAATGGGGGAAG--ATGGT
SEQ1609	TAAAATTACTAT--GGATATTCCAGCTAAAGTTGATGAAGCAACTATGGAAGCAATGCG
SEQ1610	TGATAAT-----
SEQ1611	TAAAATTACTAT--GGATATTCCAGCTAAAGTTGATGAAGCAACTATGGAAGCAATGCG
SEQ1612	TGATAATGCAAT--TGTTTTCCCCGTTTTAC---ATGGACCAATGGGGGAAG--ATGGT
SEQ1613	TAAAATTACTAT--GGATATTCCAGCTAAAGTTGATGAAGCAACTATGGAAGCAATGCG
SEQ1614	TGATAATGCAAT--TGTTTTCCCCGTTTTAC---ATGGACCAATGGGGGAAG--ATGGT
SEQ1615	TAAAATTACTAT--GGATATTCCAGCTAAAGTTGATGAAGCAACTATGGAAGCAATGCG
SEQ1616	TGATAATGCAAT--TGTTTTCCCCGTTTTAC---ATGGACCAATGGGGGAAG--ATGGT
SEQ1617	TATATTTGGCGT----ABLECMPARATIVESEQUENCESRELA-TINGTSAGD--ALANI

Table 16: Comparative Sequences relating to SAG0767 (D-alanine -- D-alanine ligase)

SEQ1601	CAATATGCAAGTAAAGCTTTTAAAGCAATCGGGGCTTGTGGTTTATCACGCTGTGATT
SEQ1602	T--GTCTTAACATCATTATTGCCTAAAATACCTACTTCAATTTACAGAGCTGTCACGCC
SEQ1603	C--TATCCAAG--GATTTTTAGAAAGTTTTAAGGATGCCTTATGTTGGGACTAATATTCT
SEQ1604	CAATATGCAAGTAAAGCTTTTAAAGCAATCGGGGCTTGTGGTTTATCACGCTGTGATT
SEQ1605	-----
SEQ1606	CAATATGCAAGTAAAGCTTTTAAAGCAATCGGGGCTTGTGGTTTATCACGCTGTGATT
SEQ1607	CAATATGCAAGTAAAGCTTTTAAAGCAATCGGGGCTTGTGGTTTATCACGCTGTGATT
SEQ1608	C--TATCCAAG--GATTTTTAGAAAGTTTTAAGGATGCCTTATGTTGGGACTAATATTCT
SEQ1609	CAATATGCAAGTAAAGCTTTTAAAGCAATCGGGGCTTGTGGTTTATCACGCTGTGATT
SEQ1610	-----
SEQ1611	CAATATGCAAGTAAAGCTTTTAAAGCAATCGGGGCTTGTGGTTTATCACGCTGTGATT
SEQ1612	C--TATCCAAG--GATTTTTAGAAAGTTTTAAGGATGCCTTATGTTGGGACTAATATTCT
SEQ1613	CAATATGCAAGTAAAGCTTTTAAAGCAATCGGGGCTTGTGGTTTATCACGCTGTGATT
SEQ1614	C--TATCCAAG--GATTTTTAGAAAGTTTTAAGGATGCCTTATGTTGGGACTAATATTCT
SEQ1615	CAATATGCAAGTAAAGCTTTTAAAGCAATCGGGGCTTGTGGTTTATCACGCTGTGATT
SEQ1616	C--TATCCAAG--GATTTTTAGAAAGTTTTAAGGATGCCTTATGTTGGGACTAATATTCT
SEQ1617	E--DALANINELIGASE-----
SEQ1601	TTTTTGACGAAAGA--TGGACAAATCTTCTTAAACGAACTGAA-TACAATGCCCGGTTT
SEQ1602	TGTTCAATCAAAATACGGCTATCATACTGAGAGCTAAGTCAATKSCAGAGCGAAGTGA
SEQ1603	TCTTCAAGCGTGGCTAT-----
SEQ1604	TTTTTGACGAAAGA--TGGACAAATCTTCTTAAACGAACTGAA-TACAATGCCCGGTTT
SEQ1605	-----
SEQ1606	TTTTTGACGAAAGA--TGGACAAATCTTCTTAAACGAACTGAA-TACAATGCCCGGTTT
SEQ1607	TTTTTGACGAAAGA--TGGACAAATCTTCTTAAACGAACTGAA-TACAATGCCCGGTTT
SEQ1608	TCTTCAA-----
SEQ1609	TTTTTGACGAAAGAA-TGGACAAATCTTCTTAAACGAACTGAAATAC-----
SEQ1610	-----
SEQ1611	TTTTTGACGAAAGA--TGGACAAATCTTCTTAAACGAACTGAA-TACAATGCCCGGTTT
SEQ1612	TCTTCAAGCGTGGCTATGGATAAAATTACAACAAAACAAGTCCTTGCAACAGTAG----
SEQ1613	TTTTTGACGAAAGA--TGGACAAATCTTCTTAAACGAACTGAA-TACAATGCCCGGTTT
SEQ1614	TCTTCAAGCGTGGCTATGGATAAAATTACAACAAAACAAGTCCTTGCAACAGTAGGTGT
SEQ1615	TTTTTGACGAAAGA--TGGACAAATCTTCTTAAACGAACTGAA-TACAATGCCCGGTTT
SEQ1616	TCTTCAAGCGTGGCTATGGATAAAATTACAACAAAACAAGTCCTTGCAACAGTAGG----
SEQ1617	-----
SEQ1601	ACTCAGTGGTCAATGTATCCTCTGCTTTGGGAAAA-TATGGGGCTAACTTATAGTGATT
SEQ1602	GATTCATCTGTCGCTTTTGAAATACCTACTGATGACCCCATATTAGCCGGTTTACAAA
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	ACTCAGTGGTCAATGTATCCTCTGCTTTGGGAAAA-T-----
SEQ1607	ACTCAGTGGTCAATGTATCCCTGCTTTGGGAAAAGTATGGGGCTAACCTT-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	ACTCAGTGGTCAATGTATCCCTGCTTTGGGAAAA-TATGGGGCTAACTTATAG-----
SEQ1612	-----
SEQ1613	ACTCAGTGGTCAATGTATCCTCTGCTTTGGGAAAA-TATGGGGCTAACTT-----
SEQ1614	CCTCAGG-----
SEQ1615	ACTCAGTGGTCAATGTATCCCTGCTTTGGGAAAA-TATGGGGCTAACTTATAGTGA--
SEQ1616	-----
SEQ1617	-----

Table 16: Comparative Sequences relating to SAG0767 (D-alanine – D-alanine ligase)

SEQ1601	GATTG-----
SEQ1602	ATTGGGAAACTTAAAGTTTCTAAAGAGAGTTTAAATCGCATGTTCCAAATCATCACCCCTC
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----
SEQ1601	-----
SEQ1602	AAATAAGTTTGATATGCAACCTGAGGTACACCTACTGTTGCAAGGACTTGTTTTGTTGT
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----
SEQ1601	-----
SEQ1602	ATTTTATCCATAGCCACGCTTGAAGATAGAATATTAGTCCCAACATAAGGCATCCTTAA
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----

Table 16: Comparative Sequences relating to SAG0767 (D-alanine – D-alanine ligase)

SEQ1601	-----
SEQ1602	ACTTCTAAAAATCCTTGGATAGAACCATCTTCCCCCATTGGTCCATGTAAAACGGGGAA
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----
SEQ1601	-----
SEQ1602	ACAATTGCATTATCATCATAGATATCACTTGGACGAACCATTTTGTCTAAATCAACAGT
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----
SEQ1601	-----
SEQ1602	TGGTTTGTCAATTAACCTTTTCATCTGAAGATGGCATTTCATCAAATTCTTGTGTTTTAAT
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----

Table 16: Comparative Sequences relating to SAG0767 (D-alanine – D-alanine ligase)

SEQ1601	-----
SEQ1602	AATTGACCTACTTGCGTG
SEQ1603	-----
SEQ1604	-----
SEQ1605	-----
SEQ1606	-----
SEQ1607	-----
SEQ1608	-----
SEQ1609	-----
SEQ1610	-----
SEQ1611	-----
SEQ1612	-----
SEQ1613	-----
SEQ1614	-----
SEQ1615	-----
SEQ1616	-----
SEQ1617	-----

Table 17: C mparative Sequences relating to SAG1086 (xanthine ph phorib syltransferase)

SEQ ID NO. 1701: SAG1086 FROM THE1169NT1 GBS NONTYPEABLE STRAIN

TTTAAAGGTTGATTCCTTTTTGACTCATCAGGTAGATTTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATAAATATAAAGAAG
CCGGCATTACGAAGGTTGTTACGATTGAAGCATCTGGAATTGCGCCAGCAGTGTACGCAGCTCAAGCATTGGGCGTACCAATGATATTT
GCTAAAAAGGCTAAGAACATTACTATGACTGAAGGTATCTTAAGTCTGTAAGTGTATTCTTTTACAAAGCAAGWTACGAGTCAAGTTTC
TATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCTTGTATGACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTG
AAATTATTGGTCAAGCTGAGCTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTGTTAGAAAAA
ACAGGTGTTCCAGT

SEQ ID NO. 1702: SAG0767 FROM THE 18RS21 GBS TYPE II STRAIN

TTTAGGTGAGAACATTTTAAAGGTTGATTCTTTTTGACTCATCAGGTAGATTTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTG
ATAAATATAAAGAAGCCGGCATTACGAAGGTTGTACGATTGAAGCATCTGGAATTGCACCAGCAGTGTACGCAGCTCAAGCATTGGGC
GKACCAATGATATTTGCTAAAAAGCTAAGAACATTACTATGACTGAAGGTATCTTAAGTCTGTAAGTGTATTCTTTTACAAAGCAAGT
TACGAGTCAAGTTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCTTGTATGACTTTTTAGCAAACGGTCAAGCGG
CTAAAGGATTACTTGAAATTATTGGTCAAGCTGGAGCTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGT
GATTTGTTAGAAAAACA

SEQ ID NO. 1703: SAG0767 FROM THE H36b1 GBS TYPE Ib STRAIN

AAGAACGTATTCTTAAAGATGGTGATGTTTTAGGTGAGAACATTTTAAAGTTGATTCTTTTTGACTCATCAGGTAGATTTTGAGTTA
ATGCAGGAAATAGGTAAAGTTTTTGCTGATAAATATAAAGAAGCCGGCATTACGAAGGTTGTACAATTGAAGCATCTGGAATTGCGCC
AGCAGTGTACGCAGCTCAAGCATTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACATTACTATGACTGAAGGTATCTTAAGT
CTGAAGTGTATTCTTTTACAAAGCAAGTTACGAGTCAAGTTCTTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCT
GATGACTTTTTAGCAAACGGTCAAGCGGCTAAGGATTACTTGAAATTATTGGTCAAGCTGGAGCTAAGGTTGCTGGTATCGGAATCTT
TATTGAAAAATCTTTCCAAGATGGGCGTGATT

SEQ ID NO. 1704: SAG0767 FROM THE M732 GBS TYPE III STRAIN

ATTCTTTTTGACTATCAGGTAAATTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATAAATATAAAGAAGCCGGCATTACGA
AGGTTGTTACAATTGAAGCATCTGGAATTGCGCCAGCAGTGTACGCAGCTCAAGCATTGGGCGTACCAATGATATTTGCTAAAAAGCT
AAGAACATTACTATGACTGAAGGTATCTTAAGTCTGTAAGTGTATTCTTTTACAAAGCAAGTTACGAGTCAAGTTCTATTGTGAGTCG
CTTTTTATCTAACGATGATACTGTACTCATCTTGTATGACTTTTTAGCAAACGGTCAAGCGGCTAAGGATTACTTGAAATTATTGGTC
AAGCTGAAGCTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTGTTAGAAAAACAGGTGTTCCG
GTTACTTCTCTGCTCGT

SEQ ID NO. 1705: SAG0767 FROM THE M781 GBS TYPE III STRAIN REVERSE COMPLEMENT

GAACGTATTCTTAAAGATGGTGATGTTTTAGGTGAGAACATTTTAAAGTTGATTCTTTTTGACTCATCAGGTAAATTTGAGTTAAT
GCAGGAAATAGGTAAAGTTTTGCTGATAAATATAAAGAAGCCGGCATTACGAAGGTTGTACAATTGAAGCATCTGGAATTGCGCCAG
CAGTGTACGCAGCTCAAGCATTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACATTACTATGACTGAAGGTATCTTAAGTGT
GAAGTGTATTCTTTTACAAAGCAAGTTACGAGTCAAGTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCTTGA
TGACTTTTTTACAAACGGTCAAGC

SEQ ID NO. 1706: SAG0767 FROM THE 090 GBS TYPE Ia STRAIN REVERSE COMPLEMENT

ACATTTTAAAGGTTGATTCTTTTTGACTCATCAGGTAGATTTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATAAATATAAA
GAAGCCGGCATTACGAAGGTTGTACGATTGAAGCATCTGGAATTGCACCAGCAGTGTACGCAGCTCAAGCATTGGGCGTACCAATGAT
ATTTGCTAAAAAGCTAAGAACATTACTATGACTGAAGGTATCTTAAGTGTGTTTACAAAGCAAGTTACGAGTCAAGTTCTATTGT
TATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCTTGTATGACTTTTTAGCAAACMGTCYAGCGGCTAAGGATTACTT
CTTGAAATTATTGGTCAAGCTGGAGCTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTGTTAGA
AAA

SEQ ID NO. 1707: SAG0767 FROM THE A909 GBS TYPE Ia STRAIN REVERSE COMPLEMENT

ACGTATTCTTAAAGATGGTGATGTTTTAGGTGAGAACATTTTAAAGTTGATTCTTTTTGACTCATCAGGTAGATTTTGAGTTAATGC
AGGAAATAGGTAAAGTTTTTGCTGATAAATATAAAGAAGCCGGCATTACGAAGGTTGTACAATTGAAGCATCTGGAATTGCGCCAGCA
GTGTACGCAGCTCAAGCATTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACATTACTATGACTGAAGGTATCTTAAGTGT
AGTGTATTCTTTTACAAAGCAAGTTACGAGTCAAGTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCTTGTATG
ACTTTTTAGCAAACGGKCAAGCGGSTAAAGGATTACTTGAAATTATTGGTCAAGCTGGAGCTA

SEQ ID NO. 1708: SAG0767 FROM THE COH1 GBS TYPE Ia STRAIN

TTTAAAGTTGATTCTTTTTGACTCATCAGGTAAATTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATAAATATAAAGAAG
CCGGCATTACGAAGGTTGTACAATTGAAGCATCTGGAATTGCGCCAGCAGTGTACGCAGCTCAAGCATTGGGCGTACCAATGATATTT
GCTAAAAAGCTAAGAACATTACTATGACTGAAGGTATCTTAAGTGTGTTTACAAAGCAAGTTACGAGTCAAGTTCTATTGTGAGTCG
CTTTTTATCTAACGATGATACTGTACTCATCTTGTATGACTTTTTAGCAAACGGTCAAGCGGCTAAGGATTACTTG
AAATTATTGGTCAAGCTGAAGCTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTGTTAGAAAAA
ACAGGTGTTCCGGTTAC

SEQ ID NO. 1709: SAG0767 FROM THE CJB110 GBS NONTYPEABLE STRAIN REVERSE COMPLEMENT

GCTGATAAATATAAAGAAGCCGGCATTACGAAGGTTGTACAATTGAAGCATCTGGAATTGCGCCAGCAGTGTACGCAGCTCAAGCATT
GGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACATTACTATGACTGAAGGTATCTTAAGTGTGATTCTTTTACAAAGC
AAGTTACGAGTCAAGTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCTTGTATGACTTTTTAGCAAACGGTCAA
GCGGCTAAAGGATTACTTGAAATTATTGGTCAAGCTGGAGCTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATG
GGCGTGATTGTTAGAAAAACAGGTGTTCCAGT

Table 17: Comparative Sequences relating to SAG1086 (xanthine phosphoribosyltransferase)

SEQ ID NO. 1710: SAG0767 FROM THE 2603 V/R GBS TYPE V STRAIN

AACGTATTCTTAAAGATGGTGATGTTTTAGGTGAGAACATTTTAAAGTTGATTCTTTTTTGACTCATCAGGTAGATTTTGAGTTAATG
CAGGAAATAGGTAAAGTTTGTGCTGATAAATATAAAGAAGCCGGCATTACGAAGGTTGTTACAATTGAAGCATCTGGAATTGCGCCAGC
AGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACATTACTATGACTGAAGGTATCTTAACTGCTG
AAGTGATTTCTTTTACAAAGCAAGTTACGAGTCAAGTTTCTATTGTGAGTCGCTTTTATCTAACGATGATACTGTACTCATCATTTGAT
GACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATTATTGGTCAAGCTGGAGCTAAGGTTGCTGATCGGAATCGTTAT
TGAAAAATCTTTCCAAGATGGGCGTGATTGTTAGAAAAACAGGTGTTCCAG

SEQ ID NO. 1711: SAG0767 FROM THE JM9130013 GBS TYPE VIII STRAIN REVERSE
COMPLEMENT

ACGAAGGTTGTTACAATTGAAGCATCTGGAATTGCGCCAGCAGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAA
AGCTAAGAACATTACTATGACTGAAGGTATCTTAACTGCTGAAGTGATTCTTTTACAAAGCAAGTTACGAGTCAAGTTTCTATTGTGA
GTCGCTTTTTATCTAACGATGATCTGACTCATCATTTGATGACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATTATT
GGTCAAGCTGGAGCTAAGGTTGCTGGTATCGGA

SEQ1701 -----TTTAAAGGTTGATTCTT
SEQ1702 -----TTTAGGTGAGAACATTTTAAAGGTTGATTCTT
SEQ1703 AGAACGTATTCTTAAAGATGGTGATGTTTTAGGTGAGAACATTTTAAAGTTGATTCTT
SEQ1704 -----ATTCT
SEQ1705 -GAACGTATTCTTAAAGATGGTGATGTTTTAGGTGAGAACATTTTAAAGTTGATTCTT
SEQ1706 -----ACATTTTAAAGGTTGATTCTT
SEQ1707 ---ACGTATTCTTAAAGATGGTGATGTTTTAGGTGAGAACATTTTAAAGTTGATTCTT
SEQ1708 -----TTTAAAGTTGATTCTT
SEQ1709 -----
SEQ1710 --AACGTATTCTTAAAGATGGTGATGTTTTAGGTGAGAACATTTTAAAGTTGATTCTT
SEQ1711 -----

SEQ1701 TTTGACTCATCAGGTAGATTTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATA
SEQ1702 TTTGACTCATCAGGTAGATTTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATA
SEQ1703 TTTGACTCATCAGGTAGATTTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATA
SEQ1704 TTTGACTATCAGGTAAATTTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATA
SEQ1705 TTTGACTCATCAGGTAAATTTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATA
SEQ1706 TTTGACTCATCAGGTAGATTTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATA
SEQ1707 TTTGACTCATCAGGTAGATTTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATA
SEQ1708 TTTGACTCATCAGGTAAATTTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATA
SEQ1709 -----GCTGATA
SEQ1710 TTTGACTCATCAGGTAGATTTTGAGTTAATGCAGGAAATAGGTAAAGTTTTTGCTGATA
SEQ1711 -----

SEQ1701 ATATAAAGAAGCCGGCATTACGAAGGTTGTTACGATTGAAGCATCTGGAATTGCGCCAG
SEQ1702 ATATAAAGAAGCCGGCATTACGAAGGTTGTTACGATTGAAGCATCTGGAATTGCGCCAG
SEQ1703 ATATAAAGAAGCCGGCATTACGAAGGTTGTTACAATTGAAGCATCTGGAATTGCGCCAG
SEQ1704 ATATAAAGAAGCCGGCATTACGAAGGTTGTTACAATTGAAGCATCTGGAATTGCGCCAG
SEQ1705 ATATAAAGAAGCCGGCATTACGAAGGTTGTTACAATTGAAGCATCTGGAATTGCGCCAG
SEQ1706 ATATAAAGAAGCCGGCATTACGAAGGTTGTTACGATTGAAGCATCTGGAATTGCGCCAG
SEQ1707 ATATAAAGAAGCCGGCATTACGAAGGTTGTTACAATTGAAGCATCTGGAATTGCGCCAG
SEQ1708 ATATAAAGAAGCCGGCATTACGAAGGTTGTTACAATTGAAGCATCTGGAATTGCGCCAG
SEQ1709 ATATAAAGAAGCCGGCATTACGAAGGTTGTTACAATTGAAGCATCTGGAATTGCGCCAG
SEQ1710 ATATAAAGAAGCCGGCATTACGAAGGTTGTTACAATTGAAGCATCTGGAATTGCGCCAG
SEQ1711 -----ACGAAGGTTGTTACAATTGAAGCATCTGGAATTGCGCCAG

SEQ1701 CAGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAAAGGCTAAGAACA
SEQ1702 CAGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACA
SEQ1703 CAGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACA
SEQ1704 CAGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACA
SEQ1705 CAGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACA
SEQ1706 CAGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACA
SEQ1707 CAGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACA
SEQ1708 CAGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACA
SEQ1709 CAGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACA
SEQ1710 CAGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACA
SEQ1711 CAGTGACGCAGCTCAAGCATTTGGGCGTACCAATGATATTTGCTAAAAAGCTAAGAACA

Table 17: Comparative Sequences relating to SAG1086 (xanthine phosphoribosyltransferase)

SEQ1701	TTACTATGACTGAAGGTATCTTAACTGCTGAAGTGTATTCTTTTACAAAGCAAGWTACGA
SEQ1702	TTACTATGACTGAAGGTATCTTAACTGCTGAAGTGTATTCTTTTACAAAGCAAGTTACGA
SEQ1703	TTACTATGACTGAAGGTATCTTAACTGCTGAAGTGTATTCTTTTACAAAGCAAGTTACGA
SEQ1704	TTACTATGACTGAAGGTATCTTAACTGCTGAAGTGTATTCTTTTACAAAGCAAGTTACGA
SEQ1705	TTACTATGACTGAAGGTATCTTAACTGCTGAAGTGTATTCTTTTACAAAGCAAGTTACGA
SEQ1706	TTACTATGACTGAAGGTATCTTAACTGCTGAAGTGTATTCTTTTACAAAGCAAGTTACGA
SEQ1707	TTACTATGACTGAAGGTATCTTAACTGCTGAAGTGTATTCTTTTACAAAGCAAGTTACGA
SEQ1708	TTACTATGACTGAAGGTATCTTAACTGCTGAAGTGTATTCTTTTACAAAGCAAGTTACGA
SEQ1709	TTACTATGACTGAAGGTATCTTAACTGCTGAAGTGTATTCTTTTACAAAGCAAGTTACGA
SEQ1710	TTACTATGACTGAAGGTATCTTAACTGCTGAAGTGTATTCTTTTACAAAGCAAGTTACGA
SEQ1711	TTACTATGACTGAAGGTATCTTAACTGCTGAAGTGTATTCTTTTACAAAGCAAGTTACGA
SEQ1701	GTCAAGTTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCATTGATG
SEQ1702	GTCAAGTTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCATTGATG
SEQ1703	GTCAAGTTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCATTGATG
SEQ1704	GTCAAGTTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCATTGATG
SEQ1705	GTCAAGTTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCATTGATG
SEQ1706	GTCAAGTTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCATTGATG
SEQ1707	GTCAAGTTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCATTGATG
SEQ1708	GTCAAGTTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCATTGATG
SEQ1709	GTCAAGTTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCATTGATG
SEQ1710	GTCAAGTTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCATTGATG
SEQ1711	GTCAAGTTTCTATTGTGAGTCGCTTTTTATCTAACGATGATACTGTACTCATCATTGATG
SEQ1701	ACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATT-ATTGGTCAAGCTGGA
SEQ1702	ACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATT-ATTGGTCAAGCTGGA
SEQ1703	ACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATT-ATTGGTCAAGCTGGA
SEQ1704	ACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATT-ATTGGTCAAGCTGGA
SEQ1705	ACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATT-ATTGGTCAAGCTGGA
SEQ1706	ACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATT-ATTGGTCAAGCTGGA
SEQ1707	ACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATT-ATTGGTCAAGCTGGA
SEQ1708	ACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATT-ATTGGTCAAGCTGGA
SEQ1709	ACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATT-ATTGGTCAAGCTGGA
SEQ1710	ACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATT-ATTGGTCAAGCTGGA
SEQ1711	ACTTTTTAGCAAACGGTCAAGCGGCTAAAGGATTACTTGAAATT-ATTGGTCAAGCTGGA
SEQ1701	CTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTG
SEQ1702	CTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTG
SEQ1703	CTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTG
SEQ1704	CTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTG
SEQ1705	CTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTG
SEQ1706	CTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTG
SEQ1707	CTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTG
SEQ1708	CTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTG
SEQ1709	CTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTG
SEQ1710	CTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTG
SEQ1711	CTAAGGTTGCTGGTATCGGAATCGTTATTGAAAAATCTTTCCAAGATGGGCGTGATTG
SEQ1701	TAGAAAAACAGGTGTTCCAGT-----
SEQ1702	TAGAAAAACA-----
SEQ1703	-----
SEQ1704	TAGAAAAACAGGTGTTCCGGTTACTTCTTGTCTCGT
SEQ1705	-----
SEQ1706	TAGAAAA-----
SEQ1707	-----
SEQ1708	TAGAAAAACAGGTGTTCCGGTTAC-----
SEQ1709	TAGAAAAACAGGTGTTCCAGT-----
SEQ1710	TAGAAAAACAGGTGTTCCAG-----
SEQ1711	HRBSYTRANSRAS-----

Table 18: Comparativ Sequences relating to SAG1600 (glutamate racemase)

SEQ ID NO. 1801: SAG1600 FROM THE H36b GBS TYPE Ib STRAIN REVERSE COMPLEMENT

AATCTTCATTGGAGATCAGGCTAGAGCTCCGTATGGTCCTAGACCTGCTCAACAGATTAGAGAGTTTACCTGGCAGATGGTTAATTTCT
TATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAAATACAGCAACTGCAGTTGCCTGGCAAGAAATTAAAGAAAACTAGACGTG
CCTGTTTTAGGCGTTATTTTACCAGGAGCTAGCGCAGCTATCAATCAACTAATTCAGGGAAAGTTGGTATTATAGGTACTCCCATGAC
TGTTAAATCAGATGCTTATCGTCAAAAAATTCAGCTTTGTCTCCAAATACTGCTGTGGTATCCCTTGCTTGTCCGAAATTTGTTCCAA
TTGTGGAATCAAATCAGATGCTTCTAGTTTAGCCAAAAAGGTGGTTTATGAAACGTTGTCCCATTAGTTGGTAAATTAGATACTTTA
ATTTTAGGTTGCACGCATTATCCCTTATTACGTCCCATCATTCAAATGTTATGGGGGCTGAGGTTAAATTAAATTGATAGTGGCGCAGA
AACCGTTCGTGATATTTCTGTTTTATTGAACATTTTGTAGATAAACCATTAATGGCAAAATAAACACGGTGGTCATCACTTTTACACAA
CCGCCAGCCCAA

SEQ ID NO. 1802: SAG1600 FROM THE M732 GBS TYPE III STRAIN REVERSE COMPLEMENT

AAATGTTCCGTCACCTCCAGAAGAGGAAGTAATCTTCATTGGAGATCAGGCTAGAGCTCCGTATGGTCCTAGACCTGCTCAACAGATT
AGAGAGTTTACCTGGCAGATGGTTAACTTCTTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAAATACAGCAACTGCAGTTGC
CTGGCAAGAAATTAAAGAAAACTAGACATCCCTGTTTTAGGCGTTATTTTACCAGGAGCTAGCGCAGCTATCAAATCACTAATTTAG
GGAAAGTTGGTATTATAGGTACTCCCATGACTGTTAAATCAGATGCTTATCGTCAAAAAATTCAGCTTTGTCTCCAAATCTGCTGTG
GTATCCCTTGCTTGTCCGAAATTTGTTCCAATTGTGGAATCAAATCAGATGCTTCTAGTTTAGCCAAAAAGGTGGTTTTATGAAACGTT
GTCCCATTAGTTGGTAAATTAGATACTTTAATTTAGGTTGCACGCATTATCCCTATTACGTCCCATCATTCAAATGTTATGGGGG
CTGAGGTTAAATTAATTGATAGTGGCGCAGAAACCGTTCGTGATATTTCTGTTTTATTGAACATTTTGTAGATAAACCATTAATGGCAA
ATAAACACGGTGGTCATCACTTTTACACAACCGCCAGCCCAAGGTTTTAAAGAAA

SEQ ID NO. 1803: SAG1600 FROM THE 090 GBS TYPE Ia STRAIN

AATCTTCATTGGAGACCGGCTAGAGCTCCGTATGGTCCTAGACCTGCTCAACAGATTAGAGAGTTACCTGGCAGATGGTTAATTTCTT
ATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAAATACAGCAACTGCAGTTGCCTGGCAAGAAATTAAAGAAAACTAGACATAC
CTGTTTTAGGCGTTATTTTACCAGGAGCTAGCGCAGCTATCAAATCACTAATTCAGGGAAAGTTGGTATTATAGGTACTCCCATGACT
GTTAAATCAGATGCTTATCGTCAAAAAATTCAGCTTTGTCTCCAAATACTGCTGTGGTATCCCTTGCTTGTCCGAAATTTGTTCCAAT
TGTGGAATCAAATCAGATGCTTCTAGTTTAGCCAAAAAGGTGGTTTATGAAACGCTGTCCCATTAGTTGGTAAATTAGATACTTTAA
TTTTAGGTTGCACGCATTATCCCTTATTACGTCCCATCATTCAAATGTTATGGGGGCTGAGGTTAAATTAATTGATAGTGGCGCAGAA
ACCGTTCGTGATATTTCTGTTTTATTGAACATTTTGTAGATAAACCATTAATTGGGsmAAATAAACACGGTGGTCATCACTTTTACACAAC
CGsCAGCCCAAGGTTTTTAAGGAAATTGCAGAACATGGCTTAATCAAGAAATAAAT

SEQ ID NO. 1804: SAG1600 FROM THE A909 GBS TYPE Ia STRAIN

GCGGTTGTGTAAAAGTGATGACCACCGTGTATTATTTTGCCAATTATGGTTTTATCTCAAATAGTTCAATAAAACAGAAATATCACGAAC
GGTTTCTGCCCACTATCAATTAATTTAACCTCAGCCCCCATAACATTTTGAATGATGGGACGTAATAGGGGATAATGCGTGCAACCTA
AAATTAAGTATCTAATTTACCAACTAATGGGGACAACGTTTTCATAAACACACCTTTTGGCTAACTAGAAGACATCTGATTGATTCC
ACAATTAAGTAAATTTTCGACAAAGGGATACCAAGCAGTATTTGGAGACAAGCTTGAATTTTGGACGATAAGCATCTGATT
AACAGTCATGGGAGTACCTATAATACCAACTTTCCCTAAATTAGTTGATTGATAGCTGCGCTAGCTCCTGGTAAAAATAACGCCCTAAAA
CAGGGATGTCTAGTTTTTCTTAATTTCTTGCCAGGCACTGCAGTTGCTGTATTACAAGCTATAACAATCATCTTAACATTTTATAGTC
AATAAGAAGTTAACCATCTGCCAGGTAACTCTCTAATCTGTTGAGCAGGTCTAGGACCATACCGAGCTCTAGCCTGATCTCCAATGAA
GATTACTTCCTCTTCTGGAAGTTGACGGAACATTTCTTAACAACCGTTAAACCACT

SEQ ID NO. 1805: SAG1600 FROM THE COH1 GBS TYPE Ia STRAIN

TTCCGTCACCTCCAAAATATGAAGTAATCTTCATTGGAGATCAGGCTAGAGCTCCGTATGGTCCTAGACCTGCTCAACAGATTAGAGA
GTTTACCTGGCAGATGGTTAACTTCTTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAAATACAGCAACTGCAGTTGCCTGGC
AAGAAATTAAAGAAAACTAGACATCCCTGTTTTAGGCGTTATTTTACCAGGAGCTAGCGCAGCTATCAAATCACTAATTTAGGGAAA
GTTGGTATTATAGGTACTCCCATGACTGTTAAATCAGATGCTTATCGTCAAAAAATTCAGCTTTGTCTCCAAATACTGCTGTGGTATC
CCTTGCTTGTCCGAAAT

SEQ ID NO. 1806: SAG1600 FROM THE CJB110 GBS NONTYPEABLE STRAIN

GTAATCTTCATTGGAGATCAGGCTAGAGCTCCGTATGGTCCTAGACCTGCTCAACAGATTAGAGAGTTTACCTGGCAGATGGTTAATTT
CTTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAAATACAGCAACTGCAGTTGCCTGGCAAGAAATTAAAGAAAACTAGACA
TAC

SEQ ID NO. 1807: SAG1600 FROM THE 1169NT1 GBS TYPE V STRAIN

CTTTTGGGCTGGCGGTTGTGTAAAATTGATGACCACCGTGTATTATTTTGCCAATTATGGTTTTATCTCAAATAGTTCAATAAAACAGAA
ATATCACGAACGGTTTCTGCCCACTATCAATTAATTTAACCTCAGCCCCCATAACATTTTGAATATGGGACGTAATAGGGGATAATG
CGTCAACCTAAAATTAAAGTATCTAATTTACCAACTAATGGGACAATGTTTCATAAACACCTTTTGGCTAACTAGAAGACATCT
GATTTGATTCCACAATTGGACAAATTTTCGACAAGGATACCAAGCAGTATTTGGAGACAAGCTTGAATTTTTTGACGATAA
GCATCTGATTTAACAGTCATGGGAGTACCTATAA

SEQ ID NO. 1808: SAG1600 FROM THE 1169NT1 GBS TYPE V STRAIN

GTAATCTTCATTGGGATCAGGCTAGAGCTCCGTATGGTCCTAGACCTGCTCAACAGATTAGAGAGTTTACCTGGCAGATGGTTAATTT
CTTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAAATACAGCAACTGCAGTT

SEQ ID NO. 1809: SAG1600 FROM THE 18RS21 GBS TYPE II STRAIN

GAAATGTTCCGTCACCTCCAGAAGAGGAAGTAATCTTCATTGGAGATCAGGCTAGAGCTCCGTATGGTCCTAGACCTGCTCAACAGAT
TAGAGAGTTTACCTGGCAGATGGTTAACTTCTTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAAATACAGCAACTGCAGTTG
CCTGGCAAGAAATTAAAGAAAACTAGACATCCCTGTTTTAGGCGTTATTTTACCAGGAGCTAGCGCAGCTATCAAATCACTAATTTA
GGGAAAGTTGGTATTATAGGTACTCCCATGACTGTTAAATCAGATGCTTATCGTCAAAAAATTCAGC

Table 18: Comparative Sequences relating to SAG1600 (glutamate racemase)

SEQ ID NO. 1810: SAG1600 FROM THE 18RS21 TYPE II STRAIN

ATTTCTTTAAACCTTTTGGGCTGGCGGTTGTGTAATATTGATGACCACCGTGTTTATTTTGCCAATTATGGTTTATCTCAAAATAGTT
CAATAAAACAGAAATATCACGAACGGTTTCTGCGCCACTATCAATTAATTTAACCTCAGCCCCCATAACATTTTGAATGATGGGACGTA
ATATGGGATAATGCGTGCAACCTAAATTAAGTA

SEQ ID NO. 1811: SAG1600 FROM THE 2603 V/R GBS TYPE V STRAIN

ATTTCTTTAAACCTTTTGGGCTGGCGGTTGTGTAATAAGTGATGACCACCGTGTTTATTTTGCCAATTATGGTTTATCTCAAAATAGT
TCAATAAAACAGAAATATCACGAACGGTTTCTGCGCCACTATCAATTAATTTAACCTCAGCCCCCATAACATTTTGAATGATGGGACG
AATAGGGGATAATGCGTGCAACCTAAATTAAGTATCTAATTTACCAACTAATGGGGACAACGTTTCATAAACCACCTTTTGGCTAA
ACTAGAAGACATCTGATTTGATTCCACAATTGGAACA

SEQ ID NO. 1812: SAG1600 FROM THE M781 GBS TYPE III STRAIN

GGCGGTTGTGTAAAGTGATGACCACCGTGTTTATTTTGCCAATTATGGTTTATCTCAAAATAGTTCAATAAAACAGAAATATCACGAA
CGGTTTCTGCGCCACTATCAATTAATTTAACCTCAGCCCCCATAACATTTTGAATGATGGGACGTAATAGGGGATAATGCGTGCAACCT
AAATTAAGTATCTAATTTACCAACTAATGGGGACAACGTTTCATAAACCACCTTTTGGCTAAACTAGAAGA

SEQ ID NO. 1813: SAG1600 FROM THE M 781 GBS TYPE III STRAIN

AATCTTCATTGGAGATCAGGCTAGAGCTCCGTATGGTCTAGACCTGCTCAACAGATTAGAGAGTTTACCTGGCAGATGGTTAACTTCT
TATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAATACAGCAACTGC

SEQ ID NO. 1814: SAG1600 FROM THE JM9130013 GS TYPE VIII STRAIN

TGGGCTGGCGGTTGTGTAAAGTGATGACCACCGTGTTTATTTTGCCAATTATGGTTTATCTCAAAATAGTTCAATAAAACAGAAATAT
CACGAACGGTTTCTGCGCCACTATCAATTAATTTAACCTCAGCCCCCATAACATTTTGAATGATGGGACGTAATAAGGGATAATGCGTG
CAACCTAAATTAAGTATCTAATTTACCAACTAATGGGGACAACGTTTCATAAACCACCTTTTGGCTAAACTAGAAGACATCTGATT
TGATTCCACAATTGGAACAAATTTGCGACAAGCAAGGGATACCACAGCAGTATTTGGAGACAAAGCTTGAATTTTTTGACGATAAGCAT
CTGATTTACAGTCATGGGAGTACCTATAATACCAACTTTCCCTGAA

SEQ1801	-----AATCTTCATTGGAGATCAGGCTAGAGCT
SEQ1802	AAATGTTCCGTCAACTTCCAGAAGAGGAAGTAATCTTCATTGGAGATCAGGCTAGAGCT
SEQ1803	-----AATCTTCATTGGAGACCAGGCTAGAGCT
SEQ1804	-----GCGGTTGTGTAAAG-T
SEQ1805	----TTCCGTCAACTTCCAAAATATGAAGTAATCTTCATTGGAGATCAGGCTAGAGCT
SEQ1806	-----GTAATCTTCATTGGAGATCAGGCTAGAGCT
SEQ1807	-----CTTTTGGGCTGGCGGTTGTGTAAAT-T
SEQ1808	-----GTAATCTTCATTGGGGATCAGGCTAGAGCT
SEQ1809	AAATGTTCCGTCAACTTCCAGAAGAGGAAGTAATCTTCATTGGAGATCAGGCTAGAGCT
SEQ1810	-----ATTTCTTTAAACCTTTTGGGCTGGCGGTTGTGTAATAT-T
SEQ1811	-----ATTTCTTTAAACCTTTTGGGCTGGCGGTTGTGTAATAAGT
SEQ1812	-----GGCGGTTGTGTAAAG-T
SEQ1813	-----AATCTTCATTGGAGATCAGGCTAGAGCT
SEQ1814	-----TGGGCTGGCGGTTGTGTAAAG-T

SEQ1801	CGTATGGTC-CTAGACCTGCTCAACAGATTAGAGAGTTTACCTGGCAGATGGTTAATTT
SEQ1802	CGTATGGTC-CTAGACCTGCTCAACAGATTAGAGAGTTTACCTGGCAGATGGTTAATTT
SEQ1803	CGTATGGTC-CTAGACCTGCTCAACAGATTAGAGAGTT-ACCTGGCAGATGGTTAATTT
SEQ1804	--GATGACCACCGTGTTTATTTTGCCAATTATGG--TTTATCTCA-AAATAGTTCA---
SEQ1805	CGTATGGTC-CTAGACCTGCTCAACAGATTAGAGAGTTTACCTGGCAGATGGTTAATTT
SEQ1806	CGTATGGTC-CTAGACCTGCTCAACAGATTAGAGAGTTTACCTGGCAGATGGTTAATTT
SEQ1807	--GATGACCACCGTGTTTATTTTGCCAATTATGG--TTTATCTCA-AAATAGTTCA---
SEQ1808	CGTATGGTC-CTAGACCTGCTCAACAGATTAGAGAGTTTACCTGGCAGATGGTTAATTT
SEQ1809	CGTATGGTC-CTAGACCTGCTCAACAGATTAGAGAGTTTACCTGGCAGATGGTTAATTT
SEQ1810	--GATGACCACCGTGTTTATTTTGCCAATTATGG--TTTATCTCA-AAATAGTTCA---
SEQ1811	--GATGACCACCGTGTTTATTTTGCCAATTATGG--TTTATCTCA-AAATAGTTCA---
SEQ1812	--GATGACCACCGTGTTTATTTTGCCAATTATGG--TTTATCTCA-AAATAGTTCA---
SEQ1813	CGTATGGTC-CTAGACCTGCTCAACAGATTAGAGAGTTTACCTGGCAGATGGTTAATTT
SEQ1814	--GATGACCACCGTGTTTATTTTGCCAATTATGG--TTTATCTCA-AAATAGTTCA---

Table 18: Comparative Sequences relating to SAG1600 (glutamate racemase)

SEQ1801	TTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAATACAGCAACTGCAGTTGC
SEQ1802	TTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAATACAGCAACTGCAGTTGC
SEQ1803	TTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAATACAGCAACTGCAGTTGC
SEQ1804	--ATAAACAGAAATATCACGAACGGT-TTCTGCGCCACTATCAATTAATTTAACCTCA
SEQ1805	TTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAATACAGCAACTGCAGTTGC
SEQ1806	TTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAATACAGCAACTGCAGTTGC
SEQ1807	--ATAAACAGAAATATCACGAACGGT-TTCTGCGCCACTATCAATTAATTTAACCTCA
SEQ1808	TTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAATACAGCAACTGCAGTT--
SEQ1809	TTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAATACAGCAACTGCAGTTGC
SEQ1810	--ATAAACAGAAATATCACGAACGGT-TTCTGCGCCACTATCAATTAATTTAACCTCA
SEQ1811	--ATAAACAGAAATATCACGAACGGT-TTCTGCGCCACTATCAATTAATTTAACCTCA
SEQ1812	--ATAAACAGAAATATCACGAACGGT-TTCTGCGCCACTATCAATTAATTTAACCTCA
SEQ1813	TTATTGACTAAAAATGTTAAGATGATTGTTATAGCTTGTAATACAGCAACTGC-----
SEQ1814	--ATAAACAGAAATATCACGAACGGT-TTCTGCGCCACTATCAATTAATTTAACCTCA
SEQ1801	TGGCAAGAAATTAAAGAAAAACTAGACGTGCCTGTTTTAGGCGTTATTTTACCAGGAGC
SEQ1802	TGGCAAGAAATTAAAGAAAAACTAGACATCCCTGTTTTAGGCGTTATTTTACCAGGAGC
SEQ1803	TGGCAAGAAATTAAAGAAAAACTAGACATACCTGTTTTAGGCGTTATTTTACCAGGAGC
SEQ1804	CCCCCATAACATTTTGAATGATGGGACGTAATAGGGGATAATGC-GTGCAACCTAAAAT
SEQ1805	TGGCAAGAAATTAAAGAAAAACTAGACATCCCTGTTTTAGGCGTTATTTTACCAGGAGC
SEQ1806	TGGCAAGAAATTAAAGAAAAACTAGACATAC-----
SEQ1807	CCCCCATAACATTTTGAATAATGGGACGTAATAGGGGATAATGC-GTGCAACCTAAAAT
SEQ1808	-----
SEQ1809	TGGCAAGAAATTAAAGAAAAACTAGACATCCCTGTTTTAGGCGTTATTTTACCAGGAGC
SEQ1810	CCCCCATAACATTTTGAATGATGGGACGTAATATGGGATAATGC-GTGCAACCTAAAAT
SEQ1811	CCCCCATAACATTTTGAATGATGGGACGTAATAGGGGATAATGC-GTGCAACCTAAAAT
SEQ1812	CCCCCATAACATTTTGAATGATGGGACGTAATAGGGGATAATGC-GTGCAACCTAAAAT
SEQ1813	-----
SEQ1814	CCCCCATAACATTTTGAATGATGGGACGTAATAAGGGATAATGC-GTGCAACCTAAAAT
SEQ1801	AGCGCAGCTATCAAATCAACTAATTCAGGGAAAGTTGGTATTATAGGTACTCCCATGAC
SEQ1802	AGCGCAGCTATCAAATCAACTAATTTAGGGAAAGTTGGTATTATAGGTACTCCCATGAC
SEQ1803	AGCGCAGCTATCAAATCAACTAATTCAGGGAAAGTTGGTATTATAGGTACTCCCATGAC
SEQ1804	AAAGTATCTAATTTACCAACTAATGGGGACAACGTTTCATAAACCACCTTTTTGGCTAA
SEQ1805	AGCGCAGCTATCAAATCAACTAATTTAGGGAAAGTTGGTATTATAGGTACTCCCATGAC
SEQ1806	-----
SEQ1807	AAAGTATCTAATTTACCAACTAATGGGGACAATGTTTCATAAACCACCTTTTTGGCTAA
SEQ1808	-----
SEQ1809	AGCGCAGCTATCAAATCAACTAATTTAGGGAAAGTTGGTATTATAGGTACTCCCATGAC
SEQ1810	AAAGTA-----
SEQ1811	AAAGTATCTAATTTACCAACTAATGGGGACAACGTTTCATAAACCACCTTTTTGGCTAA
SEQ1812	AAAGTATCTAATTTACCAACTAATGGGGACAACGTTTCATAAACCACCTTTTTGGCTAA
SEQ1813	-----
SEQ1814	AAAGTATCTAATTTACCAACTAATGGGGACAACGTTTCATAAACCACCTTTTTGGCTAA
SEQ1801	GTTAAATCAGATGCTTATCGTCAAAAAATTCAAGCTTTGTCTCCAAATACTGCTGTGGT
SEQ1802	GTTAAATCAGATGCTTATCGTCAAAAAATTCAAGCTTTGTCTCCAAATACTGCTGTGGT
SEQ1803	GTTAAATCAGATGCTTATCGTCAAAAAATTCAAGCTTTGTCTCCAAATACTGCTGTGGT
SEQ1804	CTAGAAGACATCTGATTTGATTCCACAATTGGAACAAATTTCCGACAAGCAAGGGATAC
SEQ1805	GTTAAATCAGATGCTTATCGTCAAAAAATTCAAGCTTTGTCTCCAAATACTGCTGTGGT
SEQ1806	-----
SEQ1807	CTAGAAGACATCTGATTTGATTCCACAATTGGAACAAATTTCCGACAAGCAAGGGATAC
SEQ1808	-----
SEQ1809	GTTAAATCAGATGCTTATCGTCAAAAAATTCAAGC-----
SEQ1810	-----
SEQ1811	CTAGAAGACATCTGATTTGATTCCACAATTGGAACAA-----
SEQ1812	CTAGAAGA-----
SEQ1813	-----
SEQ1814	CTAGAAGACATCTGATTTGATTCCACAATTGGAACAAATTTCCGACAAGCAAGGGATAC

Table 18: Comparative Sequences relating to SAG1600 (glutamate racemase)

SEQ1801	TCCCTTGCTTGTCCGAAATTTGTTCCAATTGTGGAATCAAATCAGATGTCTTCTAGTTT
SEQ1802	TCCCTTGCTTGTCCGAAATTTGTTCCAATTGTGGAATCAAATCAGATGTCTTCTAGTTT
SEQ1803	TCCCTTGCTTGTCCGAAATTTGTTCCAATTGTGGAATCAAATCAGATGTCTTCTAGTTT
SEQ1804	ACAGCAGTATTTGGAGACAAAGCTTGAATTTTTTGACGATAAGCATCTGATTTAACAGT
SEQ1805	TCCCTTGCTTGTCCGAAAT-----
SEQ1806	-----
SEQ1807	ACAGCAGTATTTGGAGACAAAGCTTGAATTTTTTGACGATAAGCATCTGATTTAACAGT
SEQ1808	-----
SEQ1809	-----
SEQ1810	-----
SEQ1811	-----
SEQ1812	-----
SEQ1813	-----
SEQ1814	ACAGCAGTATTTGGAGACAAAGCTTGAATTTTTTGACGATAAGCATCTGATTTAACAGT
SEQ1801	GCCAAAAAGGTGGTTTATGAAACGTTGTCCCCATTAGTTGGTAAATTAGATACTTTAAT
SEQ1802	GCCAAAAAGGTGGTTTATGAAACGTTGTCCCCATTAGTTGGTAAATTAGATACTTTAAT
SEQ1803	GCCAAAAAGGTGGTTTATGAAACGCTGTCCCCATTAGTTGGTAAATTAGATACTTTAAT
SEQ1804	ATGGGAGTACCTATAATACCAACTTTCCCTAAATTAGTTGATTGATAGCTGCGCTAGC
SEQ1805	-----
SEQ1806	-----
SEQ1807	ATGGGAGTACCTATAA-----
SEQ1808	-----
SEQ1809	-----
SEQ1810	-----
SEQ1811	-----
SEQ1812	-----
SEQ1813	-----
SEQ1814	ATGGGAGTACCTATAATACCAACTTTCCCTGAATABC MARATVSTNCS RATNGTSAGGT
SEQ1801	TTAGGTTGCACGCATTATCCCTTATTACGTCCCATCATTCAAATGTTATGGGGGCTGA
SEQ1802	TTAGGTTGCACGCATTATCCCTTATTACGTCCCATCATTCAAATGTTATGGGGGCTGA
SEQ1803	TTAGGTTGCACGCATTATCCCTTATTACGTCCCATCATTCAAATGTTATGGGGGCTGA
SEQ1804	CCTGGTAAATAACGCCTAAACAGGGATGTCTAGTTTTTCTTTAATTTCTTGCCAGGC
SEQ1805	-----
SEQ1806	-----
SEQ1807	-----
SEQ1808	-----
SEQ1809	-----
SEQ1810	-----
SEQ1811	-----
SEQ1812	-----
SEQ1813	-----
SEQ1814	AMATRACMAS-----
SEQ1801	GTAAATTAATTGATAGTGGCGCAGAAACCGTTCGTGATATTTCTGTTTTATTGAACTA
SEQ1802	GTAAATTAATTGATAGTGGCGCAGAAACCGTTCGTGATATTTCTGTTTTATTGAACTA
SEQ1803	GTAAATTAATTGATAGTGGCGCAGAAACCGTTCGTGATATTTCTGTTTTATTGAACTA
SEQ1804	ACTGCAGTTGCTGTATTACAAGCTATAACAATCATCTTAACATTTTAGTCAATAAGAA
SEQ1805	-----
SEQ1806	-----
SEQ1807	-----
SEQ1808	-----
SEQ1809	-----
SEQ1810	-----
SEQ1811	-----
SEQ1812	-----
SEQ1813	-----
SEQ1814	-----

Table 18: Comparativ Sequences relating to SAG1600 (glutamate racemase)

SEQ1801	TTTGAGATAAACCATAATTGGCAAATAAACACGGTGGTCATCACTTTTACACAACCGC
SEQ1802	TTTGAGATAAACCATAATTGGCAAATAAACACGGTGGTCATCACTTTTACACAACCGC
SEQ1803	TTTGAGATAAMCCATAATTGGSMAAATAAACACGGTGGTCATCACTTTTACACAACCGS
SEQ1804	TTAACCATCTGCCAGGTAAACTCTCTAATCTGTTGAGCAGGTCTAGGACCATACGGAGC
SEQ1805	-----
SEQ1806	-----
SEQ1807	-----
SEQ1808	-----
SEQ1809	-----
SEQ1810	-----
SEQ1811	-----
SEQ1812	-----
SEQ1813	-----
SEQ1814	-----
SEQ1801	AGCCCAA-----
SEQ1802	AGCCCAAAGGTTTTAAAGAAA-----
SEQ1803	AGCCCAAAGGTTTTTAAGGAAATTGCAGAACAAATGGCTTAATCAAGAAATAAAT----
SEQ1804	CTAGCCTGATCTCCAATGAAGATTACTTCCTCTTCTGGAAGTTGACGGAACATTTCTTT
SEQ1805	-----
SEQ1806	-----
SEQ1807	-----
SEQ1808	-----
SEQ1809	-----
SEQ1810	-----
SEQ1811	-----
SEQ1812	-----
SEQ1813	-----
SEQ1814	-----
SEQ1801	-----
SEQ1802	-----
SEQ1803	-----
SEQ1804	ACAACCGTTAAACCACT
SEQ1805	-----
SEQ1806	-----
SEQ1807	-----
SEQ1808	-----
SEQ1809	-----
SEQ1810	-----
SEQ1811	-----
SEQ1812	-----
SEQ1813	-----
SEQ1814	-----

Table 19: Comparative Sequences relating to SAF1680 (shikimate 5-dehydrogenase)**SEQ ID NO. 1901: SAG1680 FROM THE 2603 V/R GBS TYPE V STRAIN**

ATCCCTAGACCATTATAAGCATGTTTCACTCCATTTTGTCTAACAAATCGTAACAATGCTGTTTCTTTAGGCTTGTAAC
 CAAGTCGACAACACTAAATTCGGTGTTAAATTTCTGGATCGTTAATTAACATAATTATCTAATGGCCTCATTCCTA
 AACTAGTAGCATCAATATAAAAAATGACTAGTTCTAATAGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAACGACT
 ACCTTTATTTGAAACTGTTTTTAAATTTATCTGATAAGTCAATGACCTTATCGTAATTTGAGCTGTTACGATTAAATAA
 TCTAATTTCCGCAACTCCCTCCATAGCTGCTTGAAGTCAACTGCTTTACCTGAACCACCAATACCAGCTATTGTAATTA
 TTTTATTTTATAGCACTGAAACCTTGAGCTGCTAAAGCTTTAAACAACCAATGCCATCTGTCTATATGGCCTACTAAACGT
 CCGGTTCCACCTTGATTAAACGATAGTATTTACAGCACCCACTAATTTAGCTTGAGGAGATAAATCATCTAGCAAAGGGAT
 AACACTCTGTTTAAATGGCATTGAAACATTAACACCACGAATACCCAATGCCCTGACACCTCGAACAGCTTCTGTTAATT
 TACCTCTTCTACTTCAAAATGTCAGATAGGCATAATTCATGTTTTTTTCTTGAAAAGAGGTATTCCACATTAACGGGGAT
 AGAGAGTGGCGTGCAGG

SEQ ID NO. 1902: SAG1680 FROM THE H36b GBS TYPE Ib STRAIN

GTTATTAAATTGAAATGCTTCTGCTCCTTGATAAATCAGCATCCCTAGACCATTATAAGCATGTTTCACTCCATTTTGTCT
 AACAAATCGTAACAATGCTGTTTCTTTAGGCTTGTAACCAAGTCGACAACACTAAATTCGGTGTTAAATTTCTGGAT
 CGTTAATTAACATAATTATCTAATGGCCTCATTCCTAAACTAGTAGCATCAATATAAAAAATGACTAGTTCTAATAGCG
 TCTTTAAATGCTGTCTTATTTTCTAGATAATCAACGACTACCTTTATTTGAAACTGTTTTTAAATTTTATCTGATAAGTC
 AATGACCTTATCGTAATTTGAGCTGTTACGATTAAATAATCTAATTTCCGCAACTCCCTCCATAGCTGCTTGAAGCTGAA
 CTGCTTTACCTGAACCACCAATACCAGCTATTGTAATTATTTTATTTTATAGCACTGAAACCTTGAGCTGCTAAAGCTTTA
 AAACAACCAATGCCATCTGTCTATATGGCCTACTAAACGTCCGGTTCACCTTGATTAAACGATAGTATTTACAGCACCCAC
 TAATTTAGCTTGAGGAGATAAATCATCTAGCAAAGGGATAACACTCTGTTTAAATGGCATTGAAACATTAACACCACGAA
 TACCAATGCCCTGACACCTCGAACAGCTTCTGTTAATTACCTCTTCTACTTCAAATGTCAGATAGGCATAATTCATG
 TTTTTTCTTGAAAAGAGGTATTCCACATTAACGGGGATAGAGAGTGGCGTGCAGGA

SEQ ID NO. 1903: SAG1680 FROM THE M732 GBS TYPE III STRAIN

CTGGTCTAATTGCCAATCCTGCACGCCACTCTCTATCCCCGTTAATGTGGAATACCTCTTTTCAAGAAAAAACATGAAT
 TATGCCTATCTGACATTTGAAGTAGAAGAGGGTAAATTAACAGAAGCTGTCGAGGTGTCAGGGCATTGAGTATTCGTGG
 TGTTAATGTTTCAATGCCATTTAAACAGAGTGTTATCCCTTTGCTAGATGATTATCTCCTCAAGCTAAATTAGTGGGTG
 CTGTAATACTATCGTTAATCAAGGTGGAACCGGACGTTTAGTAGGCCATATGACAGATGGCATTGGTTGTTTTAAAGCT
 TTAGCAGCTCAAGGTTTCAGTGCTAAAAATAAAATAATTACAATAGCTGGTATTGGTGGTTCAGGTAAAGCAGTTGCAGT
 TCAAGCAGCTATGGAGGGAGTTGCGGAAATTAGATTATTTAATCGTAACAGCTCAAATTACGATAAGGTCAATTGACTTAT
 CAGATAAAATTAACAAACAGTTTCAAATAAAGGTAGTCGTTGATTATCTAGAAAATAAGACAGCATTTAAAGACGCTATT
 AGAACTAGTCATTTTTATATTGATGCTACTAGTTTAGGAATGAGGCCATTAGATAATTATAGTTTAATTAACGATCCAGA
 TATTTTAAACACCGAATTTAGTAGTTGTCGACTT

SEQ ID NO. 1904: SAG1680 FROM THE M781 GBS TYPE III STRAIN

AAATCAGCATCCCTAGACATTATAAGCATGTTTCACTCCATTTTGTCTAACAAATCGTAACAATGCTGTTTCTTTAGGCT
 TGTAACCAAGTCGACAACACTAAATTCGGTGTTAAATTTCTGGATCGTTAATTAACATAATTATCTAATGGCCTC
 ATTCCTAAACTAGTAGCATCAATATAAAAAATGACTAGTTCTAATAGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATC
 AACGACTACCTTTATTTGAAACTGTTTTTAAATTTTATCTGATAAGTCAATGACCTTATCGTAATTTGAGCTGTTACGAT
 TAAATAATCTAATTTCCGCAACTCCCTCCATAGCTGCTTGAAGTCAACTGCTTTACCTGAACCACCAATACCAGCTATT
 GTAATTATTTTATTTTATAGCACTGAAACCTTGAGCTGCTAAAGCTTTAAACAACCAATGCCATCTGTCTATATGGCCTAC
 TAAACGTCCGGTTCACCTTGATTAAACGATAGTATTTACAGCACCCACTAATTTAGCTTGAGGAGATAATCATCTAGCA
 AAGGGATAACACTCTGTTTAAATGGCATTGAAACATTAACACCACGAATACTCAATGCCCTGACACCTCGAACAGCTTCT
 GTTAATTTACCTCTTCTACTTCAAATGTCAGATAGGCATAATTCATGTTTTTTTCTTGAAAAGAGGTATTCCACATTA
 CGGGGATAGAGAGTGGCGTGCA

SEQ ID NO. 1905: SAG1680 FROM THE 090 GBS TYPE Ia STRAIN

GTTCGAGGTGTCAGGGCATTGGGTATTTCGGTGTTAATGTTTCAATGCCATTTAAACAGAGTGTTATCCCTTTGCTArA
 TGATTTATCTCCTCAAGCTAAATTAGTGGGTGCTGTAATACTACTCGTTAATCAAGGTGGAACCGsACGTTTAGTAGGCC
 ATATGACAGATGGCATTGGTTGTTTTAAAGCTTTAGCAGCTCAAGGTTTCAGTGCTAAAAATAAAATAGTTACAATAGCT
 GGTATTGGTGGTTTCAGGTAAAGCAGTTGCAGTTCAAGCAGCTATGGAGGGAGTTGCGGAAATTAGATTATTTAATCGTAA
 TAGCTCAAATTACGATAAGGTCAATTGACTTATCAGATAAAATTAACAAACAGTTTCAAATAAAGGTAGTCGTTGATTATC
 TAGAAAATAAGACAGCATTTAAAGACGCTATTAGAAGTACTGATTTTTATATTGATGCTACTAGTTTAGGAATGAAGCCA
 TTAGATAATTATAGTTAATTAACGATCCAGAAATTTAAACACCCAATTTAGTAGTTGTCGACTTGGTTTACAAGCCTAA
 AGAACAGCATTGTTACGATTGTTAGACAAAATGGAGTGAAACATGCTTATAATGGTCTAGGGATGCTGATTTATCAAG
 GAGCAGA

Table 19: Comparative Sequences relating to SAF1680 (shikimate 5-dehydr genase)**SEQ ID NO. 1906: SAG1680 FROM THE A909 GBS TYPE Ia STRAIN**

CCCTAGACCATTATAATCATGTTTCACTCCATTTTGTCTAACAAATCGTAACAATGCTGTTTCTTTAGGCTTGTAACCA
 AGTCGACAACCTACTAAATTCGGTGTTAAATTTCTGGATCGTTAATTAACATAATTATCTAATGGCCTCATTCCTAAA
 CTAGTAGCATCAATATAAAAAATGACTAGTTCTAATAGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAACGACTAC
 CTTTATTTGAACTGTTTTTAATTTTATCTGATAAGTCAATGACCTTATCGTAATTTGAGCTGTTACGATTAAATAATC
 TAATTTCCGCAACTCCCTCCATAGCTGCTTGAAGTCAACTGCTTTACCTGAACCACCAATACCAGCTATTGTAATTATT
 TTATTTTAGCACTGAAACCTTGAGCTGCTAAAGCTTTAAACAACCAATGCCATCTGTCTATATGGCCTACTAAACGCTCC
 GGTCCACCTTGATTAACGATAGTATTACAGCACCCACTAATTTAGCTTGAGGAGATAAATCATCTAGCAAAGGGATAA
 CACTCTGTTTAAATGGCATTGAAACATTAACACCACGAATACCCAATGCCCTGACACCTCGAACAGCTTCTGTTAATTTA
 CCCTCTTCTACTTCAAATGTCAGATAGGCATAATTCATGTTTTTTTCTTGAAAAGAGGTATTCCACATTAACGGGGATAG

SEQ ID NO. 1907: SAG1680 FROM THE COH1 GBS TYPE Ia STRAIN

TGCACGCCACTCTCTATCCCCGTTAATGTGGAATACCTCTTTTAAAGAAAAAACATGAATTATGCCTATCTGACATTTGA
 AGTAGAAGAGGGTAAATTAACAGAAGCTGTTGAGGTGTGAGGGCATTGAGTATTCGTGGTGTTAATGTTTCAATGCCAT
 TTAAACAGAGTGTTATCCCTTTGCTAGATGATTTATCTCCTCAAGCTAAATTAGTGGGTGCTGTAAATACT

SEQ ID NO. 1908: SAG1680 FROM THE CJB110 GBS NONTYPEABLE STRAIN

ATTGCTTATTAATTGAAATGCTTCTGCTCCTTGATAAATCAGCATCCCTAGACCATTATAAGCATGTTTCACTCCATTTT
 GTCTAACAAATCGTAACAATGCTGTTTCTTTAGGCTTGTAACCAAGTCGACAACCTACTAAATTGGGTGTTAAATTTCT
 GGATCGTTAATTAACTATAATTATCTAATGGCCTCATTCCTAACTAGTAGCATCAATATAAAAAATGACTAGTTCTAAT
 AGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAACGACTACCTTTATTTGAACTGTTTTTTAATTTTATCTGATA
 AGTCAATGACCTTATCGTAATTTGAGCTATTACGATTAAATAATCTAATTTCCGCAACTCCCTCCATAACTGCTTGAAGT
 GCAACTGCTTTACCTGAACCACCAATACCAGCTATTGTAACATTTT

SEQ ID NO. 1909: SAG1680 FROM THE CJB110 GBS NONTYPEABLE STRAIN

ACTCTCTATCCCCGTTAATGTGGAATACCTCTTTTCAAGAAAAAACATGAATTATGCCTATCTGACATTTGAAGTAGAA
 GAGGGTAAATTAACAGAAGCTGTTGAGGTGTGAGGGCATTGGGTATTTCGTGGTGTTAATGTTTCAATGCCATTTAAACA
 GAGTGTTATCCCTTTGCTAGATGATTTATCTCCTCAAGCTAAATTAGTGGGTGCTGTAAATACTATCGTTAATCAAGGTG
 GAACCGGACGTTTAGTAGGCCATATGACAGATGGCATTGGTGTTTTAAAGCTTTAGCAGCTCAAGGTTTCAGTGCTAAA
 AATAAATAGTTACAATAGCTGGTATTGGTG

SEQ ID NO. 1910: SAG1680 FROM THE 1169NT1 GBS TYPE V STRAIN

ATTGCTTATTAATTGAAATGCTTCTGCTCCTTGATAAATCAGCATCCCTAGACCATTATAAGCATGTTTCACTCCATTTT
 GTCTAACAAATCGTAACAATGCTGTTTCTTTAGGCTTGTAACCAAGTCGACAACCTACTAAATTCGGTGTTAAATTTCT
 GGATCGTTAATTAACTATAATTATCTAATGGCCTCATTCCTAACTAGTAGCATCAATATAAAAAATGACTAGTTCTAAT
 AGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAACGACTACCTTTATTTGAACTGTTTTTTAATTTTATCTGATA
 AGTCAATGACCTTATCGTAATTTGAGCTGTTACGAT

SEQ ID NO. 1911: SAG1680 FROM THE 1169NT1 GBS TYPE V STRAIN

ACTTCTCTATTCCCCGTTAATGTGGAATACCTCTTTTCAAGAAAAAACATGAATTATGCCTATCTGACATTTGAAGTAG
 AAGAGGGTAAATTAACAGAAGCTGTTGAGGTGTGAGGGCATTGGGTATTTCGTGGTGTTAATGTTTCAATGCCATTTAAAC
 CAGAGTGTTATCCCTTTGCTAGATGATTTATCTCCTCAAGCTAAATTAGTGGGTGCTGTAAATACTATCGTTAATCAAGG
 TGAACC

SEQ ID NO. 1912: SAG1680 FROM THE 18RS21 GBS TYPE II STRAIN

TGCTTATTAATTGAAATGCTTCTGCTCCTTGATAAATCATCATCCCTAGACCATTATAAGCATGTTTCACTCCATTTTGT
 CTAACAAATCGTAACAATGCTGTTTCTTTAGGCTTGTAACCAAGTCGACAACCTACTAAATTCGGTGTTAAATTTCTGG
 ATCGTTAATTAACTATAATTATCTAATGGCCTCATTCCTAACTAGTAGCATCAATATAAAAAATGACTAGTTCTAATAG
 CGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAACGACTACCTTTATTTGAACTGTTTTTTAATTTTATCTGATAAG
 TCAATGACCTTATCGTAATTTGAGCTGTTACGATTAAATAATCTAATTTCCGCAAC

SEQ ID NO. 1913: SAG1680 FROM THE 18RS21 GBS TYPE II STRAIN

ATGCCTATCTGACATTTGAAGTAGAAGAGGGTAAATTAACAGAAGCTGTTGAGGTGTGAGGGCATTGGGTATTTCGTGGT
 GTTAATGTTTCAATGCCATTTAAACAGAGTGTTATCCCTTTGCTAGATGATTTATCTCCTCAAGCTAAATTAGTGGGTGC
 GTAAATACTATCGTTAATCAAGGTGGAACCGGACGTTTAGTAGGCCATATGACAGATGGCATTGGTTGTTTTAAAGCTT
 TAGCAGCTCAAGGTTTCAGTGCTAAATAAATAAATTACAATAGCTGGTATTGGTGGTTCAGGTAAAGCAGTTGCAGTT
 CAAGCAGCTATGGAGGGAGTTGCGG

Table 19: Comparative Sequences relating to SAF1680 (shikimate 5-dehydrogenase)

SEQ ID NO. 1914: SAG1680 FROM THE JM9130013 GBS TYPE VIII STRAIN

CCCTAGACCATTATAAGTCATGTTTCACTCCATTTTGTCTAACAAATCGTAACAATGCTGTTTCTTTAGGCTTGTAACCC
 AAGTCGACAACACTACTAAATTGGGTGTTAAAATTTCTGGATCGTTAATTAACTATAATTATCTAATGGCCTCATTCCTAA
 ACTAGTAGCATCAATATATAAAATGACTAGTTCTAATAGCGTCTTTAAATGCTGCTTATTTTCTAGATAATCAACGACTA
 CCTTTATTTGAAACTGTTTTTAAATTTTATCTGATAAGTCAATGACCTTATCGTAATTTGAGCTATTACGATTAAATAAT
 CTAATTTCCGCAACTCCCTCCATAGCTGCTTGAAGTCAACTGCTTTACCTGAACCACCAATACCAGCTATTGTAACATAT
 TTTATTTTGTAGCACTGAAACCTTGAGCTGCTAAAGCTTTAAACAACCAATGCCATCTGTCAT

SEQ1901 -----ATCCCT
 SEQ1902 -----GTTATTAATTGAAATGCTTCTGCTCCTTGATAAATCAGCATCCCT
 SEQ1903 TGGTCTAATTGCCAATCTGCACGCCACTCTCTAT-CCCCGTTAATGTGGAATACCTCT
 SEQ1904 -----AAATCAGCATCCCT
 SEQ1905 -----
 SEQ1906 -----CCCT
 SEQ1907 -----TGCACGCCACTCTCTAT-CCCCGTTAATGTGGAATACCTCT
 SEQ1908 -----ATTCGTTATTAATTGAAATGCTTCTGCTCCTTGATAAATCAGCATCCCT
 SEQ1909 -----ACTCTCTAT-CCCCGTTAATGTGGAATACCTCT
 SEQ1910 -----ATTCGTTATTAATTGAAATGCTTCTGCTCCTTGATAAATCAGCATCCCT
 SEQ1911 -----ACTTCTCTATTCCCCGTTAATGTGGAATACCTCT
 SEQ1912 -----TCGTTATTAATTGAAATGCTTCTGCTCCTTGATAAATCATCATCCCT
 SEQ1913 -----
 SEQ1914 -----CCCT

SEQ1901 GACCATTATAAG-CATGTTTCACTCCATTTTGTCTAACAAATCGTAACAATGCTGTTTC
 SEQ1902 GACCATTATAAG-CATGTTTCACTCCATTTTGTCTAACAAATCGTAACAATGCTGTTTC
 SEQ1903 TTCAAGAAAAAATCATGAATTATGCCTATCTGACATTTGAAGTAGAAGAGGGTAAATTA
 SEQ1904 GAC-ATTATAAG-CATGTTTCACTCCATTTTGTCTAACAAATCGTAACAATGCTGTTTC
 SEQ1905 -----
 SEQ1906 GACCATTATAAT-CATGTTTCACTCCATTTTGTCTAACAAATCGTAACAATGCTGTTTC
 SEQ1907 TT-AAGAAAAAATCATGAATTATGCCTATCTGACATTTGAAGTAGAAGAGGGTAAATTA
 SEQ1908 GACCATTATAAG-CATGTTTCACTCCATTTTGTCTAACAAATCGTAACAATGCTGTTTC
 SEQ1909 TTCAAGAAAAAATCATGAATTATGCCTATCTGACATTTGAAGTAGAAGAGGGTAAATTA
 SEQ1910 GACCATTATAAG-CATGTTTCACTCCATTTTGTCTAACAAATCGTAACAATGCTGTTTC
 SEQ1911 TTCAAGAAAAAATCATGAATTATGCCTATCTGACATTTGAAGTAGAAGAGGGTAAATTA
 SEQ1912 GACCATTATAAG-CATGTTTCACTCCATTTTGTCTAACAAATCGTAACAATGCTGTTTC
 SEQ1913 -----ATGCCTATCTGACATTTGAAGTAGAAGAGGGTAAATTA
 SEQ1914 GACCATTATAAGTCATGTTTCACTCCATTTTGTCTAACAAATCGTAACAATGCTGTTTC

SEQ1901 TTAGGCTTGTAACCAAGTC--GACAACACTAAATTCCGGTGTTAAATTTCTGGATCG
 SEQ1902 TTAGGCTTGTAACCAAGTC--GACAACACTAAATTCCGGTGTTAAATTTCTGGATCG
 SEQ1903 CAGAAGCTGTTTCGAGGTGTCAGGGCATTGAGTATTCGTGGTGTTAATGTTTCAATGCCA
 SEQ1904 TTAGGCTTGTAACCAAGTC--GACAACACTAAATTCCGGTGTTAAATTTCTGGATCG
 SEQ1905 -----GTTTCGAGGTGTCAGGGCATTGGGTATTTCGTGGTGTTAATGTTTCAATGCCA
 SEQ1906 TTAGGCTTGTAACCAAGTC--GACAACACTAAATTCCGGTGTTAAATTTCTGGATCG
 SEQ1907 CAGAAGCTGTTTCGAGGTGTCAGGGCATTGAGTATTCGTGGTGTTAATGTTTCAATGCCA
 SEQ1908 TTAGGCTTGTAACCAAGTC--GACAACACTAAATTGGGTGTTAAATTTCTGGATCG
 SEQ1909 CAGAAGCTGTTTCGAGGTGTCAGGGCATTGGGTATTTCGTGGTGTTAATGTTTCAATGCCA
 SEQ1910 TTAGGCTTGTAACCAAGTC--GACAACACTAAATTCCGGTGTTAAATTTCTGGATCG
 SEQ1911 CAGAAGCTGTTTCGAGGTGTCAGGGCATTGGGTATTTCGTGGTGTTAATGTTTCAATGCCA
 SEQ1912 TTAGGCTTGTAACCAAGTC--GACAACACTAAATTCCGGTGTTAAATTTCTGGATCG
 SEQ1913 CAGAAGCTGTTTCGAGGTGTCAGGGCATTGGGTATTTCGTGGTGTTAATGTTTCAATGCCA
 SEQ1914 TTAGGCTTGTAACCAAGTC--GACAACACTAAATTGGGTGTTAAATTTCTGGATCG

Table 19: Comparative Sequences relating to SAF1680 (shikimate 5-dehydrogenase)

SEQ1901	TT-AATTAACTATAATTATCT-----AATGGCCTCATTCCCT-AAACTAGTAGCATCAAT
SEQ1902	TT-AATTAACTATAATTATCT-----AATGGCCTCATTCCCT-AAACTAGTAGCATCAAT
SEQ1903	TTTAAACAGAGTGTTATCCCTTTGCTAGATGATTTATCTCCTCAAGCTAAATTAGTGGGT
SEQ1904	TT-AATTAACTATAATTATCT-----AATGGCCTCATTCCCT-AAACTAGTAGCATCAAT
SEQ1905	TTTAAACAGAGTGTTATCCCTTTGCTARATGATTTATCTCCTCAAGCTAAATTAGTGGGT
SEQ1906	TT-AATTAACTATAATTATCT-----AATGGCCTCATTCCCT-AAACTAGTAGCATCAAT
SEQ1907	TTTAAACAGAGTGTTATCCCTTTGCTAGATGATTTATCTCCTCAAGCTAAATTAGTGGGT
SEQ1908	TT-AATTAACTATAATTATCT-----AATGGCCTCATTCCCT-AAACTAGTAGCATCAAT
SEQ1909	TTTAAACAGAGTGTTATCCCTTTGCTAGATGATTTATCTCCTCAAGCTAAATTAGTGGGT
SEQ1910	TT-AATTAACTATAATTATCT-----AATGGCCTCATTCCCT-AAACTAGTAGCATCAAT
SEQ1911	TTTAAACAGAGTGTTATCCCTTTGCTAGATGATTTATCTCCTCAAGCTAAATTAGTGGGT
SEQ1912	TT-AATTAACTATAATTATCT-----AATGGCCTCATTCCCT-AAACTAGTAGCATCAAT
SEQ1913	TTTAAACAGAGTGTTATCCCTTTGCTAGATGATTTATCTCCTCAAGCTAAATTAGTGGGT
SEQ1914	TT-AATTAACTATAATTATCT-----AATGGCCTCATTCCCT-AAACTAGTAGCATCAAT
SEQ1901	TAAAAATGACTAGTTCTAATAGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAAC
SEQ1902	TAAAAATGACTAGTTCTAATAGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAAC
SEQ1903	CTGTAAATACTATCGTTAATCAAGGTGGAACCGGACGTTTAGTAGGCCATATGACAGAT
SEQ1904	TAAAAATGACTAGTTCTAATAGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAAC
SEQ1905	CTGTAAATACTATCGTTAATCAAGGTGGAACCGSACGTTTAGTAGGCCATATGACAGAT
SEQ1906	TAAAAATGACTAGTTCTAATAGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAAC
SEQ1907	CTGTAAATACT-----
SEQ1908	TAAAAATGACTAGTTCTAATAGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAAC
SEQ1909	CTGTAAATACTATCGTTAATCAAGGTGGAACCGGACGTTTAGTAGGCCATATGACAGAT
SEQ1910	TAAAAATGACTAGTTCTAATAGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAAC
SEQ1911	CTGTAAATACTATCGTTAATCAAGGTGGAACC-----
SEQ1912	TAAAAATGACTAGTTCTAATAGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAAC
SEQ1913	CTGTAAATACTATCGTTAATCAAGGTGGAACCGGACGTTTAGTAGGCCATATGACAGAT
SEQ1914	TAAAAATGACTAGTTCTAATAGCGTCTTTAAATGCTGTCTTATTTTCTAGATAATCAAC
SEQ1901	ACTACCTTTATTTGAAACTGTTTTTAAATTTTATCTGATAAGTCAATGACCTTATCGTA
SEQ1902	ACTACCTTTATTTGAAACTGTTTTTAAATTTTATCTGATAAGTCAATGACCTTATCGTA
SEQ1903	GCATTGGTTGTTTTAAAGCTTTAGCAGCTCAAGGTTTCAGTGCTAAAAATAAAATAATT
SEQ1904	ACTACCTTTATTTGAAACTGTTTTTAAATTTTATCTGATAAGTCAATGACCTTATCGTA
SEQ1905	GCATTGGTTGTTTTAAAGCTTTAGCAGCTCAAGGTTTCAGTGCTAAAAATAAAATAGTT
SEQ1906	ACTACCTTTATTTGAAACTGTTTTTAAATTTTATCTGATAAGTCAATGACCTTATCGTA
SEQ1907	-----
SEQ1908	ACTACCTTTATTTGAAACTGTTTTTAAATTTTATCTGATAAGTCAATGACCTTATCGTA
SEQ1909	GCATTGGTTGTTTTAAAGCTTTAGCAGCTCAAGGTTTCAGTGCTAAAAATAAAATAGTT
SEQ1910	ACTACCTTTATTTGAAACTGTTTTTAAATTTTATCTGATAAGTCAATGACCTTATCGTA
SEQ1911	-----
SEQ1912	ACTACCTTTATTTGAAACTGTTTTTAAATTTTATCTGATAAGTCAATGACCTTATCGTA
SEQ1913	GCATTGGTTGTTTTAAAGCTTTAGCAGCTCAAGGTTTCAGTGCTAAAAATAAAATAATT
SEQ1914	ACTACCTTTATTTGAAACTGTTTTTAAATTTTATCTGATAAGTCAATGACCTTATCGTA
SEQ1901	TTTGAGCTGTTACGATTAAATAATCTAATTTCCGCAACTCCCTCCATAGCTGCTTGAAC
SEQ1902	TTTGAGCTGTTACGATTAAATAATCTAATTTCCGCAACTCCCTCCATAGCTGCTTGAAC
SEQ1903	CAATAGCTGGTATTGGTGGTTCAGGTAAAGCAGTTGCAGTTCAAGCAGCTATGGAGGGA
SEQ1904	TTTGAGCTGTTACGATTAAATAATCTAATTTCCGCAACTCCCTCCATAGCTGCTTGAAC
SEQ1905	CAATAGCTGGTATTGGTGGTTCAGGTAAAGCAGTTGCAGTTCAAGCAGCTATGGAGGGA
SEQ1906	TTTGAGCTGTTACGATTAAATAATCTAATTTCCGCAACTCCCTCCATAGCTGCTTGAAC
SEQ1907	-----
SEQ1908	TTTGAGCTATTACGATTAAATAATCTAATTTCCGCAACTCCCTCCATAACTGCTTGAAC
SEQ1909	CAATAGCTGGTATTGGTG-----
SEQ1910	TTTGAGCTGTTACGAT-----
SEQ1911	-----
SEQ1912	TTTGAGCTGTTACGATTAAATAATCTAATTTCCGCAAC-----
SEQ1913	CAATAGCTGGTATTGGTGGTTCAGGTAAAGCAGTTGCAGTTCAAGCAGCTATGGAGGGA
SEQ1914	TTTGAGCTATTACGATTAAATAATCTAATTTCCGCAACTCCCTCCATAGCTGCTTGAAC

Table 19: Comparative Sequences relating t SAF1680 (shikimate 5-dehydrogenase)

SEQ1901	GCAACTGCTTTACCTGAACCACCAATACCAGCTATTGTAATTATTTTATTTTATAGCACT
SEQ1902	GCAACTGCTTTACCTGAACCACCAATACCAGCTATTGTAATTATTTTATTTTATAGCACT
SEQ1903	TTGCGGAAATTAGATTATTTAATCGTAACAGCTCAAATTACGATAAGGTCATTGACTTA
SEQ1904	GCAACTGCTTTACCTGAACCACCAATACCAGCTATTGTAATTATTTTATTTTATAGCACT
SEQ1905	TTGCGGAAATTAGATTATTTAATCGTAATAGCTCAAATTACGATAAGGTCATTGACTTA
SEQ1906	GCAACTGCTTTACCTGAACCACCAATACCAGCTATTGTAATTATTTTATTTTATAGCACT
SEQ1907	-----
SEQ1908	GCAACTGCTTTACCTGAACCACCAATACCAGCTATTGTAACATTTTT-----
SEQ1909	-----
SEQ1910	-----
SEQ1911	-----
SEQ1912	-----
SEQ1913	TTGCGG-----
SEQ1914	GCAACTGCTTTACCTGAACCACCAATACCAGCTATTGTAACATTTTTATTTTATAGCACT
SEQ1901	AAACCTTGAGCTGCTAAAGCTTTAAACAACCAATGCCATCTGTCATATGGCCTACTAA
SEQ1902	AAACCTTGAGCTGCTAAAGCTTTAAACAACCAATGCCATCTGTCATATGGCCTACTAA
SEQ1903	CAGATAAAATTAAAAAACAGTTTCAAATAAAGGTAGTCGTTGATTATCTAGAAAATAAG
SEQ1904	AAACCTTGAGCTGCTAAAGCTTTAAACAACCAATGCCATCTGTCATATGGCCTACTAA
SEQ1905	CAGATAAAATTAAAAAACAGTTTCAAATAAAGGTAGTCGTTGATTATCTAGAAAATAAG
SEQ1906	AAACCTTGAGCTGCTAAAGCTTTAAACAACCAATGCCATCTGTCATATGGCCTACTAA
SEQ1907	-----
SEQ1908	-----
SEQ1909	-----
SEQ1910	-----
SEQ1911	-----
SEQ1912	-----
SEQ1913	-----
SEQ1914	AAACCTTGAGCTGCTAAAGCTTTAAACAACCAATGCCATCTGTCAT-TABCMARAT--
SEQ1901	CGTCCGGTTCCACCTTGATTAACGATAGTATTTACAGCACCCACTAATTTAGCTTGAGG
SEQ1902	CGTCCGGTTCCACCTTGATTAACGATAGTATTTACAGCACCCACTAATTTAGCTTGAGG
SEQ1903	CAGCATTTAAAGACGCTATTAGAACTAGTCATTTTATATTGATGCTACTAGTTTAGGA
SEQ1904	CGTCCGGTTCCACCTTGATTAACGATAGTATTTACAGCACCCACTAATTTAGCTTGAGG
SEQ1905	CAGCATTTAAAGACGCTATTAGAACTAGTCATTTTATATTGATGCTACTAGTTTAGGA
SEQ1906	CGTCCGGTTCCACCTTGATTAACGATAGTATTTACAGCACCCACTAATTTAGCTTGAGG
SEQ1907	-----
SEQ1908	-----
SEQ1909	-----
SEQ1910	-----
SEQ1911	-----
SEQ1912	-----
SEQ1913	-----
SEQ1914	STNCSRATNGTSASHKMATDHYDRGNAS-----
SEQ1901	GATAAATCATCTAGCAAAGGGATAAAGCTCTGTTTAAATGGCATTGAAACATTAACACC
SEQ1902	GATAAATCATCTAGCAAAGGGATAAAGCTCTGTTTAAATGGCATTGAAACATTAACACC
SEQ1903	TGAGGCCATTAGATAATTATAGTTTAAATTAACGATCCAGATATTTTAACACCGAATTTA
SEQ1904	GATAAATCATCTAGCAAAGGGATAAAGCTCTGTTTAAATGGCATTGAAACATTAACACC
SEQ1905	TGARGCCATTAGATAATTATAGTTTAAATTAACGATCCAGAAATTTTAACACCCAATTTA
SEQ1906	GATAAATCATCTAGCAAAGGGATAAAGCTCTGTTTAAATGGCATTGAAACATTAACACC
SEQ1907	-----
SEQ1908	-----
SEQ1909	-----
SEQ1910	-----
SEQ1911	-----
SEQ1912	-----
SEQ1913	-----
SEQ1914	-----

Table 19: Comparative Sequences relating to SAF1680 (shikimate 5-dehydratase)

SEQ1901	CGAATACCCAATGCCCTGACACCTCGAACAGCTTCTGTTAATTTACCCTCTTCTACTTC
SEQ1902	CGAATACCCAATGCCCTGACACCTCGAACAGCTTCTGTTAATTTACCCTCTTCTACTTC
SEQ1903	TAGTTGTCGACTT-----
SEQ1904	CGAATACTCAATGCCCTGACACCTCGAACAGCTTCTGTTAATTTACCCTCTTCTACTTC
SEQ1905	TAGTTGTCGACTTGGTTTACAAGCCTAAAGAAACAGCATTGTTACGATTGTTAGACAA
SEQ1906	CGAATACCCAATGCCCTGACACCTCGAACAGCTTCTGTTAATTTACCCTCTTCTACTTC
SEQ1907	-----
SEQ1908	-----
SEQ1909	-----
SEQ1910	-----
SEQ1911	-----
SEQ1912	-----
SEQ1913	-----
SEQ1914	-----
SEQ1901	AATGTCAGATAGGCATAATTCATGTTTTTTTCTTGAAAAGAGGTATTCCACATTAACGG
SEQ1902	AATGTCAGATAGGCATAATTCATGTTTTTTTCTTGAAAAGAGGTATTCCACATTAACGG
SEQ1903	-----
SEQ1904	AATGTCAGATAGGCATAATTCATGTTTTTTTCTTGAAAAGAGGTATTCCACATTAACGG
SEQ1905	ATGGAGTGAAACATGCTTATAATGGTCTAGGGATGCTGATTTATCAAGGAGCAGA----
SEQ1906	AATGTCAGATAGGCATAATTCATGTTTTTTTCTTGAAAAGAGGTATTCCACATTAACGG
SEQ1907	-----
SEQ1908	-----
SEQ1909	-----
SEQ1910	-----
SEQ1911	-----
SEQ1912	-----
SEQ1913	-----
SEQ1914	-----
SEQ1901	GATAGAGAGTGGCGTGCAGG-
SEQ1902	GATAGAGAGTGGCGTGCAGGA
SEQ1903	-----
SEQ1904	GATAGAGAGTGGCGTGCA---
SEQ1905	-----
SEQ1906	GATAG-----
SEQ1907	-----
SEQ1908	-----
SEQ1909	-----
SEQ1910	-----
SEQ1911	-----
SEQ1912	-----
SEQ1913	-----
SEQ1914	-----

Table 20: Comparative Sequences relating to SAG1723 (signal peptidase I)**SEQ ID NO. 2001: SAG1723 FROM THE DK1 GBS TYPE Ia STRAIN**

ATCGATTGATATTGTAGTGGCTAACGAAGAAGAAGGCGGCCAAAAGAAAAAATTGTTAAACGTGTCATTGGTATGCCAGGTGATGTC
ATCAAAATATAAAAAATGACACCTTAACCTATTAAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATACTAAATTATTTAAAAAGGA
TAAATTACAGGAAAAATATTTCGTATAACCCACTTTTCCAAGACCTAGCACAAAGCTCTACCGCTTTACCACCTGACAGCAATGGCAGCA
GCGAATTTACTACTGTCGTGCCTAAAGGCCACTACTATCTTGTGTTGGTGATGACCGAATTGTCTCTAAAGATAGTCGTGCCGTGCGTTCC
TTCAAAA

SEQ ID NO. 2002: SAG1680 FROM THE CJB110 GBS NONTYPEABLE STRAIN REVERSE COMPLEMENT

TAAAGTTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAGTTCTCAAACAAACAAAAATCAATCGATTGATGATA
TTGTAGTGGCTAACGAAGAAGAAGGCGGCCAAAAGAAAAAATTGTTAAACGTGTCATTGGTATGCCAGGTGATGTCATCAAATATAAAA
AATGACACCTTAACCTATTAAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATACTAAATTATTTAAAAAGGATAAATTACAGGA
AAAATATTTCGTATAACCCACTTTTCCAAGACCTAGCACAAAGCTCTACCGCTTTCACTACTGACAGCAATGGCAGCAGCGAATTTACTGTC
CTGTCGTGCCTAAAGGCCACTATTATCTTGTGTTGGTGATGACCGAATTGTCTCTAAAGATAGTCGTGCCGTGCGTCCCTTCAAAAAATCA
ACAATTGTGGGAG

SEQ ID NO. 2003: SAG1680 FROM THE 18RS21 GBS TYPE II STRAIN

TTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAGTTCTCAAACAAACAAAAATCAATCGATTGATATTGTA
GTGGCTAACGAAGAAGAAGGCGGCCAAAAGAAAAAATTGTTAAACGTGTCATTGGTATGCCAGGTGATGTCATCAAATATAAAAAATGA
CACCTTAACCTATTAAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATACTAAATTATTTAAAAAGGATAAATTACAGGAAAAAT
ATTCGTATAACCCACTTTTCCAAGACCTAGCACAAAGCTCTACCGCTTTCACTACTGACAGCAATGGCAGCAGCGAATTTACTACTGTC
GTGCCTAAAGGCCACTACTATCTTGTGTTGGTGATGACCGAATTGTCTCTAAAGATAGTCGTGCCGTGCGTCCCTTCAAAAAATCAACGAT
TGTGGGAGAGGT

SEQ ID NO. 2004: SAG1680 FROM THE 2603 V/R GBS TYPE V STRAIN REVERSE COMPLEMENT

AAGTTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAGTTCTCAAACAAACAAAAATCAATCGATTGATATT
GTAGTGGCTAACGAAGAAGAAGGCGGCCAAAAGAAAAAATTGTTAAACGTGTCATTGGTATGCCAGGTGATGTCATCAAATATAAAAA
TGACACCTTAACCTATTAAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATACTAAATTATTTAAAAAGGATAAATTACAGGAAA
AATATTTCGTATAACCCACTTTTCCAAGACCTAGCACAAAGCTCTACCGCTTTCACTACTGACAGCAATGGCAGCAGCGAATTTACTACT
GTGCTGCCTAAAGGCCACTACTATCTTGTGTTGGTGATGACCGAATTGTCTCTAAAGATAGTCGTGCCGTGCGT

SEQ ID NO. 2005: SAG1680 FROM THE M732 GBS TYPE III STRAIN REVERSE COMPLEMENT

TTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAGTTCTCAAACAAACAAAAATCAATCGATTGATATTGTA
GGCTAACGAAGAAGAAGGCGGCCAAAAGAAAAAATTGTTAAACGTGTCATTGGTATGCCAGGTGATGTCATCAAATATAAAAAATGACA
CCTTAACCTATTAAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATACTAAATTATTTAAAAAGGATAAATTACAGGAAAAAT
TCGTATAACCCACTTTTCCAAGACCTAGCACAAAGCTCTACCGCTTTCACTACTGACAGCAATGGCAGCAGCGAATTTACTACTGTCGT
GCCTAAAGGCCACTACTATCTTGTGTTGGTGATGACCGA

SEQ ID NO. 2006: SAG1680 FROM THE M781 GBS TYPE III STRAIN

TTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAGTTCTCAAACAAACAAAAATCAATCGATTGATATTGTA
GTGGCTAACGAAGAAGAAGGCGGCCAAAAGAAAAAATTGTTAAACGTGTCATTGGTATGCCAGGTGATGTCATCAAATATAAAAAATGA
CACCTTAACCTATTAAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATACTAAATTATTTAAAAAGGATAAATTACAGGAAAAAT
TATTCGTATAACCCACTTTTCCAAGACCTAGCACAAAGCTCTACCGCTTTCACTACTGACAGCAATGGCAGCAGCGAATTTACT

SEQ ID NO. 2007: SAG1680 FROM THE 1169NT1 GBS TYPE V STRAIN REVERSE COMPLEMENT

TTGGTAAAGTTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAGTTCTCAAACAAACAAAAATCAATCGATTG
GATATTGTAGTGGCTAACGAAGAAGAAGGCGGCCAAAAGAAAAAATTGTTAAACGTGTCATTGGTATGCCAGGTGATGTCATCAAATA
TAAAAATGACACCTTAACCTATTAAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATACTAAATTATTTAAAAAGGATAAATTAC
AGGAAAAATATTTCGTATAACCCACTTTTCCAAGACCTAGCACAAAGCTCTACCGCTTTCACTACTGACAGCAATGGCAGCAGCGAATTT
ACCACTGTCGTGCCTAAAGGCCACTACTATCTTGTGTTGGTGATGACCGAATTGTCTCTAAAGATAGTCGTGCCGTGCGCCCTTCAAAAA
ATCAACG

SEQ ID NO. 2008: SAG1680 FROM THE H36b GBS TYPE Ib STRAIN REVERSE COMPLEMENT

TTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAGTTCTCAAACAAACAAAAATCAATCGATTGATATTGTA
GTGGCTAACGAAGAAGAAGGCGGCCAAAAGAAAAAATTGTTAAACGTGTCATTGGTATGCCAGGTGATGTCATCAAATATAAAAAATGA
CACCTTAACCTATTAAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATACTAAATTATTTAAAAAGGATAAATTACAGGAAAAAT
ATTCGTATAACCCACTTTTCCAAGACCTAGCACAAAGCTCTACCGCTTTCACTACTGACAGCAATGGCAGCAGCGAATTTACTACTGTC
GTGCCTAAAGGCCACTACTATCTTGTGTTGGTGATGACCGA

SEQ ID NO. 2009: SAG1680 FROM THE 090 GBS TYPE Ia STRAIN REVERSE COMPLEMENT

TAAAGTTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAGTTCTCAAACAAACAAAAATCAATCGATTGATGATA
TTGTAGTGGCTAACGAAGAAGAAGGCGGCCAAAAGAAAAAATTGTTAAACGTGTCATTGGTATGCCAGGTGATGTCATCAAATATAAAA
AATGACACCTTAACCTATTAAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATACTAAATTATTTAAAAAGGATAAATTACAGGA
AAAATATTTCGTATAACCCACTTTTCCAAGACCTAGCACAAAGCTCTACCGCTTTCACTACTGACAGCAATGGCAGCAGCGAATTTACTA
CTGTCGTGCCTAAAGGCCACTATTATCTTGTGTTGGTGATGACCGAATTGTCTCTAAAGATAGTCGTGCCGTGCGT

Table 20: Comparative Sequences relating to SAG1723 (signal peptidas I)

SEQ ID NO. 2010: SAG1680 FROM THE A909 GBS TYPE Ia STRAIN REVERSE COMPLEMENT
 AAAGTTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAGTTCTCAAACAAACAAAAATCAATCGATTTCGATAT
 TGTAGTGGCTAACGAAGAAGGCGGCCAAAAGAAAAAATTGTTAAACGTGTCTATTGGTATGCCAGGTGATGTCATCAAATATAAAA
 ATGACACCTTAACTATTAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATACTAAATTATTTAAAAAGGATAAAATTACAGGAA
 AAATATTCGTATAACCCACTTTTCCAAGACCTAGCACAAAGCTCTACCGCTTTCACCACTGACAGCAATGGCAGCAGCGAATTTACTAC
 TGTCTGTCCTAAAGGCCACTACTATCTTGTGGTGATGACCGAATTGTCTCTAAAGATAGTCGTGCCGTCCGTCCCTTCAAAAAATCAA
 CG

SEQ2001 -----
 SEQ2002 ---TAAAGTTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAG
 SEQ2003 -----TTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAG
 SEQ2004 -----AAGTTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAG
 SEQ2005 -----TTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAG
 SEQ2006 -----TTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAG
 SEQ2007 TGGTAAAGTTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAG
 SEQ2008 -----TTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAG
 SEQ2009 ---TAAAGTTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAG
 SEQ2010 ----AAAGTTGACGGACACTCCATGGATCCAACCTTTAGCTGACAAGGAACAGCTAGTAG

SEQ2001 -----ATCGATTTCGATATTGTTAGTGGCTAACGAAGAAGAAGGCG
 SEQ2002 TCTCAAACAAACAAAAATCAATCGATTTCGATATTGTTAGTGGCTAACGAAGAAGAAGGCG
 SEQ2003 TCTCAAACAAACAAAAATCAATCGATTTCGATATTGTTAGTGGCTAACGAAGAAGAAGGCG
 SEQ2004 TCTCAAACAAACAAAAATCAATCGATTTCGATATTGTTAGTGGCTAACGAAGAAGAAGGCG
 SEQ2005 TCTCAAACAAACAAAA--TAATCGATTTCGATATTGTTAGTGGCTAACGAAGAAGAAGGCG
 SEQ2006 TCTCAAACAAACAAAAATCAATCGATTTCGATATTGTTAGTGGCTAACGAAGAAGAAGGCG
 SEQ2007 TCTCAAACAAACAAAAATCAATCGATTTCGATATTGTTAGTGGCTAACGAAGAAGAAGGCG
 SEQ2008 TCTCAAACAAACAAAAATCAATCGATTTCGATATTGTTAGTGGCTAACGAAGAAGAAGGCG
 SEQ2009 TCTCAAACAAACAAAAATCAATCGATTTCGATATTGTTAGTGGCTAACGAAGAAGAAGGCG
 SEQ2010 TCTCAAACAAACAAAAATCAATCGATTTCGATATTGTTAGTGGCTAACGAAGAAGAAGGCG

SEQ2001 GCCAAAAGAAAAAATTGTTAAACGTGTCTATTGGTATGCCAGGTGATGTCATCAAATATA
 SEQ2002 GCCAAAAGAAAAAATTGTTAAACGTGTCTATTGGTATGCCAGGTGATGTCATCAAATATA
 SEQ2003 GCCAAAAGAAAAAATTGTTAAACGTGTCTATTGGTATGCCAGGTGATGTCATCAAATATA
 SEQ2004 GCCAAAAGAAAAAATTGTTAAACGTGTCTATTGGTATGCCAGGTGATGTCATCAAATATA
 SEQ2005 GCCAAAAGAAAAAATTGTTAAACGTGTCTATTGGTATGCCAGGTGATGTCATCAAATATA
 SEQ2006 GCCAAAAGAAAAAATTGTTAAACGTGTCTATTGGTATGCCAGGTGATGTCATCAAATATA
 SEQ2007 GCCAAAAGAAAAAATTGTTAAACGTGTCTATTGGTATGCCAGGTGATGTCATCAAATATA
 SEQ2008 GCCAAAAGAAAAAATTGTTAAACGTGTCTATTGGTATGCCAGGTGATGTCATCAAATATA
 SEQ2009 GCCAAAAGAAAAAATTGTTAAACGTGTCTATTGGTATGCCAGGTGATGTCATCAAATATA
 SEQ2010 GCCAAAAGAAAAAATTGTTAAACGTGTCTATTGGTATGCCAGGTGATGTCATCAAATATA

SEQ2001 AAAATGACACCTTAACTATTAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATA
 SEQ2002 AAAATGACACCTTAACTATTAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATA
 SEQ2003 AAAATGACACCTTAACTATTAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATA
 SEQ2004 AAAATGACACCTTAACTATTAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATA
 SEQ2005 AAAATGACACCTTAACTATTAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATA
 SEQ2006 AAAATGACACCTTAACTATTAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATA
 SEQ2007 AAAATGACACCTTAACTATTAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATA
 SEQ2008 AAAATGACACCTTAACTATTAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATA
 SEQ2009 AAAATGACACCTTAACTATTAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATA
 SEQ2010 AAAATGACACCTTAACTATTAACAATAAAAAACAGAAGAACCTTACCTCAAGGAATATA

SEQ2001 CTAAATTATTT-AAAAAGGATAAAATTACAGGAAAAATATTCGTATAACCCACTTTTCCAA
 SEQ2002 CTAAATTATTT-AAAAAGGATAAAATTACAGGAAAAATATTCGTATAACCCACTTTTCCAA
 SEQ2003 CTAAATTATTT-AAAAAGGATAAAATTACAGGAAAAATATTCGTATAACCCACTTTTCCAA
 SEQ2004 CTAAATTATTT-AAAAAGGATAAAATTACAGGAAAAATATTCGTATAACCCACTTTTCCAA
 SEQ2005 CTAAATTATTT-AAAAAGGATAAAATTACAGGAAAAATATTCGTATAACCCACTTTTCCAA
 SEQ2006 CTAAATTATTT-AAAAAGGATAAAATTACAGGAAAAATATTCGTATAACCCACTTTTCCAA
 SEQ2007 CTAAATTATTT-AAAAAGGATAAAATTACAGGAAAAATATTCGTATAACCCACTTTTCCAA
 SEQ2008 CTAAATTATTT-AAAAAGGATAAAATTACAGGAAAAATATTCGTATAACCCACTTTTCCAA
 SEQ2009 CTAAATTATTT-AAAAAGGATAAAATTACAGGAAAAATATTCGTATAACCCACTTTTCCAA
 SEQ2010 CTAAATTATTT-AAAAAGGATAAAATTACAGGAAAAATATTCGTATAACCCACTTTTCCAA

Table 20: C mparative Sequences relating to SAG1723 (signal peptidase I)

SEQ2001	GACCTAGCACAAAGCTCTACCGCTTTCACCACTGACAGCAATGGCAGCAGCGAATTTACT
SEQ2002	GACCTAGCACAAAGCTCTACCGCTTTCACCTACTGACAGCAATGGCAGCAGCGAATTTACT
SEQ2003	GACCTAGCACAAAGCTCTACCGCTTTCACCACTGACAGCAATGGCAGCAGCGAATTTACT
SEQ2004	GACCTAGCACAAAGCTCTACCGCTTTCACCACTGACAGCAATGGCAGCAGCGAATTTACT
SEQ2005	GACCTAGCACAAAGCTCTACCGCTTTCACCACTGACAGCAATGGCAGCAGCGAATTTACT
SEQ2006	GACCTAGCACAAAGCTCTACCGCTTTCACCACTGACAGCAATGGCAGCAGCGAATTTACT
SEQ2007	GACCTAGCACAAAGCTCTACCGCTTTCACCTACTGACAGCAATGGCAGCAGCGAATTTACT
SEQ2008	GACCTAGCACAAAGCTCTACCGCTTTCACCACTGACAGCAATGGCAGCAGCGAATTTACT
SEQ2009	GACCTAGCACAAAGCTCTACCGCTTTCACCTACTGACAGCAATGGCAGCAGCGAATTTACT
SEQ2010	GACCTAGCACAAAGCTCTACCGCTTTCACCACTGACAGCAATGGCAGCAGCGAATTTACT
SEQ2001	CTGTCGTGCCTAAAGGCCACTACTATCTTGTGGTGATGACCGAATTGTCTCTAAAGAT
SEQ2002	CTGTCGTGCCTAAAGGCCACTATTATCTTGTGGTGATGACCGAATTGTCTCTAAAGAT
SEQ2003	CTGTCGTGCCTAAAGGCCACTACTATCTTGTGGTGATGACCGAATTGTCTCTAAAGAT
SEQ2004	CTGTCGTGCCTAAAGGCCACTACTATCTTGTGGTGATGACCGAATTGTCTCTAAAGAT
SEQ2005	CTGTCGTGCCTAAAGGCCACTACTATCTTGTGGTGATGACCGA-----
SEQ2006	-----
SEQ2007	CTGTCGTGCCTAAAGGCCACTACTATCTTGTGGTGATGACCGAATTGTCTCTAAAGAT
SEQ2008	CTGTCGTGCCTAAAGGCCACTACTATCTTGTGGTGATGACCGA-----
SEQ2009	CTGTCGTGCCTAAAGGCCACTATTATCTTGTGGTGATGACCGAATTGTCTCTAAAGAT
SEQ2010	CTGTCGTGCCTAAAGGCCACTACTATCTTGTGGTGATGACCGAATTGTCTCTAAAGAT
SEQ2001	GTCGTGCCGTCGGTTCCTTCAAAA-----
SEQ2002	GTCGTGCCGTCGGTCCCTTCAAAAATCAACAATTGTGGGAG-----
SEQ2003	GTCGTGCCGTCGGTCCCTTCAAAAATCAACGATTGTGGGAGAGGT-----
SEQ2004	GTCGTGCCGTCGGT-----
SEQ2005	-----
SEQ2006	-----
SEQ2007	GTCGTGCCGTCGGCCCCCTTCAAAAATCAACG-----
SEQ2008	-----
SEQ2009	GTCGTGCCGTCGGT-----
SEQ2010	GTCGTGCCGTCGGTCCCTTCAAAAATCAACGTABCMARATVSTNCSRATNGTSAGSGN
SEQ2001	----
SEQ2002	----
SEQ2003	----
SEQ2004	----
SEQ2005	----
SEQ2006	----
SEQ2007	----
SEQ2008	----
SEQ2009	----
SEQ2010	TDAS

Table 21: Comparative Sequences relating to SAG0079 (adenylate kinase)**SEQ ID NO. 2101: SAG0079 FROM THE 2603V/R GBS TYPE V STRAIN**

AATCTTTTAATTATGGGTTTGCCTGGTGTCTGTTAAAGGTACTCAAGCAGCTAAGATCGTTGAAGAATTTGGTGTGCTCACATCTCA
 ACAGGGGATATGTTCCGCGCCGCAATGGCTAATCAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTT
 CCTGATGAAGTAACAAACGGGATTGTAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGTTTTTACTTTGATGGATATCCA
 CGTACTATTGAACAAGCACACGCCTTAGATGCTACGCTTGAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGAT
 CCATCATGTCTTATAGAGCGTTTGAGTGGTCTGATTATCAATCGTAAAACCTGGTGAAACTTTCCACAAAGTGTTCACCCACCAGTA
 GATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCTGAAACTGTCAAACGTGCTTGGACGTTAATATTGCTCAAGGA
 GAACCTATTCTTGAACACTATCGTAAGCTTGGTCTTGTTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTTGCAGATGTT
 GAAAAAGCGTTG

SEQ ID NO. 2102: SAG0079 FROM THE 090 GBS TYPE Ia STRAIN REVERSE COMPLEMENT

AATCTTTTAATTATGGGTTTGCCTGGTGTCTGTTAAAGGTACTCAAGCAGCTAAGATCGTTGAAGAATTTGGTGTGCTCACATCTCA
 ACAGGGGATATGTTCCGCGCCGCAATGGCTAATCAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTT
 CCTGATGAAGTAACAAACGGGATTGTAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGTTTTTACTTTGATGGATATCCA
 CGTACTATTGAACAAGCACACGCCTTAGATGCTACGCTTGAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGAT
 CCATCATGTCTTATAGAGCGTTTGAGTGGTCTGATTATCAATCGTAAAACCTGGTGAAACTTTCCACAAAGTGTTCACCCACCAGTA
 GATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCTGAAACTGTCAAACGTGCTTGGACGTTAATATTGCTCAAGGA
 GAACCTATTCTTGAACACTATCGTAAGCTTGGTCTTGTTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTTGCAGATGTT
 GAAAAAGCGTTGCTAGAACTCAAA

SEQ ID NO. 2103: SAG0079 FROM THE 1169NT1 GBS TYPE V STRAIN REVERSE COMPLEMENT

TGGTAAAGGGACTCAAGCAGCTAAGATTGTTGAAGAATTTGGTGTGCGCACATCTCAACAGGGGATATGTTCCGCGCCGCAATGGC
 TAATCAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCTGATCAAGTACAAACGGGATTGTAAA
 AGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGTTTTTACTTTGATGGGATCCACGTAATATTGAACAAGCACACGCCTTAGA
 TGCTACGCTTGAAGAACTAGGACTACGCTTAGATGCTTGAAGTATTAAAGTGGATCCATCATGTCTTATAGAGCGTTTGAGTGG
 TCGTATTATCAATCGTAAAACCTGGTGAAACTTTCCACAAAGTGTTCACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACG
 TGAAGATGATAAGCCTGAAACTGTCAAACGTGCTTGGACGTTTATATTGCTCAAGGAGAACCTATTCTTGAACACTATAGTAAGCT
 TGGCCTTGTTACAGATATTGAAGGTAATCAAGAAATAA

SEQ ID NO. 2104: SAG0079 FROM THE 18RS21 GBS TYPE II STRAIN REVERSE COMPLEMENT

AATCTTTTAACCACGGGTTGCGCTGGTGTCTGTTAAAGGTACTCAAGCAGCTAAGATCGTTGAAGAATTTGGTGTGCTCACATCTCA
 ACAGGGGATATGTTCCGCGCCGCAATGGCTAATCAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTT
 CCTGATGAAGTAACAAACGGGATTGTAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGTTTTTACTTTGATGGATATCCA
 CGTACTATTGAACAAGCACACGCCTTAGATGCTACGCTTGAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGAT
 CCATCATGTCTTATAGAGCGTTTGAGTGGTCTGATTATCAATCGTAAAACCTGGTGAAACTTTCCACAAAGTGTTCACCCACCAGTA
 GATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCTGAAACTGTCAAACGTGCTTGGACGTTAATATTGCTCAAGGA
 GAACCTATTCTTGAACACTATCGTAAGCTTGGTCTTGTTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTTGCAGATGTT
 GAAAAAGCGTTGCTAGAA

SEQ ID NO. 2105: SAG0079 FROM THE 2603V/R GBS TYPE V STRAIN REVERSE COMPLEMENT

AATCTTTTAATTATGGGTTTGCCTGGTGTCTGTTAAAGGTACTCAAGCAGCTAAGATCGTTGAAGAATTTGGTGTGCTCACATCTCA
 ACAGGGGATATGTTCCGCGCCGCAATGGCTAATCAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTT
 CCTGATGAAGTAACAAACGGGATTGTAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGTTTTTACTTTGATGGATATCCA
 CGTACTATTGAACAAGCACACGCCTTAGATGCTACGCTTGAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGAT
 CCTCATGTCTTATAGAGCGTTTGAGTGGTCTGATTATCAATCGTAAAACCTGGTGAAACTTTCCACAAAGTGTTCACCCACCAGTA
 GATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCTGAAACTGTCAAACGTGCTTGGACGTTAATATTGCTCAAGGA
 GAACCTATTCTTGAACACTATCGTAAGCTTGGTCTTGTTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTTGCAGATGTT
 GAAAAAGCGTTG

SEQ ID NO. 2106: SAG0079 FROM THE A909 GBS TYPE Ia STRAIN REVERSE COMPLEMENT

AATCTTTTAATTATGGGTTTGCCTGGTGTCTGTTAAAGGTACTCAAGCAGCTAAGATCGTTGAAGAATTTGGTGTGCTCACATCTCA
 ACAGGGGATATGTTCCGCGCCGCAATGGCTAATCAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTT
 CCTGATGAAGTAACAAACGGGATTGTAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGTTTTTACTTTGATGGATATCCA
 CGTACTATTGAACAAGCACACGCCTTAGATGCTACGCTTGAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGAT
 CCATCATGTCTTATAGAGCGTTTGAGTGGTCTGATTATCAATCGTAAAACCTGGTGAAACTTTCCACAAAGTGTTCACCCACCAGTA
 GATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCTGAAACTGTCAAACGTGCTTGGACGTTAATATTGCTCAAGGA
 GAATCTATTCTTGAACACTATCGAAAGCTTGGTCTTGTTACAGATATTGAAGGTAA

SEQ ID NO. 2107: SAG0079 FROM THE CJB110 GBS NONTYPEABLE STRAIN REVERSE COMPLEMENT

AATCTTTTAACCACGGGTTTGCCTGGTGTCTGTTAAAGGTACTCAAGCAGCTAAGATCGTTGAAGAATTTGGTGTGCTCACATCTCA
 ACAGGGGATATGTTCCGCGCCGCAATGGCTAATCAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTT
 CCTGATGAAGTAACAAACGGGATTGTAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGTTTTTACTTTGATGGATATCCA
 CGTACTATTGAACAAGCACACGCCTTAGATGCTACGCTTGAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGAT
 CCATCATGTCTTATAGAGCGTTTGAGTGGTCTGATTATCAATCGTAAAACCTGGTGAAACTTTCCACAAAGTGTTCACCCACCAGTA
 GATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCTGAAACTGTCAAACGTGCTTGGACGTTAATATTGCTCAAGGA
 GAACCTATTCTTGAACACTATAG

Table 21: Comparative Sequences relating to SAG0079 (adenylate kinase)

SEQ ID NO. 2108: SAG0079 FROM THE COH1 GBS TYPE III STRAIN REVERSE COMPLEMENT
 ATCTTTTAATTATGGGTTTGCCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATTGTTGAAGAATTTGGTGTGCTCACATCTCAA
 CAGGGGATATGTTCCGCGCCGCAATGGCTAATCAAACCCAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTC
 CTGATGAAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGTTTTTACTTTGATGGATATCCAC
 GTACTATTGAGCAAGCACACGCCTTAGATGCTACGCTTGAAGAACTAGGACTACGCTTAGATGGTGTATTAAATATTAAAGTGGATC
 CAACATGCCTTATAGAGCGTTTGGTGGCCGTATTATCAATCGTAAAACCTGGTGAAACTTCCACAAAGTGTTCACCCACCAGTAG
 ATTATAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCTGAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAG
 AACCTATTCTTGAACACTATCGTAAGCTTGGTCTTGTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTTGCAGATGTTG
 AAAAAGCGTTGCTAG

SEQ ID NO. 2109: SAG0079 FROM THE H36b GBS TRYP 1b STRAIN REVERSE COMPLEMENT
 CAGGGGATATGTTCCGCGCCGCAATGGCTAATCAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTC
 CTGATGAAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGTTTTTACTTTGATGGATATCCAC
 GTACTATTGAACAAGCACACGCCTTAGATGCTACGCTTGAAGAACTAGGACTACGCTTAGATGGTGTATTAAATATTAAAGTGGATC
 CATCATGTCTTATAGAGCGTTTGGTGGTTCGTATTATCAATCGTAAAACCTGGTGAAACTTCCACAAAGTGTTCACCCACCAGTAG
 ATTATAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCTGAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAG
 AATCTATTCTTGAACACTATCGTAAGCTTGGTCTTGTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTTGCAGATGTTG
 AAAAAGCGTTGCT

SEQ ID NO. 2110: SAG0079 FROM THE JM9130013 GBS TYPE VIII STRAIN REVERSE COMPLEMENT
 AATCTTTTAATTATGGGTTTGCCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATCGTTGAAGAATTTGGTGTGCTCACATCTCA
 ACAGGGGATATGTTCCGCGCCGCAATGGCTAATCAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTC
 CCTGATGAAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGTTTTTACTTTGATGGATATCCA
 CGTACTATTGAACAAGCACACGCCTTAGATGCTACGCTTGAAGAACTAGGACTACGCTTAGATGGTGTATTAAATATTAAAGTGGAT
 CCATCATGTCTTATAGAGCGTTTGGTGGTTCGTATTATCAATCGTAAAACCTGGTGAAACTTCCACAAAGTGTTCACCCACCAGTA
 GATTATAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCTGAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGA
 GAACCTATTCTTGAACACTATAAAAAGCTTGGTCTTGTACAGATATTGAAGGTAATCA

SEQ ID NO. 2111: SAG0079 FROM THE M732 GBS TYPE III STRAIN REVERSE COMPLEMENT
 CTTTAAATTATGGGTTTGCCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATTGTTGAAGAATTTGGTGTGCTCACATCTCAACA
 GGGGATATGTTCCGCGCCGCAATGGCTAATCAAACCCAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCT
 GATGAAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGTTTTTACTTTGATGGATATCCACGT
 ACTATTGAGCAAGCACACGCCTTAGATGCTACGCTTGAAGAACTAGGACTACGCTTAGATGGTGTATTAAATATTAAAGTGGATCCA
 ACATGCCTTATAGAGCGTTTGGTGGCCGTATTATCAATCGTAAAACCTGGTGAAACTTCCACAAAGTGTTCACCCACCAGTAGAT
 TATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCTGAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAGAA
 CCTATTCTTGAACACTATCGTAAGCTTGGTCTTGTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTTGCAGATGTTGAA
 AAAGCGTTGCTAGAACTCAA

SEQ ID NO. 2112: SAG0079 FROM THE M781 GBS TYPE III STRAIN REVERSE COMPLEMENT
 AATCTTTTAATTACGGGTTTGCCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATTGTTGAAGAATTTGGTGTGCTCACATCTCA
 ACAGGGGATATGTTCCGCGCCGCAATGGCTAATCAAACCCAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTC
 CCTGATGAAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGTTTTTACTTTGATGGATATCCA
 CGTACTATTGAGCAAGCACACGCCTTAGATGCTACGCTTGAAGAACTAGGACTACGCTTAGATGGTGTATTAAATATTAAAGTGGAT
 CCAACATGCCTTATAGAGCGTTTGGTGGCCGTATTATCAATCGTAAAACCTGGTGAAACTTCCACAAAGTGTTCACCCACCAGTA
 GATTATAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCTGAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAA

SEQ2101	ATCTTTTAATTATGGGTTTGCCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATCGTT
SEQ2102	ATCTTTTAATTATGGGTTTGCCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATCGTT
SEQ2103	-----TGGTAAAGGGACTCAAGCAGCTAAGATTGTT
SEQ2104	ATCTTTTAACCACGGGTTTCGCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATCGTT
SEQ2105	ATCTTTTAATTATGGGTTTGCCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATCGTT
SEQ2106	ATCTTTTAATTATGGGTTTGCCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATCGTT
SEQ2107	ATCTTTTAACCACGGGTTTGGTGGTGGCTAAAGGTACTCAAGCAGCTAAGATCGTT
SEQ2108	ATCTTTTAATTATGGGTTTGCCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATTGTT
SEQ2109	-----
SEQ2110	ATCTTTTAATTATGGGTTTGCCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATCGTT
SEQ2111	--CTTTTAATTATGGGTTTGCCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATTGTT
SEQ2112	ATCTTTTAATTACGGGTTTGCCTGGTGGCTAAAGGTACTCAAGCAGCTAAGATTGTT

SEQ2101	AAGAATTTGGTGTGCTCACATCTCAACAGGGGATATGTTCCGCGCCGCAATGGCTAAT
SEQ2102	AAGAATTTGGTGTGCTCACATCTCAACAGGGGATATGTTCCGCGCCGCAATGGCTAAT
SEQ2103	AAGAATTTGGTGTGCTCACATCTCAACAGGGGATATGTTCCGCGCCGCAATGGCTAAT
SEQ2104	AAGAATTTGGTGTGCTCACATCTCAACAGGGGATATGTTCCGCGCCGCAATGGCTAAT
SEQ2105	AAGAATTTGGTGTGCTCACATCTCAACAGGGGATATGTTCCGCGCCGCAATGGCTAAT
SEQ2106	AAGAATTTGGTGTGCTCACATCTCAACAGGGGATATGTTCCGCGCCGCAATGGCTAAT
SEQ2107	AAGAATTTGGTGTGCTCACATCTCAACAGGGGATATGTTCCGCGCCGCAATGGCTAAT
SEQ2108	AAGAATTTGGTGTGCTCACATCTCAACAGGGGATATGTTCCGCGCCGCAATGGCTAAT
SEQ2109	-----CAGGGGATATGTTCCGCGCCGCAATGGCTAAT
SEQ2110	AAGAATTTGGTGTGCTCACATCTCAACAGGGGATATGTTCCGCGCCGCAATGGCTAAT

Table 21: Comparative Sequences relating to SAG0079 (adenylate kinase)

SEQ2111	AAGAATTTGGTGTGCTCACATCTCAACAGGGGATATGTTCCGCGCCGCAATGGCTAAT
SEQ2112	AAGAATTTGGTGTGCTCACATCTCAACAGGGGATATGTTCCGCGCCGCAATGGCTAAT
SEQ2101	CAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCTGAT
SEQ2102	CAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCTGAT
SEQ2103	CAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCTGAT
SEQ2104	CAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCTGAT
SEQ2105	CAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCTGAT
SEQ2106	CAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCTGAT
SEQ2107	CAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCTGAT
SEQ2108	CAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCTGAT
SEQ2109	CAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCTGAT
SEQ2110	CAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCTGAT
SEQ2111	CAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCTGAT
SEQ2112	CAAACCGAAATGGGACGTTTAGCTAAAAGTTATATTGATAAAGGTGAATTGGTTCCTGAT
SEQ2101	AAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGT
SEQ2102	AAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGT
SEQ2103	AAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGT
SEQ2104	AAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGT
SEQ2105	AAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGT
SEQ2106	AAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGT
SEQ2107	AAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGT
SEQ2108	AAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGT
SEQ2109	AAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGT
SEQ2110	AAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGT
SEQ2111	AAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGT
SEQ2112	AAGTAACAAACGGGATTGTAAAAGAGCGCTTAGCTGAGGATGATATCGCAGAAAAAGGT
SEQ2101	TTTTTACTTGATGGATATCCACGTACTATTGAACAAGCACACGCGCTTAGATGCTACGCTT
SEQ2102	TTTTTACTTGATGGATATCCACGTACTATTGAACAAGCACACGCGCTTAGATGCTACGCTT
SEQ2103	TTTTTACTTGATGGATATCCACGTACTATTGAACAAGCACACGCGCTTAGATGCTACGCTT
SEQ2104	TTTTTACTTGATGGATATCCACGTACTATTGAACAAGCACACGCGCTTAGATGCTACGCTT
SEQ2105	TTTTTACTTGATGGATATCCACGTACTATTGAACAAGCACACGCGCTTAGATGCTACGCTT
SEQ2106	TTTTTACTTGATGGATATCCACGTACTATTGAACAAGCACACGCGCTTAGATGCTACGCTT
SEQ2107	TTTTTACTTGATGGATATCCACGTACTATTGAACAAGCACACGCGCTTAGATGCTACGCTT
SEQ2108	TTTTTACTTGATGGATATCCACGTACTATTGAACAAGCACACGCGCTTAGATGCTACGCTT
SEQ2109	TTTTTACTTGATGGATATCCACGTACTATTGAACAAGCACACGCGCTTAGATGCTACGCTT
SEQ2110	TTTTTACTTGATGGATATCCACGTACTATTGAACAAGCACACGCGCTTAGATGCTACGCTT
SEQ2111	TTTTTACTTGATGGATATCCACGTACTATTGAACAAGCACACGCGCTTAGATGCTACGCTT
SEQ2112	TTTTTACTTGATGGATATCCACGTACTATTGAACAAGCACACGCGCTTAGATGCTACGCTT
SEQ2101	GAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGATCCATCATGTCTT
SEQ2102	GAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGATCCATCATGTCTT
SEQ2103	GAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGATCCATCATGTCTT
SEQ2104	GAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGATCCATCATGTCTT
SEQ2105	GAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGATCCATCATGTCTT
SEQ2106	GAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGATCCATCATGTCTT
SEQ2107	GAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGATCCATCATGTCTT
SEQ2108	GAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGATCCATCATGTCTT
SEQ2109	GAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGATCCATCATGTCTT
SEQ2110	GAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGATCCATCATGTCTT
SEQ2111	GAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGATCCATCATGTCTT
SEQ2112	GAAGAACTAGGACTACGCTTAGATGGTGTATTATTAATATTAAAGTGGATCCATCATGTCTT
SEQ2101	ATAGAGCGTTTGAGTGGTTCGTATTATCAATCGTAAAACTGGTGAAACTTTCCACAAAGTG
SEQ2102	ATAGAGCGTTTGAGTGGTTCGTATTATCAATCGTAAAACTGGTGAAACTTTCCACAAAGTG
SEQ2103	ATAGAGCGTTTGAGTGGTTCGTATTATCAATCGTAAAACTGGTGAAACTTTCCACAAAGTG
SEQ2104	ATAGAGCGTTTGAGTGGTTCGTATTATCAATCGTAAAACTGGTGAAACTTTCCACAAAGTG
SEQ2105	ATAGAGCGTTTGAGTGGTTCGTATTATCAATCGTAAAACTGGTGAAACTTTCCACAAAGTG
SEQ2106	ATAGAGCGTTTGAGTGGTTCGTATTATCAATCGTAAAACTGGTGAAACTTTCCACAAAGTG
SEQ2107	ATAGAGCGTTTGAGTGGTTCGTATTATCAATCGTAAAACTGGTGAAACTTTCCACAAAGTG
SEQ2108	ATAGAGCGTTTGAGTGGTTCGTATTATCAATCGTAAAACTGGTGAAACTTTCCACAAAGTG
SEQ2109	ATAGAGCGTTTGAGTGGTTCGTATTATCAATCGTAAAACTGGTGAAACTTTCCACAAAGTG
SEQ2110	ATAGAGCGTTTGAGTGGTTCGTATTATCAATCGTAAAACTGGTGAAACTTTCCACAAAGTG
SEQ2111	ATAGAGCGTTTGAGTGGTTCGTATTATCAATCGTAAAACTGGTGAAACTTTCCACAAAGTG
SEQ2112	ATAGAGCGTTTGAGTGGTTCGTATTATCAATCGTAAAACTGGTGAAACTTTCCACAAAGTG

Table 21: Comparative Sequences relating to SAG0079 (adenylate kinase)

SEQ2101	TTCAACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCT
SEQ2102	TTCAACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCT
SEQ2103	TTCAACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCT
SEQ2104	TTCAACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCT
SEQ2105	TTCAACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCT
SEQ2106	TTCAACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCT
SEQ2107	TTCAACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCT
SEQ2108	TTCAACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCT
SEQ2109	TTCAACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCT
SEQ2110	TTCAACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCT
SEQ2111	TTCAACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCT
SEQ2112	TTCAACCCACCAGTAGATTATAAAGAAGAAGATTACTATCAACGTGAAGATGATAAGCCT
SEQ2101	GAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAGAACCTATTCTTGAACAC
SEQ2102	GAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAGAACCTATTCTTGAACAC
SEQ2103	GAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAGAACCTATTCTTGAACAC
SEQ2104	GAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAGAACCTATTCTTGAACAC
SEQ2105	GAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAGAACCTATTCTTGAACAC
SEQ2106	GAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAGAACCTATTCTTGAACAC
SEQ2107	GAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAGAACCTATTCTTGAACAC
SEQ2108	GAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAGAACCTATTCTTGAACAC
SEQ2109	GAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAGAACCTATTCTTGAACAC
SEQ2110	GAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAGAACCTATTCTTGAACAC
SEQ2111	GAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAAGGAGAACCTATTCTTGAACAC
SEQ2112	GAAACTGTCAAACGTCGCTTGGACGTTAATATTGCTCAATABCMARATVSTNCSR---AT
SEQ2101	ATCGTAAGCTTGGTCTTGTTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTT
SEQ2102	ATCGTAAGCTTGGTCTTGTTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTT
SEQ2103	ATAGTAAGCTTGGCCTTGTTACAGATATTGAAGGTAATCAAGAAATAA-----
SEQ2104	ATCGTAAGCTTGGTCTTGTTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTT
SEQ2105	ATCGTAAGCTTGGTCTTGTTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTT
SEQ2106	ATCGAAAGCTTGGTCTTGTTACAGATATTGAAGGTAA-----
SEQ2107	ATAG-----
SEQ2108	ATCGTAAGCTTGGTCTTGTTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTT
SEQ2109	ATCGTAAGCTTGGTCTTGTTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTT
SEQ2110	ATAAAAGCTTGGTCTTGTTACAGATATTGAAGGTAATCA-----
SEQ2111	ATCGTAAGCTTGGTCTTGTTACAGATATTGAAGGTAATCAAGAAATAACAGAAGTTTTT
SEQ2112	GTSAGADNYATKNAS-----
SEQ2101	CAGATGTTGAAAAAGCGTTG-----
SEQ2102	CAGATGTTGAAAAAGCGTTGCTAGAACTCAA
SEQ2103	-----
SEQ2104	CAGATGTTGAAAAAGCGTTGCTAGAA-----
SEQ2105	CAGATGTTGAAAAAGCGTTG-----
SEQ2106	-----
SEQ2107	-----
SEQ2108	CAGATGTTGAAAAAGCGTTGCTAG-----
SEQ2109	CAGATGTTGAAAAAGCGTTGCT-----
SEQ2110	-----
SEQ2111	CAGATGTTGAAAAAGCGTTGCTAGAACTCAA
SEQ2112	-----

Table 21: Comparative Sequences relating to SAG0079 (adenylate kinase)

>SEQ ID NO 2150:090 frame: 1

NLLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
 EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSC
 IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
 YRKLGLVTDIEGNQEITEVFADVEKALLEK

>SEQ ID NO 2151:114_1169NT frame: 2

GKGTOAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPDQVTNGIVKER
 LAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSC
 IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVHIAQGEPILEHYSKGLGLVTDI
 EGNQEI

>SEQ ID NO 2152: 114_18RS21 frame: 1

NLLTTGSPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
 EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSC
 IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
 YRKLGLVTDIEGNQEITEVFADVEKALLE

>SEQ ID NO 2153: 114_2603 frame: 1

NLLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
 EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSC
 IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
 YRKLGLVTDIEGNQEITEVFADVEKAL

>SEQ ID NO 2154: 114_A909 frame: 1

NLLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
 EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSC
 IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGESILEH
 YRKLGLVTDIEG

>SEQ ID NO 2155:114_A909 frame: 1

NLLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
 EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSC
 IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGESILEH
 YRKLGLVTDIEG

>SEQ ID NO 2156: 114_CJB110 frame: 1

NLLTTGLLGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
 EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSC
 IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
 Y

>SEQ ID NO 2157: 114_COH1 frame: 3

LLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPDE
 VTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPTCLI
 ERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEHY
 RKLGLVTDIEGNQEITEVFADVEKALL

>SEQ ID NO 2158: 114_H36B frame: 3

GDMFRAAMANQTEMGR LAKSYIDKGELVPDEV
 TNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSC
 IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGESILEH
 YRKLGLVTDIEGNQEITEVFADVEKAL

>SEQ ID NO 2159: 114_JM9130013 frame: 1

NLLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
 EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSC
 IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
 YKKLGLVTDIEGN

>SEQ ID NO 2160:114_M732 frame: 1

LLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPDE
 VTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPTCLI
 ERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEHY
 RKLGLVTDIEGNQEITEVFADVEKALLEK

>SEQ ID NO 2161: 114_M781 frame: 1

NLLITGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
 EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPTCL
 IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQ

Table 21: Comparative Sequences relating to SAG0079 (adenylate kinase)

SEQ2150	LLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
SEQ2151	-----GKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
SEQ2152	LLTTGSPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
SEQ2153	LLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
SEQ2154	LLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
SEQ2155	LLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
SEQ2156	LLTTGLLGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
SEQ2157	LLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
SEQ2158	-----GDMFRAAMANQTEMGR LAKSYIDKGELVPD
SEQ2159	LLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
SEQ2160	LLIMGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
SEQ2161	LLITGLPGAGKGTQAAKIVEEFGVAHISTGDMFRAAMANQTEMGR LAKSYIDKGELVPD
SEQ2150	EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSCL
SEQ2151	QVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSCL
SEQ2152	EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSCL
SEQ2153	EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSCL
SEQ2154	EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSCL
SEQ2155	EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSCL
SEQ2156	EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSCL
SEQ2157	EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSCL
SEQ2158	EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSCL
SEQ2159	EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPSCL
SEQ2160	EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPTCL
SEQ2161	EVTNGIVKERLAEDDIAEKGFLLDGYPTIEQAHALDATLEELGLRLDGVINIKVDPTCL
SEQ2150	IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
SEQ2151	IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
SEQ2152	IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
SEQ2153	IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
SEQ2154	IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGESILEH
SEQ2155	IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGESILEH
SEQ2156	IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
SEQ2157	IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
SEQ2158	IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGESILEH
SEQ2159	IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
SEQ2160	IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQGEPILEH
SEQ2161	IERLSGRIINRKTGETFHKVFNPPVDYKEEDYYQREDDKPETVKRRLDVNIAQ-----
SEQ2150	RKLGLVTDIEGNQEITEVFADVEKALLEK
SEQ2151	SKLGLVTDIEGNQEI-----
SEQ2152	RKLGLVTDIEGNQEITEVFADVEKALLE--
SEQ2153	RKLGLVTDIEGNQEITEVFADVEKAL----
SEQ2154	RKLGLVTDIEG-----
SEQ2155	RKLGLVTDIEG-----
SEQ2156	-----
SEQ2157	RKLGLVTDIEGNQEITEVFADVEKALL---
SEQ2158	RKLGLVTDIEGNQEITEVFADVEKAL----
SEQ2159	KKLGLVTDIEGN-----
SEQ2160	RKLGLVTDIEGNQEITEVFADVEKALLEK
SEQ2161	-----

**Table 22: Comparative Sequences relating to SAG0093
(D-alanyl-D-alanine carboxypeptidase family protein)**

SEQ ID NO. 2201: SAG0093 FROM THE 090 GBS TYPE Ia STRAIN REVERSE COMPLEMENT

AAGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATATCCTCTCAAAAAAGAAATAAGAAATTA
CAATTACCAGCTGTATCATCAAAAGATTGGAACCTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTT
CCTGTTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTGCTAGAGCAATTGATTCACGAGAA
CATTTAATTTCCGGGTATCGTAGTGTTCCTATCAGGAGAAGTTGTTCAATTCCTATGTTACTCAAGAGATGACTAGTAACCCCTAAT
TTGACGAGGGGACAAGCAGAAAAGTTGGTAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGACTGGATTAGCGATGGAT
ATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAGTCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTA
CGGTTTCCGGATGGTAAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGTCTGCAAAATAT
ATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAGGAGAATAACCAA

SEQ ID NO. 2202: SAG0093 FROM THE 1169NT1 GBS TYPE V STRAIN REVERSE COMPLEMENT

AAGCCTAACAGTCAACAATCATCACCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATATCCTCTCAAAAAAGAAATAAGAAATTA
CGATTACCAGCTGTATCATCAAAAGATTGGAACCTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTG
CCTGTTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTGCTAGAGCAATTGATTCACGAGAA
CATTTAATTTCCGGGTATCGTAGTGTTCCTATCAGGAGAAGTTGTTCAATTCCTATGTTACTCAAGAGATGACTAGTAACCCCTAAT
TTGACGAGGGGACAAGCAGAAAAGTTGGTAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGACTGGATTAGCGATGGAT
ATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAGTCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTA
CGGTTTCCGGATGGTAAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGTCTGCAAAATAT
ATGGCCGAACATCGTTTAAACATTAGAAGAATACATAACTTTATTAAGGAGAATAACCAA

SEQ ID NO. 2203: SAG0093 FROM THE 18RS21 GBS TYPE II STRAIN

AAGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATATCCTCTCAAAAAAGAAATAAGAAATTA
CAATTACCAGCTGTATCATCAAAAGATTGGAACCTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTT
CCTGTTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTGCTAGAGCAATTGATTCACGAGAA
CATTTAATTTCCGGGTATCGTAGTGTTCCTATCAGGAGAAGTTGTTCAATTCCTATGTTACTCAAGAGATGACTAGTAACCCCTAAT
TTGACGAGGGGACAAGCAGAAAAGTTGGTAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGACTGGATTAGCGATGGAT
ATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAGTCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTA
CGGTTTCCGGATGGTAAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGTCTGCAAAATAT
ATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAGGAGAATAACCAA

SEQ ID NO. 2204: SAG0093 FROM THE 2603V/R GBS TYPE V STRAIN

ACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATATCCTCTCAAAAAAGAAATAAGAAATTACAATTAC
CAGCTGTATCATCAAAAGATTGGAACCTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTTCCCTGTTG
AAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTGCTAGAGCAATTGATTCACGAGAACATTTAA
TTTCGGGTATCGTAGTGTTCCTATCAGGAGAAGTTGTTCAATTCCTATGTTACTCAAGAGATGACTAGTAACCCCTAAT
GGGACAAGCAGAAAAGTTGGTAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGACTGGATTAGCGATGGATATGAGTA
CTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAGTCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACGGTTTC
CGGATGGTAAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGTCTGCAAAATATATGGCCA
AACATCATTTAACATTAGAAGAATACATAACTTTATTAAGGAGAATAACCAAACCCAGCTTCTTGATACAA

SEQ ID NO. 2205: SAG0093 FROM THE A909 GBS TYPE Ia STRAIN

AAGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATATCCTCTCAAAAAAGAAATAAGAAATTA
CGATTACCAGCTGTATCATCAAAAGATTGGAACCTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTG
CCTGTTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTGCTAGAGCAATTGATTCACGAGAA
CATTTAATTTCCGGGTATCGTAGTGTTCCTATCAGGAGAAGTTGTTCAATTCCTATGTTACTCAAGAAATGACTAGTAACCCCTAAT
TTGACGAAGGAACAAGCAGAAAAGTTGGTAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGACTGGATTAGCGATGGAT
ATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAGTCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTA
CGGTTTCCGGATGGTAAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGTCTGCAAAATAT
ATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAGGAGAATAACCAA

SEQ ID NO. 2206: SAG0093 FROM THE CJB110 GBS NONTYPEABLE STRAIN

AAGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATATCCTCTCAAAAAAGAAATAAGAAATTT
ACAATTACCAGCTGTATCATCAAAAGATTGGAACCTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGT
TCCTGTTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTGCTAGAGCAATTGATTCACGAGA
ACATTTAATTTCCGGGTATCGTAGTGTTCCTATCAGGAGAAGTTGTTCAATTCCTATGTTACTCAAGAGATGACTAGTAACCCCTAA
TTTGACGAGGGGACAAGCAGAAAAGTTGGTAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGACTGGATTAGCGATGGAT
TATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAGTCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTT
ACGGTTTCCGGATGGTAAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGTCTGCAAAATA
TATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAGGAGAATAACCAA

**Table 22: Comparative Sequences relating to SAG0093
(D-alanyl-D-alanine carboxypeptidase family protein)**

SEQ ID NO. 2207: SAG0093 FROM THE COH1 GBS TYPE III STRAIN

CCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGACATCCTCTCAAAAAAGAAATTAAGAAATTACG
ATTACCAGCTGTATCATCAAAAGATTGGAACCTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTGCC
TGTTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTGCTAGAGCAATTGATTACAGAGAACA
TTTAATTTCCGGTTATCGTAGTGTTCCTATCAGGAGAAGTTGTTCAATTCCTATGTTACTCAAGAGATGACTAGTAACCCTAATTT
GACGAGGGGACAAGCAGAAAAGTTGGTAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGACTGGATTAGCGATGGATAT
GAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAGTCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACG
GTTTCCGGATGGTAAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGTCTGCAAAATATAT
GGTCAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGGAGAATAACCAAAACCCAGCTTTCTGTACAA

SEQ ID NO. 2208: SAG0093 FROM THE H36b GBS TYPE Ib STRAIN

AAGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGACATCCTCTCAAAAAAGAAATTAAGAAATTA
CGATTACCAGCTGTATCATCAAAAGATTGGAACCTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTG
CCTGTTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTGCTAGAGCAATTGATTACAGAGAA
CATTTAATTTCCGGTTATCGTAGTGTTCCTATCAGGAGAAGTTGTTCAATTCCTATGTTACTCAWGAATGACTAGTAACCCTAAT
TTGACGAGGAACAAGCAGAAAAGTTGGTAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGACTGGATTAGCGATGGAT
ATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAGTCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTA
CGGTTTCCGGATGGTAAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGTCTGCAAAATAT
ATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGGAGAATAACCAA

SEQ ID NO. 2209: SAG0093 FROM THE JM9130013 GBS TYPE VIII STRAIN

AAGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATATCCTCTCAAAAAAGAAATTAAGAAATTA
CAATTACCAGCTGTATCATCAAAAGATTGGAACCTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTT
CCTGTTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTGCTAGAGCAATTGATTACAGAGAA
CATTTAATTTCCGGTTATCGTAGTGTTCCTATCAGGAGAAGTTGTTCAATTCCTATGTTACTCAAGAGATGACTAGTAACCCTAAT
TTGACGAGGGGACAAGCAGAAAAGTTGGTAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGACTGGATTAGCGATGGAT
ATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAGTCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTA
CGGTTTCCGGATGGTAAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGTCTGCAAAATAT
ATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGGAGAATAACCAA

SEQ ID NO. 2210: SAG0093 FROM THE M732 GBS TYPE III STRAIN

AGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGACATCCTCTCAAAAAAGAAATTAAGAAATTAC
GATTACCAGCTGTATCATCAAAAGATTGGAACCTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTG
CTGTTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTGCTAGAGCAATTGATTACAGAGAAC
ATTTAATTTCCGGTTATCGTAGTGTTCCTATCAGGAGAAGTTGTTCAATTCCTATGTTACTCAAGAGATGACTAGTAACCCTAAT
TGACGAGGGGACAAGCAGAAAAGTTGGTAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGACTGGATTAGCGATGGATA
TGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAGTCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTAC
GGTTTCCGGATGGTAAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGTCTGCAAAATATA
TGTTCAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGGAGAATAACCAAAACCCAGCTTTCTT

SEQ ID NO. 2211: SAG0093 FROM THE M781 GBS TYPE III STRAIN

AAGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGACATCCTCTCAAAAAAGAAATTAAGAAATTA
CGATTACCAGCTGTATCATCAAAAGATTGGAACCTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTG
CCTGTTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTGCTAGAGCAATTGATTACAGAGAA
CATTTAATTTCCGGTTATCGTAGTGTTCCTATCAGGAGAAGTTGTTCAATTCCTATGTTACTCAAGAGATGACTAGTAACCCTAAT
TTGACGAGGGGACAAGCAGAAAAGTTGGTAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGACTGGATTAGCGATGGAT
ATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAGTCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTA
CGGTTTCCGGATGGTAAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGTCTGCAAAATAT
ATGGTCAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGGAGAATAACCAA

SEQ2201	AGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATA
SEQ2202	AGCCTAACAGTCAACAATCATCCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATA
SEQ2203	AGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATA
SEQ2204	-----ACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATA
SEQ2205	AGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGACA
SEQ2206	AGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATA
SEQ2207	--CCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGACA
SEQ2208	AGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGACA
SEQ2209	AGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGATA
SEQ2210	AGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGACA
SEQ2211	AGCCTAACAGTCAACAATCATCATCTCAAAAGTTGAGGAATGAGGATATAAAAAAGACA

**Table 22: Comparative Sequences relating to SAG0093
(D-alanyl-D-alanine carboxypeptidase family protein)**

SEQ2201	TCCTCTCAAAAAGAAAT-AAGAAATT-ACAATTACCAGCTGTATCATCAAAAGATTGGA
SEQ2202	TCCTCTCAAAAAGAAAT-AAGAAATT-ACGATTACCAGCTGTATCATCAAAAGATTGGA
SEQ2203	TCCTCTCAAAAAGAAAT-AAGAAATT-ACAATTACCAGCTGTATCATCAAAAGATTGGA
SEQ2204	TCCTCTCAAAAAGAAAT-AAGAAATT-ACAATTACCAGCTGTATCATCAAAAGATTGGA
SEQ2205	TCCTCTCAAAAAGAAAT-AAGAAATT-ACGATTACCAGCTGTATCATCAAAAGATTGGA
SEQ2206	TCCTCTCAAAAAGAAAT-AAGAAATTACATTACCAGCTGTATCATCAAAAGATTGGA
SEQ2207	TCCTCTCAAAAAGAAATTAAGAAATT-ACGATTACCAGCTGTATCATCAAAAGATTGGA
SEQ2208	TCCTCTCAAAAAGAAAT-AAGAAATT-ACGATTACCAGCTGTATCATCAAAAGATTGGA
SEQ2209	TCCTCTCAAAAAGAAAT-AAGAAATT-ACAATTACCAGCTGTATCATCAAAAGATTGGA
SEQ2210	TCCTCTCAAAAAGAAAT-AAGAAATT-ACGATTACCAGCTGTATCATCAAAAGATTGGA
SEQ2211	TCCTCTCAAAAAGAAAT-AAGAAATT-ACGATTACCAGCTGTATCATCAAAAGATTGGA
SEQ2201	ACTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTTCCTG
SEQ2202	ACTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTGCCTG
SEQ2203	ACTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTTCCTG
SEQ2204	ACTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTTCCTG
SEQ2205	ACTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTGCCTG
SEQ2206	ACTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTTCCTG
SEQ2207	ACTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTGCCTG
SEQ2208	ACTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTGCCTG
SEQ2209	ACTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTTCCTG
SEQ2210	ACTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTGCCTG
SEQ2211	ACTTGATTTTGGTCAATCGTGACCATAAACATGAAGAATTAAGTCCAGATGTGGTGCCTG
SEQ2201	TTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTG
SEQ2202	TTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTG
SEQ2203	TTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTG
SEQ2204	TTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTG
SEQ2205	TTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTG
SEQ2206	TTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTG
SEQ2207	TTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTG
SEQ2208	TTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTG
SEQ2209	TTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTG
SEQ2210	TTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTG
SEQ2211	TTGAAAATATTTATTTGGATAAACGTATTACGAAGCAAGCTACTCAGTTTTTAGAGGCTG
SEQ2201	CTAGAGCAATTGATTCACGAGAACATTTAATTTTCGGGTATCGTAGTGTTCCTATCAGG
SEQ2202	CTAGAGCAATTGATTCACGAGAACATTTAATTTTCGGGTATCGTAGTGTTCCTATCAGG
SEQ2203	CTAGAGCAATTGATTCACGAGAACATTTAATTTTCGGGTATCGTAGTGTTCCTATCAGG
SEQ2204	CTAGAGCAATTGATTCACGAGAACATTTAATTTTCGGGTATCGTAGTGTTCCTATCAGG
SEQ2205	CTAGAGCAATTGATTCACGAGAACATTTAATTTTCGGGTATCGTAGTGTTCCTATCAGG
SEQ2206	CTAGAGCAATTGATTCACGAGAACATTTAATTTTCGGGTATCGTAGTGTTCCTATCAGG
SEQ2207	CTAGAGCAATTGATTCACGAGAACATTTAATTTTCGGGTATCGTAGTGTTCCTATCAGG
SEQ2208	CTAGAGCAATTGATTCACGAGAACATTTAATTTTCGGGTATCGTAGTGTTCCTATCAGG
SEQ2209	CTAGAGCAATTGATTCACGAGAACATTTAATTTTCGGGTATCGTAGTGTTCCTATCAGG
SEQ2210	CTAGAGCAATTGATTCACGAGAACATTTAATTTTCGGGTATCGTAGTGTTCCTATCAGG
SEQ2211	CTAGAGCAATTGATTCACGAGAACATTTAATTTTCGGGTATCGTAGTGTTCCTATCAGG
SEQ2201	AGAAGTTGTTCAATTCTTATGTTACTCAAGAGATGACTAGTAACCCTAATTTGACGAGGG
SEQ2202	AGAAGTTGTTCAATTCTTATGTTACTCAAGAGATGACTAGTAACCCTAATTTGACGAGGG
SEQ2203	AGAAGTTGTTCAATTCTTATGTTACTCAAGAGATGACTAGTAACCCTAATTTGACGAGGG
SEQ2204	AGAAGTTGTTCAATTCTTATGTTACTCAAGAGATGACTAGTAACCCTAATTTGACGAGGG
SEQ2205	AGAAGTTGTTCAATTCTTATGTTACTCAAGAAATGACTAGTAACCCTAATTTGACGAAGG
SEQ2206	AGAAGTTGTTCAATTCTTATGTTACTCAAGAGATGACTAGTAACCCTAATTTGACGAGGG
SEQ2207	AGAAGTTGTTCAATTCTTATGTTACTCAAGAGATGACTAGTAACCCTAATTTGACGAGGG
SEQ2208	AGAAGTTGTTCAATTCTTATGTTACTCAWGAATGACTAGTAACCCTAATTTGACGAAGG
SEQ2209	AGAAGTTGTTCAATTCTTATGTTACTCAAGAGATGACTAGTAACCCTAATTTGACGAGGG
SEQ2210	AGAAGTTGTTCAATTCTTATGTTACTCAAGAGATGACTAGTAACCCTAATTTGACGAGGG
SEQ2211	AGAAGTTGTTCAATTCTTATGTTACTCAAGAGATGACTAGTAACCCTAATTTGACGAGGG

**Table 22: Comparative Sequences relating to SAG0093
(D-alanyl-D-alanine carb xypeptidase family protein)**

SEQ2201	ACAAGCAGAAAAGTTGGTAAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGA
SEQ2202	ACAAGCAGAAAAGTTGGTAAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGA
SEQ2203	ACAAGCAGAAAAGTTGGTAAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGA
SEQ2204	ACAAGCAGAAAAGTTGGTAAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGA
SEQ2205	ACAAGCAGAAAAGTTGGTAAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGA
SEQ2206	ACAAGCAGAAAAGTTGGTAAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGA
SEQ2207	ACAAGCAGAAAAGTTGGTAAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGA
SEQ2208	ACAAGCAGAAAAGTTGGTAAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGA
SEQ2209	ACAAGCAGAAAAGTTGGTAAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGA
SEQ2210	ACAAGCAGAAAAGTTGGTAAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGA
SEQ2211	ACAAGCAGAAAAGTTGGTAAAAACTTACTCTCAGCCTGCAGGTGCTAGTGAACACCAGA
SEQ2201	CTGGATTAGCGATGGATATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAG
SEQ2202	CTGGATTAGCGATGGATATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAG
SEQ2203	CTGGATTAGCGATGGATATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAG
SEQ2204	CTGGATTAGCGATGGATATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAG
SEQ2205	CTGGATTAGCGATGGATATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAG
SEQ2206	CTGGATTAGCGATGGATATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAG
SEQ2207	CTGGATTAGCGATGGATATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAG
SEQ2208	CTGGATTAGCGATGGATATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAG
SEQ2209	CTGGATTAGCGATGGATATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAG
SEQ2210	CTGGATTAGCGATGGATATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAG
SEQ2211	CTGGATTAGCGATGGATATGAGTACTGTAGATTCTTTGAATGAGAGCGATCCTAGAGTAG
SEQ2201	TCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACGGTTTCCGGATGGTA
SEQ2202	TCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACGGTTTCCGGATGGTA
SEQ2203	TCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACGGTTTCCGGATGGTA
SEQ2204	TCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACGGTTTCCGGATGGTA
SEQ2205	TCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACGGTTTCCGGATGGTA
SEQ2206	TCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACGGTTTCCGGATGGTA
SEQ2207	TCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACGGTTTCCGGATGGTA
SEQ2208	TCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACGGTTTCCGGATGGTA
SEQ2209	TCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACGGTTTCCGGATGGTA
SEQ2210	TCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACGGTTTCCGGATGGTA
SEQ2211	TCAGTCAGTTGAAAAAGATAGCTCCACAATATGGTTTTGTCTTACGGTTTCCGGATGGTA
SEQ2201	AAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGT
SEQ2202	AAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGT
SEQ2203	AAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGT
SEQ2204	AAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGT
SEQ2205	AAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGT
SEQ2206	AAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGT
SEQ2207	AAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGT
SEQ2208	AAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGT
SEQ2209	AAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGT
SEQ2210	AAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGT
SEQ2211	AAACAGCAGAAACAGGGGTAGGTTATGAAGATTGGCATTACCGCTATGTTGGGGTAGAGT
SEQ2201	CTGCAAAATATATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGG
SEQ2202	CTGCAAAATATATGGCCAAACATCGTTTAACATTAGAAGAATACATAACTTTATTAAAGG
SEQ2203	CTGCAAAATATATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGG
SEQ2204	CTGCAAAATATATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGG
SEQ2205	CTGCAAAATATATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGG
SEQ2206	CTGCAAAATATATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGG
SEQ2207	CTGCAAAATATATGGTCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGG
SEQ2208	CTGCAAAATATATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGG
SEQ2209	CTGCAAAATATATGGCCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGG
SEQ2210	CTGCAAAATATATGGTCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGG
SEQ2211	CTGCAAAATATATGGTCAAACATCATTTAACATTAGAAGAATACATAACTTTATTAAAGG

**Table 22: Comparative Sequences relating to SAG0093
(D-alanyl-D-alanine carb xypeptidase family protein)**

```

SEQ2201      AGAATAACCAA-----
SEQ2202      AGAATAACCAA-----
SEQ2203      AGAATAACCAA-----
SEQ2204      AGAATAACCAAAACCCAGCTTCTTGTACAA-----
SEQ2205      AGAATAACCAA-----
SEQ2206      AGAATAACCAA-----
SEQ2207      AGAATAACCAAAACCCAGCTTCTTGTACAA-----
SEQ2208      AGAATAACCAA-----
SEQ2209      AGAATAACCAA-----
SEQ2210      AGAATAACCAAAACCCAGCTTCTT-----
SEQ2211      AGAATAACCAATABC MARATVSTNCSRATNGTSAGDAANYDAANNCARBXYTDASAMYRT

```

>SEQ ID NO 2250: 18_090 frame: 1

KPNSQQSSSQKL RNEDIK KISSQKR NKKLQLPAVSSK DWNLILVNRD HKHEELSPDVVPV
 ENIYLDKRITKQATQFLEAARAIDSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
 QAEKLVKTY SQPAGASEHQTGLAMD MSTVDSL NESDPRVVSQ LKKIAPQYGFVLRFPDGK
 TAETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQ

>SEQ ID NO 2251: 18_1169NT frame: 1

KPNSQQSSSQKL RNEDIK KISSQKR NKKLRLPAVSSK DWNLILVNRD HKHEELSPDVVPV
 ENIYLDKRITKQATQFLEAARAIDSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
 QAEKLVKTY SQPAGASEHQTGLAMD MSTVDSL NESDPRVVSQ LKKIAPQYGFVLRFPDGK
 TAETGVGYEDWHYRYVGVESAKYMAEHRLTLEEYITLLKENNQ

>SEQ ID NO 2252: 18_18RS21 frame: 1

KPNSQQSSSQKL RNEDIK KISSQKR NKKLQLPAVSSK DWNLILVNRD HKHEELSPDVVPV
 ENIYLDKRITKQATQFLEAARAIDSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
 QAEKLVKTY SQPAGASEHQTGLAMD MSTVDSL NESDPRVVSQ LKKIAPQYGFVLRFPDGK
 TAETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQ

>SEQ ID NO 2253: 18_2603 frame: 3

SQSSSQKL RNEDIK KISSQKR NKKLQLPAVSSK DWNLILVNRD HKHEELSPDVVPVENI
 YLDKRITKQATQFLEAARAIDSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRGQAE
 KLVKTY SQPAGASEHQTGLAMD MSTVDSL NESDPRVVSQ LKKIAPQYGFVLRFPDGKTAE
 TGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQNP AFLY

>SEQ ID NO 2254: 18_A909 frame: 1

KPNSQQSSSQKL RNEDIK KISSQKR NKKLRLPAVSSK DWNLILVNRD HKHEELSPDVVPV
 ENIYLDKRITKQATQFLEAARAIDSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTKE
 QAEKLVKTY SQPAGASEHQTGLAMD MSTVDSL NESDPRVVSQ LKKIAPQYGFVLRFPDGK
 TAETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQ

>SEQ ID NO 2255: 18_CJB110 frame: 1

KPNSQQSSSQKL RNEDIK KISSQKR NKKFTITSCIIKRLDFGQS

>SEQ ID NO 2256: 18_COH1 frame: 1

PNSQQSSSQKL RNEDIK KISSQKR N

>SEQ ID NO 2257: 18_H36B frame: 1

KPNSQQSSSQKL RNEDIK KISSQKR NKKLRLPAVSSK DWNLILVNRD HKHEELSPDVVPV
 ENIYLDKRITKQATQFLEAARAIDSREHLISGYRSVAYQEKLFNSYVTXEMTSNPNLTKE
 QAEKLVKTY SQPAGASEHQTGLAMD MSTVDSL NESDPRVVSQ LKKIAPQYGFVLRFPDGK
 TAETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQ

>SEQ ID NO 2258: 18_JM9130013 frame: 1

KPNSQQSSSQKL RNEDIK KISSQKR NKKLQLPAVSSK DWNLILVNRD HKHEELSPDVVPV
 ENIYLDKRITKQATQFLEAARAIDSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
 QAEKLVKTY SQPAGASEHQTGLAMD MSTVDSL NESDPRVVSQ LKKIAPQYGFVLRFPDGK
 TAETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQ

>SEQ ID NO 2259: 18_M732 frame: 3

PNSQQSSSQKL RNEDIK KISSQKR NKKLRLPAVSSK DWNLILVNRD HKHEELSPDVVPVE
 NIYLDKRITKQATQFLEAARAIDSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRGQ
 AEKLVKTY SQPAGASEHQTGLAMD MSTVDSL NESDPRVVSQ LKKIAPQYGFVLRFPDGKT
 AETGVGYEDWHYRYVGVESAKYMKHHLTLEEYITLLKENNQNP AF

**Table 22: Comparative Sequences relating to SAG0093
(D-alanyl-D-alanine carboxypeptidase family protein)**

>SEQ ID NO 2260: 18_M781 frame: 1

KPNSQQSSSQKLARNEDIKKTSSQKRNNKLRPAVSSKDWNLILVNRDHKHEELSPDVVPV
ENIYLDKRITKQATQFLEAARAISSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
QAEKLVKTYSQPAGASEHQTGLAMDSTVDSLNESDPRVVSQKKIAPQYGFVLRFPDGG
TAETGVGYEDWHYRYVGVESAKYMKHHLTLEEYITLLKENNQ

SEQ2250	PNSQQSSSQKLARNEDIKKTSSQKRNNKLRPAVSSKDWNLILVNRDHKHEELSPDVVPV
SEQ2251	PNSQQSSSQKLARNEDIKKTSSQKRNNKLRPAVSSKDWNLILVNRDHKHEELSPDVVPV
SEQ2252	PNSQQSSSQKLARNEDIKKTSSQKRNNKLRPAVSSKDWNLILVNRDHKHEELSPDVVPV
SEQ2253	--SQSSSQKLARNEDIKKTSSQKRNNKLRPAVSSKDWNLILVNRDHKHEELSPDVVPV
SEQ2254	PNSQQSSSQKLARNEDIKKTSSQKRNNKLRPAVSSKDWNLILVNRDHKHEELSPDVVPV
SEQ2255	PNSQQSSSQKLARNEDIKKTSSQKRNNKFTITSCIIRLEL-----DFGQS-----
SEQ2256	PNSQQSSSQKLARNEDIKKTSSQKRNN-----
SEQ2257	PNSQQSSSQKLARNEDIKKTSSQKRNNKLRPAVSSKDWNLILVNRDHKHEELSPDVVPV
SEQ2258	PNSQQSSSQKLARNEDIKKTSSQKRNNKLRPAVSSKDWNLILVNRDHKHEELSPDVVPV
SEQ2259	PNSQQSSSQKLARNEDIKKTSSQKRNNKLRPAVSSKDWNLILVNRDHKHEELSPDVVPV
SEQ2260	PNSQQSSSQKLARNEDIKKTSSQKRNNKLRPAVSSKDWNLILVNRDHKHEELSPDVVPV
SEQ2250	NIYLDKRITKQATQFLEAARAISSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
SEQ2251	NIYLDKRITKQATQFLEAARAISSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
SEQ2252	NIYLDKRITKQATQFLEAARAISSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
SEQ2253	NIYLDKRITKQATQFLEAARAISSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
SEQ2254	NIYLDKRITKQATQFLEAARAISSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
SEQ2255	-----
SEQ2256	-----
SEQ2257	NIYLDKRITKQATQFLEAARAISSREHLISGYRSVAYQEKLFNSYVTXEMTSNPNLTRG
SEQ2258	NIYLDKRITKQATQFLEAARAISSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
SEQ2259	NIYLDKRITKQATQFLEAARAISSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
SEQ2260	NIYLDKRITKQATQFLEAARAISSREHLISGYRSVAYQEKLFNSYVTQEMTSNPNLTRG
SEQ2250	AEKLVKTYSQPAGASEHQTGLAMDSTVDSLNESDPRVVSQKKIAPQYGFVLRFPDGG
SEQ2251	AEKLVKTYSQPAGASEHQTGLAMDSTVDSLNESDPRVVSQKKIAPQYGFVLRFPDGG
SEQ2252	AEKLVKTYSQPAGASEHQTGLAMDSTVDSLNESDPRVVSQKKIAPQYGFVLRFPDGG
SEQ2253	AEKLVKTYSQPAGASEHQTGLAMDSTVDSLNESDPRVVSQKKIAPQYGFVLRFPDGG
SEQ2254	AEKLVKTYSQPAGASEHQTGLAMDSTVDSLNESDPRVVSQKKIAPQYGFVLRFPDGG
SEQ2255	-----
SEQ2256	-----
SEQ2257	AEKLVKTYSQPAGASEHQTGLAMDSTVDSLNESDPRVVSQKKIAPQYGFVLRFPDGG
SEQ2258	AEKLVKTYSQPAGASEHQTGLAMDSTVDSLNESDPRVVSQKKIAPQYGFVLRFPDGG
SEQ2259	AEKLVKTYSQPAGASEHQTGLAMDSTVDSLNESDPRVVSQKKIAPQYGFVLRFPDGG
SEQ2260	AEKLVKTYSQPAGASEHQTGLAMDSTVDSLNESDPRVVSQKKIAPQYGFVLRFPDGG
SEQ2250	AETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQ-----
SEQ2251	AETGVGYEDWHYRYVGVESAKYMAEHRLTLEEYITLLKENNQ-----
SEQ2252	AETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQ-----
SEQ2253	AETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQNPFLY-----
SEQ2254	AETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQ-----
SEQ2255	-----
SEQ2256	-----
SEQ2257	AETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQ-----
SEQ2258	AETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQ-----
SEQ2259	AETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQNPFLY-----
SEQ2260	AETGVGYEDWHYRYVGVESAKYMAKHHLTLEEYITLLKENNQTABLECMPARATIVESE
SEQ2250	-----
SEQ2251	-----
SEQ2252	-----
SEQ2253	-----
SEQ2254	-----
SEQ2255	-----
SEQ2256	-----
SEQ2257	-----
SEQ2258	-----
SEQ2259	-----
SEQ2260	ENCESRELATINGTSAGDALANYLDALANINECARBOXYPEPTIDASEFAMILYPRTEIN

**Table 23: Comparative Sequences relating to SAG0163
(competence pr tein Cg1A)**

SEQ ID NO. 2301: SAG0163 FROM THE 090 GBS TYPE III STRAIN (REVERSE COMPLEMENT)

GGCAGTAGAAGTAAATGCTCAAGATATTTATATCATTCCCAAAGGTGATTGTTATGAACCTCTATATGCGTATTGATGATGAAAGGCG
GTTTATTGATGTTTTTGTAGTTTAAATAGGATGGCTAGTCTTATTAGTCACTTTAAATTTGTGGCAGGCATGAACGTTGGAGAAAAAG
ACGAAGTCAATTAGGTTCTTGTGACTATGAACGTGCAGAGGGAAGACTGGTTTCATTACGACTATCGAGTGTGGGAGATTATCGTGG
TCAAGAATCTTTAGTTATTCGTATTTTGTATTTCAGGTCTCAGGACTTAAATATTTGGTTTGATAATATAAAGCAAATGAAGGAAGT
ACTGGGTACAAGAGGGCTATATCTTTTTCCGGCCCTGTGGGGAGTGGTAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATT
TAAAAATAAGCAAATTATCAGCATTGAAGATCCGGTAGAATCAAGAATGACAAGATGTTACAACCTCCAATTGAATGAGGATATTGG
AATGACTTATGATGCTTTAATCAAACGTCTTTACGGCATCGTCCAGATATTTTAAATTATCGGAGAGATTAGAGATCAAGCGACGGC
CCGTGCTGTTATTCGTGCAAGTTTAAACGGGAGTGATGGTTTTTCTACTATTTCATGCTAAAAGTATTTCCGGAGTCTATGATAGGCT
TATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTAAAATTAATAGCATATCAACGTTTAAATTGGAGGAGGAAGCCCTAAT
TGACTTTGAGACAGGTAACTTAAAAAACACTCATCAGACAAGTGGATAGACAAGTGGATATCTTGGCTGAAGAAGGACATATCAG
TAAGAAACAGGCACAAGTCGAAAAAATTATCCCTCAAGAAACAACGGAAAGTAGTCCAACTTTT

SEQ ID NO. 2302: SAG0163 FROM THE 1169NT1 GBS TYPE V STRAIN (REVERSE COMPLEMENT)

GGTGATTGTTATGAAACCTCTACTATTGCGTATTTGATGATGAAAGGCGGTTTATTGATGTTTTTGTAGTTTAAATAGGATGGCTAGTC
TTATTAGTCACTTTAAATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACTATGAACGTGCAG
AGGGAAGCAGCTGGTTTCAATTACGACTATCGAGTGTGGGAGATTATCGTGGTCAAGAATCTTTAGTTATTCGTATTTTGTATTTCAGGTC
ATCAGGACTTAAATATTGGTTTGATAATATAAGCAAATGAAGGAAGTACTGGGTACAAGAGGGCTATATCTTTTTCCGGCCCTG
TGGGGAGTGGTAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAAATAAGCAAATTATCAGCATTGAAGATCCGGTAG
AAATCAAGAATGACAAGATGTTACAACCTCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGC
ATCGTCCAGATATTTTAAATTATCGGAGAGATTAGAGATCAAGCGACGGCTCGTGCTGTTATTCGTGCAAGTTTAAACGGGAGTGATGG
TTTTTCTACTATTTCATGCTAAAAGTATTTCCCGGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATA
GTCTAAATTAATAGCATATCAACGTTTAAATTGGAGGAGGAAGCCCTAATTGACTTTGAGACAAGTAACCTTTAAAAAACACTCATCAG
ACAAGTGAATAGACAAGTGGATATCTTGGCTGAAGAAGGATATATCAGTAAGAAACAGGCACAAGTCGAAAAAATTATCCCTCAAG
AAACAACGGAAAGTAGTCCAACTTTT

SEQ ID NO. 2303: SAG0163 FROM THE 18RS21 GBS TYPE II STRAIN (REVERSE COMPLEMENT)

GTTCAATCATTAGCAAAGCAAGTCATTCATCAGGCAGTAGAAGTAAATGCTCAAGATATTTATATCATTCCCAAAGGTGATTGTTAT
GAACCTATATGCGTATTGATGATGAAAGGCGGTTTATTGATGTTTTTGTAGTTTAAATAGGATGGCTAGTCTTATTAGTCACTTTAAA
TTTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACTATGAACGTGCAGAGGGAAGACTGGTTTCA
TTACGACTATCGAGTGTGGGAGATTATCGTGGTCAAGAATCTTTAGTTATTCGTATTTTGTATTCAGGTCTCAGGACTTAAATAT
TGGTTTGATAATATAAAGCAAATGAAGGAAGTACTGGGTATAAGAGGGCTATATCTTTTTCCGGCCCTGTGGGGAGTGGTAAACA
ACTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAAATAAGCAAATTATCAGGATTGAAGATCCGGTAGAATCAAGAATGACAAG
ATGTTACAACCTCCAATTGAATGAGGATATTGGAATGACTTATGATGCGTTTAAATCAAACGTCTTTACGGCATCGTCCAGATATTTTA
ATTATCGGAGAGATTAGAGATCAAGCGACGGCCCGTGTGTTATTCGTGCAAGTTTAAACGGGAGTGATGGTTTTTCTACTATTTCAT
GCTAAAAGTATTTCCCGGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTAAAATTAATAGCA
TATCAACGTTTAAATTGGAGGAGGAAGCCCTAATTGACTTTGAGACAGGTAATTTAAAAAACACTCATCAGACAAGTGGAAATAGACAA
GTGGATATCTTGGCTGAAGAAGGACATATCAGTAAGAAACAGGCACAAGTCGAAAAAATTATCCCTCAAGAAACAACGGAAAGTAGT
CCAACTTTT

SEQ ID NO. 2304: SAG0163 FROM THE 2603 V/R GBS TYPE V STRAIN (REVERSE COMPLEMENT)

GATATTTATATCATTCCCAAAGGTGATTGTTATGAACCTATATGCGTATTGATGATGAAAGGCGGTTTATTGATGTTTTTGTAGTTT
AATAGGATGGCTAGTCTTATTAGTCACTTTAAATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGT
GACTATGAACGTGCAGAGGGAAGACTGGTTTCATTACGACTATCGAGTGTGGGAGATTATCGTGGTCAAGAATCTTTAGTTATTCGT
ATTTTGTATTCAGGTCTCAGGACTTAAATATTGGTTTGATAATATAAAGCAAATGAAGGAAGTACTGGGTATAAGAGGGCTATAT
CTTTTTCCGGCCCTGTGGGGAGTGGTAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAAATAAGCAAATTATCAGC
ATTGAAGATCCGGTAGAATCAAGAATGACAAGATGTTACAACCTCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATC
AAACTGTCTTTACGGCATCGTCCAGATATTTAATTATCGGAGAGATTAGAGATCAAGCGACGGCCCGTGTGTTATTCGTGCAAGT
TTAACGGGAGTGATGGTTTTTCTACTATTTCATGCTAAAAGTATTTCCCGGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTAT
CAAGAGTTAGAAAATAGTCTAAAATTAATAGCATATCAACGTTTAAATTGGAGGAGGAAGCCCTAATTGACTTTGAGACAGGTAATTTT
AAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAAGGACATATCAGTAAGAAACAGGCACAAGTGGCA
AAAAATTATCCCTCAAGAAACAACGGAAAGTAGTCCAACTTTT

**Table 23: Comparative Sequences relating to SAG0163
(competence protein CglA)**

SEQ ID NO. 2305: SAG0163 FROM THE A909 GBS TYPE Ia STRAIN (REVERSE COMPLEMENT)

GTTCAATCATTAGCAAAGCAAGTCATTCATCAGGCAGTAGAAGTAAATGCTCAAGATATTTATATCATTCCCAAAGGTGATTGTTAT
GAACTCTATATGCGTATTGATGATGAAAGGCGGTTTATTGATGTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTAAA
TTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACTATGAACTGTCAGAGGGAAGACTGGTTTCA
TTACGACTATCGAGTGTGGGAGATTATCGTGGTCAAGAATCTTTAGTTATTCGTATTTTGTATTACAGTTCATCAGGACTTAAAATAT
TGGTTTGATAATATAAAGCAAATGAAGGAAGTACTGGGTATAAGAGGGCTATATCTTTTTCCGGCCCTGTGGGGAGTGGTAAAACA
ACTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAAATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAG
ATGTTACAACCTCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGCATCGTCCAGATATTTTA
ATTATCGGAGAGATTAGAGATCAAGCGACGGCCCGTGTCTGTTATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTCTACTATTTCAT
GCTAAAAGTATTCCTGGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTAAAATTAATAGCA
TATCAACGTTTAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGTAATTTAAAAAACACTCATCAGACAAGTGAATAGACAA
GTGGATATCTTGGCTGAAGAAGGACATATCAGTAAGAAACAGGCACAAGTCGAAAAAATTATCCCTCAAGAAACAACGGAAAGTAGT
CCAACTTTT

SEQ ID NO. 2306: SAG0163 FROM THE CJB110 GBS NONTYPEABLE STRAIN (REVERSE COMPLEMENT)

GTTCAATCATTAGCAAAGCAAGTCATTCATCAGGCAGTAGAAGTAAATGCTCAAGATATTTATATCATTCCCAAAGGTGATTGTTAT
GAACTCTATATGCGTATTGATGATGAAAGGCGGTTTATTGATGTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTAAA
TTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACTATGAACTGTCAGAGGGAAGACTGGTTTCA
TTACGACTATCGAGTGTGGGAGATTATCGTGGTCAAGAATCTTTAGTTATTCGTATTTTGTATTACAGTTCATCAGGACTTAAAATAT
TGGTTTGATAATATAAAGCAAATGAAGGAAGTACTGGGTACAAGAGGGCTATATCTTTTTCCGGCCCTGTGGGGAGTGGTAAAACA
ACTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAAATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAG
ATGTTACAACCTCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGCATCGTCCAGATATTTTA
ATTATCGGAGAGATTAGAGATCAAGCGACGGCCCGTGTCTGTTATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTCTACTATTTCAT
GCTAAAAGTATTTCCGGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTAAAATTAATAGCA
TATCAACGTTTAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGTAACCTTTAAAAAACACTCATCAGACAAGTGAATAGACAA
GTGGATATCTTGGCTGAAGAAGGACATATCAGTAAGAAACAGGCACAAGTCGAAAAAATTATCCCTCAAGAAACAACGGAAAGTAGT
CCAACTTTT

SEQ ID NO. 2307: SAG0163 FROM THE COH1 GBS TYPE III STRAIN (REVERSE COMPLEMENT)

AGGTGATTGTTATGAAATCTATATGCGTATTGATGATGAAAGGCGGTTTATTGATGTTTTGAGTTTAATAGGATGGCTAGTCTTA
TTAGTCACTTTAAATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACTATGAACTGTCAGAGG
GAAGACTGGTTTCATTACGACTATCAAGTGTGGGAGATTATCGTGGTCAAGAATCTTTAGTTATTCGTACTTTGTATTACAGTTCATC
AGGACTTAAATATTGGTTTGATAATATAAAGTAAATGAAGGAAGTACTGTGTGCAAGAGGGCTATATCTTTTTCCGGCCCTGTGG
GGAGTGGTAAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAAATAAGCAAATTATCACGATTGAAGATCCGGTAGAAA
TCAAGAATGACAAGATGTTACAACCTCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGCATC
GTCCAGATATTTAATTATCGGAGAGATTAGAGATCAAGCGACGGCCCGTGTCTGTTATTCGTGCAAGTTTAACGGGAGTAAATGGTTT
TTTCTACTATTTCATGCTAAAAGTATTTCCGGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTC
TAAAATTAATAGCATATCAACGTTTAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAAGTAACTTTAAAAAACACTCATCAGACA
AGTGAATAGACAAGTGGATATCTTGGCTGAAGAAGGACATATCAGTAAGAAACAGGCACAAGTCGAAAAAATTATCCCTCAAGAAA
CAACGGAAAGTAGTCCAACTTTT

SEQ ID NO. 2308: SAG0163 FROM THE H36b GBS TYPE Ib STRAIN (REVERSE COMPLEMENT)

TCATTAGCAAAGCAAGTCATTCATCAGGCAGTAGAAGTAAATGCTCAAGATATTTATATCATTCCCAAAGGTGATTGTTATGAACTC
TATATGCGTATTGATGATGAAAGGCGGTTTATTGATGTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTAAATTTGTG
GCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACTATGAACTGTCAGAGGGAAGACTGGTTTCAATACGA
CTATCGAGTGTGGGAGATTATCGTGGTCAAGAATCTTTAGTTATTCGTATTTTGTATTACAGTTCATCAGGACTTAAAATATTGGTTT
GATAATATAAAGCAAATGAAGGAAGTACTGGGTATAAGAGGGCTATATCTTTTTCCGGCCCTGTGGGGAGTGGTAAAACAACCTCTC
ATGTATCAATTAGCTTCAGAAGTATTTAAAAATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTA
CAACTCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGCATCGTCCAGATATTTAATTATC
GGAGAGAAATAGAGATCAAGCGACGGCCCGTGTCTGTTATTCGTGCAAGTTTAACGGGAGTGATGTTTTTCTACTATTTCATGCTAA
AAGTATTCCTGGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTAAAATTAATAGCATATCA
ACGTTTAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGTAATTTAAAAAACACTCATCAGACAAGTGAATAGACAAGTGA
TATCTTGGCTGAAGAAGGACATATCAGTAAGAAACAGGCACAAGTCGAAAAAATTATCCCTCAAGAAACAACGGAAAGTAGTCCAAC
TTTT

**Table 23: Comparative Sequences relating to SAG0163
(competence protein Cg1A)**

SEQ ID NO. 2309: SAG0163 FROM THE JM9130013 GBS TYPE VIII STRAIN (REVERSE COMPLEMENT)
 GTTCAATCATTAGCAAAGCAAGTCATTCATCAGGCAGTAGAAGTAAATGCTCAAGATATTTATATCATTCCCAAAGGTGATTGTTAT
 GAACTCTATATGCGTATTGATGATGAAAGGCGGTTTATTGATGTTTTTGGAGTTTAAATAGGATGGCTAGTCTTATTAGTCACTTTAAA
 TTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACTATGAACTGTCAGAGGGAAGACTGGTTTCA
 TTACGACTATCGAGTGTGGGAGATTATCGTGGTCAAGAATCTTTAGTTATTTCGTATTTTGTATTACAGGTCATCAGGACTTAAATAT
 TGGTTTGATAATATAAAGCAAATGAAGGAAGTACTGGGTATAAGAGGGCTATATCTTTTTCCGGCCCTGTGGGGAGTGGTAAACA
 ACTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAAATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAG
 ATGTTACAACCTCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAAGTGTCTTTACGGCATCGTCCAGATATTTTA
 ATTATCGGAGAGATTAGAGATCAAGCGACGGCCCGTGTCTTATTCTGTGCAAGTTTAAACGGGAGTGATGGTTTTTCTACTATTCAT
 GCTAAAAGTATTTCCCGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTAAAATTAATAGCA
 TATCAACGTTTAAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGTAATTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAA
 GTGGATATCTTGGCTGAAGAAGGACATATCAGTAAGAAACAGGCACAAGTCGAAAAAATTATCCCTCAAGAAACAACGGAAAGTAGT
 CCAACTTTT

SEQ ID NO. 2310: SAG0163 FROM THE M732 GBS TYPE III STRAIN (REVERSE COMPLEMENT)
 TGACTTGTATGAACTCTATATGCGTATTTGATGATGAAAGGCGGTTTATTGATGTTTTTGGAGTTTAAATAGGATGGCTAGTCTTA
 TTAGTCACTTTTAAATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACTATGAACTGTCAGAGG
 GAAGACTGGTTTCATTACGACTATCAAGTGTGGGAGATTATCGTGGTCAAGAATCTTTAGTTATTCTGACTTTTGTATTACAGGTCATC
 AGGACTTAAATATTTGGTTTGATAATATAAAGTAAATGAAGGAAGTACTGTGTGCAAGAGGGCTATATCTTTTTCCGGCCCTGTGG
 GGAGTGGTAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAAATAAGCAAATTATCACGATTGAAGATCCGGTAGAAA
 TCAAGAATGACAAGATGTTACAACCTCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAAGTGTCTTTACGGCATC
 GTCCAGATATTTAATTATCGGAGAGATTAGAGATCAAGCGACGGCCCGTGTCTGTTATTTCGTGCAAGTTTAAACGGGAGTAATGGTTT
 TTTCTACTATTATGCTAAAAGTATTTCCCGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTC
 TAAATTAATAGCATATCAACGTTTAAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAAGTAACTTTAAAAAACACTCATCAGACA
 AGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAAGGACATATCAGTAAGAAACAGGCACAAGTCGAAAAAATTATCCCTCAAGAAA
 CAACGGAAAGTAGTCCAACTTT

SEQ ID NO. 2311: SAG0163 FROM THE M781 GBS TYPE III STRAIN (REVERSE COMPLEMENT)
 CAGTAGAAGTAAATGCTCAAGATATTTATATCATTCCCAAAGGTGATTGTTATGAATTCATATGCGTATTGATGATGAAAGGCGGT
 TTATTGATGTTTTTGGAGTTTAAATAGGATGGCTAGTCTTATTAGTCACTTTAAATTTGTGGCAGGCATGAACGTTGGAGAAAAAGAC
 GAAGTCAATTAGGTTCTTGTGACTATGAACTGTCAGAGGGAAGACTGGTTTCATTACGACTATCAAGTGTGGGAGATTATCGTGGTC
 AAGAATCTTTAGTTATTCTGACTTTGTATTCAGGTCATCAGGACTTAAATATTTGGTTTGATAATATAAAGCAAATGAAGGAAGTAC
 TGTGTGCAAGAGGGCTATATCTTTTTCCGGCCCTGTGGGGAGTGGTAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTA
 AAAATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTACAACCTCAATTGAATGAGGATATTGGAA
 TGACTTATGATGCTTTAATCAAAGTGTCTTTACGGCATCGTCCAGATATTTAATTATCGGAGAGATTAGAGATCAAGCGACGGCCC
 GTGCTGTTATTCTGCAAGTTTAAACGGGAGTAATGGTTTTTCTACTATTATGCTAAAAGTATTTCCGGAGTCTATGATAGGCTTA
 TAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTAAAATTAATAGCATATCAACGTTTAAATTGGAGGAGGAAGCCTAATTG
 ACTTTGAGACAAGTAACTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAAGGACATATCAGTA
 AGAAACAGGCACAAGTCGAAAAAATTATCCCTCAAGAAACAACGGAAAGTAGTCCAACTTT

**Table 23: Comparative Sequences relating to SAG0163
(competence protein Cg1A)**

SEQ2301	-----GGCAGTAGAAGTAAATGCTCAAGATATT
SEQ2302	-----
SEQ2303	TTCAATCATTAGCAAAGCAAGTCATTATCAGGCAGTAGAAGTAAATGCTCAAGATATT
SEQ2304	-----GATATT
SEQ2305	TTCAATCATTAGCAAAGCAAGTCATTATCAGGCAGTAGAAGTAAATGCTCAAGATATT
SEQ2306	TTCAATCATTAGCAAAGCAAGTCATTATCAGGCAGTAGAAGTAAATGCTCAAGATATT
SEQ2307	-----
SEQ2308	-----TCATTAGCAAAGCAAGTCATTATCAGGCAGTAGAAGTAAATGCTCAAGATATT
SEQ2309	TTCAATCATTAGCAAAGCAAGTCATTATCAGGCAGTAGAAGTAAATGCTCAAGATATT
SEQ2310	-----
SEQ2311	-----CAGTAGAAGTAAATGCTCAAGATATT
SEQ2301	ATATCATTCCTCAAAGGTGA-TTGTATGAA-CTCTATA----TGCGTATT-GATGATGA
SEQ2302	-----GGTGA-TTGTATGAA-ACCTCTACTATTGCGTATTGATGATGA
SEQ2303	ATATCATTCCTCAAAGGTGA-TTGTATGAA-CTCTATA----TGCGTATT-GATGATGA
SEQ2304	ATATCATTCCTCAAAGGTGA-TTGTATGAA-CTCTATA----TGCGTATT-GATGATGA
SEQ2305	ATATCATTCCTCAAAGGTGA-TTGTATGAA-CTCTATA----TGCGTATT-GATGATGA
SEQ2306	ATATCATTCCTCAAAGGTGA-TTGTATGAA-CTCTATA----TGCGTATT-GATGATGA
SEQ2307	-----AGGTGA-TTGTATGAAATCTATA----TGCGTATT-GATGATGA
SEQ2308	ATATCATTCCTCAAAGGTGA-TTGTATGAA-CTCTATA----TGCGTATT-GATGATGA
SEQ2309	ATATCATTCCTCAAAGGTGA-TTGTATGAA-CTCTATA----TGCGTATT-GATGATGA
SEQ2310	-----TGACTTGTATGAAACTCTATA----TGCGTATTGATGATGA
SEQ2311	ATATCATTCCTCAAAGGTGA-TTGTATGAA-TTCTATA----TGCGTATT-GATGATGA
SEQ2301	AA-GGCGGTTTATTGATGTTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTA
SEQ2302	AA-GGCGGTTTATTGATGTTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTA
SEQ2303	AA-GGCGGTTTATTGATGTTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTA
SEQ2304	AA-GGCGGTTTATTGATGTTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTA
SEQ2305	AA-GGCGGTTTATTGATGTTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTA
SEQ2306	AA-GGCGGTTTATTGATGTTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTA
SEQ2307	AA-GGCGGTTTATTGATGTTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTA
SEQ2308	AA-GGCGGTTTATTGATGTTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTA
SEQ2309	AA-GGCGGTTTATTGATGTTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTA
SEQ2310	AAAGCGGTTTATTGATGTTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTA
SEQ2311	AA-GGCGGTTTATTGATGTTTTTGAGTTTAATAGGATGGCTAGTCTTATTAGTCACTTTA
SEQ2301	AATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACT
SEQ2302	AATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACT
SEQ2303	AATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACT
SEQ2304	AATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACT
SEQ2305	AATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACT
SEQ2306	AATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACT
SEQ2307	AATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACT
SEQ2308	AATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACT
SEQ2309	AATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACT
SEQ2310	AATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACT
SEQ2311	AATTTGTGGCAGGCATGAACGTTGGAGAAAAAGACGAAGTCAATTAGGTTCTTGTGACT

**Tabl 25: Comparative Sequences relating t SAG0163
(competence protein Cg1A)**

SEQ2301	ATGAACTGTCAGAGGGAAGACTGGTTTCATTACGACTATCGAGTGTGGGAGATTATCGTG
SEQ2302	ATGAACTGTCAGAGGGAAGACTGGTTTCATTACGACTATCGAGTGTGGGAGATTATCGTG
SEQ2303	ATGAACTGTCAGAGGGAAGACTGGTTTCATTACGACTATCGAGTGTGGGAGATTATCGTG
SEQ2304	ATGAACTGTCAGAGGGAAGACTGGTTTCATTACGACTATCGAGTGTGGGAGATTATCGTG
SEQ2305	ATGAACTGTCAGAGGGAAGACTGGTTTCATTACGACTATCGAGTGTGGGAGATTATCGTG
SEQ2306	ATGAACTGTCAGAGGGAAGACTGGTTTCATTACGACTATCGAGTGTGGGAGATTATCGTG
SEQ2307	ATGAACTGTCAGAGGGAAGACTGGTTTCATTACGACTATCAAGTGTGGGAGATTATCGTG
SEQ2308	ATGAACTGTCAGAGGGAAGACTGGTTTCATTACGACTATCGAGTGTGGGAGATTATCGTG
SEQ2309	ATGAACTGTCAGAGGGAAGACTGGTTTCATTACGACTATCGAGTGTGGGAGATTATCGTG
SEQ2310	ATGAACTGTCAGAGGGAAGACTGGTTTCATTACGACTATCAAGTGTGGGAGATTATCGTG
SEQ2311	ATGAACTGTCAGAGGGAAGACTGGTTTCATTACGACTATCAAGTGTGGGAGATTATCGTG
SEQ2301	GTCAAGAATCTTTAGTTATTCGTATTTTGTATTTCAGGTCATCAGGACTTAAATATTGGT
SEQ2302	GTCAAGAATCTTTAGTTATTCGTATTTTGTATTTCAGGTCATCAGGACTTAAATATTGGT
SEQ2303	GTCAAGAATCTTTAGTTATTCGTATTTTGTATTTCAGGTCATCAGGACTTAAATATTGGT
SEQ2304	GTCAAGAATCTTTAGTTATTCGTATTTTGTATTTCAGGTCATCAGGACTTAAATATTGGT
SEQ2305	GTCAAGAATCTTTAGTTATTCGTATTTTGTATTTCAGGTCATCAGGACTTAAATATTGGT
SEQ2306	GTCAAGAATCTTTAGTTATTCGTATTTTGTATTTCAGGTCATCAGGACTTAAATATTGGT
SEQ2307	GTCAAGAATCTTTAGTTATTCGTACTTTTGTATTTCAGGTCATCAGGACTTAAATATTGGT
SEQ2308	GTCAAGAATCTTTAGTTATTCGTATTTTGTATTTCAGGTCATCAGGACTTAAATATTGGT
SEQ2309	GTCAAGAATCTTTAGTTATTCGTATTTTGTATTTCAGGTCATCAGGACTTAAATATTGGT
SEQ2310	GTCAAGAATCTTTAGTTATTCGTACTTTTGTATTTCAGGTCATCAGGACTTAAATATTGGT
SEQ2311	GTCAAGAATCTTTAGTTATTCGTACTTTTGTATTTCAGGTCATCAGGACTTAAATATTGGT
SEQ2301	TTGATAATATAAAGCAAATGAAGGAAGTACTGGGTACAAGAGGGCTATATCTTTTTTCCG
SEQ2302	TTGATAATATAAAGCAAATGAAGGAAGTACTGGGTACAAGAGGGCTATATCTTTTTTCCG
SEQ2303	TTGATAATATAAAGCAAATGAAGGAAGTACTGGGTACAAGAGGGCTATATCTTTTTTCCG
SEQ2304	TTGATAATATAAAGCAAATGAAGGAAGTACTGGGTACAAGAGGGCTATATCTTTTTTCCG
SEQ2305	TTGATAATATAAAGCAAATGAAGGAAGTACTGGGTACAAGAGGGCTATATCTTTTTTCCG
SEQ2306	TTGATAATATAAAGCAAATGAAGGAAGTACTGGGTACAAGAGGGCTATATCTTTTTTCCG
SEQ2307	TTGATAATATAAAGTAAATGAAGGAAGTACTGTGTGCAAGAGGGCTATATCTTTTTTCCG
SEQ2308	TTGATAATATAAAGCAAATGAAGGAAGTACTGGGTACAAGAGGGCTATATCTTTTTTCCG
SEQ2309	TTGATAATATAAAGCAAATGAAGGAAGTACTGGGTACAAGAGGGCTATATCTTTTTTCCG
SEQ2310	TTGATAATATAAAGTAAATGAAGGAAGTACTGTGTGCAAGAGGGCTATATCTTTTTTCCG
SEQ2311	TTGATAATATAAAGCAAATGAAGGAAGTACTGTGTGCAAGAGGGCTATATCTTTTTTCCG
SEQ2301	GCCCTGTGGGGAGTGGTAAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAA
SEQ2302	GCCCTGTGGGGAGTGGTAAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAA
SEQ2303	GCCCTGTGGGGAGTGGTAAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAA
SEQ2304	GCCCTGTGGGGAGTGGTAAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAA
SEQ2305	GCCCTGTGGGGAGTGGTAAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAA
SEQ2306	GCCCTGTGGGGAGTGGTAAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAA
SEQ2307	GCCCTGTGGGGAGTGGTAAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAA
SEQ2308	GCCCTGTGGGGAGTGGTAAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAA
SEQ2309	GCCCTGTGGGGAGTGGTAAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAA
SEQ2310	GCCCTGTGGGGAGTGGTAAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAA
SEQ2311	GCCCTGTGGGGAGTGGTAAAACAACCTCTCATGTATCAATTAGCTTCAGAAGTATTTAAAA

**Table 23: Comparative Sequences relating to SAG0163
(competence protein Cg1A)**

SEQ2301	ATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTACAAC
SEQ2302	ATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTACAAC
SEQ2303	ATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTACAAC
SEQ2304	ATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTACAAC
SEQ2305	ATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTACAAC
SEQ2306	ATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTACAAC
SEQ2307	ATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTACAAC
SEQ2308	ATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTACAAC
SEQ2309	ATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTACAAC
SEQ2310	ATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTACAAC
SEQ2311	ATAAGCAAATTATCACGATTGAAGATCCGGTAGAAATCAAGAATGACAAGATGTTACAAC
SEQ2301	TCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGC
SEQ2302	TCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGC
SEQ2303	TCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGC
SEQ2304	TCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGC
SEQ2305	TCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGC
SEQ2306	TCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGC
SEQ2307	TCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGC
SEQ2308	TCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGC
SEQ2309	TCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGC
SEQ2310	TCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGC
SEQ2311	TCCAATTGAATGAGGATATTGGAATGACTTATGATGCTTTAATCAAACGTCTTTACGGC
SEQ2301	ATCGTCCAGATATTTTAATTATCGGAGAGAT-TAGAGATCAAGCGACGGCCCGTGTGT
SEQ2302	ATCGTCCAGATATTTTAATTATCGGAGAGAT-TAGAGATCAAGCGACGGCTCGTGTGT
SEQ2303	ATCGTCCAGATATTTTAATTATCGGAGAGAT-TAGAGATCAAGCGACGGCCCGTGTGT
SEQ2304	ATCGTCCAGATATTTTAATTATCGGAGAGAT-TAGAGATCAAGCGACGGCCCGTGTGT
SEQ2305	ATCGTCCAGATATTTTAATTATCGGAGAGAT-TAGAGATCAAGCGACGGCCCGTGTGT
SEQ2306	ATCGTCCAGATATTTTAATTATCGGAGAGAT-TAGAGATCAAGCGACGGCCCGTGTGT
SEQ2307	ATCGTCCAGATATTTTAATTATCGGAGAGAT-TAGAGATCAAGCGACGGCCCGTGTGT
SEQ2308	ATCGTCCAGATATTTTAATTATCGGAGAGAT-TAGAGATCAAGCGACGGCCCGTGTGT
SEQ2309	ATCGTCCAGATATTTTAATTATCGGAGAGAT-TAGAGATCAAGCGACGGCCCGTGTGT
SEQ2310	ATCGTCCAGATATTTTAATTATCGGAGAGAT-TAGAGATCAAGCGACGGCCCGTGTGT
SEQ2311	ATCGTCCAGATATTTTAATTATCGGAGAGAT-TAGAGATCAAGCGACGGCCCGTGTGT
SEQ2301	ATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTTCTACTATTTCATGCTAAAAGTATTTCC
SEQ2302	ATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTTCTACTATTTCATGCTAAAAGTATTTCC
SEQ2303	ATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTTCTACTATTTCATGCTAAAAGTATTTCC
SEQ2304	ATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTTCTACTATTTCATGCTAAAAGTATTTCC
SEQ2305	ATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTTCTACTATTTCATGCTAAAAGTATTTCC
SEQ2306	ATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTTCTACTATTTCATGCTAAAAGTATTTCC
SEQ2307	ATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTTCTACTATTTCATGCTAAAAGTATTTCC
SEQ2308	ATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTTCTACTATTTCATGCTAAAAGTATTTCC
SEQ2309	ATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTTCTACTATTTCATGCTAAAAGTATTTCC
SEQ2310	ATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTTCTACTATTTCATGCTAAAAGTATTTCC
SEQ2311	ATTCGTGCAAGTTTAACGGGAGTGATGGTTTTTTCTACTATTTCATGCTAAAAGTATTTCC
SEQ2301	GGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTA
SEQ2302	GGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTA
SEQ2303	GGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTA
SEQ2304	GGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTA
SEQ2305	GGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTA
SEQ2306	GGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTA
SEQ2307	GGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTA
SEQ2308	GGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTA
SEQ2309	GGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTA
SEQ2310	GGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTA
SEQ2311	GGAGTCTATGATAGGCTTATAGAATTAGGGGTTAACTATCAAGAGTTAGAAAATAGTCTA
SEQ2301	AAATTAATAGCATATCAACGTTTAAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGT
SEQ2302	AAATTAATAGCATATCAACGTTTAAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAAGT
SEQ2303	AAATTAATAGCATATCAACGTTTAAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGT
SEQ2304	AAATTAATAGCATATCAACGTTTAAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGT
SEQ2305	AAATTAATAGCATATCAACGTTTAAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGT
SEQ2306	AAATTAATAGCATATCAACGTTTAAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGT
SEQ2307	AAATTAATAGCATATCAACGTTTAAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAAGT

**Table 23: Comparative Sequences relating to SAG0163
(competence protein Cg1A)**

SEQ2308	AAATTAATAGCATATCAACGTTTAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGT
SEQ2309	AAATTAATAGCATATCAACGTTTAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGT
SEQ2310	AAATTAATAGCATATCAACGTTTAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGT
SEQ2311	AAATTAATAGCATATCAACGTTTAATTGGAGGAGGAAGCCTAATTGACTTTGAGACAGGT
SEQ2301	AACTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAA
SEQ2302	AACTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAA
SEQ2303	AATTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAA
SEQ2304	AATTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAA
SEQ2305	AATTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAA
SEQ2306	AACTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAA
SEQ2307	AACTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAA
SEQ2308	AATTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAA
SEQ2309	AATTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAA
SEQ2310	AACTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAA
SEQ2311	AACTTTAAAAAACACTCATCAGACAAGTGGAAATAGACAAGTGGATATCTTGGCTGAAGAA
SEQ2301	GGACATATCAGTAAGAAACAGGCACAAGT-CGAAAAAATTATCCCTCAAGAAACAACGGA
SEQ2302	GGATATATCAGTAAGAAACAGGCACAAGT-CGAAAAAATTATCCCTCAAGAAACAACGGA
SEQ2303	GGACATATCAGTAAGAAACAGGCACAAGT-CGAAAAAATTATCCCTCAAGAAACAACGGA
SEQ2304	GGACATATCAGTAAGAAACAGGCACAAGTGCAGAAAAATTATCCCTCAAGAAACAACGGA
SEQ2305	GGACATATCAGTAAGAAACAGGCACAAGT-CGAAAAAATTATCCCTCAAGAAACAACGGA
SEQ2306	GGACATATCAGTAAGAAACAGGCACAAGT-CGAAAAAATTATCCCTCAAGAAACAACGGA
SEQ2307	GGACATATCAGTAAGAAACAGGCACAAGT-CGAAAAAATTATCCCTCAAGAAACAACGGA
SEQ2308	GGACATATCAGTAAGAAACAGGCACAAGT-CGAAAAAATTATCCCTCAAGAAACAACGGA
SEQ2309	GGACATATCAGTAAGAAACAGGCACAAGT-CGAAAAAATTATCCCTCAAGAAACAACGGA
SEQ2310	GGACATATCAGTAAGAAACAGGCACAAGT-CGAAAAAATTATCCCTCAAGAAACAACGGA
SEQ2311	GGACATATCAGTAAGAAACAGGCACAAGT-CGAAAAAATTATCCCTCAAGAAACAACGGA
SEQ2301	AAGTAGTCCAACCTTTT-----
SEQ2302	AAGTAGTCCAACCTTTT-----
SEQ2303	AAGTAGTCCAACCTTTT-----
SEQ2304	AAGTAGTCCAACCTTTT-----
SEQ2305	AAGTAGTCCAACCTTTT-----
SEQ2306	AAGTAGTCCAACCTTTT-----
SEQ2307	AAGTAGTCCAACCTTTT-----
SEQ2308	AAGTAGTCCAACCTTTT-----
SEQ2309	AAGTAGTCCAACCTTTT-----
SEQ2310	AAGTAGTCCAACCTTTT-----
SEQ2311	AAGTAGTCCAACCTTTT-----

>SEQ ID NO 6350:63_090 frame: 2

AVEVNAQDIYIIPKGDYELMYRIDDERRFIDVFEFNRMASLISHFKFVAGMNVGEKRRS
QLGSCDYELSEGRVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDNIKQMKVGLGTR
GLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQLNEDIGMTYDAL
IKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSISGVYDRILGVLNYQ
ELENLKLIAVQRLIGGSLIDFETGNFKHSSDKWNRQVDILAEEGHISKKQAQVEKII
PQETTESPTF

>SEQ ID NO 6351:63_1169NT frame: 3

.LL.NLYYCVFDDERRFIDVFEFNRMASLISHFKFVAGMNVGEKRRSQLGSCDYELSEGR
LVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDNIKQMKVGLGTRGLYLFSGPVGSGK
TTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQLNEDIGMTYDALIKLSLRHRPDILI
IGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVYDRILGVLNYQELNLSKLIAVQRL
LIGGSLIDFETSFNFKHSSDKWNRQVDILAEEGYISKKQAQVEKIIPQETTESPTF

>SEQ ID NO 6352:63_18R821 frame: 1

VQSLAKQVIHQAVEVNAQDIYIIPKGDYELMYRIDDERRFIDVFEFNRMASLISHFKFV
AGMNVGEKRRSQLGSCDYELSEGRVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
IKQMKVGLGIRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
NEDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVY
DRILGVLNYQELNLSKLIAVQRLIGGSLIDFETGNFKHSSDKWNRQVDILAEEGHISKKQAQVEKIIPQETTESPTF

>SEQ ID NO 6353: 63_2603 frame: 1

DIYIIPKGDYELMYRIDDERRFIDVFEFNRMASLISHFKFVAGMNVGEKRRSQLGSCDY
ELSEGRVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDNIKQMKVGLGIRGLYLFSG

**Table 23: Comparative Sequences relating to SAG0163
(competence protein Cg1A)**

PVGSCKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQLNEDIGMTYDALIKLSLRH
RPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVYDRLIELGVNYQELENLKL
LIAYQRLIGGSLIDFETGNFKKHSSDKWNRQVDILAEEGHISKQAQVRKNYPSRNNKG
.SNF

>SEQ ID NO 6354:63_A909 frame: 1

VQSLAQVIHQAVEVNAQDIYIIPKGDCYELMRIDDERRFIDVFEFNRMASLISHFKFV
AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
IKQMKVGLGIRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
NEDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVY
DRLIELGVNYQELENLKLIAQRLIGGSLIDFETGNFKKHSSDKWNRQVDILAEEGHI
SKKQAQVEKIIPQETTESPTF

>SEQ ID NO 6355:63_CJB110 frame: 1

VQSLAQVIHQAVEVNAQDIYIIPKGDCYELMRIDDERRFIDVFEFNRMASLISHFKFV
AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
IKQMKVGLGIRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
NEDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSISGVY
DRLIELGVNYQELENLKLIAQRLIGGSLIDFETGNFKKHSSDKWNRQVDILAEEGHI
SKKQAQVEKIIPQETTESPTF

>SEQ ID NO 6356:63_CJB110 frame: 1

VQSLAQVIHQAVEVNAQDIYIIPKGDCYELMRIDDERRFIDVFEFNRMASLISHFKFV
AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
IKQMKVGLGIRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
NEDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSISGVY
DRLIELGVNYQELENLKLIAQRLIGGSLIDFETGNFKKHSSDKWNRQVDILAEEGHI
SKKQAQVEKIIPQETTESPTF

>SEQ ID NO 6357: 63_H36B frame: 1

SLAQVIHQAVEVNAQDIYIIPKGDCYELMRIDDERRFIDVFEFNRMASLISHFKFVAG
MNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDNIK
QMKVGLGIRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQLNE
DIGMTYDALIKLSLRHRPDILIIGE

>SEQ ID NO 6358:63_JM9130013 frame: 1

VQSLAQVIHQAVEVNAQDIYIIPKGDCYELMRIDDERRFIDVFEFNRMASLISHFKFV
AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
IKQMKVGLGIRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
NEDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVY
DRLIELGVNYQELENLKLIAQRLIGGSLIDFETGNFKKHSSDKWNRQVDILAEEGHI
SKKQAQVEKIIPQETTESPTF

>SEQ ID NO 6359:63_M732 frame: 3

TCYETLYAYLMMKRREFIDVFEFNRMASLISHFKFVAGMNVGEKRRSQLGSCDYELSEGRL
VSLRLSSVGDYRGQESLVIRTLYSGHQDLKYWFDNIK.MKEVLCARGLYLFSGPVGSGKT
TLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQLNEDIGMTYDALIKLSLRHRPDILII
GEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVYDRLIELGVNYQELENLKLIAQRL
IGGSLIDFETS NFKKHSSDKWNRQVDILAEEGHISKQAQVEKIIPQETTESPTF

>SEQ ID NO 6360:63_M781 frame: 3

VEVNAQDIYIIPKGDCYEFYMRIDDERRFIDVFEFNRMASLISHFKFVAGMNVGEKRRSQ
LGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRTLYSGHQDLKYWFDNIKQMKVLCARG
LYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQLNEDIGMTYDALI
KLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVYDRLIELGVNYQE
LENSLKLIAQRLIGGSLIDFETS NFKKHSSDKWNRQVDILAEEGHISKQAQVEKIIP
QETTESPTF

>SEQ ID NO 6361:63_COH1 frame: 3

VIVMKFYMRIDDERRFIDVFEFNRMASLISHFKFVAGMNVGEKRRSQLGSCDYELSEGRL
VSLRLSSVGDYRGQESLVIRTLYSGHQDLKYWFDNIK

**Table 23: Comparative Sequences relating t SAG0163
(competence protein Cg1A)**

SEQ6350	-----AVEVNAQDIYIIPKGDCELYMRIDDERRFIDVFEFNRMASLISHFKFV
SEQ6351	-----LLNLYCVFDDERRFIDVFEFNRMASLISHFKFV
SEQ6352	QSLAKQVIHQAVEVNAQDIYIIPKGDCELYMRIDDERRFIDVFEFNRMASLISHFKFV
SEQ6353	-----DIYIIPKGDCELYMRIDDERRFIDVFEFNRMASLISHFKFV
SEQ6354	QSLAKQVIHQAVEVNAQDIYIIPKGDCELYMRIDDERRFIDVFEFNRMASLISHFKFV
SEQ6355	QSLAKQVIHQAVEVNAQDIYIIPKGDCELYMRIDDERRFIDVFEFNRMASLISHFKFV
SEQ6356	QSLAKQVIHQAVEVNAQDIYIIPKGDCELYMRIDDERRFIDVFEFNRMASLISHFKFV
SEQ6357	-SLAKQVIHQAVEVNAQDIYIIPKGDCELYMRIDDERRFIDVFEFNRMASLISHFKFV
SEQ6358	QSLAKQVIHQAVEVNAQDIYIIPKGDCELYMRIDDERRFIDVFEFNRMASLISHFKFV
SEQ6359	-----TCYETLYAYLMMKRRFIDVFEFNRMASLISHFKFV
SEQ6360	-----VEVNAQDIYIIPKGDCELYMRIDDERRFIDVFEFNRMASLISHFKFV
SEQ6361	-----VIVMKFYMRIDDERRFIDVFEFNRMASLISHFKFV
SEQ6350	AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
SEQ6351	AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
SEQ6352	AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
SEQ6353	AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
SEQ6354	AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
SEQ6355	AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
SEQ6356	AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
SEQ6357	AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
SEQ6358	AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
SEQ6359	AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
SEQ6360	AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
SEQ6361	AGMNVGEKRRSQLGSCDYELSEGRLVSLRLSSVGDYRGQESLVIRILYSGHQDLKYWFDN
SEQ6350	IKQMKEVLGTRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
SEQ6351	IKQMKEVLGTRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
SEQ6352	IKQMKEVLGTRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
SEQ6353	IKQMKEVLGTRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
SEQ6354	IKQMKEVLGTRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
SEQ6355	IKQMKEVLGTRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
SEQ6356	IKQMKEVLGTRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
SEQ6357	IKQMKEVLGTRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
SEQ6358	IKQMKEVLGTRGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
SEQ6359	IK-MKEVLCARGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
SEQ6360	IKQMKEVLCARGLYLFSGPVGSGKTTLMYQLASEVFKNKQIITIEDPVEIKNDKMLQLQL
SEQ6361	IK-----
SEQ6350	EDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSISGVY
SEQ6351	EDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVY
SEQ6352	EDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVY
SEQ6353	EDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVY
SEQ6354	EDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVY
SEQ6355	EDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSISGVY
SEQ6356	EDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSISGVY
SEQ6357	EDIGMTYDALIKLSLRHRPDILIGE-----
SEQ6358	EDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVY
SEQ6359	EDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVY
SEQ6360	EDIGMTYDALIKLSLRHRPDILIIGEIRDQATARAVIRASLTGVMVFSTIHAKSIPGVY
SEQ6361	-----
SEQ6350	RLIELGVNYQELENKLIAYQRLIGGGSLIDFETGNFKKHSSDKWNRQVDILAEEGHI
SEQ6351	RLIELGVNYQELENKLIAYQRLIGGGSLIDFETGNFKKHSSDKWNRQVDILAEEGYI
SEQ6352	RLIELGVNYQELENKLIAYQRLIGGGSLIDFETGNFKKHSSDKWNRQVDILAEEGHI
SEQ6353	RLIELGVNYQELENKLIAYQRLIGGGSLIDFETGNFKKHSSDKWNRQVDILAEEGHI
SEQ6354	RLIELGVNYQELENKLIAYQRLIGGGSLIDFETGNFKKHSSDKWNRQVDILAEEGHI
SEQ6355	RLIELGVNYQELENKLIAYQRLIGGGSLIDFETGNFKKHSSDKWNRQVDILAEEGHI
SEQ6356	RLIELGVNYQELENKLIAYQRLIGGGSLIDFETGNFKKHSSDKWNRQVDILAEEGHI
SEQ6357	-----
SEQ6358	RLIELGVNYQELENKLIAYQRLIGGGSLIDFETGNFKKHSSDKWNRQVDILAEEGHI
SEQ6359	RLIELGVNYQELENKLIAYQRLIGGGSLIDFETSNFKKHSSDKWNRQVDILAEEGHI
SEQ6360	RLIELGVNYQELENKLIAYQRLIGGGSLIDFETSNFKKHSSDKWNRQVDILAEEGHI
SEQ6361	-----

**Table 23. Comparative Sequences relating to SAG0103
(competence protein Cg1A)**

SEQ6350	KKQAQVEKIIPQETTESSPTF
SEQ6351	KKQAQVEKIIPQETTESSPTF
SEQ6352	KKQAQVEKIIPQETTESSPTF
SEQ6353	KKQAQVRKNYPSRNGKSNF-
SEQ6354	KKQAQVEKIIPQETTESSPTF
SEQ6355	KKQAQVEKIIPQETTESSPTF
SEQ6356	KKQAQVEKIIPQETTESSPTF
SEQ6357	-----
SEQ6358	KKQAQVEKIIPQETTESSPTF
SEQ6359	KKQAQVEKIIPQETTESSPTF
SEQ6360	KKQAQVEKIIPQETTESSPTF
SEQ6361	-----

**Figure 24. Comparative Sequences relating to SAG0290
(ABC transporter, substrate-binding protein)**

SEQ ID NO. 2101: SAG0290 FROM THE 1169NT1 GBS TYPE V STRAIN (REVERSE COMPLEMENT)

GTATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCACCATTCTACTTA
TCAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCTGTTTTTAAAGGTAGTAAGTACA
AAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTCAACAGGTATTGATGCAGGGAAATTTGATTTATCA
GCTAATGATTTTTTCATACAATAAAGAAAGAGCAGAAAAATATCTCTTCTCAGACCCCTATATCCCGTTCAAA
TTATGCCGTAGTAGGGAAGAAGGGGAGCCATTACAAATCATTAAAGTGACCTCTCTGGAAAATCAACAGAAG
TTTTATCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAACCAATA
AAAATCAAATATGTTTTCTGGGACAACCTGGTGTTACTAGCAGATTAAAAAATATTGAGAGTGGGAAAATTGA
CTTTATCCTATATGATGCCATTTTCATCTGACTATATTGTAAAAGATCAATCATTAAACTTAAAGCGTTTCTC
CTTTGAAAGGTAAAATTGGTAATAATAAGGATGGATTAGAATACCTCCTTTTACCAAAAAGATAAAAAAGGT
AAAACCTCTACAGAAATTTATAAATAAGCGTATTAAAGTTTTGAAAGAAGATGGTACTTTGGCACGTTTAAAG
TAAACAATATTTTCGGTGGAGATTACGTTTCAAACATTGATAAA

SEQ ID NO. 2402: SAG0290 FROM THE 18RS21 GBS TYPE II STRAIN (REVERSE COMPLEMENT)

GTATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCACCATTCTACTTA
TRAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCTGTTTTTAAAGGTAGTAAGTACA
AAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTCAACAGGTATTGATGCAGGGAAATTTGATTTATCA
GCTAATGATTTTTTCATACAATAAAGAAAGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAA
TTATGCCGTAGTAGGGAAGAAGGGGAGCCATTACAAATCATTAAAGTGACCTCTCTGGAAAATCAACCGAAG
TTTTATCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAACCAATA
AAAATCAAATATGTTTTCTGGGACAACCTGGTGTTACTAGCAGATTAAAAAATATTGAGAGTGGGAAAATTGA
CTTTATCCTATATGATGCCATTTTCATCCGACTATATTGTAAAAGACCAATCATTAAACTTAAAGCGTTTCTC
CTTTGAAAGGTAAAATTGGTAATAATAAGGATGGACTAGAATACCTCCTTTTACCAAAAAGATAAAAAAGGT
AAAACCTCTACAGAAATTTATAAATAAGCGTATTAAAGTTTTGAAAGAAAATGGTACTTTGGCACGTTTAAAG
TAAACAATATTTTCGGTGGAGATTACGTTTCAAACATTGATAAA

SEQ ID NO. 2403: SAG0290 FROM THE 2603 V/R GBS TYPE V STRAIN (REVERSE COMPLEMENT)

ATTCAAAGGTTATGATGTTGATGTTGTCAAAGCTGTTTTTAAAGGTAGTAAGTACAAAGTAACCTTCAAGA
CAGTTCCTTTTGATACTATTTCAACAGGTATTGATGCAGGGAAATTTGATTTATCAGCTAATGATTTTTCA
TACAATAAAGAAAGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAATTATGCCGTAGTAGG
GAAGAAGGGGAGCCATTACAAATCATTAAAGTGACCTCTCTGGAAAATCAACCGAAGTTTTATCTGGCGTTA
ACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAACCAATAAAAAATCAAATATGTT
TCTGGGACAACCTGGTGTTACTAGCAGATTAAAAAATATTGAGAGTGGGAAAATTGACTTTATCCTATATGA
TGCCATTTTCATCCGACTATATTGTAAAAGACCAATCATTAAACTTAAAGCGTTTCTCCTTTGAAAGGTAAAA
TTGGTAATAATAAGGATGGACTAGAATACCTCCTTTTACCAAAAAGATAAAAAAG

SEQ ID NO. 2404: SAG0290 FROM THE 090 GBS TYPE Ia STRAIN (REVERSE COMPLEMENT)

GTATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCACCATTCTACTTA
TCAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCTGTTTTTAAAGGTAGTAAGTACA
AAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTCAACAGGTATTGATGCAGGGAAATTTGATTTATCA
GCTAATGATTTTTTCATACAATAAAGAAAGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAA
TTATGCCGTAGTAGGGAAGAAGGGGAGCCATTACAAATCATTAAAGTGACCTCTCTGGAAAATCAACCGAAG
TTTTATCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAACCAATA
AAAATCAAATATGTTTTCTGGGACAACCTGGTGTTACTAGCAGATTAAAAAATATTGAGAGTGGGAAAATTGA
CTTTATCCTATATGATGCCATTTTCATCCGACTATATTGTAAAAGACCAATCATTAAACTTAAAGCGTTTCTCCT
TTGAAAGGTAAAATTGGTAATAATAAGGATGGACTAGAATACCTCCTTTTACCAAAAAGATAAAAAAGGTAAAACTCTA
CAGAAATTTATAAATAAGCGTATTAAAGTTTTGAAAGAAAATGGTACTTTGGCACGTTTAAAGTAAACAATATTTTCGGT
GGAGATTACGTTTCAAACATTGATAAA

**Figure 24: Comparative Sequences relating to SAG0290
(ABC transporter, substrate-binding protein)**

SEQ ID NO. 2405: SAG0290 FROM THE A909 GBS TYPE Ia STRAIN (REVERSE COMPLEMENT)

GTATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCACCATTTACTTA
TCAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCTGTTTTTAAAGGTAGTAAGTACA
AAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTCAACAGGTATTGATGCAGGGAAATTTGATTTATCA
GCTAATGATTTTTCATACAATAAAGAAAGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAA
TTATGCCGTAGTAGGGAAGAAGGGGAGCCATTACAAATCATTAAAGTGACCTCTCTGGAAAATCAACCGAAG
TTTTATCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAATCATNNTAATAAAAAACCANTA
AAAATNAAATATGTTTCTGGGACAACCTGGTGTTACTAGCAGATTAAAAATATTGAGAGTGGGAAAATTGA
CTTTATCCTATATGATGCCATTTATCCGACTATATTGTAAAAGACCAATCATTAACTTAAGCGTTTCTC
CTTTGAAAGGTAAAATTGGTAATAATAAGGATGGACTAGAATACCTCCTTTTACCAAAGATAAAAAAGGT
AAAACCTCTACAGAAATTTATAAATAAGCGT

SEQ ID NO. 2406: SAG0290 FROM THE CJB110 GBS NONTYPEABLE STRAIN (REVERSE COMPLEMENT)

GTATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCACCATTTACTTA
TCAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCTGTTTTTAAAGGTAGTAAGTACA
AAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTCAACAGGTATTGATGCAGGGAAATTTGATTTATCA
GCTAATGATTTTTCATACAATAAAGAAAGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAA
TTATGCCGTAGTAGGGAAGAAGGGGAGCCATTACAAATCATTAAAGTGACCTCTCTGGAAAATCAACCGAAG
TTTTATCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAATCATCCTAATAAAAAACCAATA
AAAATCAAATATGTTTCTGGGACAACCTGGTGTTACTAGCAGATTAAAAATATTGAGAGTGGGAAAATTGA
CTTTATCCTATATGATGCCATTTATCCGACTATATTGTAAAAGACCAATCATTAACTTAAGCGTTTCTC
CTTTGAAAGGTAAAATTGGTAATAATAAGGATGGACTAGAATACCTCCTTTTACCAAAGATAAAAAAGGT
AAAACCTCTACAGAAATTTATAAATAAGCGTATTAAAGTTTTGAAAGAAAATGGTACTTTGGCACGTTTAAG
TAAACAATATTTTCGGTGGAGATTACGTTTCAAACATTGATAAA

SEQ ID NO. 2407: SAG0290 FROM THE COH1 GBS TYPE III STRAIN (REVERSE COMPLEMENT)

GTATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCACCATTTACTTA
TCAAAAAGACGGGAAATTCAAAGGTTATGACGTTGATGTTGTCAAAGCTGTTTTTAAAGGTAGTAAGTACA
AAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTCAACAGGTATTGATGCAGGGAAATTTGATTTATCA
GCTAATGATTTTTCATATAATAAAGAAAGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAA
TTATGCCGTAGTAGGGAAGAAGGGGAGCCATTACAAATCATTAAAGTGACCTCTCTGGAAAATCAACAGAAG
TTTTATCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAATCATCCTAATAAAAAACCAATA
AAAATCAAATATGTTTCTGGGACAACCTGGTGTTACTAGCAGATTAAAAATATTGAGAGTGGGAAAATTGA
CTTTATCCTATATGATGCCATTTATCTGACTATATTGTAAAAGATCAATCATTAACTTAAGCGTTTCTC
CTTTGAAAGGTAAAATTGGTAATAATAAGGATGGATTAGAATACCTCCTTTTACCAAAGATAAAAAAGGT
AAAACCTCTACAGAAATTTATAAATAAGCGTATTAAAGTTTTGAAAGAAAGATGGTACTTTGGCACGTTTAAG
TAAACAATATTTTCGGTGGAGATTACGTTTCAAACATTGATAAA

SEQ ID NO. 2408: SAG0290 FROM THE H36b GBS TYPE Ib STRAIN (REVERSE COMPLEMENT)

GTATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCACCATTTACTTA
TCAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCTGTTTTTAAAGGTAGTAAGTACA
AAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTCAACAGGTATTGATGCAGGGAAATTTGATTTATCA
GCTAATGATTTTTCATACAATAAAGAAAGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAA
TTATGCCGTAGTAGGGAAGAAGGGGAGCCATTACAAATCATTAAAGTGACCTCTCTGGAAAATCAACCGAAG
TTTTATCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAATCATCCTAATAAAAAACCAATA
AAAATCAAATATGTTTCTGGGACAACCTGGTGTTACTAGCAGATTAAAAATATTGAGAGTGGGAAAATTGA
CTTTATCCTATATGATGCCATTTATCCGACTATATTGTAAAAGACCAATCATTAACTTAAGCGTTTCTC
CTTTGAAAGGTAAAATTGGTAATAATAAGGATGGACTAGAATACCTCCTTTTACCAAAGATAAAAAAGGT
AAAACCTCTACAGAAATTTATAAATAAGCGTATTAAAGTTTTGAAAGAAAATGGTACTTTGGCACGTTTAAG
TAAACAATATTTTCGGTGGAGATTACGTTTCAAACATTGATAAA

**Figure 24: Comparative Sequences relating to SAG0290
(ABC transp rter, substrate-binding protein)**

SEQ ID NO. 2409: SAG0290 FROM THE JM9130013 GBS STRAIN VIII (REVERSE COMPLEMENT)

GTATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCACCATTCTACTTA
TCAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCTGTTTTAAAGGTAGTAAGTACA
AAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTCAACAGGTATTGATGCAGGGAAATTTGATTATCA
GCTAATGATTTTTCATATAATAAAGAAAGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAA
TTATGCCGTAGTAGGGAAGAAGGGGAGCCATTACAAATCATTAAAGTGACCTCTCTGGAAATCAACCGAAG
TTTTATCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAACCAATA
AAAATCAAATATGTTTCTGGGACAACCTGGTGTACTAGCAGATTAAAAAATATTGAGAGTGGGAAAATTGA
CTTTATCCTATATGATGCCATTTTCATCCGACTATATTGTAAAAGACCAATCATTAAACTTAAGCGTTTCTC
CTTTGAAAGGTAAAATTGGTAATAATAAGGATGGACTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGT
AAAACCTCTACAGAAATTTATAAATAAGCGTAATAAAGTTTTTGAAAGAAAATGGTA

SEQ ID NO. 2410: SAG0290 FROM THE M732 GBS TYPE III STRAIN (REVERSE COMPLEMENT)

GTATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCACCATTCTACTTA
TCAAAAAGACGGGAAATTCAAAGGTTATGACGTTGATGTTGTCAAAGCTGTTTTAAAGGTAGTAAGTACA
AAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTCAACAGGTATTGATGCAGGGAAATTTGATTATCA
GCTAATGATTTTTCATATAATAAAGAAAGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAA
TTATGCCGTAGTAGGGAAGAAGGGGAGCCATTACAAATCATTAAAGTGACCTCTCTGGAAATCAACAGAAG
TTTTATCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAACCAATA
AAAATCAAATATGTTTCTGGGACAACCTGGTGTACTAGCAGATTAAAAAATATTGAGAGTGGGAAAATTGA
CTTTATCCTATATGATGCCATTTTCATCTGACTATATTGTAAAAGATCAATCATTAACTTAAGCGTTTCTC
CTTTGAAAGGTAAAATTGGTAATAATAAGGATGGATTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGT
AAAACCTCTACAGAAATTTATAAATAAGCGTATTAAAGTTTTTGAAAGAAGATGGTACTTTGGCACGTTTAAG
TAAACAATATTTTCGGTGGAGATTACGTTTCAAACATTGATAAA

SEQ ID NO. 2411: SAG0290 FROM THE M781 GBS TYPE III STRAIN (REVERSE COMPLEMENT)

GTATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCACCATTCTACTTA
TCAAAAAGACGGGAAATTCAAAGGTTATGACGTTGATGTTGTCAAAGCTGTTTTAAAGGTAGTAAGTACA
AAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTCAACAGGTATTGATGCAGGGAAATTTGATTATCA
GCTAATGATTTTTCATATAATAAAGAAAGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAA
TTATGCCGTAGTAGGGAAGAAGGGGAGCCATTACAAATCATTAAAGTGACCTCTCTGGAAATCAACAGAAG
TTTTATCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAACCAATA
AAAATCAAATATGTTTCTGGGACAACCTGGTGTACTAGCAGATTAAAAAATATTGAGAGTGGGAAAATTGA
CTTTATCCTATATGATGCCATTTTCATCTGACTATATTGTAAAAGATCAATCATTAACTTAAGCGTTTCTC
CTTTGAAAGGTAAAATTGGTAATAATAAGGATGGATTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGT
AAAACCTCTACAGAAATTTATAAATAAGCGTATTAAAGTTTTTGAAAGAAGATGGTACTTTGGCACGTTTAAG
TAAACAATATTTTCGGTGGAGATTACGTTTCAAACATTGATAAA

SEQ2401	TATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCA
SEQ2402	TATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCA
SEQ2403	-----
SEQ2404	TATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCA
SEQ2405	TATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCA
SEQ2406	TATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCA
SEQ2407	TATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCA
SEQ2408	TATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCA
SEQ2409	TATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCA
SEQ2410	TATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCA
SEQ2411	TATCAGTTCAGGCGTCAGAGAAAGTAGAACTTAAAGTAGCTACAGATTCTGACACGGCA

SEQ2401	CATTTACTTATCAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCT
SEQ2402	CATTTACTTATRAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCT
SEQ2403	-----ATTCAAAGGTTATGATGTTGATGTTGTCAAAGCT
SEQ2404	CATTTACTTATCAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCT
SEQ2405	CATTTACTTATCAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCT
SEQ2406	CATTTACTTATCAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCT
SEQ2407	CATTTACTTATCAAAAAGACGGGAAATTCAAAGGTTATGACGTTGATGTTGTCAAAGCT
SEQ2408	CATTTACTTATCAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCT
SEQ2409	CATTTACTTATCAAAAAGACGGGAAATTCAAAGGTTATGATGTTGATGTTGTCAAAGCT

**Figure 24: Comparative Sequences relating to SAG0290
(ABC transporter, substrate-binding protein)**

SEQ2410	CATTACTTATCAAAAAGACGGGAAATTCAAAGGTTATGACGTTGATGTTGTCAAAGCT
SEQ2411	CATTACTTATCAAAAAGACGGGAAATTCAAAGGTTATGACGTTGATGTTGTCAAAGCT
SEQ2401	GTTTTTAAAGGTAGTAAGTACAAAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTC
SEQ2402	GTTTTTAAAGGTAGTAAGTACAAAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTC
SEQ2403	GTTTTTAAAGGTAGTAAGTACAAAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTC
SEQ2404	GTTTTTAAAGGTAGTAAGTACAAAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTC
SEQ2405	GTTTTTAAAGGTAGTAAGTACAAAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTC
SEQ2406	GTTTTTAAAGGTAGTAAGTACAAAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTC
SEQ2407	GTTTTTAAAGGTAGTAAGTACAAAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTC
SEQ2408	GTTTTTAAAGGTAGTAAGTACAAAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTC
SEQ2409	GTTTTTAAAGGTAGTAAGTACAAAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTC
SEQ2410	GTTTTTAAAGGTAGTAAGTACAAAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTC
SEQ2411	GTTTTTAAAGGTAGTAAGTACAAAGTAACCTTCAAGACAGTTCCTTTTGATACTATTTC
SEQ2401	ACAGGTATTGATGCAGGGAAATTTGATTATCAGCTAATGATTTTTCATACAATAAAGAA
SEQ2402	ACAGGTATTGATGCAGGGAAATTTGATTATCAGCTAATGATTTTTCATACAATAAAGAA
SEQ2403	ACAGGTATTGATGCAGGGAAATTTGATTATCAGCTAATGATTTTTCATACAATAAAGAA
SEQ2404	ACAGGTATTGATGCAGGGAAATTTGATTATCAGCTAATGATTTTTCATACAATAAAGAA
SEQ2405	ACAGGTATTGATGCAGGGAAATTTGATTATCAGCTAATGATTTTTCATACAATAAAGAA
SEQ2406	ACAGGTATTGATGCAGGGAAATTTGATTATCAGCTAATGATTTTTCATACAATAAAGAA
SEQ2407	ACAGGTATTGATGCAGGGAAATTTGATTATCAGCTAATGATTTTTCATACAATAAAGAA
SEQ2408	ACAGGTATTGATGCAGGGAAATTTGATTATCAGCTAATGATTTTTCATACAATAAAGAA
SEQ2409	ACAGGTATTGATGCAGGGAAATTTGATTATCAGCTAATGATTTTTCATACAATAAAGAA
SEQ2410	ACAGGTATTGATGCAGGGAAATTTGATTATCAGCTAATGATTTTTCATACAATAAAGAA
SEQ2411	ACAGGTATTGATGCAGGGAAATTTGATTATCAGCTAATGATTTTTCATACAATAAAGAA
SEQ2401	AGAGCAGAAAAATATCTCTTCTCAGACCTATATCCCGTTCAAATTATGCCGTAGTAGGG
SEQ2402	AGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAATTATGCCGTAGTAGGG
SEQ2403	AGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAATTATGCCGTAGTAGGG
SEQ2404	AGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAATTATGCCGTAGTAGGG
SEQ2405	AGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAATTATGCCGTAGTAGGG
SEQ2406	AGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAATTATGCCGTAGTAGGG
SEQ2407	AGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAATTATGCCGTAGTAGGG
SEQ2408	AGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAATTATGCCGTAGTAGGG
SEQ2409	AGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAATTATGCCGTAGTAGGG
SEQ2410	AGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAATTATGCCGTAGTAGGG
SEQ2411	AGAGCAGAAAAATATCTCTTCTCAGATCCTATATCCCGTTCAAATTATGCCGTAGTAGGG
SEQ2401	AAGAAGGGGAGCCATTACAAATCATTAAGTGACCTCTCTGGAAATCAACAGAAGTTTAA
SEQ2402	AAGAAGGGGAGCCATTACAAATCATTAAGTGACCTCTCTGGAAATCAACAGAAGTTTAA
SEQ2403	AAGAAGGGGAGCCATTACAAATCATTAAGTGACCTCTCTGGAAATCAACAGAAGTTTAA
SEQ2404	AAGAAGGGGAGCCATTACAAATCATTAAGTGACCTCTCTGGAAATCAACAGAAGTTTAA
SEQ2405	AAGAAGGGGAGCCATTACAAATCATTAAGTGACCTCTCTGGAAATCAACAGAAGTTTAA
SEQ2406	AAGAAGGGGAGCCATTACAAATCATTAAGTGACCTCTCTGGAAATCAACAGAAGTTTAA
SEQ2407	AAGAAGGGGAGCCATTACAAATCATTAAGTGACCTCTCTGGAAATCAACAGAAGTTTAA
SEQ2408	AAGAAGGGGAGCCATTACAAATCATTAAGTGACCTCTCTGGAAATCAACAGAAGTTTAA
SEQ2409	AAGAAGGGGAGCCATTACAAATCATTAAGTGACCTCTCTGGAAATCAACAGAAGTTTAA
SEQ2410	AAGAAGGGGAGCCATTACAAATCATTAAGTGACCTCTCTGGAAATCAACAGAAGTTTAA
SEQ2411	AAGAAGGGGAGCCATTACAAATCATTAAGTGACCTCTCTGGAAATCAACAGAAGTTTAA
SEQ2401	TCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAA
SEQ2402	TCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAA
SEQ2403	TCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAA
SEQ2404	TCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAA
SEQ2405	TCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAA
SEQ2406	TCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAA
SEQ2407	TCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAA
SEQ2408	TCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAA
SEQ2409	TCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAA
SEQ2410	TCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAA
SEQ2411	TCTGGCGTTAACTATGCACAGGTTCTAGAAAATTGGAATAAAAAATCATCCTAATAAAAAA
SEQ2401	CCAATAAAAAATCAAATATGTTTCTGGGACAACTGGTGTTACTAGCAGATTAAAAAATATT
SEQ2402	CCAATAAAAAATCAAATATGTTTCTGGGACAACTGGTGTTACTAGCAGATTAAAAAATATT
SEQ2403	CCAATAAAAAATCAAATATGTTTCTGGGACAACTGGTGTTACTAGCAGATTAAAAAATATT
SEQ2404	CCAATAAAAAATCAAATATGTTTCTGGGACAACTGGTGTTACTAGCAGATTAAAAAATATT
SEQ2405	CCAATAAAAAATCAAATATGTTTCTGGGACAACTGGTGTTACTAGCAGATTAAAAAATATT
SEQ2406	CCAATAAAAAATCAAATATGTTTCTGGGACAACTGGTGTTACTAGCAGATTAAAAAATATT
SEQ2407	CCAATAAAAAATCAAATATGTTTCTGGGACAACTGGTGTTACTAGCAGATTAAAAAATATT
SEQ2408	CCAATAAAAAATCAAATATGTTTCTGGGACAACTGGTGTTACTAGCAGATTAAAAAATATT
SEQ2409	CCAATAAAAAATCAAATATGTTTCTGGGACAACTGGTGTTACTAGCAGATTAAAAAATATT

**Figure 24: C mparative Sequences relating to SAG0290
(ABC transporter, substrate-binding protein)**

```

SEQ2410      CCAATAAAAATCAAATATGTTTCTGGGACAACTGGTGTTACTAGCAGATTAAAAAATATT
SEQ2411      CCAATAAAAATCAAATATGTTTCTGGGACAACTGGTGTTACTAGCAGATTAAAAAATATT

SEQ2401      GAGAGTGGGAAAATTGACTTTATCCTATATGATGCCATTTTCATCTGACTATATTGTAAAA
SEQ2402      GAGAGTGGGAAAATTGACTTTATCCTATATGATGCCATTTTCATCCGACTATATTGTAAAA
SEQ2403      GAGAGTGGGAAAATTGACTTTATCCTATATGATGCCATTTTCATCCGACTATATTGTAAAA
SEQ2404      GAGAGTGGGAAAATTGACTTTATCCTATATGATGCCATTTTCATCCGACTATATTGTAAAA
SEQ2405      GAGAGTGGGAAAATTGACTTTATCCTATATGATGCCATTTTCATCCGACTATATTGTAAAA
SEQ2406      GAGAGTGGGAAAATTGACTTTATCCTATATGATGCCATTTTCATCCGACTATATTGTAAAA
SEQ2407      GAGAGTGGGAAAATTGACTTTATCCTATATGATGCCATTTTCATCTGACTATATTGTAAAA
SEQ2408      GAGAGTGGGAAAATTGACTTTATCCTATATGATGCCATTTTCATCCGACTATATTGTAAAA
SEQ2409      GAGAGTGGGAAAATTGACTTTATCCTATATGATGCCATTTTCATCCGACTATATTGTAAAA
SEQ2410      GAGAGTGGGAAAATTGACTTTATCCTATATGATGCCATTTTCATCTGACTATATTGTAAAA
SEQ2411      GAGAGTGGGAAAATTGACTTTATCCTATATGATGCCATTTTCATCTGACTATATTGTAAAA

SEQ2401      GATCAATCATTAAACTTAAGCGTTTCTCCTTTGAAAGGTAAAATTGGTAATAATAAGGAT
SEQ2402      GACCAATCATTAAACTTAAGCGTTTCTCCTTTGAAAGGTAAAATTGGTAATAATAAGGAT
SEQ2403      GACCAATCATTAAACTTAAGCGTTTCTCCTTTGAAAGGTAAAATTGGTAATAATAAGGAT
SEQ2404      GACCAATCATTAAACTTAAGCGTTTCTCCTTTGAAAGGTAAAATTGGTAATAATAAGGAT
SEQ2405      GACCAATCATTAAACTTAAGCGTTTCTCCTTTGAAAGGTAAAATTGGTAATAATAAGGAT
SEQ2406      GACCAATCATTAAACTTAAGCGTTTCTCCTTTGAAAGGTAAAATTGGTAATAATAAGGAT
SEQ2407      GATCAATCATTAAACTTAAGCGTTTCTCCTTTGAAAGGTAAAATTGGTAATAATAAGGAT
SEQ2408      GACCAATCATTAAACTTAAGCGTTTCTCCTTTGAAAGGTAAAATTGGTAATAATAAGGAT
SEQ2409      GACCAATCATTAAACTTAAGCGTTTCTCCTTTGAAAGGTAAAATTGGTAATAATAAGGAT
SEQ2410      GATCAATCATTAAACTTAAGCGTTTCTCCTTTGAAAGGTAAAATTGGTAATAATAAGGAT
SEQ2411      GATCAATCATTAAACTTAAGCGTTTCTCCTTTGAAAGGTAAAATTGGTAATAATAAGGAT

SEQ2401      GGATTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGTAAAACCTCTACAGAAATTTATA
SEQ2402      GGACTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGTAAAACCTCTACAGAAATTTATA
SEQ2403      GGACTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGTAAAACCTCTACAGAAATTTATA
SEQ2404      GGACTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGTAAAACCTCTACAGAAATTTATA
SEQ2405      GGACTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGTAAAACCTCTACAGAAATTTATA
SEQ2406      GGACTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGTAAAACCTCTACAGAAATTTATA
SEQ2407      GGATTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGTAAAACCTCTACAGAAATTTATA
SEQ2408      GGACTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGTAAAACCTCTACAGAAATTTATA
SEQ2409      GGACTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGTAAAACCTCTACAGAAATTTATA
SEQ2410      GGATTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGTAAAACCTCTACAGAAATTTATA
SEQ2411      GGATTAGAATACCTCCTTTTACCAAAAGATAAAAAAGGTAAAACCTCTACAGAAATTTATA

SEQ2401      ATAAGCGTATTAAAGTTTTGAAAGAAGATGGTACTTTGGCACGTTTAAAGTAAACAATAT
SEQ2402      ATAAGCGTATTAAAGTTTTGAAAGAAGATGGTACTTTGGCACGTTTAAAGTAAACAATAT
SEQ2403      -----
SEQ2404      ATAAGCGTATTAAAGTTTTGAAAGAAGATGGTACTTTGGCACGTTTAAAGTAAACAATAT
SEQ2405      ATAAGCGT-----
SEQ2406      ATAAGCGTATTAAAGTTTTGAAAGAAGATGGTACTTTGGCACGTTTAAAGTAAACAATAT
SEQ2407      ATAAGCGTATTAAAGTTTTGAAAGAAGATGGTACTTTGGCACGTTTAAAGTAAACAATAT
SEQ2408      ATAAGCGTATTAAAGTTTTGAAAGAAGATGGTACTTTGGCACGTTTAAAGTAAACAATAT
SEQ2409      ATAAGCGTAATAAAGTTTTGAAAGAAGATGGTA-----
SEQ2410      ATAAGCGTATTAAAGTTTTGAAAGAAGATGGTACTTTGGCACGTTTAAAGTAAACAATAT
SEQ2411      ATAAGCGTATTAAAGTTTTGAAAGAAGATGGTACTTTGGCACGTTTAAAGTAAACAATAT

SEQ2401      TCGGTGGAGATTACGTTTCAAACATTGATAAA-----
SEQ2402      TCGGTGGAGATTACGTTTCAAACATTGATAAA-----
SEQ2403      -----
SEQ2404      TCGGTGGAGATTACGTTTCAAACATTGATAAA-----
SEQ2405      -----
SEQ2406      TCGGTGGAGATTACGTTTCAAACATTGATAAA-----
SEQ2407      TCGGTGGAGATTACGTTTCAAACATTGATAAA-----
SEQ2408      TCGGTGGAGATTACGTTTCAAACATTGATAAA-----
SEQ2409      -----
SEQ2410      TCGGTGGAGATTACGTTTCAAACATTGATAAA-----
SEQ2411      TCGGTGGAGATTACGTTTCAAACATTGATAAAGTRCMARATVSTNCSRATNGTSAGABC

```

**Figure 24: C mparative Sequences relating to SAG0290
(ABC transporter, substrate-binding protein)**

```
SEQ2401 -----
SEQ2402 -----
SEQ2403 -----
SEQ2404 -----
SEQ2405 -----
SEQ2406 -----
SEQ2407 -----
SEQ2408 -----
SEQ2409 -----
SEQ2410 -----
SEQ2411 RANSRTRSTBSTRATBNDNGRTN
```

>SEQ ID NO 2450: 8_1169NT frame: 1

VSVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFKTVPFDTIS
TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLGKSTEV
SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVTSLRNKIESGKIDFILYDAISSDYIVK
DQSLNLSVSPKKGKIGNNKDGLYLLLPKDKKGGKTLQKFINKRIKVLKEDGTLARLSKQY
FGGDYVSNIDK

>SEQ ID NO 2451:8_168S21 frame: 1

VSVQASEKVELKVATDSDTAPFTYXKDGKFKGYDVDVVKAVFKGSKYKVTFKTVPFDTIS
TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLGKSTEV
SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVTSLRNKIESGKIDFILYDAISSDYIVK
DQSLNLSVSPKKGKIGNNKDGLYLLLPKDKKGGKTLQKFINKRIKVLKENGTLARLSKQY
FGGDYVSNIDK

>SEQ ID NO 2452:8_2603 frame: 2

FKGYDVDVVKAVFKGSKYKVTFKTVPFDTISTGIDAGKFDLSANDFSYNKERAEEKYLFSD
PISRSNYAVVGKKGSHYKSLSDLGKSTEVLSGVNYAQVLENWNNKHPNKKPIKIKYVSG
TTGVTSLRNKIESGKIDFILYDAISSDYIVKDQSLNLSVSPKKGKIGNNKDGLYLLLPK
DKK

>SEQ ID NO 2453:8_090 frame: 1

VSVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFKTVPFDTIS
TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLGKSTEV
SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVTSLRNKIESGKIDFILYDAISSDYIVK
DQSLNLSVSPKKGKIGNNKDGLYLLLPKDKKGGKTLQKFINKRIKVLKENGTLARLSKQY
FGGDYVSNIDK

>SEQ ID NO 2454:8_A909 frame: 1

VSVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFKTVPFDTIS
TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLGKSTEV
SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVTSLRNKIESGKIDFILYDAISSDYIVK
DQSLNLSVSPKKGKIGNNKDGLYLLLPKDKKGGKTLQKFINKR

>SEQ ID NO 2455: 8_CJB110 frame: 1

VSVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFKTVPFDTIS
TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLGKSTEV
SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVTSLRNKIESGKIDFILYDAISSDYIVK
DQSLNLSVSPKKGKIGNNKDGLYLLLPKDKKGGKTLQKFINKRIKVLKENGTLARLSKQY
FGGDYVSNIDK

>SEQ ID NO 2456: 8_COH1 frame: 1

VSVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFKTVPFDTIS
TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLGKSTEV
SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVTSLRNKIESGKIDFILYDAISSDYIVK
DQSLNLSVSPKKGKIGNNKDGLYLLLPKDKKGGKTLQKFINKRIKVLKEDGTLARLSKQY
FGGDYVSNIDK

>SEQ ID NO 2457:8_H36B frame: 1

VSVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFKTVPFDTIS
TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLGKSTEV
SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVTSLRNKIESGKIDFILYDAISSDYIVK
DQSLNLSVSPKKGKIGNNKDGLYLLLPKDKKGGKTLQKFINKRIKVLKENGTLARLSKQY
FGGDYVSNIDK

**Figure 24: C mparative Sequences relating t SAG0290
(ABC transporter, substrate-binding protein)**

>SEQ ID NO 2458:8 JM9130013 frame: 1

VSVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKRKNKVLKENG

>SEQ ID NO 2459:8 M732 frame: 1

VSVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKRIKVLKEDGTLARLSKQY
FGGDYVSNIDK

>SEQ ID NO 2460:8 M781 frame: 1

VSVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKRIKVLKEDGTLARLSKQY
FGGDYVSNIDK

SEQ2450	SVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
SEQ2451	SVQASEKVELKVATDSDTAPFTYXKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
SEQ2452	-----FKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
SEQ2453	SVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
SEQ2454	SVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
SEQ2455	SVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
SEQ2456	SVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
SEQ2457	SVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
SEQ2458	SVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
SEQ2459	SVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
SEQ2460	SVQASEKVELKVATDSDTAPFTYQKDGKFKGYDVDVVKAVFKGSKYKVTFTKTVPFDTIS
SEQ2450	TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SEQ2451	TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SEQ2452	TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SEQ2453	TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SEQ2454	TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SEQ2455	TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SEQ2456	TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SEQ2457	TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SEQ2458	TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SEQ2459	TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SEQ2460	TGIDAGKFDLSANDFSYNKERAEEKYLFSDPISRSNYAVVGKKGSHYKSLSDLSGKSTEV
SEQ2450	SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
SEQ2451	SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
SEQ2452	SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
SEQ2453	SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
SEQ2454	SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
SEQ2455	SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
SEQ2456	SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
SEQ2457	SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
SEQ2458	SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
SEQ2459	SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
SEQ2460	SGVNYAQVLENWNNKHPNKKPIKIKYVSGTTGVT SRLKNIESGKIDFILYDAISSDYIVK
SEQ2450	DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKRIKVLKEDGTLARLSKQY
SEQ2451	DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKRIKVLKENGTLARLSKQY
SEQ2452	DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKK-----
SEQ2453	DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKRIKVLKENGTLARLSKQY
SEQ2454	DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKR-----
SEQ2455	DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKRIKVLKENGTLARLSKQY
SEQ2456	DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKRIKVLKEDGTLARLSKQY
SEQ2457	DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKRIKVLKENGTLARLSKQY
SEQ2458	DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKRKNKVLKENG-----
SEQ2459	DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKRIKVLKEDGTLARLSKQY
SEQ2460	DQSLNLSVSPKGGKIGNNKDGLEYLLLPKDKKGGKTLQKFINKRIKVLKEDGTLARLSKQY

**Figure 24: C mparative Sequences relating to SAG0290
(ABC transp rter, substrate-binding protein)**

SEQ2450	GGDYVSNIDK
SEQ2451	GGDYVSNIDK
SEQ2452	-----
SEQ2453	GGDYVSNIDK
SEQ2454	-----
SEQ2455	GGDYVSNIDK
SEQ2456	GGDYVSNIDK
SEQ2457	GGDYVSNIDK
SEQ2458	-----
SEQ2459	GGDYVSNIDK
SEQ2460	GGDYVSNIDK

**Table 25: Comparative Sequences relating to SAG0368
(protein of unknown function)**

SEQ ID NO. 2501: SAG0368 FROM THE 090 GBS TYPE Ia STRAIN

TATAATTTTTCGACTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCTATTGAA
GAAACAAAGCCGTTTTCATACTATTAATGGGGGTGGACACAGGTTTCAGAGCATCGAAAATCTAAGTGGTCAGGAAAT
AGCGATTCTATGATCTTAGTCACTATAAATCCTAAAACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTG
ATTAAATTGAGTGGTCCCAAAAATAATGGACAGACTGGAGTAGAAGCAAAGCTAAATGCAGCCTATGCTTCTGGTGGT
GCGGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTTTATGCAAATTAATATGCAAGGA
TTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGTAACATAAATTTGACTTTCCAATATCAATTGCTGCCAAT
GAACCAGAGTACAAGGCTGTTGTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTTATTCTCGTATG
CGCTATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAGACAACGTGAAGTAATTCAAAAAGTCCTTAAAAAATA
TTGGCGTTAAATAGTATTAGTTTCATACAAAAAATTCTTTCCGCAGTAAGTAATAACATGCAAACTAATATTGAGATA
TCATCAAAAACGATTCCTAATTTGTTAGCTTATAAAGATTCATTGGAACATATTAAATCTTATCAGTTGAAGGGTGAA
GACGCTACTTTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAAATAGAATTAAG
AAAGAAGTGGATAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCTATATGAAGATTACTATGGTACTACTGCT
AGTAATGATTCTTCTACTTATTCATCAACACAAGAGAATAATTATAATACAACACCTTATTGAGAAGCACCACCAAGT
TACAGTGGTAATACTACTTATAGTTCTGAGACTAATCAAACAACCTCATCAAAATTACTATAATAGTAGCACTCCTGCT
AGTAACATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAGTGTCAATAATCATAACGGGGCTGCAACG
CCTAATCCA

SEQ ID NO. 2502: SAG0368 FROM THE 1169NT1 GBS TYPE V STRAIN

TATAATTTTTCGACTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCTATTGAA
GAAACAAAGCCGTTTTCATACTATTAATGGGGGTGGACACAGGTTTCAGAGCATCGAAAATCTAAGTGGTCAGGAAA
TAGCGATTCTATGATCTTAGTCACTATAAATCCTAAAACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATT
GATTAAATTGAGTGGTCCCAAAAATAATGGACAGACTGGCGTAGAAGCAAAGCTAAATGCAGCCTATGCTTCTGGTGG
TGCGGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTTTATGCAAATTAATATGCAAGG
ATTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGTAACATAAATTTGACTTTCCAATATCAATTGCTGCCAA
TGAACCAGAGTACAAGGCTGTTGTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTTATTCTCGTAT
GCGCTATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAGACAACGTGAAGTAATTCAAAAAGTCCTTAAAAAAT
ATTGGCGTTAAATAGTATTAGTTTCATACAAAAAATTCTTTCCGCAGTAAGTAATAACATGCAAACTAATATTGAGAT
ATCATCAAAAACGATTCCTAATTTGTTAGCTTATAAAGATTCATTGGAACATATTAAATCTTATCAGTTGAAAGGTGA
AGACGCTACTTTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAAATAGAATTA
GAAAGAAGTAGATAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCTATATGAAGATTACTATGGTACTACTGC
TAGTAATGATTCTTCTACTTATTCATCAACACAAGAGAATAATTATAATACAACACCTTATTGAGAAGCACCACCAAG
TTACAGTGGTAATACTACTTATAGTTCTGAGACTAATCAAACAACCTCATCAAAGTTACTATAATAGTAGCACTCCTGC
TAATAACTATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAGTGTCAATAATCATAATGGGGCTGCAAC
GCCTAATCCA

SEQ ID NO. 2503 SAG0368 FROM THE 18RS21 GBS TYPE II STRAIN

TATAATTTTTCGACTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCTATTGAA
GAAACAAAGCCGTTTTCATACTATTAATGGGGGTGGACACAGGTTTCAGAGCATCGAAAATCTAAGTGGTCAGGAAAT
AGCGATTCTATGATCTTAGTCACTATAAATCCTAAAACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTG
ATTAAATTGAGTGGTCCCAAAAATAATGGACAGACTGGAGTAGAAGCAAAGCTAAATGCAGCCTATGCTTCTGGTGGT
GCGGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTTTATGCAAATTAATATGCAAGGA
TTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGTAACATAAATTTGACTTTCCAATATCAATTGCTGCCAAT
GAACCAGAGTACAAGGCTGTTGTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTTATTCTCGTATG
CGCTATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAGACAACGTGAAGTAATTCAAAAAGTCCTTAAAAAATA
TTGGCGTTAAATAGTATTAGTTTCATACAAAAAATTCTTTCCGCAGTAAGTAATAACATGCAAACTAATATTGAGATA
TCATCAAAAACGATTCCTAATTTGTTAGCTTATAAAGATTCATTGGAACATATTAAATCTTATCAGTTGAAGGGTGAA
GACGCTACTTTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAAATAGAATTAAG
AAAGAAGTGGATAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCTATATGAAGATTACTATGGTACTACTGCT
AGTAATGATTCTTCTACTTATTCATCAACACAAGAGAATAATTATAATACAACACCTTATTGAGAAGCACCACCAAGT
TACAGTGGTAATACTACTTATAGTTCTGAGACTAATCAAACAACCTCATCAAAATTACTATAATAGTAGCACTCCTGCT
AGTAACATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAGTGTCAATAATCATAACGGGGCTGCAACG
CCTAATCCA

**Table 25: Comparativ Sequences relating t SAG0368
(pr tein f unknown function)**

SEQ ID NO. 2504: SAG0368 FROM THE 2603 V/R GBS TYPE V STRAIN

TATAATTTTTCGACTAATGAATTGTCTAAGACTTTTAAAGATTTTAAGCTAGCTAAATCAAAAAGTCATGCTATTGAA
GAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTTCAGAGCATCGAAAATCTAAGTGGTCAGGAAAT
AGCGATTCTATGATCTTAGTCACTATAAATCCTAAAACCTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTG
ATTAAATTGAGTGGTCCCAAAAATAATGGACAGACTGGAGTAGAAGCAAAGCTAAATGCAGCCTATGCTTCTGGTGGT
GCGGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTTTATGCAAATTAATATGCAAGGA
TTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGTAACCTAATAAATTTGACTTTCCAATATCAATTGCTGCCAAT
GAACCAGAGTACAAGGCTGTTGTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTATTCTCGTATG
CGCTATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAGACAACGTGAAGTAATTCAAAAGTCCTTAAAAAATA
TTGGCGTTAAATAGTATTAGTTTCATACAAAAAATTTCTTCCGCGAGTAAGTAATAACATGCAAACTAATATTGAGATA
TCATCAAAAACGATTCCTAATTTGTTAGCTTATAAAGATTCATTGGAACATATTAAATCTTATCAGTTGAAGGGTGAA
GACGCTACTTTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAATAGAATTAAG
AAAGAACTGGATAAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCTATATGAAGATTACTATGGTACTACTGCT
AGTAATGATTCTTCTACTTATTATCATCAACACAAGAGAATAATTATAATACAACACCTTATTTCAGAAGCACCACCAAGT
TACAGTGGTAATACTACTTATAGTTCTGAGACTAATCAAACAACCTCATCAAATTACTATAATAGTAGCACTCCTGCT
AGTAACATATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAAGTGTCAATAATCATAACGGGGCTGCAACG
CCTAATCCA

SEQ ID NO. 2505: SAG0368 FROM THE A909 GBS TYPE Ia STRAIN

TATAATTTTTCGACTAATGAATTGTCTAAGACTTTTAAAGATTTTAAGCTAGCTAAATCAAAAAGTCATGCTATTGAA
GAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTTCAGAGCATCGAAAATCTAAGTGGTCAGGAAAT
AGCGATTCTATGATCTTAGTCACTATAAATCCTAAAACCTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTG
ATTAAATTGAGTGGTCCCAAAAATAATGGACAGACTGGAGTAGAAGCAAAGCTAAATGCAGCCTATGCTTCTGGTGGT
GCGGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTTTATGCAAATTAATATGCAAGGA
TTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGTAACCTAATAAATTTGACTTTCCAATATCAATTGCTGCCAAT
GAACCAGAGTACAAGGCTGTTGTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTATTCTCGTATG
CGCTATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAGACAACGTGAAGTAATTCAAAAGTCCTTAAAAAATA
TTGGCGTTAAATAGTATTAGTTTCATACAAAAAATTTCTTCCGCGAGTAAGTAATAACATGCAAACTAATATTGAGATA
TCATCAAAAACGATTCCTAATTTGTTAGCTTATAAAGATTCATTGGAACATATTAAATCTTATCAGTTGAAGGGTGAA
GACGCTACTTTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAATAGAATTAAG
AAAGAACTGGATAAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCTATATGAAGATTACTATGGTACTACTGCT
AGTAATGATTCTTCTACTTATTATCATCAACACAAGAGAATAATTATAATACAACACCTTATTTCAGAAGCACCACCAAGT
TACAGTGGTAATACTACTTATAGTTCTGAGACTAATCAAACAACCTCATCAAATTACTATAATAGTAGCACTCCTGCT
AGTAACATATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAAGTGTCAATAATCATAACGGGGCTGCAACG
CCTAATCCA

**SEQ ID NO. 2506: SAG0368 FROM THE CJB110 GBS NONTYPEABLE STRAIN (REVERSE
COMPLEMENT)**

TATAATTTTTCGACTAATGAATTGTCTAAGACTTTTAAAGATTTTAAGCTAGCTAAATCAAAAAGTCATGCTATTGAA
GAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTTCAGAGCATCGAAAATCTAAGTGGTCAGGAAAT
AGCGATTCTATGATCTTAGTCACTATAAATCCTAAAACCTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTG
ATTAAATTGAGTGGTCCCAAAAATAATGGACAGACTGGAGTAGAAGCAAAGCTAAATGCAGCCTATGCTTCTGGTGGT
GCGGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTTTATGCAAATTAATATGCAAGGA
TTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGTAACCTAATAAATTTGACTTTCCAATATCAATTGCTGCCAAT
GAACCAGAGTACAAGGCTGTTGTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTATTCTCGTATG
CGCTATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAGACAACGTGAAGTAATTCAAAAGTCCTTAAAAAATA
TTGGCGTTAAATAGTATTAGTTTCATACAAAAAATTTCTTCCGCGAGTAAGTAATAACATGCAAACTAATATTGAGATA
TCATCAAAAACGATTCCTAATTTGTTAGCTTATAAAGATTCATTGGAACATATTAAATCTTATCAGTTGAAGGGTGAA
GACGCTACTTTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAATAGAATTAAG
AAAGAACTGGATAAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCTATATGAAGATTACTATGGTACTACTGCT
AGTAATGATTCTTCTACTTATTATCATCAACACAAGAGAATAATTATAATACAACACCTTATTTCAGAAGCACCACCAAGT
TACAGTGGTAATACTACTTATTAGTTCTGAGACTAATCAAACAACCTCATCAAATTACTATAATAGTAGCACTCCTGCT
TAGTAACATATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAAGTGTCAATAATCATAACGGGGCTGCAACG
GCCTAATCCA

**Table 25: C mparative Sequences relating to SAG0368
(protein of unknown function)**

SEQ ID NO. 2507: SAG0368 FROM THE COH1 GBS TYPE III STRAIN (REVERSE COMPLEMENT)

GATTTTAAAGCTAGATAAAATCAAAAAGTCATGCTATTGAAGAAACAAAGCCGTTTTCAATACTATTAATGGGTGTGGAC
ACAGGTTCAAGCATCGAAAATCTAAGTGGTCAGGAAATAGCGATTCTATGATCTTAGTCACTATAAAATCCTAAAACT
AATAAAACAACGATGACAAGCTTAGAACGTGACGTATTGATTAAATTGAGTGGTCCCAAAAATAATGGACAGACTGGC
GTAGAAGCAAAGCTAAATGCAGCCTATGCTTCTGGTGGTGCAGGAAATGGCATTGATGACTGTTCAAGACTTATTAGAT
ATTAATGTTGATTACTTTATGCAAATTAATATGCAAGGATTAGTTGATTGGTCAATGCTGTTGGTGGTATAACAGTA
ACTAATAAATTTGACTTTCCAATATCAATTGCTGCCAATGAACCAGAGTACAAGGCTGTTGTTGAACCAGGGACACAT
AAAATAAATGGAGAACAAGCACTTGTTTATTCTCGTATGCGCTATGATGATCCAGAGGGAGATTATGGGCGTCAAAAA
AGACAACGTGAAGTAATCAAAAAGTCCTTAAAAAATATTGGCGTTAAATAGTATTAGTTCATACAAAAAATTTCTT
TCCGCGTAAGTAATAACATGCAAACTAATATTGAGATATCATCAAAAACGATTCTTAATTTGTTAGCTTATAAAGAT
TCATTGGAAACATATTAATCTTATCAGTTGAAGGGTGAAGACGCTACTCTATCAGATGGTGGCTCTTATCAAATTTTA
ACTAAGAAACATCTACTTGCAGTTCAAAATAGAATTAAGAAAGAGCTGGATAAAAAGCGTAGTAAACTCTGAAGACA
AGCGCGATTCTATATGAAGATTACTATGGTACTACTGCTAGTAATGATTCTTCTACTTATTATCAACACAAGAGAAT
TATTATTATACAACACCCCTATTTCAGAAGCACCACCAAGTTACAGTGGTAATACTACTTATAGTTCTGAGACTAATCA
AACAATCATCAAAGTTACTATAATAGTAGCACTCTGCTAGTAACATATAGCAGTAACACTAACACAGGTCAGGCTGA
TTCAAGTGAAGTGTTAATAATTATAACGGGGCTGCAACGCCTAATCCAAACACAGGAACGCAACCAGTACCAGGTCA
AACTAATCCA

SEQ ID NO. 2508: SAG0368 FROM THE H36b GBS TYPE Ib STRAIN

TATAATTTTTCGACTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCTATTGAA
GAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTCAAGCATCGAAAATCTAAGTGGTCAGGAAAT
AGCGATTCTATGATCTTAGTCACTATAAAATCCTAAAACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTG
ATTAATTTGAGTGGTCCCAAAAATAATGGACAGACTGGAGTAGAAGCAAAGCTAAATGCAGCCTATGCTTCTGGTGGT
GCGGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTTTATGCAAATTAATATGCAAGGA
TTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGTAACATAAATTTGACTTTCCAATATCAATTGCTGCCAAT
GAACCAGAGTACAAGGCTGTTGTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTATTCTCGTATG
CGCTATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAGACAACGTGAAGTAATTCAAAAAGTCCTTAAAAAATA
TTGGCGTTAAATAGTA

SEQ ID NO. 2509: SAG0368 FROM THE ?????

TTAGTTCATACAAAAAATTTCTTTCCGCGAGTAAGTAATAACATGCAAACTAATATTGAGATATCATCAAAAACGATTTC
CTAATTTGTTAGCTTATAAAGATTCAATGGAACATATTAAATCTTATCAGTTGAAGGGTGAAGACGCTACTTTATCAG
ATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAATAGAATTAAGAAAGAACTGGATAAAA
AGCGTAGTAAACTCTGAAGACAAGCGGATTCTATATGAAGATTACTATGGTACTACTGCTAGTAATGATTCTTCTA
CTTATTATCAACACAAGAGAATAATTATAATACAACACCTTATTTCAGAAGCACCACCAAGTTACAGTGGTAATACTA
CTTATAGTTCTGAGACTAATCAAACAACCTCATCAAATTAATAATAGTAGCACTCTGCTAGTAACATATAGCAGTA
ACACTAACACAGGTCAGGCTGATTCAAGTGAAGTGTCATAATCATACGGGGCTGCAACGCCTAATCCA

SEQ ID NO. 2510: SAG0368 FROM THE JM9130013 GBS TYPE VIII STRAIN (REVERSE COMPLEMENT)

TATAATTTTTCGACTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCTATTGAA
GAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTCAAGCATCGAAAATCTAAGTGGTCAGGAAAT
AGCGATTCTATGATCTTAGTCACTATAAAATCCTAAAACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTG
ATTAATTTGAGTGGTCCCAAAAATAATGGACAGACTGGAGTAGAAGCAAAGCTAAATGCAGCCTATGCTTCTGGTGGT
GCGGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTTTATGCAAATTAATATGCAAGGA
TTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGTAACATAAATTTGACTTTCCAATATCAATTGCTGCCAAT
GAACCAGAGTACAAGGCTGTTGTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTATTCTCGTATG
CGCTATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAGACAACGTGAAGTAATTCAAAAAGTCCTTAAAAAATA
TTGGCGTTAAATAGTATTAGTTCATACAAAAAATTTCTTTCCGCGAGTAAGTAATAACATGCAAACTAATATTGAGATA
TCATCAAAAACGATTCTAATTTGTTAGCTTATAAAGATTCAATGGAACATATTAAATCTTATCAGTTGAAGGGTGAA
GACGCTACTTTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAAAATAGAATTAAAG
AAAGAAGTGGATAAAAAGCGTAGTAAACTCTGAAGACAAGCGGATTCTATATGAAGATTACTATGGTACTACTGCT
AGTAATGATTCTTCTACTTATTATCAACACAAGAGAATAATTATAATACAACACCTTATTTCAGAAGCACCACCAAGT
TACAGTGGTAATACTACTTATAGTTCTGAGACTAATCAAACAACCTCATCAAATTAATAATAGTAGCACTCTGCT
AGTAACATATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGAAGTGTCATAATCATACGGGGCTGCAACG
CCTAATCCA

**Table 2s: Comparative Sequences relating t SAG0368
(protein of unknown functi n)**

SEQ ID NO. 2511: SAG0368 FROM THE M781 GBS TYPE III STRAIN (REVERSE COMPLEMENT)

TTCAATACTATTAATGGGTGTGGACACAGGTTTCAGAGCATCGAAAATCTAAGTGGTCAGGAAATAGCGATTCTATGAT
CTTAGTCACTATAAATCCTAAACTAATAAAAACAACGATGACAAGCTTAGAACGTGACGTATTGATTAAATTGAGTGG
TCCCAAAAATAATGGACAGACTGGCGTAGAAGCAAAGCTAAATGCAGCCTATGCTTCTGGTGGTGGGAAATGGCATT
GATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTTTATGCAAATTAATATGCAAGGATTAGTTGATTTGGT
CAATGCTGTTGGTGGTATAACAGTAACATAAATTTGACTTTCCAATATCAATTGCTGCCAATGAACCAGAGTACAA
GGCTGTTGTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTATTCTCGTATGCGCTATGATGATCC
AGAGGGAGATTATGGGCGTCAAAAAAGACAACGTGAAGTAATTCAAAAAGTCCTTAAAAAATATTGGCGTTAAATAG
TATTAGTTCATACAAAAAATTCTTTCCGCAGTAAGTAATAACATGCAAACTAATATTGAGATATCATCAAAAACGAT
TCCTAATTTGTTAGCTTATAAAGATTTCATTGGAACATATTAATCTTATCAGTTGAAGGGTGAAGACGCTACTCTATC
AGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAATAGAAATTAAGAAAGAGCTGGATAA
AAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCTATATGAAGATTACTATGGTACTACTGCTAGTAATGATTCTTC
TACTTATTCATCAACACAAGAGAATAATTATAATACAACACCTTATTGAGAAGCACCACCAAGTTACAGTGGTAATAC
TACTTATAGTTCTGAGACTAATCAAACAACATCAAAAGTTACTATAATAGTAGCACTCCTGCTAGTAACATATAGCAG
TAACACTAACACAGGTCAGGCTGATTCAAGTGGAAAGTGTTAATAATTATAACGGGGCTGCAACGCCTAATCCAAACAC
AGGAACGCAACCAGTACCAGGTCAAACTAATCCA

SEQ2501 -----
SEQ2502 -----
SEQ2503 -----
SEQ2504 -----
SEQ2505 -----
SEQ2506 -----
SEQ2507 ATTTTAAGCTAGATAAATCAAAAAGTCATGCTATTGAAGAAACAAAGCCGTTTTCAATA
SEQ2508 -----
SEQ2509 -----
SEQ2510 -----
SEQ2511 -----TTCAATA

SEQ2501 -----
SEQ2502 -----
SEQ2503 -----
SEQ2504 -----
SEQ2505 -----
SEQ2506 -----
SEQ2507 TATTAATGGGTGTGGACACAGGTTTCAGAGCATCGAAAATCTAAGTGGTCAGGAAATAGC
SEQ2508 -----
SEQ2509 -----
SEQ2510 -----
SEQ2511 TATTAATGGGTGTGGACACAGGTTTCAGAGCATCGAAAATCTAAGTGGTCAGGAAATAGC

SEQ2501 -----
SEQ2502 -----
SEQ2503 -----
SEQ2504 -----
SEQ2505 -----
SEQ2506 -----
SEQ2507 ATTCTATGATCTTAGTCACTATAAATCCTAAACTAATAAAAACAACGATGACAAGCTTA
SEQ2508 -----
SEQ2509 -----
SEQ2510 -----
SEQ2511 ATTCTATGATCTTAGTCACTATAAATCCTAAACTAATAAAAACAACGATGACAAGCTTA

**Table 23: C mparative Sequences relating to SAG0368
(prot in f unknown function)**

SEQ2501	-----
SEQ2502	-----
SEQ2503	-----
SEQ2504	-----
SEQ2505	-----
SEQ2506	-----
SEQ2507	AACGTGACGTATTGATTAAATTGAGTGGTCCCAAAAATAATGGACAGACTGGCGTAGAA
SEQ2508	-----
SEQ2509	-----
SEQ2510	-----
SEQ2511	AACGTGACGTATTGATTAAATTGAGTGGTCCCAAAAATAATGGACAGACTGGCGTAGAA
SEQ2501	-----
SEQ2502	-----
SEQ2503	-----
SEQ2504	-----
SEQ2505	-----
SEQ2506	-----
SEQ2507	CAAAGCTAAATGCAGCCTATGCTTCTGGTGGTGCGGAAATGGCATTGATGACTGTTCAA
SEQ2508	-----
SEQ2509	-----
SEQ2510	-----
SEQ2511	CAAAGCTAAATGCAGCCTATGCTTCTGGTGGTGCGGAAATGGCATTGATGACTGTTCAA
SEQ2501	-----
SEQ2502	-----
SEQ2503	-----
SEQ2504	-----
SEQ2505	-----
SEQ2506	-----
SEQ2507	ACTTATTAGATATTAATGTTGATTACTTTATGCAAATTAATATGCAAGGATTAGTTGAT
SEQ2508	-----
SEQ2509	-----
SEQ2510	-----
SEQ2511	ACTTATTAGATATTAATGTTGATTACTTTATGCAAATTAATATGCAAGGATTAGTTGAT
SEQ2501	-----
SEQ2502	-----
SEQ2503	-----
SEQ2504	-----
SEQ2505	-----
SEQ2506	-----
SEQ2507	TGGTCAATGCTGTTGGTGGTATAACAGTAACTAATAAATTTGACTTTCCAATATCAATT
SEQ2508	-----
SEQ2509	-----
SEQ2510	-----
SEQ2511	TGGTCAATGCTGTTGGTGGTATAACAGTAACTAATAAATTTGACTTTCCAATATCAATT
SEQ2501	-----
SEQ2502	-----
SEQ2503	-----
SEQ2504	-----
SEQ2505	-----
SEQ2506	-----
SEQ2507	CTGCCAATGAACCAGAGTACAAGGCTGTTGTTGAACCAGGGACACATAAAATAAATGGA
SEQ2508	-----
SEQ2509	-----
SEQ2510	-----
SEQ2511	CTGCCAATGAACCAGAGTACAAGGCTGTTGTTGAACCAGGGACACATAAAATAAATGGA

**Table 25: Comparative Sequences relating to SAG0368
(protein of unknown function)**

SEQ2501	-----
SEQ2502	-----
SEQ2503	-----
SEQ2504	-----
SEQ2505	-----
SEQ2506	-----
SEQ2507	AACAAGCACTTGTTTATTCTCGTATGCGCTATGATGATCCAGAGGGAGATTATGGGCGT
SEQ2508	-----
SEQ2509	-----
SEQ2510	-----
SEQ2511	AACAAGCACTTGTTTATTCTCGTATGCGCTATGATGATCCAGAGGGAGATTATGGGCGT
SEQ2501	-----TATAATTTTTTCG
SEQ2502	-----TATAATTTTTTCG
SEQ2503	-----TATAATTTTTTCG
SEQ2504	-----TATAATTTTTTCG
SEQ2505	-----TATAATTTTTTCG
SEQ2506	-----TATAATTTTTTCG
SEQ2507	AAAAAAGACAACGTGAAGTAATTCAAAAAGTCCTTAAAAAAATATTGGCGTTAAATAGT
SEQ2508	-----TATAATTTTTTCG
SEQ2509	-----
SEQ2510	-----TATAATTTTTTCG
SEQ2511	AAAAAAGACAACGTGAAGTAATTCAAAAAGTCCTTAAAAAAATATTGGCGTTAAATAGT
SEQ2501	CTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCT
SEQ2502	CTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCT
SEQ2503	CTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCT
SEQ2504	CTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCT
SEQ2505	CTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCT
SEQ2506	CTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCT
SEQ2507	TTAGTTCAT-ACAAAAAAATCTTTCCGCAGTAAGTAA--TAACATGCAAACATAATATT
SEQ2508	CTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCT
SEQ2509	TTAGTTCAT-ACAAAAAAATCTTTCCGCAGTAAGTAA--TAACATGCAAACATAATATT
SEQ2510	CTAATGAATTGTCTAAGACTTTTAAAGATTTTAAAGCTAGCTAAATCAAAAAGTCATGCT
SEQ2511	TTAGTTCAT-ACAAAAAAATCTTTCCGCAGTAAGTAA--TAACATGCAAACATAATATT
SEQ2501	TTGAAGAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTTCAGAGCAT
SEQ2502	TTGAAGAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTTCAGAGCAT
SEQ2503	TTGAAGAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTTCAGAGCAT
SEQ2504	TTGAAGAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTTCAGAGCAT
SEQ2505	TTGAAGAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTTCAGAGCAT
SEQ2506	TTGAAGAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTTCAGAGCAT
SEQ2507	AGATATCATCAAAAACGATTCCCTAATTTGTTAGCTTATAAAGATTCA---TTGGAACAT
SEQ2508	TTGAAGAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTTCAGAGCAT
SEQ2509	AGATATCATCAAAAACGATTCCCTAATTTGTTAGCTTATAAAGATTCA---TTGGAACAT
SEQ2510	TTGAAGAAACAAAGCCGTTTTCAATACTATTAATGGGGGTGGACACAGGTTTCAGAGCAT
SEQ2511	AGATATCATCAAAAACGATTCCCTAATTTGTTAGCTTATAAAGATTCA---TTGGAACAT
SEQ2501	GAAATCTAAGT-GGTCAGGAAATAGCGATTCTATGATCTTAGTCACTATAAATCCTAA
SEQ2502	GAAATCTAAGTGGTCAGGAAATAGCGATTCTATGATCTTAGTCACTATAAATCCTAA
SEQ2503	GAAATCTAAGT-GGTCAGGAAATAGCGATTCTATGATCTTAGTCACTATAAATCCTAA
SEQ2504	GAAATCTAAGT-GGTCAGGAAATAGCGATTCTATGATCTTAGTCACTATAAATCCTAA
SEQ2505	GAAATCTAAGT-GGTCAGGAAATAGCGATTCTATGATCTTAGTCACTATAAATCCTAA
SEQ2506	GAAATCTAAGT-GGTCAGGAAATAGCGATTCTATGATCTTAGTCACTATAAATCCTAA
SEQ2507	TTAAATCTTATC-AGTTGAAGGGTGAAGACGCTACTCTATCAG--ATGGTGGCTCTTAT
SEQ2508	GAAATCTAAGT-GGTCAGGAAATAGCGATTCTATGATCTTAGTCACTATAAATCCTAA
SEQ2509	TTAAATCTTATC-AGTTGAAGGGTGAAGACGCTACTTTATCAG--ATGGTGGCTCTTAT
SEQ2510	GAAATCTAAGT-GGTCAGGAAATAGCGATTCTATGATCTTAGTCACTATAAATCCTAA
SEQ2511	TTAAATCTTATC-AGTTGAAGGGTGAAGACGCTACTCTATCAG--ATGGTGGCTCTTAT
SEQ2501	ACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTGATTAAATTGAGTGGTCC

**Table 25: Comparative Sequences relating t SAG0368
(protein of unknown functi n)**

SEQ2502	ACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTGATTAAATTGAGTGGTCC
SEQ2503	ACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTGATTAAATTGAGTGGTCC
SEQ2504	ACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTGATTAAATTGAGTGGTCC
SEQ2505	ACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTGATTAAATTGAGTGGTCC
SEQ2506	ACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTGATTAAATTGAGTGGTCC
SEQ2507	AAATTTTAACTAAGAAACATCTACTTGCAGTTCAAATAGAAATTAAGAAAGAGCTGGAT
SEQ2508	ACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTGATTAAATTGAGTGGTCC
SEQ2509	AAATTTTAACTAAGAAACATCTACTTGCAGTTCAAATAGAAATTAAGAAAGAACTGGAT
SEQ2510	ACTAATAAAACAACGATGACAAGCTTAGAACGTGACGTATTGATTAAATTGAGTGGTCC
SEQ2511	AAATTTTAACTAAGAAACATCTACTTGCAGTTCAAATAGAAATTAAGAAAGAGCTGGAT
SEQ2501	AAAAATAATGGACAGACTGGAGTAGAAGCAAAG--CTAAATGCAGCCTATGCTTCTGGT
SEQ2502	AAAAATAATGGACAGACTGGCGTAGAAGCAAAG--CTAAATGCAGCCTATGCTTCTGGT
SEQ2503	AAAAATAATGGACAGACTGGAGTAGAAGCAAAG--CTAAATGCAGCCTATGCTTCTGGT
SEQ2504	AAAAATAATGGACAGACTGGAGTAGAAGCAAAG--CTAAATGCAGCCTATGCTTCTGGT
SEQ2505	AAAAATAATGGACAGACTGGAGTAGAAGCAAAG--CTAAATGCAGCCTATGCTTCTGGT
SEQ2506	AAAAATAATGGACAGACTGGAGTAGAAGCAAAG--CTAAATGCAGCCTATGCTTCTGGT
SEQ2507	AAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCTATATGAAGATTACTATGGTACT
SEQ2508	AAAAATAATGGACAGACTGGAGTAGAAGCAAAG--CTAAATGCAGCCTATGCTTCTGGT
SEQ2509	AAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCTATATGAAGATTACTATGGTACT
SEQ2510	AAAAATAATGGACAGACTGGAGTAGAAGCAAAG--CTAAATGCAGCCTATGCTTCTGGT
SEQ2511	AAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCTATATGAAGATTACTATGGTACT
SEQ2501	GTGC-GGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTT
SEQ2502	GTGC-GGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTT
SEQ2503	GTGC-GGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTT
SEQ2504	GTGC-GGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTT
SEQ2505	GTGC-GGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTT
SEQ2506	GTGC-GGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTT
SEQ2507	CTGCTAGTAATGATTCTTCTACTTATTTCATCAAC-ACAAGAGAATTATTATTAT-ACAA
SEQ2508	GTGC-GGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTT
SEQ2509	CTGCTAGTAATGATTCTTCTACTTATTTCATCAAC-ACAAGAGAATAATTATAAT-ACAA
SEQ2510	GTGC-GGAAATGGCATTGATGACTGTTCAAGACTTATTAGATATTAATGTTGATTACTT
SEQ2511	CTGCTAGTAATGATTCTTCTACTTATTTCATCAAC-ACAAGAGAATAATTATAAT-ACAA
SEQ2501	ATGCAAATTAATATGCAAGGATTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGT
SEQ2502	ATGCAAATTAATATGCAAGGATTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGT
SEQ2503	ATGCAAATTAATATGCAAGGATTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGT
SEQ2504	ATGCAAATTAATATGCAAGGATTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGT
SEQ2505	ATGCAAATTAATATGCAAGGATTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGT
SEQ2506	ATGCAAATTAATATGCAAGGATTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGT
SEQ2507	ACCCTTATTTCAGAAGCACCACCAAGTTACAGTGGT-AATACTACTTATAGTT---CTGA
SEQ2508	ATGCAAATTAATATGCAAGGATTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGT
SEQ2509	ACC-TTATTTCAGAAGCACCACCAAGTTACAGTGGT-AATACTACTTATAGTT---CTGA
SEQ2510	ATGCAAATTAATATGCAAGGATTAGTTGATTTAGTCAATGCTGTTGGTGGTATAACAGT
SEQ2511	ACC-TTATTTCAGAAGCACCACCAAGTTACAGTGGT-AATACTACTTATAGTT---CTGA
SEQ2501	ACTAATAAATTTGACTTTCCAATATCAATTGCTGCCAATGAACCAGAGTACAAGGCTGT
SEQ2502	ACTAATAAATTTGACTTTCCAATATCAATTGCTGCCAATGAACCAGAGTACAAGGCTGT
SEQ2503	ACTAATAAATTTGACTTTCCAATATCAATTGCTGCCAATGAACCAGAGTACAAGGCTGT
SEQ2504	ACTAATAAATTTGACTTTCCAATATCAATTGCTGCCAATGAACCAGAGTACAAGGCTGT
SEQ2505	ACTAATAAATTTGACTTTCCAATATCAATTGCTGCCAATGAACCAGAGTACAAGGCTGT
SEQ2506	ACTAATAAATTTGACTTTCCAATATCAATTGCTGCCAATGAACCAGAGTACAAGGCTGT
SEQ2507	ACTAATCAAAC-AACTCATCAA---AGTTACTAT-AATAG--TAGCACTCCTGCTAGT
SEQ2508	ACTAATAAATTTGACTTTCCAATATCAATTGCTGCCAATGAACCAGAGTACAAGGCTGT
SEQ2509	ACTAATCAAAC-AACTCATCAA---AATTACTAT-AATAG--TAGCACTCCTGCTAGT
SEQ2510	ACTAATAAATTTGACTTTCCAATATCAATTGCTGCCAATGAACCAGAGTACAAGGCTGT
SEQ2511	ACTAATCAAAC-AACTCATCAA---AGTTACTAT-AATAG--TAGCACTCCTGCTAGT

**Table 25: Comparative Sequences relating to SAG0368
(protein of unknown function)**

SEQ2501	GTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTATTCTCGTATGCG
SEQ2502	GTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTATTCTCGTATGCG
SEQ2503	GTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTATTCTCGTATGCG
SEQ2504	GTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTATTCTCGTATGCG
SEQ2505	GTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTATTCTCGTATGCG
SEQ2506	GTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTATTCTCGTATGCG
SEQ2507	ACTATAGCAGTAACAC-TAACACAGGTGAGGCTGATTCAAGTGGAAGTGTTAATAATTA
SEQ2508	GTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTATTCTCGTATGCG
SEQ2509	ACTATAGCAGTAACAC-TAACACAGGTGAGGCTGATTCAAGTGGAAGTGTTAATAATTA
SEQ2510	GTTGAACCAGGGACACATAAAATAAATGGAGAACAAGCACTTGTTTATTCTCGTATGCG
SEQ2511	ACTATAGCAGTAACAC-TAACACAGGTGAGGCTGATTCAAGTGGAAGTGTTAATAATTA
SEQ2501	TATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAAGACAACGTGAAGTAATTCAAAA
SEQ2502	TATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAAGACAACGTGAAGTAATTCAAAA
SEQ2503	TATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAAGACAACGTGAAGTAATTCAAAA
SEQ2504	TATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAAGACAACGTGAAGTAATTCAAAA
SEQ2505	TATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAAGACAACGTGAAGTAATTCAAAA
SEQ2506	TATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAAGACAACGTGAAGTAATTCAAAA
SEQ2507	AACGGGGCTGCAACGCCTAATCCAAACACAGGAACGCAACCAGTACCAGGTCAAACATA
SEQ2508	TATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAAGACAACGTGAAGTAATTCAAAA
SEQ2509	AACGGGGCTGCAACGCCTAATCCA-----
SEQ2510	TATGATGATCCAGAGGGAGATTATGGGCGTCAAAAAAGACAACGTGAAGTAATTCAAAA
SEQ2511	AACGGGGCTGCAACGCCTAATCCAAACACAGGAACGCAACCAGTACCAGGTCAAACATA
SEQ2501	GTCCTTAAAAAAATATTGGCGTTAAATAGTATTAGTTCATACAAAAAATTCTTTCCGC
SEQ2502	GTCCTTAAAAAAATATTGGCGTTAAATAGTATTAGTTCATACAAAAAATTCTTTCCGC
SEQ2503	GTCCTTAAAAAAATATTGGCGTTAAATAGTATTAGTTCATACAAAAAATTCTTTCCGC
SEQ2504	GTCCTTAAAAAAATATTGGCGTTAAATAGTATTAGTTCATACAAAAAATTCTTTCCGC
SEQ2505	GTCCTTAAAAAAATATTGGCGTTAAATAGTATTAGTTCATACAAAAAATTCTTTCCGC
SEQ2506	GTCCTTAAAAAAATATTGGCGTTAAATAGTATTAGTTCATACAAAAAATTCTTTCCGC
SEQ2507	CCA-----
SEQ2508	GTCCTTAAAAAAATATTGGCGTTAAATAGTA-----
SEQ2509	-----
SEQ2510	GTCCTTAAAAAAATATTGGCGTTAAATAGTATTAGTTCATACAAAAAATTCTTTCCGC
SEQ2511	CCA-----
SEQ2501	GTAAGTAATAACATGCAAACATAATATTGAGATATCATCAAAAACGATTCTTAATTTGTT
SEQ2502	GTAAGTAATAACATGCAAACATAATATTGAGATATCATCAAAAACGATTCTTAATTTGTT
SEQ2503	GTAAGTAATAACATGCAAACATAATATTGAGATATCATCAAAAACGATTCTTAATTTGTT
SEQ2504	GTAAGTAATAACATGCAAACATAATATTGAGATATCATCAAAAACGATTCTTAATTTGTT
SEQ2505	GTAAGTAATAACATGCAAACATAATATTGAGATATCATCAAAAACGATTCTTAATTTGTT
SEQ2506	GTAAGTAATAACATGCAAACATAATATTGAGATATCATCAAAAACGATTCTTAATTTGTT
SEQ2507	-----
SEQ2508	-----
SEQ2509	-----
SEQ2510	GTAAGTAATAACATGCAAACATAATATTGAGATATCATCAAAAACGATTCTTAATTTGTT
SEQ2511	-----
SEQ2501	GCTTATAAAGATTCATTGGAACATATTAATCTTATCAGTTGAAGGGTGAAGACGCTAC
SEQ2502	GCTTATAAAGATTCATTGGAACATATTAATCTTATCAGTTGAAGGGTGAAGACGCTAC
SEQ2503	GCTTATAAAGATTCATTGGAACATATTAATCTTATCAGTTGAAGGGTGAAGACGCTAC
SEQ2504	GCTTATAAAGATTCATTGGAACATATTAATCTTATCAGTTGAAGGGTGAAGACGCTAC
SEQ2505	GCTTATAAAGATTCATTGGAACATATTAATCTTATCAGTTGAAGGGTGAAGACGCTAC
SEQ2506	GCTTATAAAGATTCATTGGAACATATTAATCTTATCAGTTGAAGGGTGAAGACGCTAC
SEQ2507	-----
SEQ2508	-----
SEQ2509	-----
SEQ2510	GCTTATAAAGATTCATTGGAACATATTAATCTTATCAGTTGAAGGGTGAAGACGCTAC
SEQ2511	-----

**Table 25: C mparative Sequences relating to SAG0368
(protein f unknown functi n)**

SEQ2501	TTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAAA
SEQ2502	TTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAAA
SEQ2503	TTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAAA
SEQ2504	TTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAAA
SEQ2505	TTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAAA
SEQ2506	TTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAAA
SEQ2507	-----
SEQ2508	-----
SEQ2509	-----
SEQ2510	TTATCAGATGGTGGCTCTTATCAAATTTTAACTAAGAAACATCTACTTGCAGTTCAAAA
SEQ2511	-----
SEQ2501	AGAATTAAGAAAGAACTGGATAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCT
SEQ2502	AGAATTAAGAAAGAACTAGATAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCT
SEQ2503	AGAATTAAGAAAGAACTGGATAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCT
SEQ2504	AGAATTAAGAAAGAACTGGATAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCT
SEQ2505	AGAATTAAGAAAGAACTGGATAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCT
SEQ2506	AGAATTAAGAAAGAACTGGATAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCT
SEQ2507	-----
SEQ2508	-----
SEQ2509	-----
SEQ2510	AGAATTAAGAAAGAACTGGATAAAAAGCGTAGTAAACTCTGAAGACAAGCGCGATTCT
SEQ2511	-----
SEQ2501	TATGAAGATTACTATGGTACTACTGCTAGTAATGATTCTTCTACTTATTCATCAACACA
SEQ2502	TATGAAGATTACTATGGTACTACTGCTAGTAATGATTCTTCTACTTATTCATCAACACA
SEQ2503	TATGAAGATTACTATGGTACTACTGCTAGTAATGATTCTTCTACTTATTCATCAACACA
SEQ2504	TATGAAGATTACTATGGTACTACTGCTAGTAATGATTCTTCTACTTATTCATCAACACA
SEQ2505	TATGAAGATTACTATGGTACTACTGCTAGTAATGATTCTTCTACTTATTCATCAACACA
SEQ2506	TATGAAGATTACTATGGTACTACTGCTAGTAATGATTCTTCTACTTATTCATCAACACA
SEQ2507	-----
SEQ2508	-----
SEQ2509	-----
SEQ2510	TATGAAGATTACTATGGTACTACTGCTAGTAATGATTCTTCTACTTATTCATCAACACA
SEQ2511	-----
SEQ2501	GAGAATAATTATAATACAACACCTTATTCAGAAGCACCACCAAGTTACAGTGGTAATAC
SEQ2502	GAGAATAATTATAATACAACACCTTATTCAGAAGCACCACCAAGTTACAGTGGTAATAC
SEQ2503	GAGAATAATTATAATACAACACCTTATTCAGAAGCACCACCAAGTTACAGTGGTAATAC
SEQ2504	GAGAATAATTATAATACAACACCTTATTCAGAAGCACCACCAAGTTACAGTGGTAATAC
SEQ2505	GAGAATAATTATAATACAACACCTTATTCAGAAGCACCACCAAGTTACAGTGGTAATAC
SEQ2506	GAGAATAATTATAATACAACACCTTATTCAGAAGCACCACCAAGTTACAGTGGTAATAC
SEQ2507	-----
SEQ2508	-----
SEQ2509	-----
SEQ2510	GAGAATAATTATAATACAACACCTTATTCAGAAGCACCACCAAGTTACAGTGGTAATAC
SEQ2511	-----
SEQ2501	ACTTAT-AGTTCTGAGACTAATCAAACAACTCATCAAAATTACTATAATAGTAGCACTC
SEQ2502	ACTTAT-AGTTCTGAGACTAATCAAACAACTCATCAAAAGTTACTATAATAGTAGCACTC
SEQ2503	ACTTAT-AGTTCTGAGACTAATCAAACAACTCATCAAAATTACTATAATAGTAGCACTC
SEQ2504	ACTTAT-AGTTCTGAGACTAATCAAACAACTCATCAAAATTACTATAATAGTAGCACTC
SEQ2505	ACTTAT-AGTTCTGAGACTAATCAAACAACTCATCAAAATTACTATAATAGTAGCACTC
SEQ2506	ACTTATTAGTTCTGAGACTAATCAAACAACTCATCAAAATTACTATAATAGTAGCACTC
SEQ2507	-----
SEQ2508	-----
SEQ2509	-----
SEQ2510	ACTTAT-AGTTCTGAGACTAATCAAACAACTCATCAAAATTACTATAATAGTAGCACTC
SEQ2511	-----

**Table 25: Comparative Sequences relating t SAG0368
(protein of unknown function)**

```

SEQ2501      TGCTAGTAAC TATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAAAGTGTCA
SEQ2502      TGCTAATAACTATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAAAGTGTCA
SEQ2503      TGCTAGTAAC TATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAAAGTGTCA
SEQ2504      TGCTAGTAAC TATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAAAGTGTCA
SEQ2505      TGCTAGTAAC TATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAAAGTGTCA
SEQ2506      TGCTAGTAAC TATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAAAGTGTCA
SEQ2507      -----
SEQ2508      -----
SEQ2509      -----
SEQ2510      TGCTAGTAAC TATAGCAGTAACACTAACACAGGTCAGGCTGATTCAAGTGGAAAGTGTCA
SEQ2511      -----

```

```

SEQ2501      TAATCATAACGGGGCTGCAACGCCTAATCCA
SEQ2502      TAATCATAATGGGGCTGCAACGCCTAATCCA
SEQ2503      TAATCATAACGGGGCTGCAACGCCTAATCCA
SEQ2504      TAATCATAACGGGGCTGCAACGCCTAATCCA
SEQ2505      TAATCATAACGGGGCTGCAACGCCTAATCCA
SEQ2506      TAATCATAACGGGGCTGCAACGCCTAATCCA
SEQ2507      -----
SEQ2508      -----
SEQ2509      -----
SEQ2510      TAATCATAACGGGGCTGCAACGCCTAATCCA
SEQ2511      -----

```

>SEQ ID NO 2550: 54_090 frame: 1

YNFSTNELSKTFKDFKLAKSKSHAIEETKPF SILLMGVDTGSEHRKSKWSGNSDSMILVT
INPKTNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDLLDINV
DYFMQINMQGLVDLVNAVGGITVTNKFDFPISIAANEPEYKAVVEPGTHKINGEQALVYS
RMRYDDPEGDYGRQKRQREVIQVLKKILALNSISSYKKILSAVSNMQTNIEISSKTIP
NLLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTKHLLAVQNRIKKELDKKRSKTLKTS
AILYEDYYGTTASNDSSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQNYNS
STPASNYSSNTNTGQADSSGSVNNHNGAATPNP

>SEQ ID NO 2551: 54_1169NT frame: 1

YNFSTNELSKTFKDFKLAKSKSHAIEETKPF SILLMGVDTGSEHRKSKLVVRK.RFYDLSH
YKS.N..NNODKLRT.RID.IEWSQK.WTDWRRSKAKCSLCFWWCNGIDDCSRLIRY.C
.LLYAN.YARIS.FSQCCWYNSN..I.LSNINCCQ.TRVQGCC.TRDT.NKWRTSTCLF
SYAL..SRGRLWASKTT.SNSKSP.KNIGVK.Y.FIQKNSFRSK..HAN.Y.DIIKNS
.FVSL.RFIGTY.ILSVER.RRYFIRWWLLSNFN.ETSTCSSK.N.ERTR.KA..NSEDK
RDSI.RLLWYYC...FFYLENTRE.L.YNTLFRSTTKLQW.YYL.F.D.SNNSKLL..
.HSC..L.Q.H.HRSG.FKWKCQ.S.WGCNA.S

>SEQ ID NO 2552: 54_18RS21 frame: 1

YNFSTNELSKTFKDFKLAKSKSHAIEETKPF SILLMGVDTGSEHRKSKWSGNSDSMILVT
INPKTNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDLLDINV
DYFMQINMQGLVDLVNAVGGITVTNKFDFPISIAANEPEYKAVVEPGTHKINGEQALVYS
RMRYDDPEGDYGRQKRQREVIQVLKKILALNSISSYKKILSAVSNMQTNIEISSKTIP
NLLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTKHLLAVQNRIKKELDKKRSKTLKTS
AILYEDYYGTTASNDSSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQNYNS
STPASNYSSNTNTGQADSSGSVNNHNGAATPNP

>SEQ ID NO 2553: 54_2603 frame: 1

YNFSTNELSKTFKDFKLAKSKSHAIEETKPF SILLMGVDTGSEHRKSKWSGNSDSMILVT
INPKTNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDLLDINV
DYFMQINMQGLVDLVNAVGGITVTNKFDFPISIAANEPEYKAVVEPGTHKINGEQALVYS
RMRYDDPEGDYGRQKRQREVIQVLKKILALNSISSYKKILSAVSNMQTNIEISSKTIP
NLLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTKHLLAVQNRIKKELDKKRSKTLKTS
AILYEDYYGTTASNDSSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQNYNS
STPASNYSSNTNTGQADSSGSVNNHNGAATPNP

>SEQ ID NO 2554: 54_A909 frame: 1

YNFSTNELSKTFKDFKLAKSKSHAIEETKPF SILLMGVDTGSEHRKSKWSGNSDSMILVT
INPKTNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDLLDINV
DYFMQINMQGLVDLVNAVGGITVTNKFDFPISIAANEPEYKAVVEPGTHKINGEQALVYS
RMRYDDPEGDYGRQKRQREVIQVLKKILALNSISSYKKILSAVSNMQTNIEISSKTIP
NLLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTKHLLAVQNRIKKELDKKRSKTLKTS

**Table 25: Comparativ Sequences relating to SAG0368
(pr tein f unknown function)**

AIIYEDYYGTTASNDSSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQNYNS
STPASNYSSNTNTGQADSSGSVNNHNGAATPNP

>SEQ ID NO 2555:54_CJB110 frame: 1

YNFSTNELSKTFKDFKLAQSKSHAIEETKPFSSILLMGVDTGSEHRKSKWSGNSDSMILVT
INPKTNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDILLDINV
DYFMQINMQGLVDLVNAVGGITVTNKFDFFPISIAANEPEYKAVVEPGTHKINGEQALVYS
RMRYDDPEGDYGRQKRQREVIQKVLKILALNSISSYKKILSAVSNNMQTNIEISSKTIP
NLLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTCKHLLAVQNRICKELDKRKSRTLKTS
AIIYEDYYGTTASNDSSSTYSSTQENNYNTTPYSEAPPSYSGNTTY.F.D.SNNSSKLL..

>SEQ ID NO 2556:54_COH1 frame: 1

DFKLDKSKSHAIEETKPFSSILLMGVDTGSEHRKSKWSGNSDSMILVTINPKTNKTTMTSL
ERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDILLDINVDFMQINMQGLVD
LVNAVGGITVTNKFDFFPISIAANEPEYKAVVEPGTHKINGEQALVYSRMRYDDPEGDYGR
QKRQREVIQKVLKILALNSISSYKKILSAVSNNMQTNIEISSKTIPNLLAYKDSLEHIK
SYQLKGEDATLSDGGSYQILTCKHLLAVQNRICKELDKRKSRTLKTSAILYEDYYGTTAS
NDSSSTYSSTQENNYNTTPYSEAPPSYSGNTTY.F.D.SNNSSKLL..HSC..L.Q.H.H
RSG.FKWKC..L.RCNA.SKHRNATSTRSN.S

>SEQ ID NO 2557:54_H36B frame: 1

YNFSTNELSKTFKDFKLAQSKSHAIEETKPFSSILLMGVDTGSEHRKSKWSGNSDSMILVT
INPKTNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDILLDINV
DYFMQINMQGLVDLVNAVGGITVTNKFDFFPISIAANEPEYKAVVEPGTHKINGEQALVYS
RMRYDDPEGDYGRQKRQREVIQKVLKILALNSISSYKKILSAVSNNMQTNIEISSKTIP
NLLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTCKHLLAVQNRICKELDKRKSRTLKTS
AIIYEDYYGTTASNDSSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQNYNS
STPASNYSSNTNTGQADSSGSVNNHNGAATPNP

>SEQ ID NO 2558:54_JM9130013 frame: 1

YNFSTNELSKTFKDFKLAQSKSHAIEETKPFSSILLMGVDTGSEHRKSKWSGNSDSMILVT
INPKTNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDILLDINV
DYFMQINMQGLVDLVNAVGGITVTNKFDFFPISIAANEPEYKAVVEPGTHKINGEQALVYS
RMRYDDPEGDYGRQKRQREVIQKVLKILALNSISSYKKILSAVSNNMQTNIEISSKTIP
NLLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTCKHLLAVQNRICKELDKRKSRTLKTS
AIIYEDYYGTTASNDSSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQNYNS
STPASNYSSNTNTGQADSSGSVNNHNGAATPNP

>SEQ ID NO 2559:54_M781 frame: 2

SILLMGVDTGSEHRKSKWSGNSDSMILVTINPKTNKTTMTSLERDVLIKLSGPKNNGQTG
VEAKLNAAYASGGAEMALMTVQDILLDINVDFMQINMQGLVDLVNAVGGITVTNKFDFFP
SIAANEPEYKAVVEPGTHKINGEQALVYSRMRYDDPEGDYGRQKRQREVIQKVLKILAL
NSISSYKKILSAVSNNMQTNIEISSKTIPNLLAYKDSLEHIKSYQLKGEDATLSDGGSYQ
ILTCKHLLAVQNRICKELDKRKSRTLKTSAILYEDYYGTTASNDSSSTYSSTQENNYNTTP
YSEAPPSYSGNTTYSSETNQTHQSYNSSTPASNYSSNTNTGQADSSGSVNNYNGAATP
NPNTGTQPVPGQTNP

SEQ2550	NFSTNELSKTFKDFKLAQSKSHAIEETKPFSSILLMGVDTGSEHRKSKWSGNSDSMILVT
SEQ2551	NFSTNELSKTFKDFKLAQSKSHAIEETKPFSSILLMGVDTGSEHRKSKLVRKRFYDLSHY
SEQ2552	NFSTNELSKTFKDFKLAQSKSHAIEETKPFSSILLMGVDTGSEHRKSKWSGNSDSMILVT
SEQ2553	NFSTNELSKTFKDFKLAQSKSHAIEETKPFSSILLMGVDTGSEHRKSKWSGNSDSMILVT
SEQ2554	NFSTNELSKTFKDFKLAQSKSHAIEETKPFSSILLMGVDTGSEHRKSKWSGNSDSMILVT
SEQ2555	NFSTNELSKTFKDFKLAQSKSHAIEETKPFSSILLMGVDTGSEHRKSKWSGNSDSMILVT
SEQ2556	-----DFKLDKSKSHAIEETKPFSSILLMGVDTGSEHRKSKWSGNSDSMILVT
SEQ2557	NFSTNELSKTFKDFKLAQSKSHAIEETKPFSSILLMGVDTGSEHRKSKWSGNSDSMILVT
SEQ2558	NFSTNELSKTFKDFKLAQSKSHAIEETKPFSSILLMGVDTGSEHRKSKWSGNSDSMILVT
SEQ2559	-----SILLMGVDTGSEHRKSKWSGNSDSMILVT

SEQ2550	NPKNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDILLDINV
SEQ2551	SNNDDKLRLTRIDIEWSQKWTWRRS-----KAKCSLCFWWCGNGIDDCSRLIRYCLLY
SEQ2552	NPKNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDILLDINV
SEQ2553	NPKNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDILLDINV
SEQ2554	NPKNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDILLDINV
SEQ2555	NPKNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDILLDINV
SEQ2556	NPKNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDILLDINV
SEQ2557	NPKNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDILLDINV

**Table 25: Comparative Sequences relating t SAG0368
(protein of unknown function)**

SEQ2558	NPKTNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDLLDINV
SEQ2559	NPKTNKTTMTSLERDVLIKLSGPKNNGQTGVEAKLNAAYASGGAEMALMTVQDLLDINV
SEQ2550	YFMQINMQGLVDLVNAVGGITVTNKFDFFISIAANEPEYKAVVEPGTHKINGEQALVYS
SEQ2551	NYARISFSQCCWYNS-----NILSNINCCQTRVQGCCTRD TNKWRSTCLFSY
SEQ2552	YFMQINMQGLVDLVNAVGGITVTNKFDFFISIAANEPEYKAVVEPGTHKINGEQALVYS
SEQ2553	YFMQINMQGLVDLVNAVGGITVTNKFDFFISIAANEPEYKAVVEPGTHKINGEQALVYS
SEQ2554	YFMQINMQGLVDLVNAVGGITVTNKFDFFISIAANEPEYKAVVEPGTHKINGEQALVYS
SEQ2555	YFMQINMQGLVDLVNAVGGITVTNKFDFFISIAANEPEYKAVVEPGTHKINGEQALVYS
SEQ2556	YFMQINMQGLVDLVNAVGGITVTNKFDFFISIAANEPEYKAVVEPGTHKINGEQALVYS
SEQ2557	YFMQINMQGLVDLVNAVGGITVTNKFDFFISIAANEPEYKAVVEPGTHKINGEQALVYS
SEQ2558	YFMQINMQGLVDLVNAVGGITVTNKFDFFISIAANEPEYKAVVEPGTHKINGEQALVYS
SEQ2559	YFMQINMQGLVDLVNAVGGITVTNKFDFFISIAANEPEYKAVVEPGTHKINGEQALVYS
SEQ2550	MRYDDPEGDYGRQKRQREVIQKVLKKILALNSISSYKKILSAVSNNMQTNIEISSKTIP
SEQ2551	LSRGRLWASKTTSNSKSPKNIGVKYFIQKNSFRSKHANYDIKNDSEFVSLRFIGTYI-
SEQ2552	MRYDDPEGDYGRQKRQREVIQKVLKKILALNSISSYKKILSAVSNNMQTNIEISSKTIP
SEQ2553	MRYDDPEGDYGRQKRQREVIQKVLKKILALNSISSYKKILSAVSNNMQTNIEISSKTIP
SEQ2554	MRYDDPEGDYGRQKRQREVIQKVLKKILALNSISSYKKILSAVSNNMQTNIEISSKTIP
SEQ2555	MRYDDPEGDYGRQKRQREVIQKVLKKILALNSISSYKKILSAVSNNMQTNIEISSKTIP
SEQ2556	MRYDDPEGDYGRQKRQREVIQKVLKKILALNSISSYKKILSAVSNNMQTNIEISSKTIP
SEQ2557	MRYDDPEGDYGRQKRQREVIQKVLKKILALNSISSYKKILSAVSNNMQTNIEISSKTIP
SEQ2558	MRYDDPEGDYGRQKRQREVIQKVLKKILALNSISSYKKILSAVSNNMQTNIEISSKTIP
SEQ2559	MRYDDPEGDYGRQKRQREVIQKVLKKILALNSISSYKKILSAVSNNMQTNIEISSKTIP
SEQ2550	LLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTCKHLLAVQNRIKKELDKKRSKTLKTS
SEQ2551	L-SVERRRYFIRWWLLSNFNETSTCSSKNERTRKANSEDKRDSIRLLWYYCFFYLFINT
SEQ2552	LLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTCKHLLAVQNRIKKELDKKRSKTLKTS
SEQ2553	LLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTCKHLLAVQNRIKKELDKKRSKTLKTS
SEQ2554	LLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTCKHLLAVQNRIKKELDKKRSKTLKTS
SEQ2555	LLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTCKHLLAVQNRIKKELDKKRSKTLKTS
SEQ2556	LLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTCKHLLAVQNRIKKELDKKRSKTLKTS
SEQ2557	LLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTCKHLLAVQNRIKKELDKKRSKTLKTS
SEQ2558	LLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTCKHLLAVQNRIKKELDKKRSKTLKTS
SEQ2559	LLAYKDSLEHIKSYQLKGEDATLSDGGSYQILTCKHLLAVQNRIKKELDKKRSKTLKTS
SEQ2550	ILYEDYYGTTASNDSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQNYNS
SEQ2551	ELY-----NTLFRST-----TKLQWYYLFDNNSSKLLHSCLOH
SEQ2552	ILYEDYYGTTASNDSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQNYNS
SEQ2553	ILYEDYYGTTASNDSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQNYNS
SEQ2554	ILYEDYYGTTASNDSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQNYNS
SEQ2555	ILYEDYYGTTASNDSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSFDSNNSSKLL----
SEQ2556	ILYEDYYGTTASNDSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSFDSNNSSKLLHSCLOH
SEQ2557	ILYEDYYGTTASNDSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQNYNS
SEQ2558	ILYEDYYGTTASNDSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQNYNS
SEQ2559	ILYEDYYGTTASNDSSTYSSTQENNYNTTPYSEAPPSYSGNTTYSSETNQTHQSYNS
SEQ2550	TPASNYSSNTNTGQADSSGSVNNHNGAATPNP-----
SEQ2551	RSGFKWKQCQSWGCNAS-----
SEQ2552	TPASNYSSNTNTGQADSSGSVNNHNGAATPNP-----
SEQ2553	TPASNYSSNTNTGQADSSGSVNNHNGAATPNP-----
SEQ2554	TPASNYSSNTNTGQADSSGSVNNHNGAATPNP-----
SEQ2555	-----
SEQ2556	RSGFKWKCLRCGNASKHRNATSTRSNS-----
SEQ2557	TPASNYSSNTNTGQADSSGSVNNHNGAATPNP-----
SEQ2558	TPASNYSSNTNTGQADSSGSVNNHNGAATPNP-----
SEQ2559	TPASNYSSNTNTGQADSSGSVNNYNGAATPNPNTGTQPVPGQTNP

Table 26: C mparative Sequences relating to SAG0503 (lipase/acylhydrolase)

**SEQ ID NO. 2601: SAG0503 FROM THE 090 GBS TYPE Ia STRAIN
(REVERSE COMPLEMENT)**

GGGCACAAGTTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAATCCTAAATTAACAAAAA
AGACTTCCTAACAAAGAAAGTTATCCCACTTAACATATGTTGCTCTTGAGATTCTCTGACCGAAGGTGTGGGCGATAC
AACCTCTCAAGGTGGTTTTGTCCCACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAA
TTATGGTGTGTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGAAAAAGATTTAGA
GAAAGCTGATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGGCTGTTATTCGTAAAGAGCTCAGTCATTTATC
ACTAAATTCCTTTGAGAAACCAGCAGAAGCATATAAGGAACGTTTGAAAGAAATACTTGCAAAAGCAAGACAAGATAA
TCCTAAATTGCCTATTTATGTTTTAGGCATTTATAATCCTTTTACCTAACTTTCCACAATTAATAAATGCAAAAC
CGTTATTGATAATTGGAATAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAATGTTATTTTGTCCCAATTAATGA
CCGCCTTTATAAGGGAATAAATGGTAAGAGGGTATTACAGAGTCATCAAATAGTCAGGCAAGTATCAATATGATGC
TCTCTTACTGGAGACCATTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAAATAAA
TGAAACAAGAAAAAACTGGCCGAACCCAGCTTTCTTGTAACAAAG

**SEQ ID NO. 2602: SAG0503 FROM THE H36b GBS TYPE Ib STRAIN
(REVERSE COMPLEMENT)**

TTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAATCCTAAATTAACAAAAAAGACTTCCT
AACAAAGAAAGTTATCCCACTTAACATATGTTGCTCTTGAGATTCTCTGACCGAAGGTGTGGGCGATACAACTCTCA
AGGTGGTTTTGTTCCTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGGTGT
GTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGAAAAAGATTTAGAGAAAGCTGA
TTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGGCTGTTATTCGTAAAGAGCTCAGTCATTTATCACTAAATTC
CTTTGAGAAACCAGCAGAAGCATATAAGGAACGTTTGAAAGAAATCCTTGCAAAAGCAAGACAAGATAATCCTAAATT
GCCTATTTATGTTTTAGGCATTTATAATCCTTTTACCTAACTTTCCACAATTAATAAATGCAAAACCGTTATTGA
TAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAATGTTATTTTGTCCCAATTAATGACCGCCTTTA
TAAGGGAATAAATGGTAAAGAGGGTATTATAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTAC
TGGAGACCATTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAAATAAATGAAACAAG
AAAAAACTGGCCGAACCCAGCTTTCTTGTAACAAAGTGGTCC

**SEQ ID NO. 2603: SAG0503 FROM THE 18RS21 GBS TYPE II STRAIN (REVERSE
COMPLEMENT)**

GTTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAATCCTAAATTAACAAAAAAGACTTCC
TAACAAAGAAAGTTATCCCACTTAACATATGTTGCTCTTGAGATTCTCTGACCGAAGGTGTGGGCGATACAACTCTC
AAGGTGGTTTTGTTCCTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGGTG
TGTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGAAAAAGATTTAGAGAAAGCTG
ATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGGCTGTTATTCGTAAAGAGCTCAGTCATTTATCACTAAATT
CCTTTGAGAAACCAGCAGAAGCATATAAGGAACGTTTGAAAGAAATCCTTGCAAAAGCAAGACAAGATAATCCTAAAT
TGCCTATTTATGTTTTAGGCATTTATAATCCTTTTACCTAACTTTCCACAATTAATAAATGCAAAACCGTTATTG
ATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAATGTTTATTTTGTCCCAATTAATGACCGCCTTT
ATAAGGGAATAAATGGTAAAGAGGGTATTACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTA
CTGGAGACCATTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAAATAAATGAAACAAG
GAAAAAACTGGCCGAACCCAGCTTTCTTGTAACAA

**SEQ ID NO. 2604: SAG0503 FROM THE COH1 GBS TYPE III STRAIN (REVERSE
COMPLEMENT)**

GGACAAGTTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAATCCTAAATTAACAAAAAAG
ACTTCCTAACAAAGAAAGTTATCCCACTTAACATATGTTGCTCTTGAGATTCTCTGACCGAAGGTGTGGGGGATACAA
CCTCTCAAGGTGGTTTTGTCCCACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATT
ATGGTGTGTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGAAAAAGATTTAGAGA
AAGCTGATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGGCTGTTATTCGTAAAGAGCTCAGTCATTTATCAC
TAAATTCCTTTGAGAAACCAGCAGAAGCATATAAGGAACGTTTGAAAGAAATCCTTGCAAAAGCAAGACAAGATAATC
TAAATTCCTTATTTATGTTTTAGGCATTTATAATCCTTTTACCTAACTTTCCACAATTAATAAATGCAAAACCG
TTATTGATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAATGTTTATTTTGTCCCAATTAATGACC
GCCTTTATAAGGGAATAAATGGTAAAGAGGGTATTACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTC
TCTTTACTGGAGACCATTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAAATAAATG
AAACAAGAAAAAACTGGCCGAACCCAGCTTTCTTGTAACAA

Table 26: Comparative Sequences relating to SAG0503 (lipase/acylhydrolase)

SEQ ID NO. 2605: SAG0503 FROM THE CJB110 GBS NONTYPEABLE STRAIN (REVERSE COMPLEMENT)

GTTTGTACAAAAAGCAGGCTCTATTTTTTTCCTTGATCATTCCAAAATCAAATCCTAAATTAACAAAAAAGACTTCC
TAACAAAGAAAGTTATCCCACTTAACATATGTTGCTCTTGGAGATTCTCTGACCGAAGGTGTGGGCGATACAACCTCTC
AAGGTGGTTTTGTCCCACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGGTG
TGCTGCGGAATACTAGTCAACAAATTTTAAACGATGACGACAGATCCTCAAATCGAAAAAGATTTAGAGAAAGCTG
ATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGGCTGTTATTTCGTAAAGAGCTCAGTCATTTATCACTAAATT
CCTTTGAGAAACCAGCAGAAGCATATAAGGAACGTTTGAAAGAAATACTTGCAAAAGCAAGACAAGATAATCCTAAAT
TGCCTATTTATGTTTTAGGCATTTATAATCCTTTTTACCTAACTTTCCACAATTAATACTAAAATGCAAACCGTTATTG
ATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAATGTTTATTTTGTCCCAATTAATGACCGCCTTT
ATAAGGGAATAAATGGTAAAGAGGGTATTACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTA
CTGGAGACCATTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAATGAAACAA
GAAAAAAGCTGGCCGAACCCAGCTTTCTTGACAAA

SEQ ID NO. 2606: SAG0503 FROM THE 1169NT1 GBS TYPE V STRAIN (REVERSE COMPLEMENT)

GTTTGTACAAAAAGCAGGCTCTATTTTTTTCCTTGATCATTCCAAAATCAAATCCTAAATTAACAAAAAAGACTTCC
TAACAAAGAAAGTTATCCCACTTAACATATGTTGCTCTTGGAGATTCTCTGACCGAAGGTGTGGGCGATACAACCTCTC
AAGGTGGTTTTGTCCCACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGGTG
TGCTGCGGAATACTAGTCAACAAATTTTAAACGATGACGACAGATCCTCAAATCGAAAAAGATTTAGAGAAAGCTG
ATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGGCTGTTATTTCGTAAAGAGCTCAGTCATTTATCACTAAATT
CCTTTGAGAAACCAGCAGAAGCATATAAGGAACGTTTGAAAGAAATCTTGCAAAAGCAAGACAAGATAATCCTAAAT
TGCCTATTTATGTTTTAGGCATTTATAATCCTTTTTACCTAACTTTCCACAATTAATACTAAAATGCAAACCGTTATTG
ATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAATGTTTATTTTGTCCCAATTAATGACCGCCTTT
ATAAGGGAATAAATGGTAAAGAGGGTATTACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTA
CTGGAGACCATTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAATGAAACAA
GAAAAAAGCTGGCCGAACCCAGCTTTCTTGACAAA

SEQ ID NO. 2607: SAG0503 FROM THE JM9130013 GBS TYPE VIII STRAIN (REVERSE COMPLEMENT)

GTTTGTACAAAAAGCAGGCTCTATTTTTTTCCTTGATCATTCCAAAATCAAATCCTAAATTAACAAAAAAGACTTCC
TAACAAAGAAAGTTATCCCACTTAACATATGTTGCTCTTGGAGATTCTCTGACCGAAGGTGTGGGCGATACAACCTCTC
AAGGTGGTTTTGTCCCACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGGTG
TGCTGCGGAATACTAGTCAACAAATTTTAAACGATGACGACAGATCCTCAAATCGAAAAAGATTTAGAGAAAGCTG
ATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGGCTGTTATTTCGTAAAGAGCTCAGTCATTTATCACTAAATT
CCTTTGAGAAACCAGCAGAAGCATATAAGGAACGTTTGAAAGAAATCCTTGCAAAAGCAAGACAAGATAATCCTAAAT
TGCCTATTTATGTTTTAGGCATTTATAATCCTTTTTACCTAAACTTTCCACAATTAATACTAAAATGCAAACCGTTATTG
ATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAATGTTTATTTTGTCCCAATTAATGACCGCCTTT
ATAAGGGAATAAATGGTAAAGAGGGTATTACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTA
CTGGAGACCATTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAATGAAACAA
GAAAAAAGCTGGCCGAACCCAGCTTTCTTGACAAA

SEQ ID NO. 2608: SAG0503 FROM THE 2603 V/R GBS TYPE V STRAIN (REVERSE COMPLEMENT)

AGTTTGTACAAAAAGCAGGCTCTATTTTTTTCCTTGATCATTCCAAAATCAAATCCTAAATTAACAAAAAAGACTTCC
CTAACAAAGAAAGTTATCCCACTTAACATATGTTGCTCTTGGAGATTCTCTGACCGAAGGTGTGGGCGATACAACCTCT
CAAGGTGGTTTTGTCCCACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGGT
GTGCTGCGGAATACTAGTCAACAAATTTTAAACGATGACGACAGATCCTCAAATCGAAAAAGATTTAGAGAAAGCT
GATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGGCTGTTATTTCGTAAAGAGCTCAGTCATTTATCACTAAAT
TCCTTTGAGAAACCAGCAGAAGCATATAAGGAACGTTTGAAAGAAATCCTTGCAAAAGCAAGACAAGATAATCCTAAA
TTGCCTATTTATGTTTTAGGCATTTATAATCCTTTTTACCTAAACTTTCCACAATTAATACTAAAATGCAAACCGTTATT
GATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAATGTTTATTTTGTCCCAATTAATGACCGCCTTT
TATAAGGGAATAAATGGTAAAGAGGGTATTACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTT
ACTGGAGACCATTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAATGAAACAA
AGAAAAAAGCTGGCCGAACCCAGCTTTCTTGACAAAAGTGG

Table 26: Comparative Sequences relating to SAG0503 (lipase/acylhydrolase)

SEQ ID NO. 2609: SAG0503 FROM THE M781 GBS TYPE III STRAIN
(REVERSE COMPLEMENT)

GGACAAGTTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAATCCTAAATTAACAAAAAAG
ACTTCCTAACAAAGAAAGTTATCCCACTTAACATATGTTGCTCTGGAGATTCTCTGACCGAAGGTGTGGGGGATACAA
CCTCTCAAGGTGGTTTTGTCCCACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATT
ATGGTGTGCTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGAAAAAGATTTAGAGA
AAGCTGATTTATTGACGCTAAGTGTGGTGGTAATGATGCTCTGGCTGTTATTTCGTAAAGAGCTCAGTCATTTATCAC
TAAATTCCTTTGAGAAACCAGCAGAGCATATAAGGAACGTTTGAAAGAAATTCTTGCAAAAGCAAGACAAGATAATC
CTAAATTGCCCTATTATGTTTTAGGCATTTATAATCCTTTTACCTAAACTTTCCACAATTAATAAATGCAAACCG
TTATTGATAAATTGGAATAAAGCTACAAAAGAGTAGTTGATGCTTCAGAAAATGTTTATTTTGTCCCAATTAATGACC
GCCTTTATAAGGAATAAATGGTAAAGAGGGTATTACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTC
TCTTTACTGGAGACCATTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAATG
AAACAAGAAAAAAGCTGGCCGAACCCAGCTTTCTGTACAAA

SEQ2601 GGCACAAGTTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAA
SEQ2602 -----TTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAA
SEQ2603 -----GTTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAA
SEQ2604 GGACAAGTTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAA
SEQ2605 -----GTTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAA
SEQ2606 -----GTTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAA
SEQ2607 -----GTTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAA
SEQ2608 -----AGTTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAA
SEQ2609 GGACAAGTTTGTACAAAAAGCAGGCTCTATTTTTTCCTTGATCATTCCAAAATCAAA

SEQ2601 TCCTAAATTAACAAAAAAGACTTCCTAACAAAGAAAGTTATCCCACTTAACATATGTTGC
SEQ2602 TCCTAAATTAACAAAAAAGACTTCCTAACAAAGAAAGTTATCCCACTTAACATATGTTGC
SEQ2603 TCCTAAATTAACAAAAAAGACTTCCTAACAAAGAAAGTTATCCCACTTAACATATGTTGC
SEQ2604 TCCTAAATTAACAAAAAAGACTTCCTAACAAAGAAAGTTATCCCACTTAACATATGTTGC
SEQ2605 TCCTAAATTAACAAAAAAGACTTCCTAACAAAGAAAGTTATCCCACTTAACATATGTTGC
SEQ2606 TCCTAAATTAACAAAAAAGACTTCCTAACAAAGAAAGTTATCCCACTTAACATATGTTGC
SEQ2607 TCCTAAATTAACAAAAAAGACTTCCTAACAAAGAAAGTTATCCCACTTAACATATGTTGC
SEQ2608 TCCTAAATTAACAAAAAAGACTTCCTAACAAAGAAAGTTATCCCACTTAACATATGTTGC
SEQ2609 TCCTAAATTAACAAAAAAGACTTCCTAACAAAGAAAGTTATCCCACTTAACATATGTTGC

SEQ2601 TCTTGGAGATTCTCTGACCGAAGGTGTGGGGGATACAACCTCTCAAGGTGGTTTTGTCCC
SEQ2602 TCTTGGAGATTCTCTGACCGAAGGTGTGGGGGATACAACCTCTCAAGGTGGTTTTGTCCC
SEQ2603 TCTTGGAGATTCTCTGACCGAAGGTGTGGGGGATACAACCTCTCAAGGTGGTTTTGTCCC
SEQ2604 TCTTGGAGATTCTCTGACCGAAGGTGTGGGGGATACAACCTCTCAAGGTGGTTTTGTCCC
SEQ2605 TCTTGGAGATTCTCTGACCGAAGGTGTGGGGGATACAACCTCTCAAGGTGGTTTTGTCCC
SEQ2606 TCTTGGAGATTCTCTGACCGAAGGTGTGGGGGATACAACCTCTCAAGGTGGTTTTGTCCC
SEQ2607 TCTTGGAGATTCTCTGACCGAAGGTGTGGGGGATACAACCTCTCAAGGTGGTTTTGTCCC
SEQ2608 TCTTGGAGATTCTCTGACCGAAGGTGTGGGGGATACAACCTCTCAAGGTGGTTTTGTCCC
SEQ2609 TCTTGGAGATTCTCTGACCGAAGGTGTGGGGGATACAACCTCTCAAGGTGGTTTTGTCCC

SEQ2601 ACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGG
SEQ2602 ACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGG
SEQ2603 ACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGG
SEQ2604 ACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGG
SEQ2605 ACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGG
SEQ2606 ACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGG
SEQ2607 ACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGG
SEQ2608 ACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGG
SEQ2609 ACTGCTATCAGAATCACTCCATAATCGATACTCTTACCAAGTGACTTCTGTTAATTATGG

SEQ2601 TGTGCTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGA
SEQ2602 TGTGCTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGA
SEQ2603 TGTGCTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGA
SEQ2604 TGTGCTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGA
SEQ2605 TGTGCTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGA
SEQ2606 TGTGCTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGA
SEQ2607 TGTGCTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGA
SEQ2608 TGTGCTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGA
SEQ2609 TGTGCTCTGGGAATACTAGTCAACAAATTTTAAACGTATGACGACAGATCCTCAAATCGA

SEQ2601 AAAAGATTTAGAGAAAGCTGATTTATTGACGCTAAGTGTGGTGGTAATGATGTCTTGGC
SEQ2602 AAAAGATTTAGAGAAAGCTGATTTATTGACGCTAAGTGTGGTGGTAATGATGTCTTGGC
SEQ2603 AAAAGATTTAGAGAAAGCTGATTTATTGACGCTAAGTGTGGTGGTAATGATGTCTTGGC

Table 26: Comparative Sequences relating to SAG0503 (lipase/acylhyd lase)

SEQ2604	AAAAGATTTAGAGAAAGCTGATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGCC
SEQ2605	AAAAGATTTAGAGAAAGCTGATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGCC
SEQ2606	AAAAGATTTAGAGAAAGCTGATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGCC
SEQ2607	AAAAGATTTAGAGAAAGCTGATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGCC
SEQ2608	AAAAGATTTAGAGAAAGCTGATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGCC
SEQ2609	AAAAGATTTAGAGAAAGCTGATTTATTGACGCTAACTGTTGGTGGTAATGATGTCTTGCC
SEQ2601	TGTTATTCGTAAAGAGCTCAGTCATTTATCACTAAATTCTTTGAGAAACCAGCAGAAGC
SEQ2602	TGTTATTCGTAAAGAGCTCAGTCATTTATCACTAAATTCTTTGAGAAACCAGCAGAAGC
SEQ2603	TGTTATTCGTAAAGAGCTCAGTCATTTATCACTAAATTCTTTGAGAAACCAGCAGAAGC
SEQ2604	TGTTATTCGTAAAGAGCTCAGTCATTTATCACTAAATTCTTTGAGAAACCAGCAGAAGC
SEQ2605	TGTTATTCGTAAAGAGCTCAGTCATTTATCACTAAATTCTTTGAGAAACCAGCAGAAGC
SEQ2606	TGTTATTCGTAAAGAGCTCAGTCATTTATCACTAAATTCTTTGAGAAACCAGCAGAAGC
SEQ2607	TGTTATTCGTAAAGAGCTCAGTCATTTATCACTAAATTCTTTGAGAAACCAGCAGAAGC
SEQ2608	TGTTATTCGTAAAGAGCTCAGTCATTTATCACTAAATTCTTTGAGAAACCAGCAGAAGC
SEQ2609	TGTTATTCGTAAAGAGCTCAGTCATTTATCACTAAATTCTTTGAGAAACCAGCAGAAGC
SEQ2601	ATATAAGGAACGTTTGAAGAAATACCTTGCAAAGCAAGACAAGATAATCCTAAATTGCC
SEQ2602	ATATAAGGAACGTTTGAAGAAATCCTTGCAAAGCAAGACAAGATAATCCTAAATTGCC
SEQ2603	ATATAAGGAACGTTTGAAGAAATCCTTGCAAAGCAAGACAAGATAATCCTAAATTGCC
SEQ2604	ATATAAGGAACGTTTGAAGAAATCCTTGCAAAGCAAGACAAGATAATCCTAAATTGCC
SEQ2605	ATATAAGGAACGTTTGAAGAAATCCTTGCAAAGCAAGACAAGATAATCCTAAATTGCC
SEQ2606	ATATAAGGAACGTTTGAAGAAATCCTTGCAAAGCAAGACAAGATAATCCTAAATTGCC
SEQ2607	ATATAAGGAACGTTTGAAGAAATCCTTGCAAAGCAAGACAAGATAATCCTAAATTGCC
SEQ2608	ATATAAGGAACGTTTGAAGAAATCCTTGCAAAGCAAGACAAGATAATCCTAAATTGCC
SEQ2609	ATATAAGGAACGTTTGAAGAAATCCTTGCAAAGCAAGACAAGATAATCCTAAATTGCC
SEQ2601	TATTTATGTTTTAGGCATTTATAATCCTTTTACCTAAACTTTCCACAATTAACATAAAAT
SEQ2602	TATTTATGTTTTAGGCATTTATAATCCTTTTACCTAAACTTTCCACAATTAACATAAAAT
SEQ2603	TATTTATGTTTTAGGCATTTATAATCCTTTTACCTAAACTTTCCACAATTAACATAAAAT
SEQ2604	TATTTATGTTTTAGGCATTTATAATCCTTTTACCTAAACTTTCCACAATTAACATAAAAT
SEQ2605	TATTTATGTTTTAGGCATTTATAATCCTTTTACCTAAACTTTCCACAATTAACATAAAAT
SEQ2606	TATTTATGTTTTAGGCATTTATAATCCTTTTACCTAAACTTTCCACAATTAACATAAAAT
SEQ2607	TATTTATGTTTTAGGCATTTATAATCCTTTTACCTAAACTTTCCACAATTAACATAAAAT
SEQ2608	TATTTATGTTTTAGGCATTTATAATCCTTTTACCTAAACTTTCCACAATTAACATAAAAT
SEQ2609	TATTTATGTTTTAGGCATTTATAATCCTTTTACCTAAACTTTCCACAATTAACATAAAAT
SEQ2601	GCAAACCGTTATTGATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAA
SEQ2602	GCAAACCGTTATTGATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAA
SEQ2603	GCAAACCGTTATTGATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAA
SEQ2604	GCAAACCGTTATTGATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAA
SEQ2605	GCAAACCGTTATTGATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAA
SEQ2606	GCAAACCGTTATTGATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAA
SEQ2607	GCAAACCGTTATTGATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAA
SEQ2608	GCAAACCGTTATTGATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAA
SEQ2609	GCAAACCGTTATTGATAATTGGAATAAAGCTACAAAAGAAGTAGTTGATGCTTCAGAAAA
SEQ2601	TGTTTATTTTGTCCCAATTAATGACCGCCTTTATAAGGGAATAAATGGTAAAGAGGGTAT
SEQ2602	TGTTTATTTTGTCCCAATTAATGACCGCCTTTATAAGGGAATAAATGGTAAAGAGGGTAT
SEQ2603	TGTTTATTTTGTCCCAATTAATGACCGCCTTTATAAGGGAATAAATGGTAAAGAGGGTAT
SEQ2604	TGTTTATTTTGTCCCAATTAATGACCGCCTTTATAAGGGAATAAATGGTAAAGAGGGTAT
SEQ2605	TGTTTATTTTGTCCCAATTAATGACCGCCTTTATAAGGGAATAAATGGTAAAGAGGGTAT
SEQ2606	TGTTTATTTTGTCCCAATTAATGACCGCCTTTATAAGGGAATAAATGGTAAAGAGGGTAT
SEQ2607	TGTTTATTTTGTCCCAATTAATGACCGCCTTTATAAGGGAATAAATGGTAAAGAGGGTAT
SEQ2608	TGTTTATTTTGTCCCAATTAATGACCGCCTTTATAAGGGAATAAATGGTAAAGAGGGTAT
SEQ2609	TGTTTATTTTGTCCCAATTAATGACCGCCTTTATAAGGGAATAAATGGTAAAGAGGGTAT
SEQ2601	TACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTACTGGAGACCA
SEQ2602	TATAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTACTGGAGACCA
SEQ2603	TACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTACTGGAGACCA
SEQ2604	TACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTACTGGAGACCA
SEQ2605	TACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTACTGGAGACCA
SEQ2606	TACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTACTGGAGACCA
SEQ2607	TACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTACTGGAGACCA
SEQ2608	TACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTACTGGAGACCA
SEQ2609	TACAGAGTCATCAAATAGTCAGGCAAGTATCACTAATGATGCTCTCTTTACTGGAGACCA
SEQ2601	TTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAA
SEQ2602	TTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAA
SEQ2603	TTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAA

Table 26: Comparative Sequences relating to SAG0503 (lipase/acylhydrolase)

SEQ2604	TTTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAA
SEQ2605	TTTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAA
SEQ2606	TTTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAA
SEQ2607	TTTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAA
SEQ2608	TTTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAA
SEQ2609	TTTTTCATCCCAATAATATTGGCTATCAAATCATGTCTAACGCCGTTATGGAGAAAATAAA
SEQ2601	TGAAACAAGAAAAAACTGGCCGAACCCAGCTTTCTTGTACAAAG-----
SEQ2602	TGAAACAAGAAAAAACTGGCCGAACCCAGCTTTCTTGTACAAAGTGGTCC-----
SEQ2603	TGAAACAAGAAAAAACTGGCCGAACCCAGCTTTCTTGTACAA-----
SEQ2604	TGAAACAAGAAAAAACTGGCCGAACCCAGCTTTCTTGTACAAA-----
SEQ2605	TGAAACAAGAAAAAACTGGCCGAACCCAGCTTTCTTGTACAA-----
SEQ2606	TGAAACAAGAAAAAACTGGCCGAACCCAGCTTTCTTGTACAAA-----
SEQ2607	TGAAACAAGAAAAAACTGGCCGAACCCAGCTTTCTTGTACAAA-----
SEQ2608	TGAAACAAGAAAAAACTGGCCGAACCCAGCTTTCTTGTACAAAGTGG-----
SEQ2609	TGAAACAAGAAAAAACTGGCCGAACCCAGCTTTCTTGTACAAATABCMARATVSTNCSRA
SEQ2601	-----
SEQ2602	-----
SEQ2603	-----
SEQ2604	-----
SEQ2605	-----
SEQ2606	-----
SEQ2607	-----
SEQ2608	-----
SEQ2609	NGTSAGASACYHYDAS

>SEQ ID NO 2650:103_090 frame: 2

IFSLIIPKSNPKLTKKDFTKKVIPLNYVALGDSLTEGVGDTSQGGFVP
 LLESLSHNRYSYQVTSVNYGVSGNTSQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLA
 VIRKELSHLSLNSFEKPAEAYKERLKEILAKARQDNPKLPYVVLGIYNPFYLNFPQLTKM
 QTVIDNWNKATKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDH
 FHPNNIGYQIMSNVMEKINETRKNWP

>SEQ ID NO 2651:103_H36B frame: 2

IFSLIIPKSNPKLTKKDFTKKVIPLNYVALGDSLTEGVGDTSQGGFVPLLS
 ESLHNRYSYQVTSVNYGVSGNTSQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIR
 KELSHLSLNSFEKPAEAYKERLKEILAKARQDNPKLPYVVLGIYNPFYLNFPQLTKMQTV
 IDNWNKATKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFFHP
 NNIGYQIMSNVMEKINETRKNWP

>SEQ ID NO 2652:103_18RS21 frame: 3

IFSLIIPKSNPKLTKKDFTKKVIPLNYVALGDSLTEGVGDTSQGGFVPLLS
 ESLHNRYSYQVTSVNYGVSGNTSQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIR
 KELSHLSLNSFEKPAEAYKERLKEILAKARQDNPKLPYVVLGIYNPFYLNFPQLTKMQTV
 IDNWNKATKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFFHP
 NNIGYQIMSNVMEKINETRKNWP

>SEQ ID NO 2653:103_COH1 frame: 3

IFSLIIPKSNPKLTKKDFTKKVIPLNYVALGDSLTEGVGDTSQGGFVPL
 LLESLSHNRYSYQVTSVNYGVSGNTSQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAV
 IRKELSHLSLNSFEKPAEAYKERLKEILAKARQDNPKLPYVVLGIYNPFYLNFPQLTKMQ
 TVIDNWNKATKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFF
 HPNNIGYQIMSNVMEKINETRKNWP

>SEQ ID NO 2654:103_CJB110 frame: 3

IFSLIIPKSNPKLTKKDFTKKVIPLNYVALGDSLTEGVGDTSQGGFVPLLS
 ESLHNRYSYQVTSVNYGVSGNTSQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIR
 KELSHLSLNSFEKPAEAYKERLKEILAKARQDNPKLPYVVLGIYNPFYLNFPQLTKMQTV
 IDNWNKATKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFFHP
 NNIGYQIMSNVMEKINETRKNWP

>SEQ ID NO 2655:103_1169NT frame: 3

IFSLIIPKSNPKLTKKDFTKKVIPLNYVALGDSLTEGVGDTSQGGFVPLLS
 ESLHNRYSYQVTSVNYGVSGNTSQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIR
 KELSHLSLNSFEKPAEAYKERLKEILAKARQDNPKLPYVVLGIYNPFYLNFPQLTKMQTV
 IDNWNKATKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFFHP
 NNIGYQIMSNVMEKINETRKNWP

Table 26: Comparative Sequences relating to SAG0503 (lipase/acylhydrolase)

>SEQ ID NO 2656:103_JM9130013 frame: 3

IFSLIIPKSNPKLTKKDFLTKKVIPLNYVALGDSLTEGVGDTTSQGGFVPLL
 ESLHNRYSYQVTSVNYGVSGNTSQQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIR
 KELSHLSLNSFEKPAEAYKERLKEILAKARQDNPKLPYVLGIYNPFYLNFPQLTKMQTV
 IDNWNKATKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFP
 NNIGYQIMSNVMEKINETRKNWP

>SEQ ID NO 2657:103_2603 frame: 1

IFSLIIPKSNPKLTKKDFLTKKVIPLNYVALGDSLTEGVGDTTSQGGFVPLL
 SESLHNRYSYQVTSVNYGVSGNTSQQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVI
 RKELSHLSLNSFEKPAEAYKERLKEILAKARQDNPKLPYVLGIYNPFYLNFPQLTKMQTV
 VIDNWNKATKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFP
 PNNIGYQIMSNVMEKINETRKNWP

>SEQ ID NO 2658:103_M781 frame: 3

IFSLIIPKSNPKLTKKDFLTKKVIPLNYVALGDSLTEGVGDTTSQGGFVPLL
 LSESLHNRYSYQVTSVNYGVSGNTSQQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAV
 IRKELSHLSLNSFEKPAEAYKERLKEILAKARQDNPKLPYVLGIYNPFYLNFPQLTKMQ
 TVIDNWNKATKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFP
 HPNNIGYQIMSNVMEKINETRKNWP

SEQ2650	IFSLIIPKSNPKLTKKDFLTKKVIPLNYVALGDSLTEGVGDTTSQGGFVPLLSESLHNRY
SEQ2651	IFSLIIPKSNPKLTKKDFLTKKVIPLNYVALGDSLTEGVGDTTSQGGFVPLLSESLHNRY
SEQ2652	IFSLIIPKSNPKLTKKDFLTKKVIPLNYVALGDSLTEGVGDTTSQGGFVPLLSESLHNRY
SEQ2653	IFSLIIPKSNPKLTKKDFLTKKVIPLNYVALGDSLTEGVGDTTSQGGFVPLLSESLHNRY
SEQ2654	IFSLIIPKSNPKLTKKDFLTKKVIPLNYVALGDSLTEGVGDTTSQGGFVPLLSESLHNRY
SEQ2655	IFSLIIPKSNPKLTKKDFLTKKVIPLNYVALGDSLTEGVGDTTSQGGFVPLLSESLHNRY
SEQ2656	IFSLIIPKSNPKLTKKDFLTKKVIPLNYVALGDSLTEGVGDTTSQGGFVPLLSESLHNRY
SEQ2657	IFSLIIPKSNPKLTKKDFLTKKVIPLNYVALGDSLTEGVGDTTSQGGFVPLLSESLHNRY
SEQ2658	IFSLIIPKSNPKLTKKDFLTKKVIPLNYVALGDSLTEGVGDTTSQGGFVPLLSESLHNRY

SEQ2650	SYQVTSVNYGVSGNTSQQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIRKELSHLS
SEQ2651	SYQVTSVNYGVSGNTSQQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIRKELSHLS
SEQ2652	SYQVTSVNYGVSGNTSQQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIRKELSHLS
SEQ2653	SYQVTSVNYGVSGNTSQQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIRKELSHLS
SEQ2654	SYQVTSVNYGVSGNTSQQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIRKELSHLS
SEQ2655	SYQVTSVNYGVSGNTSQQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIRKELSHLS
SEQ2656	SYQVTSVNYGVSGNTSQQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIRKELSHLS
SEQ2657	SYQVTSVNYGVSGNTSQQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIRKELSHLS
SEQ2658	SYQVTSVNYGVSGNTSQQILKRMTTDPQIEKDLEKADLLTLTVGGNDVLAVIRKELSHLS

SEQ2650	LNSFEKPAEAYKERLKEILAKARQDNPKLPYVLGIYNPFYLNFPQLTKMQTVIDNWNKA
SEQ2651	LNSFEKPAEAYKERLKEILAKARQDNPKLPYVLGIYNPFYLNFPQLTKMQTVIDNWNKA
SEQ2652	LNSFEKPAEAYKERLKEILAKARQDNPKLPYVLGIYNPFYLNFPQLTKMQTVIDNWNKA
SEQ2653	LNSFEKPAEAYKERLKEILAKARQDNPKLPYVLGIYNPFYLNFPQLTKMQTVIDNWNKA
SEQ2654	LNSFEKPAEAYKERLKEILAKARQDNPKLPYVLGIYNPFYLNFPQLTKMQTVIDNWNKA
SEQ2655	LNSFEKPAEAYKERLKEILAKARQDNPKLPYVLGIYNPFYLNFPQLTKMQTVIDNWNKA
SEQ2656	LNSFEKPAEAYKERLKEILAKARQDNPKLPYVLGIYNPFYLNFPQLTKMQTVIDNWNKA
SEQ2657	LNSFEKPAEAYKERLKEILAKARQDNPKLPYVLGIYNPFYLNFPQLTKMQTVIDNWNKA
SEQ2658	LNSFEKPAEAYKERLKEILAKARQDNPKLPYVLGIYNPFYLNFPQLTKMQTVIDNWNKA

SEQ2650	TKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFPNNIGYQI
SEQ2651	TKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFPNNIGYQI
SEQ2652	TKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFPNNIGYQI
SEQ2653	TKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFPNNIGYQI
SEQ2654	TKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFPNNIGYQI
SEQ2655	TKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFPNNIGYQI
SEQ2656	TKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFPNNIGYQI
SEQ2657	TKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFPNNIGYQI
SEQ2658	TKEVVDASENVYFVPINDRLYKINGKEGITESSNSQASITNDALFTGDHFPNNIGYQI

SEQ2650	MSNAVMEKINETRKNWP
SEQ2651	MSNAVMEKINETRKNWP
SEQ2652	MSNAVMEKINETRKNWP
SEQ2653	MSNAVMEKINETRKNWP
SEQ2654	MSNAVMEKINETRKNWP
SEQ2655	MSNAVMEKINETRKNWP
SEQ2656	MSNAVMEKINETRKNWP
SEQ2657	MSNAVMEKINETRKNWP
SEQ2658	MSNAVMEKINETRKNWP

**Tabl 27: C mparative Sequences relating t SAG1473
(cell wall surface anchor family protein)**

**SEQ ID NO. 2701: SAG1473 FROM THE 1169NT1 GBS TYPE V STRAIN
(REVERSE COMPLEMENT)**

GATACAAGTGATAAGAATACTGACACGAGTGTCTGACTACGACCTTATCTGAGGAGAAAAGATCAGATGA
ACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCATCAAGTGAACCAGAAACAAATC
CGTCAACTAATCCACCTACAACAGAACCATCGCAACCCTCACCTAGTGAAGAGAACAAGCCTGATGGTAGA
ACGAAGACAGAAATTGGCAATAATAAGGATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTAT
TAAGAATTTTGTAGTAAAGCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAA
GTGATGGGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA

SEQ ID NO. 2702: SAG1473 FROM THE 18RS21 GBS TYPE II STRAIN

GATACAAGTGATAAGAATACTGACACGAGTGTCTGACTACGACCTTATCTGAGGAGAAAAGATCAGATGA
ACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCATCAAGTGAACCAGAAACAAATC
CGTCAACTAATCCACCTACAACAGAACCATCGCAACCCTCACCTAGTGAAGAGAACAAGCCTGATGGTAGA
ACGAAGACAGAAATTGGCAATAATAAGGATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTAT
TAAGAATTTTGTAGTAAAGCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAA
ATGATGGGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA

SEQ ID NO. 2703: SAG1473 FROM THE 2603 V/R GBS TYPE V STRAIN

GATACAAGTGATAAGAATACTGACACGAGTGTCTGACTACGACCTTATCTGAGGAGAAAAGATCAGATGA
ACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCATCAAGTGAACCAGAAACAAATC
CGTCAACTAATCCACCTACAACAGAACCATCGCAACCCTCACCTAGTGAAGAGAACAAGCCTGATGGTAGA
ACGAAGACAGAAATTGGCAATAATAAGGATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTAT
TAAGAATTTTGTAGTAAAGCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAA
ATGATGGGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA

SEQ ID NO. 2704: SAG1473 FROM THE 090 GBS TYPE Ia STRAIN

GACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCATCAAGTGAACCAGAAACAAATCCGTC
AACTAATCCACCTACAACAGAACCATCGCAACCCTCACCTAGTGAAGAGAACAAGCCTGATGGTAGAACGA
AGACAGAAATTGGCAATAATAAGGATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTATTAAG
AATTTTGTAGTAAAGCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAAATGA
TGGGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA

SEQ ID NO. 2705: SAG1473 FROM THE A909 GBS TYPE Ia STRAIN

GATACAAGTGATAAGAATACTGACACGAGTGTCTGACTACGACCTTATCTGAGGAGAAAAGATTAGATGA
ACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCATCAAGTGAACCAGAAACAAATC
CCTCAACTAATCCACCTACAACAGAACCATCGCAACCCTCACCTAGTGAAGAGAACAAGCCTGATGGTAGC
ACGAAGACAGAAATTGGCAATAATAAGGATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTAT
TAAGAATTTTGTAGTAAAGCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAA
ATGATGAGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA

SEQ ID NO. 2706: SAG1473 FROM THE CJB110 GBS NONTYPEABLE STRAIN

GATACAAGTGATAAGAATACTGACACGAGTGTCTGACTACGACCTTATCTGAGGAGAAAAGATCAGATGA
ACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCATCAAGTGAACCAGAAACAAATC
CGTCAACTAATCCACCTACAACAGAACCATCGCAACCCTCACCTAGTGAAGAGAACAAGCCTGATGGTAGA
ACGAAGACAGAAATTGGCAATAATAAGGATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTAT
TAAGAATTTTGTAGTAAAGCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAA
ATGATGGGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA

**Table 27: Comparative Sequences relating to SAG1473
(cell wall surface anchor family protein)**

**SEQ ID NO. 2707: SAG1473 FROM THE COH1 GBS TYPE III STRAIN
(REVERSE COMPLEMENT)**

GATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAAAGATCAGATGA
ACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCAAGTTCATCAAGTGAACCAGAAACAAATC
CCTCAACTAATCCACCTACAACAGAACCATCGCAACCCTCACCTAGTGAAGAGAACAAGCCTGATGGGAGC
ACGAAGACAGAAATTGGCAATAATAAGGATATTTCTAGTGGAAACAAAAGTATTAATTTTCAGAAGATAGTAT
TAAGAATTTTAGTAAAGCAAGTAGTGATCAAGAAGAAGTGGAAACGCGATGAATCATCATCTTCAAAAGCAA
ATGATGAGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA

SEQ ID NO. 2708: SAG1473 FROM THE H36b GBS TYPE Ib STRAIN

GATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAAAGATTAGATGA
ACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCATCAAGTGAACCAGAAACAAATC
CCTCAACTAATCCACCTACAACAGAACCATCGCAACCCTCACCTAGTGAAGAGAACAAGCCTGATGGTAGC
ACGAAGACAGAAATTGGCAATAATAAGGATATTTCTAGTGGAAACAAAAGTATTAATTTTCAGAAGATAGTAT
TAAGAATTTTAGTAAAGCAAGTAGTGATCAAGAAAGAGTGGATCGCGATGAATCATCATCTTCAAAAGCAA
ATGATGAGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA

SEQ ID NO. 2709: SAG1473 FROM THE JM910013 GBS TYPE VIII STRAIN

GATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAAAGATTAGATGA
ACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCATCAAGTGAACCAGAAACAAATC
CCTCAACTAATCCACCTACAACAGAACCATCGCAACCCTCACCTAGTGAAGAGAACAAGCCTGATGGTAGC
ACGAAGACAGAAATTGGCAATAATAAGGATATTTCTAGTGGAAACAAAAGTATTAATTTTCAGAAGATAGTAT
TAAGAATTTTAGTAAAGCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAAGCAA
ATGATGAGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA

SEQ ID NO. 2710: SAG1473 FROM THE M732 GBS TYPE III STRAIN

GATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAAAGATCAGATGA
ACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCAAGTTCATCAAGTGAACCAGAAACAAATC
CCTCAACTAATCCACCTACAACAGAACCATCGCAACCCTCACCTAGTGAAGAGAACAAGCCTGATGGGAGC
ACGAAGACAGAAATTGGCAATAATAAGGATATTTCTAGTGGAAACAAAAGTATTAATTTTCAGAAGATAGTAT
TAAGAATTTTAGTAAAGCAAGTAGTGATCAAGAAGAAGTGGAAACGCGATGAATCATCATCTTCAAAAGCAA
ATGATGAGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA

SEQ ID NO. 2711: SAG1473 FROM THE M781 GBS TYPE III STRAIN

GATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAAAGATCAGATGA
ACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCAAGTTCATCAAGTGAACCAGAAACAAATC
CCTCAACTAATCCACCTACAACAGAACCATCGCAACCCTCACCTAGTGAAGAGAACAAGCCTGATGGGAGC
ACGAAGACAGAAATTGGCAATAATAAGGATATTTCTAGTGGAAACAAAAGTATTAATTTTCAGAAGATAGTAT
TAAGAATTTTAGTAAAGCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAAGCAA
ATGATGAGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA

SEQ2701	ATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAA
SEQ2702	ATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAA
SEQ2703	ATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAA
SEQ2704	-----
SEQ2705	ATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAA
SEQ2706	ATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAA
SEQ2707	ATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAA
SEQ2709	ATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAA
SEQ2710	ATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAA
SEQ2711	ATACAAGTGATAAGAATACTGACACGAGTGTCGTGACTACGACCTTATCTGAGGAGAAA

**Table 27: C mparative Sequences relating to SAG1473
(cell wall surface anchor family protein)**

SEQ2701	GATCAGATGAACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCA
SEQ2702	GATCAGATGAACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCA
SEQ2703	GATCAGATGAACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCA
SEQ2704	-----
GACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCA	
SEQ2705	GATTAGATGAACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCA
SEQ2706	GATCAGATGAACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCA
SEQ2707	GATCAGATGAACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCAAGTTCA
SEQ2709	GATTAGATGAACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCGAGTTCA
SEQ2710	GATCAGATGAACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCAAGTTCA
SEQ2711	GATCAGATGAACTAGACCAGTCTAGTACTGGTTCTTCTTCTGAAAATGAATCAAGTTCA
SEQ2701	TCAAGTGAACCAGAAACAAATCCGTCAACTAATCCACCTACAACAGAACCATCGCAACCC
SEQ2702	TCAAGTGAACCAGAAACAAATCCGTCAACTAATCCACCTACAACAGAACCATCGCAACCC
SEQ2703	TCAAGTGAACCAGAAACAAATCCGTCAACTAATCCACCTACAACAGAACCATCGCAACCC
SEQ2704	TCAAGTGAACCAGAAACAAATCCGTCAACTAATCCACCTACAACAGAACCATCGCAACCC
SEQ2705	TCAAGTGAACCAGAAACAAATCCCTCAACTAATCCACCTACAACAGAACCATCGCAACCC
SEQ2706	TCAAGTGAACCAGAAACAAATCCGTCAACTAATCCACCTACAACAGAACCATCGCAACCC
SEQ2707	TCAAGTGAACCAGAAACAAATCCCTCAACTAATCCACCTACAACAGAACCATCGCAACCC
SEQ2709	TCAAGTGAACCAGAAACAAATCCCTCAACTAATCCACCTACAACAGAACCATCGCAACCC
SEQ2710	TCAAGTGAACCAGAAACAAATCCCTCAACTAATCCACCTACAACAGAACCATCGCAACCC
SEQ2711	TCAAGTGAACCAGAAACAAATCCCTCAACTAATCCACCTACAACAGAACCATCGCAACCC
SEQ2701	TCACCTAGTGAAGAGAACAAGCCTGATGGTAGAACGAAGACAGAAATTGGCAATAATAAG
SEQ2702	TCACCTAGTGAAGAGAACAAGCCTGATGGTAGAACGAAGACAGAAATTGGCAATAATAAG
SEQ2703	TCACCTAGTGAAGAGAACAAGCCTGATGGTAGAACGAAGACAGAAATTGGCAATAATAAG
SEQ2704	TCACCTAGTGAAGAGAACAAGCCTGATGGTAGAACGAAGACAGAAATTGGCAATAATAAG
SEQ2705	TCACCTAGTGAAGAGAACAAGCCTGATGGTAGCACGAAGACAGAAATTGGCAATAATAAG
SEQ2706	TCACCTAGTGAAGAGAACAAGCCTGATGGTAGAACGAAGACAGAAATTGGCAATAATAAG
SEQ2707	TCACCTAGTGAAGAGAACAAGCCTGATGGGAGCACGAAGACAGAAATTGGCAATAATAAG
SEQ2709	TCACCTAGTGAAGAGAACAAGCCTGATGGTAGCACGAAGACAGAAATTGGCAATAATAAG
SEQ2710	TCACCTAGTGAAGAGAACAAGCCTGATGGGAGCACGAAGACAGAAATTGGCAATAATAAG
SEQ2711	TCACCTAGTGAAGAGAACAAGCCTGATGGGAGCACGAAGACAGAAATTGGCAATAATAAG
SEQ2701	GATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTATTAAGAATTTTAGTAAA
SEQ2702	GATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTATTAAGAATTTTAGTAAA
SEQ2703	GATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTATTAAGAATTTTAGTAAA
SEQ2704	GATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTATTAAGAATTTTAGTAAA
SEQ2705	GATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTATTAAGAATTTTAGTAAA
SEQ2706	GATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTATTAAGAATTTTAGTAAA
SEQ2707	GATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTATTAAGAATTTTAGTAAA
SEQ2709	GATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTATTAAGAATTTTAGTAAA
SEQ2710	GATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTATTAAGAATTTTAGTAAA
SEQ2711	GATATTTCTAGTGGAACAAAAGTATTAATTTTCAGAAGATAGTATTAAGAATTTTAGTAAA
SEQ2701	GCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAAATGAT
SEQ2702	GCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAAATGAT
SEQ2703	GCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAAATGAT
SEQ2704	GCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAAATGAT
SEQ2705	GCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAAATGAT
SEQ2706	GCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAAATGAT
SEQ2707	GCAAGTAGTGATCAAGAAGAAGTGGAAACGCGATGAATCATCATCTTCAAAGCAAATGAT
SEQ2709	GCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAAATGAT
SEQ2710	GCAAGTAGTGATCAAGAAGAAGTGGAAACGCGATGAATCATCATCTTCAAAGCAAATGAT
SEQ2711	GCAAGTAGTGATCAAGAAGAAGTGGATCGCGATGAATCATCATCTTCAAAGCAAATGAT

**Table 27: Comparative Sequences relating t SAG1473
(cell wall surface anchor family protein)**

SEQ2701	GGGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA-----
SEQ2702	GGGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA-----
SEQ2703	GGGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA-----
SEQ2704	GGGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA-----
SEQ2705	GAGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA-----
SEQ2706	GGGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA-----
SEQ2707	GAGAAAAAAGGCCACAGTAAGCCTAAAAAGGAASGATACAAGTGATAAGAATACTGACAC
SEQ2709	GAGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA-----
SEQ2710	GAGAAAAAAGGCCACAGTAAGCCTAAAAAGGAA-----
SEQ2711	GAGAAAAAAGGCCACAGTAAGCCTAAAAAGGAATABCMARATVSTNCSRATNGTSAGCWA
SEQ2701	-----
SEQ2702	-----
SEQ2703	-----
SEQ2704	-----
SEQ2705	-----
SEQ2706	-----
SEQ2707	AGTGTCGTGACTACGACCTTATCTGAGGAGAAAAGATTAGATGAACTAGACCAGTCTAG
SEQ2709	-----
SEQ2710	-----
SEQ2711	TRACANCHRAMYRTN-----
SEQ2701	-----
SEQ2702	-----
SEQ2703	-----
SEQ2704	-----
SEQ2705	-----
SEQ2706	-----
SEQ2707	ACTGGTTCCTTCTCTGAAAATGAATCGAGTTCATCAAGTGAACCAGAAACAAATCCCTC
SEQ2709	-----
SEQ2710	-----
SEQ2711	-----
SEQ2701	-----
SEQ2702	-----
SEQ2703	-----
SEQ2704	-----
SEQ2705	-----
SEQ2706	-----
SEQ2707	ACTAATCCACCTACAACAGAACCATCGCAACCCTCACCTAGTGAAGAGAACAAGCCTGA
SEQ2709	-----
SEQ2710	-----
SEQ2711	-----
SEQ2701	-----
SEQ2702	-----
SEQ2703	-----
SEQ2704	-----
SEQ2705	-----
SEQ2706	-----
SEQ2707	GGTAGCACGAAGACAGAAATTGGCAATAATAAGGATATTTCTAGTGGAACAAAAGTATT
SEQ2709	-----
SEQ2710	-----
SEQ2711	-----

**Table 27: C mparative Sequences relating to SAG1473
(cell wall surface anchor family protein)**

```

SEQ2701 -----
SEQ2702 -----
SEQ2703 -----
SEQ2704 -----
SEQ2705 -----
SEQ2706 -----
SEQ2707 ATTTTCAGAAGATAGTATTAAGAATTTTAGTAAAGCAAGTAGTGATCAAGAARAAGTGGA
SEQ2709 -----
SEQ2710 -----
SEQ2711 -----

```

```

SEQ2701 -----
SEQ2702 -----
SEQ2703 -----
SEQ2704 -----
SEQ2705 -----
SEQ2706 -----
SEQ2707 CGCGATGAATCATCATCTTCAAAGCAAATGATGAGAAAAAAGGCCACAGTAAGCCTAA
SEQ2709 -----
SEQ2710 -----
SEQ2711 -----

```

```

SEQ2701 -----
SEQ2702 -----
SEQ2703 -----
SEQ2704 -----
SEQ2705 -----
SEQ2706 -----
SEQ2707 AAGGAA
SEQ2709 -----
SEQ2710 -----
SEQ2711 -----

```

>SEQ ID NO 2750:4_1169NT frame: 1

DTSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SPSEENKPDGRKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKASD
GKKGHGSKPKKE

>SEQ ID NO 2751:4_18RS21 frame: 1

DTSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SPSEENKPDGRKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
GKKGHGSKPKKE

>SEQ ID NO 2752:4_2603 frame: 1

DTSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SPSEENKPDGRKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
GKKGHGSKPKKE

>SEQ ID NO 2753:4_090 frame: 1

DQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQSPSPSEENKPDGRKTEIGNNKDISSG
TVLISEDSIKNFSKASSDQEEVDRDESSSSKANDGKKGHGSKPKKE

>SEQ ID NO 2754:4_A909 frame: 1

DTSDKNTDTSVVTTLSEEKRLDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SPSEENKPDGRTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
EKKGHGSKPKKE

>SEQ ID NO 2755:4_CJB110 frame: 1

DTSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SPSEENKPDGRKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
GKKGHGSKPKKE

**Table 27: Comparative Sequences relating to SAG1473
(cell wall surface anchoring family protein)**

>SEQ ID NO 2756:4_COH1 frame: 1
DTSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SPSEENKPDGSTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVERDESSSSKAND
EKKGHSKPKKE

>SEQ ID NO 2757:4_H36B frame: 1
DTSDKNTDTSVVTTLSEEKRLDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SPSEENKPDGSTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEXVDRDESSSSKAND
EKKGHSKPKKE

>SEQ ID NO 2758:4_JM9130013 frame: 1
DTSDKNTDTSVVTTLSEEKRLDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SPSEENKPDGSTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
EKKGHSKPKKE

>SEQ ID NO 2759:4_M732 frame: 1
DTSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SPSEENKPDGSTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVERDESSSSKAND
EKKGHSKPKKE

>SEQ ID NO 2760:4_M781 frame: 1
DTSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SPSEENKPDGSTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
EKKGHSKPKKE

SEQ2750	TSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SEQ2751	TSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SEQ2752	TSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SEQ2753	-----DQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SEQ2754	TSDKNTDTSVVTTLSEEKRLDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SEQ2755	TSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SEQ2756	TSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SEQ2757	TSDKNTDTSVVTTLSEEKRLDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SEQ2758	TSDKNTDTSVVTTLSEEKRLDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SEQ2759	TSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP
SEQ2760	TSDKNTDTSVVTTLSEEKRSDELQSSSTGSSSENESSSSSEPETNPSTNPPTTEPSQP

SEQ2750	SPSEENKPDGRTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
SEQ2751	SPSEENKPDGRTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
SEQ2752	SPSEENKPDGRTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
SEQ2753	SPSEENKPDGRTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
SEQ2754	SPSEENKPDGSTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
SEQ2755	SPSEENKPDGRTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
SEQ2756	SPSEENKPDGSTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVERDESSSSKAND
SEQ2757	SPSEENKPDGSTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEXVDRDESSSSKAND
SEQ2758	SPSEENKPDGSTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND
SEQ2759	SPSEENKPDGSTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVERDESSSSKAND
SEQ2760	SPSEENKPDGSTKTEIGNNKDISSGTVLISEDSIKNFSKASSDQEEVDRDESSSSKAND

SEQ2750	KKGHSKPKKE
SEQ2751	KKGHSKPKKE
SEQ2752	KKGHSKPKKE
SEQ2753	KKGHSKPKKE
SEQ2754	KKGHSKPKKE
SEQ2755	KKGHSKPKKE
SEQ2756	KKGHSKPKKE
SEQ2757	KKGHSKPKKE
SEQ2758	KKGHSKPKKE
SEQ2759	KKGHSKPKKE
SEQ2760	KKGHSKPKKE

**Table 28: C mparative Sequences relating to SAG1552
(conserved hypothetical protein)**

**SEQ ID NO. 2801: SAG1552 FROM THE 1169NT1 GBS TYPE V STRAIN
(REVERSE COMPLEMENT)**

TTTGTGTTAAAGGTGATACTGTACTTCACAAGCCACCAATAAACCTTTTGTGTTAAAGGAGTAGACGTTGAGTCT
TCCTTAGCAGGTTATCATCACACGATTTTCTATTACTCAAAAACGTATCGTGAGTGGTCCATTTAATTTCCAAC
ATGGGGGCAAATACTGTAAGAGTCAAAGTACCGATGAATGTTGCATTTTACGATGCTTTATATCACCACAACAAAGCA
TCAAAGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCTATAACAGCTTTTAAAT
GATAATTATAGGGGTATTTAAAACGAGAAGCAAAGGCGTTGTGGATATTCTCCATGGGCGTAAGCAAGTATGGAAT
ACTGATTTTGGTAGCCGTCATTATCATTATGATCTTAGTCCTTGGGTACTTGGTTATGTCGTAGGGGATGATTGGAAT
AGTGGTACTGTGCTTATACTAATCATCAAGAGAAAAAACGCAATATAAAGGACGTTATTTTAAACTTCTGCGGCA
GCTAATCCATTTGAGGTCATGCTAGCTCAAGTTATGGATGAATTGACACATTATGAGACAGCTAAATATGGTTGGCAA
CATTGGATTAGTTTTTCAAACACCAACAACAGACCCCTTTTCGTTATCGAAAACCATTTGAGGCACAGGCTCCTAAA
TACGTACAATAAATGTAGAAAATATTCAAGCTAATTCGAATGTTAAAGCAGGTATTTTGCAGCATATAAAGCTATT
GATTTCCATCCTCGATACAAGGATTATCTATTATTTGATAAAGAGAATATCAGTAAAGAAGATAGACAAAAGATTAAA
GAACTTTCTTTGTACAGGGATACGTTAAACTGCTAAATGCTTATCACAAAATCCCTGTTCTAGTCACGGGTTATGGC
TATTCGACAGCGAGAGGTATTGCCAAAAGAAATTGATAAACGTCCTCTGCCGATTAATGAAAAAGAACAGGTGAG
CGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTTTGGAGCGACTATCAATGCATGGCAAGACGATTGG
AATGCAAGGGCGTGGAATACATCCTTCGCCACAAATAAACATAGTCAATTCTATGGGGGGATGCACAAGTATTTAAT
CAAGGTTATGGTTTATTAGGCTTTAAAACGCAAAACATCATTATCAAGTTGATGGTAAAAAGAGGCAAAGGAGAGTGG
AAACATCCTCTG

SEQ ID NO. 2802: SAG1552 FROM THE

ATGACTAGTGCAACAGGAGATGACTTATATGCTAGCAGTGATGAAAGCTATCTCTACCTTGCGATTAAAAACAAACCT
GAAAACTAAAAGAAAAACGATTATTACCAATAGATATTACACCAAAATCTGGTAGTAGAAAAATGAATGGTAGTAAG
GTCACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATTATTTGTCCAAGAGCGC
TATAATGCCTTAAAGCGAATCTTCGACAGCTTAACGGTAAAGATTTTATGCTTTCCCACCAAAGAAGAACAGT
AGTAATTTTGAGCAGATCAATATGGTATTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAGCAACAGAG
AGGTTCTTACCAACTCATCCTACTGGTCTTCTCAAACAGGAACAATTGATAGGCACCAAAAAACATTTGATTCACAA
ACAGATATTTTCGTTTGGAAAGGACTTTATAGAGGTGAGAAATCCGTGGCAGTTGTTGAATTTTCTGATCCATCATCT
CAAAAAATTACGATGATTACTTTAAACATTATGGTGTGAAGGAGTTAGAAATTGAGAGCATTGCTTTAGGATTAGGT
GCTAATAGCAAAGAAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAATTGGGAGAGACCCGATACCAAAACC
TTTTTAAAGACTCCTATTATAGTATTTAAGAAAGAA

SEQ ID NO. 2803: SAG1552 FROM THE 18RS21 GBS TYPE II STRAIN

AAGGGCTTATTAAAGAAAATACAAGAACTAACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCACCAATAAA
CCTTTTGTGTTAAAGGAGTAGACGTTGAGTCTTCCTTAGCGGTTATCATCACACGATTTTCTATTACTCAAAA
ACGTATCGTGAATGGTTCATTTAATTTCCAACATGGGGGCAAATACTGTAAGAGTCAAGGTACCGATGAATGTTGCA
TTTTACGATGCCTTATATCACCACAACAAAGCATCAAAGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCT
TATCGCAATAATGCTTCTATAACAGCTTTTAAATGATAATTATAGGGGTATTTAAAACGAGAAGCAAAGGCGTTGTG
GATATTCTCCATGGGCGTAAGCAAGTATGGAATAGTGGTACTGTGCTTATACTAATCATCAAGAGAAAAAACGCAA
TATAAAGGACGTTATTTTAAACTTCTGTGGCAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGATGAATTG
ACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACACCAACAACAGACCCCTTTTCAT
TATCGAAAACCATTTGAGGCACAGGCTCCTAAATACGTACAATAAATGTAGAAAATATTCAAGCTAATTCAAATGTT
AAAGCAGGTATGTTTGCAGCATATAAAGCTATTGATTTCATCCTCGATACAAGGATTATCTATTATTTGATAAAGAG
AATATCAGTAAAGAAGATAGACAAAAGATTAAAGAACTTCTTTGTACAGGGATACGTTAAACTGCTAAATGCTTAT
CACAAAATCCCTGTTCTAGTCACGGGTTATGGCTATTTCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGT
CCTCTGCCGATTAATGAAAAAGAACAGGTGAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTTT
GGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGGAATACATCTTTCGCCACAAATAAACATAGT
CAATTCCTATGGGGGGATGCACAAGTATTTAATCAAGGTATGGTTTATTAGGCTTTAAAACGCAAAACATCATTAT
CAAGTTGATGGTAAAGAGGCAAAGGAGAGTGGAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATATGCT
AGCAGTGATGAAAGCTATCTCTACCTTGCATTAACCAAAACCTGAAAACTAAAAGAAAAACGATTATTACCAATA
GATATTACCAAAATCTGGTAGTAAAAAATGAATGGTAGTACAGTCAATTTCTAAATCTAGTGACTTTGTATTG
TCTATTGATCCAAATGGCAAGTCTGAATTATTTGTCCAAGGCGCTATAATGCCTTAAAGCGAATATGGTATTGAGA
CTTAACGGTAAAGATTTTATGCTTTCCCACCAAAGAAGACAGTAGTAATTTTGAAGCAGATAAATGGTATTGAGA
AATACAAAGATTGTTGAAGACATGGAAAAAGTAAAGCAACAGAGAGGTTCTTACCAACTCATCCTACTGGTCTTCTC
AAAACAGGAACAACCTGATAGGCACCAAAAAACATTTGATTCACAAACAGATATTTTCGTTTGGAAAGGACTTTATAGAG
GTCAGAATTCGTTGGCAGTTGTTGAATTTTCTGATCCATCATCTCAAAAAATTACGATGATTACTTTAAACATTAT
GGTGTGAAGGAGTTAGAAATTGAGAGCATTGCTTTAGGATTAGGTGCTAATAGCAAAGAAAACACACTGATAAAGATG
GCAGATTATCGTTTGAAAAATTGGGAGAGACCCGATACCAAAACCTTTTAAAGACTCCTATTATGTATTAAGAAAG
AA

**Table 28: C mparative Sequences relating to SAG1552
(conserved hypothetical protein)**

**SEQ ID NO. 2804: SAG1552 FROM THE 2603 V/R GBS TYPE V STRAIN
(REVERSE COMPLEMENT)**

TATTAAAAGAAAATACAAGAACTAACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAACCTTTTG
TTGTTAAAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCCTATTACTCAAAAAACGTATC
GTGAATGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGAGTCAAGGTACCGATGAATGTTGCATTTTACG
ATGCCTTATATCACCACAACAAAGCATCAAAGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCA
ATAATGCTTCTATAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAGGCGTTGTGATATTTC
TCCATGGGCGTAAGCAAGTATGGAATACTGATTTGGGTAGCCGTCATTATCATTATGATCTTAGTCCTTGGGTACTTG
GTTATGTCGTAGGGGATGATTGGAATAGTGGTACTGTCGCTTATACTAATCATCAAGAGAAAAAACGCAATATAAAG
GACGTTATTTTAAACTTCTGTGGCAGCTAATCCATTTGAGGTGATGCTAGCTCAAGTAATGGATGAATTGACACATT
ATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCAACAACAGACCCTTTTCATTATCGAA
AACATTTGAGGCACAGGCTCCTAAATACGTACAATAAATGTAGAAATATTCAAGCTAATTCAAATGTTAAAGCAG
GTATGTTTGCAGCATATAAGCTATTGATTTCCATTCGATACAAGGATTATCTATTATTGATAAAGAGAAATATCA
GTAAAGAAGATAGACAAAAGATTAAAGAACTTTCTTTGTACAGGGATACGTTAAACTGCTAAATGCTTATCACAAAA
TCCCTGTTCTAGTCACGGGTTATGGCTATTCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGC
CGATTAATGAAAAAGAACAAAGTCAAGGTCAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTTTGGAGCGA
CTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCTTTGCGCCACAAATAAACATAGTCAATTCC
TATGGGGGGATGCACAAGTATTTAATCAAGGTTATGGTTTATTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTG
ATGGTAAAAGAGGCAAGGAGAGTGGAACATCCTCTGATGACTAGTGAACAGGAGATGACTTATATGCTAGCAGTG
ATGAAAGCTATCTCTACCTTGCGATTAAACAAAAACCTGAAAAACTAAAAGAAAAACGATTATTACCAATAGATATTA
CACCAAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGTCACATTTTCTAAATCTAGTGACTTTGTATTGCTATTG
ATCCAAATGGCAAGTCTGAATTATTTGTCCAAGAGCGCTATAATGCCTTAAAAGCGAACTATCTTCGACAGCTTAACG
GTAAAGATTTTTATGCTTTCCACCAAGAAAGACAGTAGTAATTTTGAGCAGATAAATATGGTATTGAGAAATACAA
AGATTGTTGAAGACATGGAAAAAGTAAAGCAACAGAGAGGTTCTTACCAACTCATCTACTGGTCTTCTCAAACAG
GAACAACATGATAGGCACCAAAAAACATTTGATTACAAACAGATATTTGCTTTGGAAAGGACTTTATAGAGGTCAGAA
TTCCGTGGCAGTTGTTGAATTTTCTGATCCATCATCTCAAAAATTCACGATGATTACTTTAAACATTATGGTGTGA
AGGAGTTAGAAATTGAGAGCATTGCTTTAGGATTAGGTGCTAATAGCAAAAGAAAACACACTGATAAAGATGGCAGATT
ATCGTTTGAAAAATTTGGGAGAGACCCGATACCAAAACCTTTTTAAAAGACTCCTATTATAGTATTAAGAAAGAATGGT
CTAAAGAAAGAGAGAGAACATATGGTCCA

**SEQ ID NO. 2805: SAG1552 FROM THE A909 GBS TYPE Ia STRAIN
(REVERSE COMPLEMENT)**

AAGGGCTTATTAAAAGAAAATACAAGAACTAACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAA
CCTTTTGTGTTAAAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCCTATTACTCAAAAA
ACGTATCGTGAATGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGAGTCAAGGTACCGATGAATGTTGCA
TTTTACGATGCCTTATATCACCACAACAAAGCATCAAAGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCT
TATCGCAATAATGCTTCTATAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAGGCGTTGTG
GATATTCTCCATGGGCGTAAGCAAGTATGGAATACTGATTTGGGTAGCCGTCATTATCATTATGATCTTAGTCCTTGG
GTACTTGGTTATGTCGTAGGGGATGATTGGAATAGTGGTACTGTCGCTTATACTAATCATCAAGAGAAAAAACGCAA
TATAAAGGACGTTATTTTAAACTTCTGTGGCAGCTAATCCATTTGAGGTGATGCTAGCTCAAGTAATGGATGAATTG
ACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCAACAACAGACCCTTTTCAT
TATCGAAAACCATTTGAGGCACAGGCTCCTAAATACGTACAATAAATGTAGAAAAATATTCAAGCTAATTCAAATGTT
AAAGCAGGTATGTTTGCAGCATATAAAGCTATTGATTTCCATCCTCGATACAAGGATTATCTATTATTTGATAAAGAG
AATATCAGTAAAGAAGATAGACAAAAGATTAAAGAACTTTCTTTGTACAGGGGATACGTTAAACTGCTAAATGCTTAT
CACAAAATCCCTGTTCTAGTCACGGGTTATGGCTATTCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGT
CCTCTGCCGATTAAATGAAAAAGAACAGGTCAAGGCTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTTT
GGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCTTTGCGCCACAAATAACATAGT
CAATTCCTATGGGGGGATGCACAAGTATTTAATCAAGGTTATGGTTTATTAGGCTTTAAAACGCAAAACATCATTAT
CAAGTTGATGGTAAAAGAGGCAAGGAGAGTGGAACATCCTCTGATGACTAGTGAACAGGAGATGACTTATATGCT
AGCAGTGATGAAAGCTATCTCTACCTTGCGATTAAACAAAAACCTGAAAAACTAAAAGAAAAACGATTATTACCAATA
GATATTACACCAAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGTCACATTTTCTAAATCTAGTGACTTTGTATTG
TCTATTGATCCAAATGGCAAGTCTGAATTATTTGTCCAAGAGCGCTAATGCCTTAAAAGCGAACTATCTTCGACAG
CTTAACGGTAAAGATTTTTATGCTTTCCACCAAGAAAGAACTAGTAATTTTGAGCAGATAAATATGGTATTGAGA
AATACAAAGATTGTTGAAGACATGGAAAAAGTAAAGCAACAGAGAGGTTCTTACCAACTCATCTACTGGTCTTCTC
AAAACAGGAACAACATGATAGGCACCAAAAAACATTTGATTACAAACAGATATTTGCTTTGGAAAGGACTTTATAGAG
GTCAGAAATCCGTGGCAGTTGTTGAATTTTCTGATCCATCATCTCAAAGAATTCACGATGATTACTTTAAACATTAT
GGTGTGAAGGAGTTAGAAAAATTGAGAGCCATTGCTTTAGGATTAGGTGCTAATAGCAAAAGAAAACACACTGATAAAGA
TGCCAGATTATCGTTTGAAAAATTGGGAGAGACCCGATACCAAAACCTTTTTAAAAGA

**Table 26: C mparative Sequences relating to SAG1552
(conserved hypoth tical protein)**

SEQ ID NO. 2806: SAG1552 FROM THE CJB110 GBS NONTYPEABLE STRAIN

TATTACTTTGATGGTAGTTTGTATTTACCAAAGGGCTTATTAAAAGAAAATACAAGAACTAACTTTGTTGTTAAAGGT
GATACTGTACTTCACAAGCCCACCAATAAACCTTTTGTGTTAAAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTAT
CATCACAACGATTTTCCTATTACTCAAAAAACGTATCGTGAATGGTTCATTAAATTTCCAACATGGGGGCAAATACT
GTAAGAGTCAAGGTACCGATGAATGTTGCATTTTACGATGCCTTATATCACCACAACAAAGCATCAAAGAGGCCACTG
TATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCTATAACAGCTTTTAATGATAATTATAGGGG
TATTTAAAACGAGAAGCAAAGGGCGTTGTGGATATTCTCCATGGGCGTAAGCAAGTATGGAATACAGATTTTGGTAGC
CGTCATTATCATTATGATCTTAGTCTTGGGTACTTGGTTATGTCGTAGGGGATGATTGGAATAGTGGTACTGTCGCT
TATACTAATCATCAAGAGAAAAAACGCAATATAAAGGACGTTATTTTAAACTTCTGTGGCAGCTAATCCATTTGAG
GTCATGCTAGCTCAAGTAATGGATGAATTGACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTT
TCAAACACCAACAACAGACCCTTTTCATTATCGAAAACCATTTGAGGCACAGGCTCCTAAATACGTACAACATAAT
GTAGAAAATATTCAAGTATAATTCAAATGTTAAAGCAGGTATGTTTGCAGCATATAAAGCTATTGATTTCCTCTCGA
TACAAGGATTATCTATTATTTGATAAAGAGAAATGATGAAAGAGATAGACAAAAGATTAAAGAACTTTCTTTGTCA
CAGGGATACGTTAAACTGCTAAATGCTTATCAGAAAATCCCTGTTCTAGTCACGGGTTATGGCTATTCGACAGCGAGA
GGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAATGAAAAAGAACAGGTCAGCGTTTACTAGAAGAT
TATGAATCTTTTATATCATCCGGTAGTTTGGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGG
AATACATCTTTCCGCCACAAATAAACATAATCAATTCCTATGGGGGGATGCACAAGTATTTAATCAAGGTTATGGTTTA
TTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTGATGGTAAAAGAGGCAAGGAGAGTGGAACATCCTCTGATG
ACTAGTGCACAGGAGATGACTTATGCTAGCAGTGTAGAAAGCTATCTTACCTTGCAGATTAAACAAAACCTGAA
AACTAAAAGAAAAACGATTATTACCAATAGATATTACACAAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGTC
ACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATTATTTGTCCAAGAGCGCTAT
AATGCCTTAAAAGCGAATCTCTTCGACAGCTTAACGGTAAAGATTTTTATGCTTTCCACCAAGAAGAAGACAGTAGT
AATTTTGAGCAGATAAATATGGTATTGAGAAATACAAAGATTGTTGAAGACATGAAAAAGTAAAGCAACAGAGAGG
TTCTTACCAACTCATCCTACTGGTCTTCTCAAAACAGGAACAACCTGATAGGCACCAAAAAACATTTGATTACAAACA
GATATTTCTGTTTGAAAGGACTTTATAGAGGTGAGAATCCGTGGCAGTTGTTGAATTTTTCTGATCCATCATCTCAA
AAAATTCACGATGATTACTTTAAACATTATGGTGTGAAGGAGTTGAGAAATTGAGAGCATTGCTTTAGGATTAGGTGCT
AATAGCAAAGAAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAATTGGGAGAGACCCGATACCAAAACCTTT
TAAAAGACTCCTATTATGTATTAAGAAAGA

SEQ ID NO. 2807: SAG1552 FROM THE COH1 GBS TYPE III STRAIN

TTTACCACAGGGCTTATTTAAAAGAAAATACAAGAACTAACTTTGTTGTTAAAGGTGATACTTCAACAAGCCCAC
CAATAAACCTTTTGTGTTAAAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCTATTAC
TCAAAAAACGTATCGTGAATGGTTCATTAAATTTCCAACATGGGGGCAAATACTGTAAGAGTCAAGGTACCGATGAA
TGTTGCATTTTACGATGCCTTATATCACCACAACAAAGAATCAAAGAGGCCACTGTATTTGTTGCAAGGAATACGTAT
AGATTCTTATCGCAATAATGCTTCTATAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAAGG
CGTTGTGGATATTCTCCATGGGCGTAAGCAAGTATGGAATACTGATTTTGGTAGCCGTCATTATCATTATGATCTTAG
TCCTTGGGTACTTGGTTATGTCGTAGGGGATGATTGGAATAGTGGTACTGTGCTTATACTAATCATCAAGAGAAAAA
AACGCAATATAAAGGACGTTATTTTAAACTTCTGTGGCAGCTAATCCATTTGAGGTGATGCTAGCTCAAGTAATGGA
TGAATTTGACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCAACAACAGACCC
TTTTTCATTATCGAAAACCATTTGAGGCACAGGCTCCTAAATACGTACAACATAATGTAGAAAAATATTCAAGCTAATTC
AAATGTTAAAGCAGGTATGTTTGCAGCATATAAAGCTATTGATTTCATCCTCGATACAAGGATTATCTATTATTTGA
TAAAGAGAATATCAGTAAAGAAGATAGACAAAAGATTAAAGAACTTTCTTTGTACAGGGATACGTTAAACTGCTAAA
TGCTTATCAGAAAATCCCTGTTCTAGTCACGGGTTATGGCTATTCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGA
TAAACGTCCTCTGCCGATTAATGAAAAAGAACAGGTCAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGG
TAGTTTGGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCTTTGCCCACAAAATAA
ACATAGTCAATTCCTATGGGGGGATGCACAAGTATTTAATCAAGGTTATGGTTTATAGGCTTTAAAACGCAAAACA
TCATTATCAAGTTGATGGTAAAAGAGGCAAGGAGAGTGGAACATCCTCTGATGACTAGTGCAACAGGAGATGACTT
ATATGCTAGCAGTGATGAAAGCTATCTTACCTTGGCATTAAAACAAAACCTGAAAACTAAAAGAAAAACGATTATT
ACCAATAGATATTACACAAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGTACATTTTCTAAATCTAGTGACTT
TGTATTGTCTATTGATCCAAATGGCAAGTCTGAATTATTTGTCCAAGAGCGCTATAATGCCTTAAAAGCGAACTATCT
TCGACAGCTTAACGGTAAAGATTTTTATGCTTTCCACCAAGAAGAACAGTAGTAATTTTGAGCAGATAAATATGGT
ATTGAGAAATACAAGATTGTTGAAGACATGGAAGGTAAGCAACAGAGAGGTTCTTACCAACTCATCTACTGG
TCTTCTCAAAACAGGAACAACCTGATAGGCACCAAAAACATTTGATTACAAACCAGATATTTTCGTTTGGAAAGGACTT
TATAGAGGTGAGAATTCGTGGCAGTTGTTGAATTTTTCTGATCCATCATCTCAAAAAATTCACGATGATTACTTTAA
ACATTATGGTGTGAAGGAGTTAGAAATTGAGAGCATTGCTTTAGGATTAGGTGCTAATAGCAAAGAAAACACACTGAT
AAAGATGGCAGATTATCGTTTGAAAAATTGGGAGAGACCCGATACCAAAACCTTTTTAAAAGACT

**Table 28: Comparative Sequences relating to SAG1552
(conserved hypothetical protein)**

SEQ ID NO. 2808: SAG1552 FROM THE H36b GBS TYPE Ib STRAIN

AAGGGGCTTATTAAGAAATAACAAGAACTAATTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAA
ACCTTTTGTGTTAAAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTATCATCACAACGATTTTCTATTACTCAAAA
AACGTATCGTGAATGGTTCCATTTAATTTCCAACATGGGGGCAATACGTGAAGAGTCAAGGTACCGATGAATGTTGC
ATTTTACGATGCCCTATATCACCACAACAAAGCATCAAAGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATT
TTATCGCAATAATGCTTCTATAACAGCTTTTAAATGATAATTATAGGGGGTATTTAAACGAGAAGCAAAAGCGTGT
GGATATTTCCATGGGCGTAAGCAAGTATGGAATAGCTGATTTTGGTAGCAGTCATTATCATTTAGTCTTAGTCCTTG
GGTACTTGGTTATGTCGTAGGGGATGATGGACATAGTGGTACTGTCGCTTTATACTAATCATCAAGAGGAGAAAAACG
CAATATAAAGGACGTTATTTTAAACTTCTGTGGCAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGATGAA
TTGACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCAACAACAGACCCCTTT
CATTATCGAAAACCATTTGAGGCACAGGCTCCTAAATACGTACAATAAATGTAGAAAATATTCAAGCTAATTCGAAT
GTTAAAGCAGGTATGTTTGCAGCATATAAAGCTATTGATTTCCATCCTCGATACAAGGATTATCTATTATTGATAAA
GAGAATATCAGTAAGAAGATAGACAAAAGATTAAAGAACTTTCTTTGTACAGGGATACGTTAAACTGCTAAATGCT
TATCAAAAATCCCTGTTCTAGTCACGGGTTATGGCTCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAA
CGTCTCTGCCGATTAAATGAAAAAGAACAAAGGTGAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGT
TTTGGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGTGTGGAATACATCCTTCGCCACAAATAACAT
AGTCAATTCCTATGGGGGGATGCACAAGTATTTAATCAAGGTTATGGTTTATTAGGCTTTAAAAACGCAAAACATCAT
TATCAGGTTGATGGTAAAAGAGGCAAGAGAGTGGAAAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATAT
GCTAGCAGTGATGAAAGCTATCTCTACCTTGCATTAACAAAACCTGAAAACTAAAAGAAAAACGATTATTACCA
ATAGATATTACACCAAAATCTGGTAGTAGAAAAATGAATGGTAGAAGTACATTTTCTAAATCTAGTGACTTTGTA
TTGTCTATTGATCCAAATGGCAAGTCTGAATTTATTTGTCCAAGAGCGCTATAACGCCCTTAAAAGCGAACTATCTTCGA
CAGCTTAATGGTAAAGATTTTTATGCTTTCCCAACAAAGAACAGTAGTAATTTTGAGCAGATAAATATGGTATTG
AGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAAGCAACAGAGAGGTTCTTACCAACTCATCCTACTGGTCTT
CTCAAAACAGGAACAACCTGATAGGCACCAAAAAACATTTGATTACAAACAGATATTTTCGTTTGGAAAGGACTTTATA
GAGGTGAGAATTCGTTGGCAGTTGTTGAATTTTCTGATCCATCATCTCAAAAAATTCACGATGATTACTTTAAACAT
TATGGTGTGAAGGAGTTAGAAATTGAGAGCATTGCTTTAGGATTAGGTGCTAATAGCAAAGAAAACACACTGATAAAG
ATGGCAGATTATCGTTTGAAAAATTGGGAGAGACCCGATACCAAAACCTTTTAAAAGACTCCTATTATAGT

SEQ ID NO. 2809: SAG1552 FROM THE JM9130013 GBS TYPE VIII STRAIN

ACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAACCTTTTGTGTTAAAGGAGTAGACGTTGAGT
CTTCCTTAGCGGGTATCATCACAACGATTTTCTATTACTCAAAAAACGTATCGTGAATGGTTCCATTTAATTTCCA
ACATGGGGGCAATACTGTAAGAGTCAAGGTACCGATGAATGTTGCATTTTACGATGCCCTATATCACCACAACAAAG
CATCAAAGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTTCTATCGCAATAATGCTTCTATAACAGCTTTTA
ATGATAATTATAGGGGGTATTTAAACGAGAAGCAAAAGCGTTGTGGATATTCTCCATGGGCGTAAGCAAGTATGGA
ATACTGATTTTGGTAGCAGTCATTATCATTATGATCTTAGTCTTGGGTACTTGGTTATGTCGTAGGGGATGATTGGA
ATAGTGGTACTGTCGCTTATACTAATCATCAAGAGAAAAAACGCAATATAAAGGACGTTATTTTAAACTTCTGTGG
CAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGATGAATTGACACATTATGAGACAGCTAAATATGGTTGGC
AACATTTGATTAGTTTTTCAAACCTACCAACAACAGACCCTTTTCATTATCGAAAACCATTTGAGGCACAGGCTCCTA
AATACGTACAATAAATGTAGAAAATATTCAAGCTAATTCGAATGTTAAAGCAGGTATGTTTGCAGCATATAAAGCTA
TTGATTTCCATCCTCGATACAAGGATTATCTATTATTTGATAAAGAGAATATCAGTAAAGAAGATAGACAAAAGATTA
AAGAACCTTTCTTTGTACAGGGATACGTTAAACTGCTAATGCTTATCACAATAATCCCTGTTCTAGTCACGGGTTATG
GCTACTCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAAATGAAAAAGAACAAAGGTC
AGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTTTTGGAGCGACTATCAATGCATGGCAAGACGATT
GGAATGCAAGGGTGTGGAATACATCCTTCGCCACAAATAAACATAGTCAATTCCTATGGGGGGATGCACAAGTATTTA
ATCAAGGTTATGGTTTATTAGGCTTTAAAACGCAAAACATCATTATCAGGTTGATGGTAAAAGAGGCAAGAGAGT
GGAAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATATGCTAGCAGTGATGAAAGCTATCTACCTTTGCCGA
TTAAAACAAAACCTGAAAACTAAAAGAAAAACGATTATTACCAATAGATATTACACCAAAATCTGGTAGTAGAAAA
TGAATGGTAGTAAGGTCACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATTAT
TTGTCCAAGAGCGCTATAACGCCCTAAAAGCGAACTATCTTCGACAGCTTAATGGTAAAGATTTTTATGCTTTCCAC
CAAAGAAGAACAGTAGTAATTTTGGAGCAGATAAATATGGTATTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAG
TAAAAGCAACAGAGAGGTTCTTACCAACTCATCCTACTGGTCTTCTCAAAACAGGAACAACCTGATAGGCACCAAAAA
CATTGATTACAAACAGATATTTTCGTTTGGAAAGGACTTTATAGAGGTGAGAATTCGTTGGCAGTTGTTGAATTTT
CTGATCCATCATCTCAAAAAATTCACGATGATTACTTTAAACATTATGGTGTGAAGGAGTTAGAAATTGAGAGCATTG
CTTTAGGATTAGGTGCTAATAGCAAAGAAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAATTGGGAGAGAC
CCGATACCAAAACCTTTTAAAAGACTCCTATTATAGTATTAAGAAAG

**Tabl 28: Comparative Sequences relating to SAG1552
(conserved hypothetical pr tein)**

SEQ ID NO. 2810: SAG1552 FROM THE M732 GBS TYPE III STRAIN

TACAAGAATAACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCACCAATAAACCTTTTGTGTTAAAGGAGT
AGACGTTGAGTCTTCCTTAGCGGGTATCATCACAACGATTTTCTTACTCAAAAAACGTATCGTGAATGGTTCCA
TTTAATTTCCAACATGGGGGCAAATACTGTAAGAGTCAAGGTACCGATGAATGTTGCATTTTACGATGCCTTATATCA
CCACAACAAAGAAATCAAAGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCTAT
AACAGCTTTTAATGATAATTATAGGGGTATTTAAACAGGAAAGCAAAAGGCGTTGTGGATTTCTCCATGGGGCGTAA
GCAAGTATGGAATACTGATTTTGGTAGCCGTCATTATCATTATGATCTTAGTCCTTGGGTACTTGGTTATGTCGTAGG
GGATGATTGCAATAGTGGTACTGTCGCTTATACTAATCATCAAGAGAAAAAACGCAATATAAAGGACGTTATTTTAA
AACTTCTGTGGCAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGATGAATTGACACATTATGAGACAGCTAA
ATATGGTTGGCAACATTTGATTAGTTTTCAAACCTACCAACAACAGACCCCTTTTCATTATCGAAAACCATTTGAGGC
ACAGGCTCCTAAATACGTACAATAAATGTAGAAAATATTCAAGCTAATTCAAATGTTAAAGCAGGTATGTTTGCAGC
ATATAAGCTATTGATTTTCCATCCTCGATACAGGATTATCTATTATTGATAAAGAGAATATCAGTAAAGAAGATTA
ACAAAAGATTAAAGAACTTTCTTTGTGCACAGGGATACGTTAAAGTCTAAATGCTTATCACAATAATCCCTGTTCTAGT
CACGGGTATGGCTATTCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAATGAAAA
AGAACAAGGTGAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTTTGGAGCGACTATCAATGCATG
GCAAGACGATTGGAATGCAAGGGCGTGAATACATCTTTGCCACAAATAAACATAGTCAATTCCTATGGGGGGATGC
ACAAGTATTTAATCAAGGTTATGGTTTATTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTGATGGTAAAGAGG
CAAAGGAGAGTGGAAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATATGCTAGCAGTGATGAAAGCTATCT
CTACCTTGGCATTAAAAACAAAACCTGAAAAACTGAAAAACAGTATTATTACCAATAGATATTACACCAAAATCTGG
TAGTAGAAAAATGAATGGTAGTAAGGTACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAA
GTCTGAATTATTTGTCCAAGAGCGCTATAATGCCTTAAAGCGAACTATCTTCGACAGCTTAACGGTAAAGATTTTTTA
TGCTTTCCACCAAAGAAGAACAGTAGTAATTTTGGAGCAGATAAATATGGTATTGAGAAATACAAAGATTGTTGAAGA
CATGGAAGAAAGTAAAGCAACAGAGAGGTCTTACCAACTCATCCTACTGGTCTTCTCAAAACAGGAACAACCTGATAG
GCACCAAAAAACATTTGATTCACAACAGATATTTTCGTTTGGAAAGGACTTTATAGAGGTGAGAATTCCTGTCAGTT
GTTGAATTTTCTGATCATCTCAAAAAATTCACGATGATTACTTTAAACATTATGGTGTGAAGGAGTTAGAAAT
TGAGAGCATTGCTTTAGGATGCTTAATAGCAAAAGAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAA
TTGGGAGAGACCCGATACCAAAACCTTTTAAAGACTCCTATTATAGTATTAAG

SEQ ID NO. 2811: SAG1552 FROM THE M781 GBS TYPE III STRAIN

TTTGATGGTAGTTTGTATTTACCACAGGGCTTATTAAGAAAAATACAAGAACTAATTTTGTGTTAAAGGTGATACT
GTACTTCACAAGCCACCAATAAACCTTTTGTGTTAAAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTATCATCAC
AACGATTTTCTTATTACTCAAAAAACGTATCGTGAATGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGA
GTCAAGGTACCGATGAATGTTGCATTTTACGATGCCTTATATCACCACAACAAAGAATCAAAGAGGCCACTGTATTG
TTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCTATAACAGCTTTTAATGATAATTATAGGGGGTATTTA
AAACGAGAAGCAAAAGGCGTTGTGGATATTCTCCATGGGCGTAAAGCAAGTATGGAATACTGATTTTGGTAGCCGTCAT
TATCATTATGATCTTAGTCCTTGGGTACTTGGTTATGTCGTAGGGGATGATTGGAATAGTGGTACTGTCGCTTATACT
AATCATCAAGAGAAAAAACGCAATATAAAGGACGTTATTTTAAACTTCTGTGGCAGCTAATCCATTTGAGGTCATG
CTAGCTCAAGTAATGAATTGACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAAC
TCACCAACAACAGACCCCTTTTCATTATCGAAAACCATTTGAGGCACAGGCTCCTAAATACGTACAACATAAATGTAGAA
AATATTCAAGCTAATTCAAATGTTAAAGCAGGTATGTTTGCAGCATATAAAGCTATTGATTTCCTATCCTCGATACAAG
GATTATCTATTATTTGATAAAGAGAATATCAGTAAAGAAGATAGACAAAAGATTAAAGAACTTTCTTTGTGCAGGGA
TACGTTAAACTGCTAAATGCTTATCACAAAATCCCTGTTCTAGTCACGGGTATGGCTATTCGACAGCGAGAGGTATT
GCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAATGAAAAAGAACAAAGGTGAGCGTTTACTAGAAGATTATGAA
TCTTTTATATCATCCGGTAGTTTTGGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACA
TCTTTCCGCCACAATAAACATAGTCAATTCCATGGGGGGATGCACAAGTATTTAATCAAGGTTATGGTTTATTAGGC
TTTAAACGCAAAACATCATTATCAAGTTGATGGTAAAGAGGCAAAAGGAGAGTGGAAACATCTCTGATGACTAGT
GCAACAGGAGATGACTTATATGCTAGCAGTGATGAAAGCTATCTCTACCTTGCGATTAAAAACAAAACCTGAAAAACTA
AAAGAAAAACGATTATTACCAATAGATATTACACCAAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGTACATTT
TCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATTATTTGTCCAAGAGCGCTATAATGCC
TTAAAGCGAACTATCTTCGACAGCTTAACGGTAAAGATTTTATGCTTTCCACCAAAGAAGAACAGTAGTAATTTT
GAGCAGATAAATATGGTATTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAGCAACAGAGAGGTTCTTA
CCAACATCATCCTACTGGTCTTCTCAAAACAGGAACACTGTAGGCACCAAAAAACATTTGATTCACAACAGATATT
TCGTTTGGAAAGGACTTTATAGAGGTGAGAATTCGGTGTGAAGGAGTTAGAAATGAGAGCATTGCTTTAGGATTAGGTGCTAATAGC
AAAGAAAAACACTGATAAAGATGGCAGATTATCGTTTGAAAAATGGGAGAGACCCGATACCAAAACCTTTTAAAA
GACTCCTATTATAGTATTAAGAAAGAATGG

**Table 28: Comparative Sequences relating to SAG1552
(conserved hypothetical protein)**

SEQ2801	-----
SEQ2802	-----
SEQ2803	-----AAGGGCTTATTTAAAGAAAATACAAGAAGCT
SEQ2804	-----TATTTAAAGAAAATACAAGAAGCT
SEQ2805	-----AAGGGCTTATTTAAAGAAAATACAAGAAGCT
SEQ2806	ATTACTTTGATGGTAGTTTGTATTTACCAAAGGGCTTATTTAAAGAAAATACAAGAAGCT
SEQ2807	-----TTTACCACAGGGCTTATTTAAAGAAAATACAAGAAGCT
SEQ2808	-----AAGGGCTTATTTAAAGAAAATACAAGAAGCT
SEQ2809	-----
SEQ2810	-----TACAAGAAGCT
SEQ2811	-----TTTGATGGTAGTTTGTATTTACCACAGGGCTTATTTAAAGAAAATACAAGAAGCT
SEQ2801	--TTTGTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAACCTTTTGTGTT
SEQ2802	-----
SEQ2803	ACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAACCTTTTGTGTT
SEQ2804	ACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAACCTTTTGTGTT
SEQ2805	ACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAACCTTTTGTGTT
SEQ2806	ACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAACCTTTTGTGTT
SEQ2807	ACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAACCTTTTGTGTT
SEQ2808	ACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAACCTTTTGTGTT
SEQ2809	ACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAACCTTTTGTGTT
SEQ2810	ACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAACCTTTTGTGTT
SEQ2811	ACTTTGTTGTTAAAGGTGATACTGTACTTCACAAGCCCACCAATAAACCTTTTGTGTT
SEQ2801	AAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCCTATTACT
SEQ2802	-----
SEQ2803	AAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCCTATTACT
SEQ2804	AAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCCTATTACT
SEQ2805	AAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCCTATTACT
SEQ2806	AAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCCTATTACT
SEQ2807	AAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCCTATTACT
SEQ2808	AAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCCTATTACT
SEQ2809	AAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCCTATTACT
SEQ2810	AAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCCTATTACT
SEQ2811	AAGGAGTAGACGTTGAGTCTTCCTTAGCGGGTTATCATCACAACGATTTTCCTATTACT
SEQ2801	AAAAAACGTATCGTGAGTGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGA
SEQ2802	-----
SEQ2803	AAAAAACGTATCGTGAAATGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGA
SEQ2804	AAAAAACGTATCGTGAAATGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGA
SEQ2805	AAAAAACGTATCGTGAAATGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGA
SEQ2806	AAAAAACGTATCGTGAAATGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGA
SEQ2807	AAAAAACGTATCGTGAAATGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGA
SEQ2808	AAAAAACGTATCGTGAAATGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGA
SEQ2809	AAAAAACGTATCGTGAAATGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGA
SEQ2810	AAAAAACGTATCGTGAAATGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGA
SEQ2811	AAAAAACGTATCGTGAAATGGTTCCATTTAATTTCCAACATGGGGGCAAATACTGTAAGA
SEQ2801	TCAAAGTACCGATGAATGTTGCATTTTACGATGCCTTATATCACCACAACAAAGCATCA
SEQ2802	-----
SEQ2803	TCAAAGTACCGATGAATGTTGCATTTTACGATGCCTTATATCACCACAACAAAGCATCA
SEQ2804	TCAAAGTACCGATGAATGTTGCATTTTACGATGCCTTATATCACCACAACAAAGCATCA
SEQ2805	TCAAAGTACCGATGAATGTTGCATTTTACGATGCCTTATATCACCACAACAAAGCATCA
SEQ2806	TCAAAGTACCGATGAATGTTGCATTTTACGATGCCTTATATCACCACAACAAAGCATCA
SEQ2807	TCAAAGTACCGATGAATGTTGCATTTTACGATGCCTTATATCACCACAACAAAGCATCA
SEQ2808	TCAAAGTACCGATGAATGTTGCATTTTACGATGCCTTATATCACCACAACAAAGCATCA
SEQ2809	TCAAAGTACCGATGAATGTTGCATTTTACGATGCCTTATATCACCACAACAAAGCATCA
SEQ2810	TCAAAGTACCGATGAATGTTGCATTTTACGATGCCTTATATCACCACAACAAAGCATCA
SEQ2811	TCAAAGTACCGATGAATGTTGCATTTTACGATGCCTTATATCACCACAACAAAGCATCA
SEQ2801	AGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCT
SEQ2802	-----
SEQ2803	AGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCT
SEQ2804	AGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCT
SEQ2805	AGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCT
SEQ2806	AGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCT
SEQ2807	AGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCT
SEQ2808	AGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCT

**Table 28: Comparative Sequences relating to SAG1552
(conserved hypothetical protein)**

SEQ2809	AGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCT
SEQ2810	AGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCT
SEQ2811	AGAGGCCACTGTATTTGTTGCAAGGAATACGTATAGATTCTTATCGCAATAATGCTTCT
SEQ2801	TAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAAGGCGTTGTG
SEQ2802	-----
SEQ2803	TAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAAGGCGTTGTG
SEQ2804	TAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAAGGCGTTGTG
SEQ2805	TAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAAGGCGTTGTG
SEQ2806	TAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAAGGCGTTGTG
SEQ2807	TAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAAGGCGTTGTG
SEQ2808	TAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAAGGCGTTGTG
SEQ2809	TAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAAGGCGTTGTG
SEQ2810	TAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAAGGCGTTGTG
SEQ2811	TAACAGCTTTTAATGATAATTATAGGGGGTATTTAAAACGAGAAGCAAAAGGCGTTGTG
SEQ2801	ATATTCTCCATGGGCGTAAGCAAGTATGGAATACTGATTTTGGTAGCCGTCATTATCAT
SEQ2802	-----ATGACTA-GTGCAACAGGAGATGACTTATAT-GCTAGCAGTGATGAAAGC
SEQ2803	ATATTCTCCATGGGCGTAAGCAAGTATGGAATACTGATTTGGTAGCCGTCATTATCAT
SEQ2804	ATATTCTCCATGGGCGTAAGCAAGTATGGAATACTGATTTGGTAGCCGTCATTATCAT
SEQ2805	ATATTCTCCATGGGCGTAAGCAAGTATGGAATACTGATTTGGTAGCCGTCATTATCAT
SEQ2806	ATATTCTCCATGGGCGTAAGCAAGTATGGAATACTGATTTGGTAGCCGTCATTATCAT
SEQ2807	ATATTCTCCATGGGCGTAAGCAAGTATGGAATACTGATTTGGTAGCCGTCATTATCAT
SEQ2808	ATATTCTCCATGGGCGTAAGCAAGTATGGAATACTGATTTGGTAGCAGTCATTATCAT
SEQ2809	ATATTCTCCATGGGCGTAAGCAAGTATGGAATACTGATTTGGTAGCAGTCATTATCAT
SEQ2810	ATATTCTCCATGGGCGTAAGCAAGTATGGAATACTGATTTGGTAGCCGTCATTATCAT
SEQ2811	ATATTCTCCATGGGCGTAAGCAAGTATGGAATACTGATTTGGTAGCCGTCATTATCAT
SEQ2801	TATGATCTTAGTCCTTGGGTACTTGTTATGTGCTAGGGGATGATTGGAATAGTGGT-AC
SEQ2802	TAT--CTCTA--CCTTGC-ATTAAAACAAAACCTGAAAACTAAAAGAAAAACGATTAT
SEQ2803	TATGATCTTAGTCCTTGGGTACTTGTTATGTGCTAGGGGATGATTGGAATAGTGGT-AC
SEQ2804	TATGATCTTAGTCCTTGGGTACTTGTTATGTGCTAGGGGATGATTGGAATAGTGGT-AC
SEQ2805	TATGATCTTAGTCCTTGGGTACTTGTTATGTGCTAGGGGATGATTGGAATAGTGGT-AC
SEQ2806	TATGATCTTAGTCCTTGGGTACTTGTTATGTGCTAGGGGATGATTGGAATAGTGGT-AC
SEQ2807	TATGATCTTAGTCCTTGGGTACTTGTTATGTGCTAGGGGATGATTGGAATAGTGGT-AC
SEQ2808	TATGATCTTAGTCCTTGGGTACTTGTTATGTGCTAGGGGATGATTGGAATAGTGGT-AC
SEQ2809	TATGATCTTAGTCCTTGGGTACTTGTTATGTGCTAGGGGATGATTGGAATAGTGGT-AC
SEQ2810	TATGATCTTAGTCCTTGGGTACTTGTTATGTGCTAGGGGATGATTGCAATAGTGGT-AC
SEQ2811	TATGATCTTAGTCCTTGGGTACTTGTTATGTGCTAGGGGATGATTGGAATAGTGGT-AC
SEQ2801	TGTCGCTT-ATACTAATCATCAAGAGAA-AAAAACGCAATATAAAGGAC-GTTATTTTAA
SEQ2802	TACCAATAGATATTA--CACCAAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGTCAC
SEQ2803	TGTCGCTT-ATACTAATCATCAAGAGAA-AAAAACGCAATATAAAGGAC-GTTATTTTAA
SEQ2804	TGTCGCTT-ATACTAATCATCAAGAGAA-AAAAACGCAATATAAAGGAC-GTTATTTTAA
SEQ2805	TGTCGCTT-ATACTAATCATCAAGAGAA-AAAAACGCAATATAAAGGAC-GTTATTTTAA
SEQ2806	TGTCGCTT-ATACTAATCATCAAGAGAA-AAAAACGCAATATAAAGGAC-GTTATTTTAA
SEQ2807	TGTCGCTT-ATACTAATCATCAAGAGAA-AAAAACGCAATATAAAGGAC-GTTATTTTAA
SEQ2808	TGTCGCTT-ATACTAATCATCAAGAGAA-AAAAACGCAATATAAAGGAC-GTTATTTTAA
SEQ2809	TGTCGCTT-ATACTAATCATCAAGAGAA-AAAAACGCAATATAAAGGAC-GTTATTTTAA
SEQ2810	TGTCGCTT-ATACTAATCATCAAGAGAA-AAAAACGCAATATAAAGGAC-GTTATTTTAA
SEQ2811	TGTCGCTT-ATACTAATCATCAAGAGAA-AAAAACGCAATATAAAGGAC-GTTATTTTAA
SEQ2801	AACCTCTGCGGACGCTAATCCATTTGAGGTCATGCTAGCTCAAGTATGGAT--GAATTG
SEQ2802	ATTTCTAAATCTAGTGA-CTTTGATTGTC-TATTGATCCAAATGGCAAGTCTGAATT-
SEQ2803	AACCTCTGTGGCAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGAT--GAATTG
SEQ2804	AACCTCTGTGGCAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGAT--GAATTG
SEQ2805	AACCTCTGTGGCAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGAT--GAATTG
SEQ2806	AACCTCTGTGGCAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGAT--GAATTG
SEQ2807	AACCTCTGTGGCAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGAT--GAATTG
SEQ2808	AACCTCTGTGGCAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGAT--GAATTG
SEQ2809	AACCTCTGTGGCAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGAT--GAATTG
SEQ2810	AACCTCTGTGGCAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGAT--GAATTG
SEQ2811	AACCTCTGTGGCAGCTAATCCATTTGAGGTCATGCTAGCTCAAGTAATGGAT--GAATTG
SEQ2801	ACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCA
SEQ2802	ATTTGTC-CAAGAGCGCTATA-ATGCCT--TAAAGCGAATCTTTCGACAGCTTAACG
SEQ2803	ACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCA
SEQ2804	ACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCA

**Table 28: Comparative Sequences relating to SAG1552
(conserved hypothetical protein)**

SEQ2805	ACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCA
SEQ2806	ACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCA
SEQ2807	ACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCA
SEQ2808	ACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCA
SEQ2809	ACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCA
SEQ2810	ACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCA
SEQ2811	ACACATTATGAGACAGCTAAATATGGTTGGCAACATTTGATTAGTTTTTCAAACCTACCA
SEQ2801	CAACAGAC-----CCTTTTCGTTATCGAAAACCATTTG-AGGCACAGGCTCCTAAATA
SEQ2802	TAAAGATTTTTATGCTTTCCACCAAAGAGAAGCAGTAGTAATTTTGAGCAGATCAATA
SEQ2803	CAACAGAC-----CCTTTTCATTATCGAAAACCATTTG-AGGCACAGGCTCCTAAATA
SEQ2804	CAACAGAC-----CCTTTTCATTATCGAAAACCATTTG-AGGCACAGGCTCCTAAATA
SEQ2805	CAACAGAC-----CCTTTTCATTATCGAAAACCATTTG-AGGCACAGGCTCCTAAATA
SEQ2806	CAACAGAC-----CCTTTTCATTATCGAAAACCATTTG-AGGCACAGGCTCCTAAATA
SEQ2807	CAACAGAC-----CCTTTTCATTATCGAAAACCATTTG-AGGCACAGGCTCCTAAATA
SEQ2808	CAACAGAC-----CCTTTTCATTATCGAAAACCATTTG-AGGCACAGGCTCCTAAATA
SEQ2809	CAACAGAC-----CCTTTTCATTATCGAAAACCATTTG-AGGCACAGGCTCCTAAATA
SEQ2810	CAACAGAC-----CCTTTTCATTATCGAAAACCATTTG-AGGCACAGGCTCCTAAATA
SEQ2811	CAACAGAC-----CCTTTTCATTATCGAAAACCATTTG-AGGCACAGGCTCCTAAATA
SEQ2801	G-TACAACATAATGTAGAAAATATTCAAGCTAATTCGAATGTTAAAGCA---GGTATTT
SEQ2802	GGTATTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAGCAACAGAGAGGT
SEQ2803	G-TACAACATAATGTAGAAAATATTCAAGCTAATTCGAATGTTAAAGCA---GGTATGT
SEQ2804	G-TACAACATAATGTAGAAAATATTCAAGCTAATTCGAATGTTAAAGCA---GGTATGT
SEQ2805	G-TACAACATAATGTAGAAAATATTCAAGCTAATTCGAATGTTAAAGCA---GGTATGT
SEQ2806	G-TACAACATAATGTAGAAAATATTCAAGCTAATTCGAATGTTAAAGCA---GGTATGT
SEQ2807	G-TACAACATAATGTAGAAAATATTCAAGCTAATTCGAATGTTAAAGCA---GGTATGT
SEQ2808	G-TACAACATAATGTAGAAAATATTCAAGCTAATTCGAATGTTAAAGCA---GGTATGT
SEQ2809	G-TACAACATAATGTAGAAAATATTCAAGCTAATTCGAATGTTAAAGCA---GGTATGT
SEQ2810	G-TACAACATAATGTAGAAAATATTCAAGCTAATTCGAATGTTAAAGCA---GGTATGT
SEQ2811	G-TACAACATAATGTAGAAAATATTCAAGCTAATTCGAATGTTAAAGCA---GGTATGT
SEQ2801	TTGCAGCATATAAAGCTATTGATTTCATCCTCGATACAAGGATTATCTATTATTTGATA
SEQ2802	TCCTACCAACTCATCCTACTGCTT----CTCAAAACAGGAACAATTGAT-AGGCACCA
SEQ2803	TTGCAGCATATAAAGCTATTGATTTCATCCTCGATACAAGGATTATCTATTATTTGATA
SEQ2804	TTGCAGCATATAAAGCTATTGATTTCATCCTCGATACAAGGATTATCTATTATTTGATA
SEQ2805	TTGCAGCATATAAAGCTATTGATTTCATCCTCGATACAAGGATTATCTATTATTTGATA
SEQ2806	TTGCAGCATATAAAGCTATTGATTTCATCCTCGATACAAGGATTATCTATTATTTGATA
SEQ2807	TTGCAGCATATAAAGCTATTGATTTCATCCTCGATACAAGGATTATCTATTATTTGATA
SEQ2808	TTGCAGCATATAAAGCTATTGATTTCATCCTCGATACAAGGATTATCTATTATTTGATA
SEQ2809	TTGCAGCATATAAAGCTATTGATTTCATCCTCGATACAAGGATTATCTATTATTTGATA
SEQ2810	TTGCAGCATATAAAGCTATTGATTTCATCCTCGATACAAGGATTATCTATTATTTGATA
SEQ2811	TTGCAGCATATAAAGCTATTGATTTCATCCTCGATACAAGGATTATCTATTATTTGATA
SEQ2801	AAGAGAATATCAGTAAAGAAGATAGACAAAAGATT-AAAGAACTTTCTTTGTACAGGGA
SEQ2802	AAAAACATTTGATTCACAAACAGATATTTTCGTTTGGAAAGGACTTTATAGAGGTCAGAAT
SEQ2803	AAGAGAATATCAGTAAAGAAGATAGACAAAAGATT-AAAGAACTTTCTTTGTACAGGGA
SEQ2804	AAGAGAATATCAGTAAAGAAGATAGACAAAAGATT-AAAGAACTTTCTTTGTACAGGGA
SEQ2805	AAGAGAATATCAGTAAAGAAGATAGACAAAAGATT-AAAGAACTTTCTTTGTACAGGGA
SEQ2806	AAGAGAATATCAGTAAAGAAGATAGACAAAAGATT-AAAGAACTTTCTTTGTACAGGGA
SEQ2807	AAGAGAATATCAGTAAAGAAGATAGACAAAAGATT-AAAGAACTTTCTTTGTACAGGGA
SEQ2808	AAGAGAATATCAGTAAAGAAGATAGACAAAAGATT-AAAGAACTTTCTTTGTACAGGGA
SEQ2809	AAGAGAATATCAGTAAAGAAGATAGACAAAAGATT-AAAGAACTTTCTTTGTACAGGGA
SEQ2810	AAGAGAATATCAGTAAAGAAGATAGACAAAAGATT-AAAGAACTTTCTTTGTACAGGGA
SEQ2811	AAGAGAATATCAGTAAAGAAGATAGACAAAAGATT-AAAGAACTTTCTTTGTACAGGGA
SEQ2801	TACGTTA-AACTGCTAAATGCTTATCACAAAATCCCTGTTCTAGTCACGGGTATGGCTA
SEQ2802	TCCGTGGCAGTTGTTGAATTTTTCTGATCCA---TCATCTCAAAAAATTACAGATGATTA
SEQ2803	TACGTTA-AACTGCTAAATGCTTATCACAAAATCCCTGTTCTAGTCACGGGTATGGCTA
SEQ2804	TACGTTA-AACTGCTAAATGCTTATCACAAAATCCCTGTTCTAGTCACGGGTATGGCTA
SEQ2805	TACGTTA-AACTGCTAAATGCTTATCACAAAATCCCTGTTCTAGTCACGGGTATGGCTA
SEQ2806	TACGTTA-AACTGCTAAATGCTTATCACAAAATCCCTGTTCTAGTCACGGGTATGGCTA
SEQ2807	TACGTTA-AACTGCTAAATGCTTATCACAAAATCCCTGTTCTAGTCACGGGTATGGCTA
SEQ2808	TACGTTA-AACTGCTAAATGCTTATCACAAAATCCCTGTTCTAGTCACGGGTATGGCTA
SEQ2809	TACGTTA-AACTGCTAAATGCTTATCACAAAATCCCTGTTCTAGTCACGGGTATGGCTA
SEQ2810	TACGTTA-AACTGCTAAATGCTTATCACAAAATCCCTGTTCTAGTCACGGGTATGGCTA
SEQ2811	TACGTTA-AACTGCTAAATGCTTATCACAAAATCCCTGTTCTAGTCACGGGTATGGCTA

**Tabl 28: Comparative Sequences relating t SAG1552
(conserved hypothetical pr tein)**

SEQ2801	TCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAAATGA
SEQ2802	TTTAAACATTATGGTGTGAAGGAGTTAGAAATTGA-GAGCATTGCTTTAGGATTAGGTG
SEQ2803	TCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAAATGA
SEQ2804	TCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAAATGA
SEQ2805	TCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAAATGA
SEQ2806	TCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAAATGA
SEQ2807	TCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAAATGA
SEQ2808	TCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAAATGA
SEQ2809	TCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAAATGA
SEQ2810	TCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAAATGA
SEQ2811	TCGACAGCGAGAGGTATTGCCCAAAAAGAAATTGATAAACGTCCTCTGCCGATTAAATGA
SEQ2801	AAAGAACAAGGTCAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTT
SEQ2802	TAATAGCAAAGAAAACACACTGATAAAGATGGCAGAT-----TATCGTTTGAAAAATT
SEQ2803	AAAGAACAAGGTCAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTT
SEQ2804	AAAGAACAAGGTCAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTT
SEQ2805	AAAGAACAAGGTCAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTT
SEQ2806	AAAGAACAAGGTCAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTT
SEQ2807	AAAGAACAAGGTCAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTT
SEQ2808	AAAGAACAAGGTCAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTT
SEQ2809	AAAGAACAAGGTCAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTT
SEQ2810	AAAGAACAAGGTCAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTT
SEQ2811	AAAGAACAAGGTCAGCGTTTACTAGAAGATTATGAATCTTTTATATCATCCGGTAGTTT
SEQ2801	GGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCCTT
SEQ2802	GGAGAGAC--CCGATAC----CAAACCTTTTAA----AAGACTCCTATTATAGTATT
SEQ2803	GGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCCTT
SEQ2804	GGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCCTT
SEQ2805	GGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCCTT
SEQ2806	GGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCCTT
SEQ2807	GGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCCTT
SEQ2808	GGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCCTT
SEQ2809	GGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCCTT
SEQ2810	GGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCCTT
SEQ2811	GGAGCGACTATCAATGCATGGCAAGACGATTGGAATGCAAGGGCGTGAATACATCCTT
SEQ2801	GCCACAAATAAACATAGTCAATTCTATGGGGGGATGCACAAGTATTTAATCAAGGTTA
SEQ2802	A--AGAAAGAA-----
SEQ2803	GCCACAAATAAACATAGTCAATTCTATGGGGGGATGCACAAGTATTTAATCAAGGTTA
SEQ2804	GCCACAAATAAACATAGTCAATTCTATGGGGGGATGCACAAGTATTTAATCAAGGTTA
SEQ2805	GCCACAAATAAACATAGTCAATTCTATGGGGGGATGCACAAGTATTTAATCAAGGTTA
SEQ2806	GCCACAAATAAACATAGTCAATTCTATGGGGGGATGCACAAGTATTTAATCAAGGTTA
SEQ2807	GCCACAAATAAACATAGTCAATTCTATGGGGGGATGCACAAGTATTTAATCAAGGTTA
SEQ2808	GCCACAAATAAACATAGTCAATTCTATGGGGGGATGCACAAGTATTTAATCAAGGTTA
SEQ2809	GCCACAAATAAACATAGTCAATTCTATGGGGGGATGCACAAGTATTTAATCAAGGTTA
SEQ2810	GCCACAAATAAACATAGTCAATTCTATGGGGGGATGCACAAGTATTTAATCAAGGTTA
SEQ2811	GCCACAAATAAACATAGTCAATTCTATGGGGGGATGCACAAGTATTTAATCAAGGTTA
SEQ2801	GGTTTATTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTGATGGTAAAAGAGGCCAA
SEQ2802	-----
SEQ2803	GGTTTATTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTGATGGTAAAAGAGGCCAA
SEQ2804	GGTTTATTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTGATGGTAAAAGAGGCCAA
SEQ2805	GGTTTATTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTGATGGTAAAAGAGGCCAA
SEQ2806	GGTTTATTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTGATGGTAAAAGAGGCCAA
SEQ2807	GGTTTATTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTGATGGTAAAAGAGGCCAA
SEQ2808	GGTTTATTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTGATGGTAAAAGAGGCCAA
SEQ2809	GGTTTATTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTGATGGTAAAAGAGGCCAA
SEQ2810	GGTTTATTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTGATGGTAAAAGAGGCCAA
SEQ2811	GGTTTATTAGGCTTTAAAAACGCAAAACATCATTATCAAGTTGATGGTAAAAGAGGCCAA
SEQ2801	GGAGAGTGGAACATCCTCTG-----
SEQ2802	-----
SEQ2803	GGAGAGTGGAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATATGCTAGCAG
SEQ2804	GGAGAGTGGAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATATGCTAGCAG
SEQ2805	GGAGAGTGGAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATATGCTAGCAG
SEQ2806	GGAGAGTGGAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATATGCTAGCAG
SEQ2807	GGAGAGTGGAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATATGCTAGCAG
SEQ2808	GAAGAGTGGAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATATGCTAGCAG

**Table 28: Comparative Sequences relating to SAG1552
(conserved hypothetical protein)**

SEQ2809	GAAGAGTGGAAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATATGCTAGCAG
SEQ2810	GGAGAGTGGAAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATATGCTAGCAG
SEQ2811	GGAGAGTGGAAACATCCTCTGATGACTAGTGCAACAGGAGATGACTTATATGCTAGCAG
SEQ2801	-----
SEQ2802	-----
SEQ2803	GATGAAAGCTATCTCTACCTTGGCGATTAAACAAAACCTGAAAACTAAAAGAAAAACG
SEQ2804	GATGAAAGCTATCTCTACCTTGGCGATTAAACAAAACCTGAAAACTAAAAGAAAAACG
SEQ2805	GATGAAAGCTATCTCTACCTTGGCGATTAAACAAAACCTGAAAACTAAAAGAAAAACG
SEQ2806	GATGAAAGCTATCTCTACCTTGGCGATTAAACAAAACCTGAAAACTAAAAGAAAAACG
SEQ2807	GATGAAAGCTATCTCTACCTTGGCGATTAAACAAAACCTGAAAACTAAAAGAAAAACG
SEQ2808	GATGAAAGCTATCTCTACCTTGGCGATTAAACAAAACCTGAAAACTAAAAGAAAAACG
SEQ2809	GATGAAAGCTATCTCTACCTTGGCGATTAAACAAAACCTGAAAACTAAAAGAAAAACG
SEQ2810	GATGAAAGCTATCTCTACCTTGGCGATTAAACAAAACCTGAAAACTAAAAGAAAAACG
SEQ2811	GATGAAAGCTATCTCTACCTTGGCGATTAAACAAAACCTGAAAACTAAAAGAAAAACG
SEQ2801	-----
SEQ2802	-----
SEQ2803	TTATTACCAATAGATATTACACCAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGT
SEQ2804	TTATTACCAATAGATATTACACCAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGT
SEQ2805	TTATTACCAATAGATATTACACCAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGT
SEQ2806	TTATTACCAATAGATATTACACCAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGT
SEQ2807	TTATTACCAATAGATATTACACCAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGT
SEQ2808	TTATTACCAATAGATATTACACCAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGT
SEQ2809	TTATTACCAATAGATATTACACCAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGT
SEQ2810	TTATTACCAATAGATATTACACCAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGT
SEQ2811	TTATTACCAATAGATATTACACCAAATCTGGTAGTAGAAAAATGAATGGTAGTAAGGT
SEQ2801	-----
SEQ2802	-----
SEQ2803	ACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATT
SEQ2804	ACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATT
SEQ2805	ACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATT
SEQ2806	ACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATT
SEQ2807	ACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATT
SEQ2808	ACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATT
SEQ2809	ACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATT
SEQ2810	ACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATT
SEQ2811	ACATTTTCTAAATCTAGTGACTTTGTATTGTCTATTGATCCAAATGGCAAGTCTGAATT
SEQ2801	-----
SEQ2802	-----
SEQ2803	TTTGTCCAAGAGCGCTATAATGCCCTTAAAGCGAACTATCTTCGACAGCTTAACGGTAA
SEQ2804	TTTGTCCAAGAGCGCTATAATGCCCTTAAAGCGAACTATCTTCGACAGCTTAACGGTAA
SEQ2805	TTTGTCCAAGAGCGCTATAATGCCCTTAAAGCGAACTATCTTCGACAGCTTAACGGTAA
SEQ2806	TTTGTCCAAGAGCGCTATAATGCCCTTAAAGCGAACTATCTTCGACAGCTTAACGGTAA
SEQ2807	TTTGTCCAAGAGCGCTATAATGCCCTTAAAGCGAACTATCTTCGACAGCTTAACGGTAA
SEQ2808	TTTGTCCAAGAGCGCTATAATGCCCTTAAAGCGAACTATCTTCGACAGCTTAACGGTAA
SEQ2809	TTTGTCCAAGAGCGCTATAATGCCCTTAAAGCGAACTATCTTCGACAGCTTAACGGTAA
SEQ2810	TTTGTCCAAGAGCGCTATAATGCCCTTAAAGCGAACTATCTTCGACAGCTTAACGGTAA
SEQ2811	TTTGTCCAAGAGCGCTATAATGCCCTTAAAGCGAACTATCTTCGACAGCTTAACGGTAA
SEQ2801	-----
SEQ2802	-----
SEQ2803	GATTTTATGCTTTCCACCAAAGAAGAACAGTAGTAATTTTGAGCAGATAAATATGGT
SEQ2804	GATTTTATGCTTTCCACCAAAGAAGAACAGTAGTAATTTTGAGCAGATAAATATGGT
SEQ2805	GATTTTATGCTTTCCACCAAAGAAGAACAGTAGTAATTTTGAGCAGATAAATATGGT
SEQ2806	GATTTTATGCTTTCCACCAAAGAAGAACAGTAGTAATTTTGAGCAGATAAATATGGT
SEQ2807	GATTTTATGCTTTCCACCAAAGAAGAACAGTAGTAATTTTGAGCAGATAAATATGGT
SEQ2808	GATTTTATGCTTTCCACCAAAGAAGAACAGTAGTAATTTTGAGCAGATAAATATGGT
SEQ2809	GATTTTATGCTTTCCACCAAAGAAGAACAGTAGTAATTTTGAGCAGATAAATATGGT
SEQ2810	GATTTTATGCTTTCCACCAAAGAAGAACAGTAGTAATTTTGAGCAGATAAATATGGT
SEQ2811	GATTTTATGCTTTCCACCAAAGAAGAACAGTAGTAATTTTGAGCAGATAAATATGGT
SEQ2801	-----
SEQ2802	-----
SEQ2803	TTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAGCAACAGAGAGGTTCTT
SEQ2804	TTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAGCAACAGAGAGGTTCTT

**Table 28: Comparative Sequences relating to SAG1552
(conserved hypothetical protein)**

SEQ2805	TTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAAGCAACAGAGAGGTTCTT
SEQ2806	TTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAAGCAACAGAGAGGTTCTT
SEQ2807	TTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAAGCAACAGAGAGGTTCTT
SEQ2808	TTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAAGCAACAGAGAGGTTCTT
SEQ2809	TTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAAGCAACAGAGAGGTTCTT
SEQ2810	TTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAAGCAACAGAGAGGTTCTT
SEQ2811	TTGAGAAATACAAAGATTGTTGAAGACATGGAAAAAGTAAAAGCAACAGAGAGGTTCTT
SEQ2801	-----
SEQ2802	-----
SEQ2803	CCAACTCATCCTACTGGTCTTCTCAAACAGGAACAACCTGATAGGCACCAAAAAACATT
SEQ2804	CCAACTCATCCTACTGGTCTTCTCAAACAGGAACAACCTGATAGGCACCAAAAAACATT
SEQ2805	CCAACTCATCCTACTGGTCTTCTCAAACAGGAACAACCTGATAGGCACCAAAAAACATT
SEQ2806	CCAACTCATCCTACTGGTCTTCTCAAACAGGAACAACCTGATAGGCACCAAAAAACATT
SEQ2807	CCAACTCATCCTACTGGTCTTCTCAAACAGGAACAACCTGATAGGCACCAAAAAACATT
SEQ2808	CCAACTCATCCTACTGGTCTTCTCAAACAGGAACAACCTGATAGGCACCAAAAAACATT
SEQ2809	CCAACTCATCCTACTGGTCTTCTCAAACAGGAACAACCTGATAGGCACCAAAAAACATT
SEQ2810	CCAACTCATCCTACTGGTCTTCTCAAACAGGAACAACCTGATAGGCACCAAAAAACATT
SEQ2811	CCAACTCATCCTACTGGTCTTCTCAAACAGGAACAACCTGATAGGCACCAAAAAACATT
SEQ2801	-----
SEQ2802	-----
SEQ2803	GATTCACAAACAGATATTTTCGTTTGAAAGGACTTTATAGAGGTCAGAATTCGGTGGCA
SEQ2804	GATTCACAAACAGATATTTTCGTTTGAAAGGACTTTATAGAGGTCAGAATTCGGTGGCA
SEQ2805	GATTCACAAACAGATATTTTCGTTTGAAAGGACTTTATAGAGGTCAGAATTCGGTGGCA
SEQ2806	GATTCACAAACAGATATTTTCGTTTGAAAGGACTTTATAGAGGTCAGAATTCGGTGGCA
SEQ2807	GATTCACAAACAGATATTTTCGTTTGAAAGGACTTTATAGAGGTCAGAATTCGGTGGCA
SEQ2808	GATTCACAAACAGATATTTTCGTTTGAAAGGACTTTATAGAGGTCAGAATTCGGTGGCA
SEQ2809	GATTCACAAACAGATATTTTCGTTTGAAAGGACTTTATAGAGGTCAGAATTCGGTGGCA
SEQ2810	GATTCACAAACAGATATTTTCGTTTGAAAGGACTTTATAGAGGTCAGAATTCGGTGGCA
SEQ2811	GATTCACAAACAGATATTTTCGTTTGAAAGGACTTTATAGAGGTCAGAATTCGGTGGCA
SEQ2801	-----
SEQ2802	-----
SEQ2803	TTGTTGAATTTTCTGATCCATCATCTCAAAAAATTCACGATGATTACTTTAAACATTA
SEQ2804	TTGTTGAATTTTCTGATCCATCATCTCAAAAAATTCACGATGATTACTTTAAACATTA
SEQ2805	TTGTTGAATTTTCTGATCCATCATCTCAAAAAATTCACGATGATTACTTTAAACATTA
SEQ2806	TTGTTGAATTTTCTGATCCATCATCTCAAAAAATTCACGATGATTACTTTAAACATTA
SEQ2807	TTGTTGAATTTTCTGATCCATCATCTCAAAAAATTCACGATGATTACTTTAAACATTA
SEQ2808	TTGTTGAATTTTCTGATCCATCATCTCAAAAAATTCACGATGATTACTTTAAACATTA
SEQ2809	TTGTTGAATTTTCTGATCCATCATCTCAAAAAATTCACGATGATTACTTTAAACATTA
SEQ2810	TTGTTGAATTTTCTGATCCATCATCTCAAAAAATTCACGATGATTACTTTAAACATTA
SEQ2811	TTGTTGAATTTTCTGATCCATCATCTCAAAAAATTCACGATGATTACTTTAAACATTA
SEQ2801	-----
SEQ2802	-----
SEQ2803	GGTGTGAAGGAGTTAGAAATTGAGAG--CATTGCTTTAGGATTAGGTGCTAATAGCAAA
SEQ2804	GGTGTGAAGGAGTTAGAAATTGAGAG--CATTGCTTTAGGATTAGGTGCTAATAGCAAA
SEQ2805	GGTGTGAAGGAGTTAGAAATTGAGAGCCATTGCTTTAGGATTAGGTGCTAATAGCAAA
SEQ2806	GGTGTGAAGGAGTTAGAAATTGAGAG--CATTGCTTTAGGATTAGGTGCTAATAGCAAA
SEQ2807	GGTGTGAAGGAGTTAGAAATTGAGAG--CATTGCTTTAGGATTAGGTGCTAATAGCAAA
SEQ2808	GGTGTGAAGGAGTTAGAAATTGAGAG--CATTGCTTTAGGATTAGGTGCTAATAGCAAA
SEQ2809	GGTGTGAAGGAGTTAGAAATTGAGAG--CATTGCTTTAGGATTAGGTGCTAATAGCAAA
SEQ2810	GGTGTGAAGGAGTTAGAAATTGAGAG--CATTGCTTTAGGATTAGGTGCTAATAGCAAA
SEQ2811	GGTGTGAAGGAGTTAGAAATTGAGAG--CATTGCTTTAGGATTAGGTGCTAATAGCAAA
SEQ2801	-----
SEQ2802	-----
SEQ2803	AAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAATTTGGGAGAGACCCGATACC
SEQ2804	AAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAATTTGGGAGAGACCCGATACC
SEQ2805	AAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAATTTGGGAGAGACCCGATACC
SEQ2806	AAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAATTTGGGAGAGACCCGATACC
SEQ2807	AAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAATTTGGGAGAGACCCGATACC
SEQ2808	AAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAATTTGGGAGAGACCCGATACC
SEQ2809	AAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAATTTGGGAGAGACCCGATACC
SEQ2810	AAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAATTTGGGAGAGACCCGATACC
SEQ2811	AAAACACACTGATAAAGATGGCAGATTATCGTTTGAAAAATTTGGGAGAGACCCGATACC

**Table 28: Comparative Sequences relating to SAG1552
(conserved hypothetical protein)**

```

SEQ2801 -----
SEQ2802 -----
SEQ2803 AAACCTTTTTTAAAGACTCCTATTATGTATTAAGAAAGAA-----
SEQ2804 AAACCTTTTTTAAAGACTCCTATTATAGTATTAAGAAAGAATGGTCTAAAGAAAGAGAG
SEQ2805 AAACCTTTTTTAAAGA-----
SEQ2806 AAACCTTTTTTAAAGACTCCTATTATGTATTAAGAAAGA-----
SEQ2807 AAACCTTTTTTAAAGACT-----
SEQ2808 AAACCTTTTTTAAAGACTCCTATTATAGT-----
SEQ2809 AAACCTTTTTTAAAGACTCCTATTATAGTATTAAGAAAG-----
SEQ2810 AAACCTTTTTTAAAGACTCCTATTATAGTATTAAG-----
SEQ2811 AAACCTTTTTTAAAGACTCCTATTATAGTATTAAGAAAGAATGG-----

```

```

SEQ2801 -----
SEQ2802 -----
SEQ2803 -----
SEQ2804 GAACATATGGTCCA
SEQ2805 -----
SEQ2806 -----
SEQ2807 -----
SEQ2808 -----
SEQ2809 -----
SEQ2810 -----
SEQ2811 -----

```

>SEQ ID NO 2850:62_1169NT frame: 1

FVVKGDTVLHKPTNKPFFVVKGV DVESSLAGYHHNDFPITQKTYREWFHLISNMGANTVRV
KVP MNVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNASITAFNDNYRGYLKREAGVVD
ILHGRKQVWNTDFGSRHYHYDLS PWVLGYVVGDDWNSGT VAYTNHQEKKTQYKGRYFKTS
AAANPFEVMLAQVMDDELTHYETAKYGWQHLSFSNSPTTDPFHYRKPFEAQAPKYVQLNV
ENIQANSNVKAGIFAAYKAIDFHPRYKDYLLFDKENISKEDRQKIKELSLSQGYVKLLNA
YHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQRLLLEDYESFISGSGFATINAW
QDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFKNAKHHYQVDGKRGKGEWKHPL
MTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDITPKSGSRKMNGSKVTFKSSD
FVLSIDPNGKSELVQERYNALKANYLRQLNGKDFYAFPPKKNSSNFEQINMVLNRNTKIV
EDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDISFGKDFIEVRIPWQLLNFSDF
SSQKIHDYFKHYGVKELEIESIALGLGANSKENTLIKMADYRLKNWERPDTKTFLKDSY
YSI.ER

>SEQ ID NO 2851:62_18RS21 frame: 1

KGLLKENTRTNFVVKGDTVLHKPTNKPFFVVKGV DVESSLAGYHHNDFPITQKTYREWFHL
ISNMGANTVRVKVP MNVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNASITAFNDNYRG
YLKREAGVVDILHGRKQVWNTDLGSRHYHYDLS PWVLGYVVGDDWNSGT VAYTNHQEKK
TQYKGRYFKTSVAANPFEVMLAQVMDDELTHYETAKYGWQHLSFSNSPTTDPFHYRKPFE
AQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLLFDKENISKEDRQKIKELS
LSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQRLLLEDYESFIS
SGSGFATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFKNAKHHYQVDG
KRGKGEWKHPLMTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDITPKSGSRKM
GSKVTFKSSDFVLSIDPNGKSELVQERYNALKANYLRQLNGKDFYAFPPKKNSSNFEQ
INMVLNRNTKIVEDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDISFGKDFIEVR
IPWQLLNFSDFSSQKIHDYFKHYGVKELEIESIALGLGANSKENTLIKMADYRLKNWER
PDTKTFLKDSYYVLRK

>SEQ ID NO 2852:62_2603 frame: 3

LKENTRTNFVVKGDTVLHKPTNKPFFVVKGV DVESSLAGYHHNDFPITQKTYREWFHLIS
MGANTVRVKVP MNVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNASITAFNDNYRGYLK
REAGVVDILHGRKQVWNTDLGSRHYHYDLS PWVLGYVVGDDWNSGT VAYTNHQEKKTQY
KGRYFKTSVAANPFEVMLAQVMDDELTHYETAKYGWQHLSFSNSPTTDPFHYRKPFEAQ
PKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLLFDKENISKEDRQKIKELSLSQ
GYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQRLLLEDYESFISGSG
FGATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFKNAKHHYQVDGKRG
KGEWKHPLMTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDITPKSGSRKMNGSK
VTFKSSDFVLSIDPNGKSELVQERYNALKANYLRQLNGKDFYAFPPKKNSSNFEQINM
VLNRNTKIVEDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDISFGKDFIEVRIPW
QLLNFSDFSSQKIHDYFKHYGVKELEIESIALGLGANSKENTLIKMADYRLKNWERPDT
KTFLKDSYYSIKKEWSKERERTYGP

**Table 26: C mparative Sequences relating to SAG1552
(conserved hypothetical pr tein)**

>SEQ ID NO 2853:62_A909 frame: 1

KGLLKENTRTNFVVKGDTVLHKPTNKPFFVVKGVDESSLAGYHHNDFPITQKTYREWFHL
ISNMGANTVRVKVPMNVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNASITAFNDNYRG
YLKREAKGVVDILHGRKQVWNTDLGSRHYHYDLSPWVLGYVVGDDWNSGTVAITNHQEKK
TQYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLISFSNSPTTDPFHYRKPFE
AQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLLFDKENISKEDROKIKELS
LSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQRLLEDYESFIS
SGSFGATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFKNAKHYYQVDG
KRGKGWKPMLTMSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDITPKSGSRKM
GSKVTFSSKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFPPKKNSSNFEQ
INMVLNRTKIVEDMEKVKATERFLPTHPTGLLKTGTTDRHQKTFDSQTDISFGKDFIEVR
IPWQLLNFSQSSQRIHDDYFKHYGVKELEN.EPLL.D.VLIAKKTTH..RWQIIV.KIGR
DPIPKPF.K

>SEQ ID NO 2854:62_A909 frame: 1

KGLLKENTRTNFVVKGDTVLHKPTNKPFFVVKGVDESSLAGYHHNDFPITQKTYREWFHL
ISNMGANTVRVKVPMNVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNASITAFNDNYRG
YLKREAKGVVDILHGRKQVWNTDLGSRHYHYDLSPWVLGYVVGDDWNSGTVAITNHQEKK
TQYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLISFSNSPTTDPFHYRKPFE
AQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLLFDKENISKEDROKIKELS
LSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQRLLEDYESFIS
SGSFGATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFKNAKHYYQVDG
KRGKGWKPMLTMSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDITPKSGSRKM
GSKVTFSSKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFPPKKNSSNFEQ
INMVLNRTKIVEDMEKVKATERFLPTHPTGLLKTGTTDRHQKTFDSQTDISFGKDFIEVR
IPWQLLNFSQSSQRIHDDYFKHYGVKELEN.EPLL.D.VLIAKKTTH..RWQIIV.KIGR
DPIPKPF.K

>SEQ ID NO 2855:62_CJB110 frame: 1

YYFDGSLYLPKGLLKENTRTNFVVKGDTVLHKPTNKPFFVVKGVDESSLAGYHHNDFPIT
QKTYREWFHLISNMGANTVRVKVPMNVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNAS
ITAFNDNYRGYLKREAKGVVDILHGRKQVWNTDFGSRHYHYDLSPWVLGYVVGDDWNSGT
VAYTNHQEKKTQYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLISFSNSPTT
DPFHYRKPFEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLLFDKENISK
EDROKIKELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQ
RLLEDYESFISSGSFGATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFK
NAKHYYQVDGKRGKGWKPMLTMSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDI
TPKSGSRKMNGSKVTFSSKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAF
PPKKNSSNFEQINMVLNRTKIVEDMEKVKATERFLPTHPTGLLKTGTTDRHQKTFDSQTDI
SFGKDFIEVRIPWQLLNFSQSSQRIHDDYFKHYGVKELEIESIALGLGANSKENTLIK
MADYRLKNWERPDTKTFKDSYVYLRK

>SEQ ID NO 2856:62_COH1 frame: 2

LPQGLLKENTRTNFVVKGDTVLHKPTNKPFFVVKGVDESSLAGYHHNDFPITQKTYREWF
HLISNMGANTVRVKVPMNVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNASITAFNDNY
RGYLKREAKGVVDILHGRKQVWNTDFGSRHYHYDLSPWVLGYVVGDDWNSGTVAITNHQ
EKKTQYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLISFSNSPTTDPFHYRKP
FEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLLFDKENISKEDROKIK
ELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQRLLEDYESF
ISSGSFGATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFKNAKHYYQ
VDGKRGKGWKPMLTMSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDITPKSGSR
KMNGSKVTFSSKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFPPKKNSSN
FEQINMVLNRTKIVEDMEKVKATERFLPTHPTGLLKTGTTDRHQKTFDSQDPDISFGKDFI
EVRIPWQLLNFSQSSQRIHDDYFKHYGVKELEIESIALGLGANSKENTLIKADYRLKNW
ERPDTKTFKLD

>SEQ ID NO 2857:62_H36B frame: 2

RGLLKENTRTNFVVKGDTVLHKPTNKPFFVVKGVDESSLAGYHHNDFPITQKTYREWFHL
ISNMGANTVRVKVPMNVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNASITAFNDNYRG
YLKREAKGVVDILHGRKQVWNTDFGSSHYHYDLSPWVLGYVVGDDGHS GTVALY

>SEQ ID NO 2858:62_JM9130013 frame: 3

FVVKGDTVLHKPTNKPFFVVKGVDESSLAGYHHNDFPITQKTYREWFHLISNMGANTVRV
KPMNVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNASITAFNDNYRGYLKREAKGVVD
ILHGRKQVWNTDFGSSHYHYDLSPWVLGYVVGDDWNSGTVAITNHQEKKTQYKGRYFKTS
VAANPFEVMLAQVMDELTHYETAKYGWQHLISFSNSPTTDPFHYRKPFEAQAPKYVQLN
VENIQANSNVKAGMFAAYKAIDFHPRYKDYLLFDKENISKEDROKIKELSLSQGYVKLLN
AYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQRLLEDYESFISSGSFGATINAW

**Table 28: Comparative Sequences relating t SAG1552
(conserved hypothetical protein)**

QDDWNARVWNTSFATNKHSQFLWGDAQVFNQGYGLLGFKNAKHHYQVDGKRGKEEWKHPL
MTSATGDDLYASSDESYLYLAIKTKPEKLKEKRLLPIDITPKSGSRKMNGSKVTFKSSD
FVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFPPKKNSSNFEQINMVLNRNTKIV
EDMEKVKATERFLPTHPTGLLKTGTDRHQKTFDSQTDISFGKDFIEVRIPWQLLNFSDP
SSQKIHHDDYFKHYGVKELEIESIALGLGANSKENTLIKADYRLKNWERPDTKTKFLKDSY
YSIKK

>SEQ ID NO 2859:62_M732 frame: 2

TRTNFVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPITQKTYREWFHLISNMGAN
TVRVKVPNMVAFYDALYHHNKESKRPLYLLQGIRIDSYRNNASITAFNDNYRGYLGKREAK
GVVDILHGRKQVWNTDFGSRHYHYDLSPPWVLGYVVGDDCNSGTVAYNHQQEKKTKYKGRY
FKTSVAANPFEVMLAQVMDDELTHYETAKYGWQHLISFSNSPTTDPFHYRKPFEAQAPKYV
QLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLDFDKENISKEDRQKIKELSLSQGYVK
LLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQRLLEDYESFISSGSFGAT
INAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFKNAKHHYQVDGKRGKGEW
KHPLMTSATGDDLYASSDESYLYLAIKTKPEKLKEKRLLPIDITPKSGSRKMNGSKVTFK
KSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFPPKKNSSNFEQINMVLNRN
TKIVEDMEKVKATERFLPTHPTGLLKTGTDRHQKTFDSQTDISFGKDFIEVRIPWQLLN
FSDPSSQKIHHDDYFKHYGVKELEIESIALGLGANSKENTLIKADYRLKNWERPDTKTKFL
KDSYYSIK

>SEQ ID NO 2860:62_M781 frame: 1

FDGSLYLPQGLLKENTRTNFVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPITQK
TYREWFHLISNMGANTVRVKVPNMVAFYDALYHHNKESKRPLYLLQGIRIDSYRNNASIT
AFNDNYRGYLGKREAKGVVDILHGRKQVWNTDFGSRHYHYDLSPPWVLGYVVGDDWNSGTVA
YTNHQQEKKTKYKGRYFKTSVAANPFEVMLAQVMDDELTHYETAKYGWQHLISFSNSPTTDP
FHYRKPFEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLDFDKENISKED
RQKIKELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQRLLED
EDYESFISSGSFGATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFKNA
KHHYQVDGKRGKGEWKHPLMTSATGDDLYASSDESYLYLAIKTKPEKLKEKRLLPIDITP
KSGSRKMNGSKVTFKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFPPK
KNSSNFEQINMVLNRNTKIVEDMEKVKATERFLPTHPTGLLKTGTDRHQKTFDSQTDISF
GKDFIEVRIPWQLLNFSDPSSQKIHHDDYFKHYGVKELEIESIALGLGANSKENTLIKAD
YRLKNWERPDTKTKFLKDSYYSIKKEW

SEQ2850	-----FVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPIT
SEQ2851	-----KGLLKENTRTNFVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPIT
SEQ2852	-----LKENTRTNFVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPIT
SEQ2853	-----KGLLKENTRTNFVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPIT
SEQ2854	-----KGLLKENTRTNFVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPIT
SEQ2855	YFDGSLYLPKGLLKENTRTNFVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPIT
SEQ2856	-----LPQGLLKENTRTNFVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPIT
SEQ2857	-----RGLLKENTRTNFVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPIT
SEQ2858	-----FVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPIT
SEQ2859	-----TRTNFVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPIT
SEQ2860	-FDGSLYLPQGLLKENTRTNFVVGKDTVHLHKPTNKPFFVVGKVDVESSLAGYHHNDFPIT
SEQ2850	QKTYREWFHLISNMGANTVRVKVPNMVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNAS
SEQ2851	QKTYREWFHLISNMGANTVRVKVPNMVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNAS
SEQ2852	QKTYREWFHLISNMGANTVRVKVPNMVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNAS
SEQ2853	QKTYREWFHLISNMGANTVRVKVPNMVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNAS
SEQ2854	QKTYREWFHLISNMGANTVRVKVPNMVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNAS
SEQ2855	QKTYREWFHLISNMGANTVRVKVPNMVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNAS
SEQ2856	QKTYREWFHLISNMGANTVRVKVPNMVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNAS
SEQ2857	QKTYREWFHLISNMGANTVRVKVPNMVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNAS
SEQ2858	QKTYREWFHLISNMGANTVRVKVPNMVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNAS
SEQ2859	QKTYREWFHLISNMGANTVRVKVPNMVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNAS
SEQ2860	QKTYREWFHLISNMGANTVRVKVPNMVAFYDALYHHNKASKRPLYLLQGIRIDSYRNNAS
SEQ2850	ITAFNDNYRGYLGKREAKGVVDILHGRKQVWNTDFGSRHYHYDLSPPWVLGYVVGDDWNSGT
SEQ2851	ITAFNDNYRGYLGKREAKGVVDILHGRKQVWNTDLGSRHYHYDLSPPWVLGYVVGDDWNSGT
SEQ2852	ITAFNDNYRGYLGKREAKGVVDILHGRKQVWNTDLGSRHYHYDLSPPWVLGYVVGDDWNSGT
SEQ2853	ITAFNDNYRGYLGKREAKGVVDILHGRKQVWNTDLGSRHYHYDLSPPWVLGYVVGDDWNSGT
SEQ2854	ITAFNDNYRGYLGKREAKGVVDILHGRKQVWNTDLGSRHYHYDLSPPWVLGYVVGDDWNSGT
SEQ2855	ITAFNDNYRGYLGKREAKGVVDILHGRKQVWNTDFGSRHYHYDLSPPWVLGYVVGDDWNSGT
SEQ2856	ITAFNDNYRGYLGKREAKGVVDILHGRKQVWNTDFGSRHYHYDLSPPWVLGYVVGDDWNSGT
SEQ2857	ITAFNDNYRGYLGKREAKGVVDILHGRKQVWNTDFGSSHYHYDLSPPWVLGYVVGDDHSGT
SEQ2858	ITAFNDNYRGYLGKREAKGVVDILHGRKQVWNTDFGSSHYHYDLSPPWVLGYVVGDDWNSGT

**Table 28: Comparative Sequences relating to SAG1552
(conserved hypothetical pr tein)**

SEQ2859	ITAFNDNYRGYLGKREAGVVDILHGRKQVWNTDFGSRHYHYDLSPPWVLGYVVGDDCNSGT
SEQ2860	ITAFNDNYRGYLGKREAGVVDILHGRKQVWNTDFGSRHYHYDLSPPWVLGYVVGDDWNSGT
SEQ2850	VAYTNHQEKKTOYKGRYFKTSAAANPFEVMLAQVMDELTHYETAKYGWQHLSFSNSPTT
SEQ2851	VAYTNHQEKKTOYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLSFSNSPTT
SEQ2852	VAYTNHQEKKTOYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLSFSNSPTT
SEQ2853	VAYTNHQEKKTOYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLSFSNSPTT
SEQ2854	VAYTNHQEKKTOYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLSFSNSPTT
SEQ2855	VAYTNHQEKKTOYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLSFSNSPTT
SEQ2856	VAYTNHQEKKTOYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLSFSNSPTT
SEQ2857	VALY-----
SEQ2858	VAYTNHQEKKTOYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLSFSNSPTT
SEQ2859	VAYTNHQEKKTOYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLSFSNSPTT
SEQ2860	VAYTNHQEKKTOYKGRYFKTSVAANPFEVMLAQVMDELTHYETAKYGWQHLSFSNSPTT
SEQ2850	PFHYRKPFEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLDFDENISK
SEQ2851	PFHYRKPFEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLDFDENISK
SEQ2852	PFHYRKPFEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLDFDENISK
SEQ2853	PFHYRKPFEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLDFDENISK
SEQ2854	PFHYRKPFEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLDFDENISK
SEQ2855	PFHYRKPFEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLDFDENISK
SEQ2856	PFHYRKPFEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLDFDENISK
SEQ2857	-----
SEQ2858	PFHYRKPFEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLDFDENISK
SEQ2859	PFHYRKPFEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLDFDENISK
SEQ2860	PFHYRKPFEAQAPKYVQLNVENIQANSNVKAGMFAAYKAIDFHPRYKDYLDFDENISK
SEQ2850	DRQKIKELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQR
SEQ2851	DRQKIKELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQR
SEQ2852	DRQKIKELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQR
SEQ2853	DRQKIKELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQR
SEQ2854	DRQKIKELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQR
SEQ2855	DRQKIKELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQR
SEQ2856	DRQKIKELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQR
SEQ2857	-----
SEQ2858	DRQKIKELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQR
SEQ2859	DRQKIKELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQR
SEQ2860	DRQKIKELSLSQGYVKLLNAYHKIPVLVTGYGYSTARGIAQKEIDKRPLPINEKEQGQR
SEQ2850	LEDYESFISSSGSGFATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFK
SEQ2851	LEDYESFISSSGSGFATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFK
SEQ2852	LEDYESFISSSGSGFATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFK
SEQ2853	LEDYESFISSSGSGFATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFK
SEQ2854	LEDYESFISSSGSGFATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFK
SEQ2855	LEDYESFISSSGSGFATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFK
SEQ2856	LEDYESFISSSGSGFATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFK
SEQ2857	-----
SEQ2858	LEDYESFISSSGSGFATINAWQDDWNARVWNTSFATNKHSQFLWGDAQVFNQGYGLLGFK
SEQ2859	LEDYESFISSSGSGFATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFK
SEQ2860	LEDYESFISSSGSGFATINAWQDDWNARAWNTSFATNKHSQFLWGDAQVFNQGYGLLGFK
SEQ2850	AKHHYQVDGKRGKGEWKHPLMTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDI
SEQ2851	AKHHYQVDGKRGKGEWKHPLMTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDI
SEQ2852	AKHHYQVDGKRGKGEWKHPLMTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDI
SEQ2853	AKHHYQVDGKRGKGEWKHPLMTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDI
SEQ2854	AKHHYQVDGKRGKGEWKHPLMTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDI
SEQ2855	AKHHYQVDGKRGKGEWKHPLMTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDI
SEQ2856	AKHHYQVDGKRGKGEWKHPLMTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDI
SEQ2857	-----
SEQ2858	AKHHYQVDGKRGKGEWKHPLMTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDI
SEQ2859	AKHHYQVDGKRGKGEWKHPLMTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDI
SEQ2860	AKHHYQVDGKRGKGEWKHPLMTSATGDDLYASSDESILYLAIKTKPEKLKEKRLLPIDI
SEQ2850	PKSGSRKMNGSKVTFKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFP
SEQ2851	PKSGSRKMNGSKVTFKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFP
SEQ2852	PKSGSRKMNGSKVTFKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFP
SEQ2853	PKSGSRKMNGSKVTFKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFP
SEQ2854	PKSGSRKMNGSKVTFKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFP
SEQ2855	PKSGSRKMNGSKVTFKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFP

**Table 28: C mparative Sequences relating to SAG1552
(conserved hypothetical protein)**

SEQ2856	PKSGSRKMNGSKVTFSSKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFP
SEQ2857	-----
SEQ2858	PKSGSRKMNGSKVTFSSKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFP
SEQ2859	PKSGSRKMNGSKVTFSSKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFP
SEQ2860	PKSGSRKMNGSKVTFSSKSSDFVLSIDPNGKSELFVQERYNALKANYLRQLNGKDFYAFP
SEQ2850	KKNSSNFEQINMVLRLNTKIVEDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDI
SEQ2851	KKNSSNFEQINMVLRLNTKIVEDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDI
SEQ2852	KKNSSNFEQINMVLRLNTKIVEDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDI
SEQ2853	KKNSSNFEQINMVLRLNTKIVEDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDI
SEQ2854	KKNSSNFEQINMVLRLNTKIVEDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDI
SEQ2855	KKNSSNFEQINMVLRLNTKIVEDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDI
SEQ2856	KKNSSNFEQINMVLRLNTKIVEDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDI
SEQ2857	-----
SEQ2858	KKNSSNFEQINMVLRLNTKIVEDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDI
SEQ2859	KKNSSNFEQINMVLRLNTKIVEDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDI
SEQ2860	KKNSSNFEQINMVLRLNTKIVEDMEKVKATERFLPTHPTGLLKTGTIDRHQKTFDSQTDI
SEQ2850	FGKDFIEVRIPWQLLNFSDPSSQKIHDDYFKHYGVKELEIESIALGLGANSKENTLIK
SEQ2851	FGKDFIEVRIPWQLLNFSDPSSQKIHDDYFKHYGVKELEIESIALGLGANSKENTLIK
SEQ2852	FGKDFIEVRIPWQLLNFSDPSSQKIHDDYFKHYGVKELEIESIALGLGANSKENTLIK
SEQ2853	FGKDFIEVRIPWQLLNFSDPSSQRIHDDYFKHYGVKELENEPLLDVLIAKKTHRWQIIV
SEQ2854	FGKDFIEVRIPWQLLNFSDPSSQRIHDDYFKHYGVKELENEPLLDVLIAKKTHRWQIIV
SEQ2855	FGKDFIEVRIPWQLLNFSDPSSQKIHDDYFKHYGVKELEIESIALGLGANSKENTLIK
SEQ2856	FGKDFIEVRIPWQLLNFSDPSSQKIHDDYFKHYGVKELEIESIALGLGANSKENTLIK
SEQ2857	-----
SEQ2858	FGKDFIEVRIPWQLLNFSDPSSQKIHDDYFKHYGVKELEIESIALGLGANSKENTLIK
SEQ2859	FGKDFIEVRIPWQLLNFSDPSSQKIHDDYFKHYGVKELEIESIALGLGANSKENTLIK
SEQ2860	FGKDFIEVRIPWQLLNFSDPSSQKIHDDYFKHYGVKELEIESIALGLGANSKENTLIK
SEQ2850	DYRLKNWERPDTKTFLKDSYYSIER-----
SEQ2851	DYRLKNWERPDTKTFLKDSYYVLRK-----
SEQ2852	DYRLKNWERPDTKTFLKDSYYSIKKEWSKERERTYGP
SEQ2853	IGRDPIPKPFFK-----
SEQ2854	IGRDPIPKPFFK-----
SEQ2855	DYRLKNWERPDTKTFLKDSYYVLRK-----
SEQ2856	DYRLKNWERPDTKTFLKD-----
SEQ2857	-----
SEQ2858	DYRLKNWERPDTKTFLKDSYYSIKK-----
SEQ2859	DYRLKNWERPDTKTFLKDSYYSIK-----
SEQ2860	DYRLKNWERPDTKTFLKDSYYSIKKEW-----

Table 29: C mparative Sequences relating to SAG1641 (YaeC family pr tein)

SEQ ID NO. 2901: SAG1641 FROM THE 090 GBS TYPE Ia STRAIN

AATCAAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACCTTTTCTGACACTGAAAAA
 GCACGTTGGGATAAAAATTGAAAAGCTAGTAGGCGATAAAGCTAAAATCAAATTCACAGAATTTACAGATTATACACAA
 CCAAATCAAGCGACAGCCAATAAGGATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACCTGGAATAAG
 GAAAATAAGAAAAACTTAATCCACTTGAAAAGACTTACTTAGCCCCAATTCGTATCTATTCTGAGAAGGTAAAATCT
 CTTAAAAAATTGAAAAAAGGAGCCACTATTGCAATTCCAAATGATGCAACAAATGGTAGCCGTGCATTGTATGTCCTT
 CAGTCAGCAGGTTTAATCAAATTGAATGTTTCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAA
 GATATTAATATTCAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATTAATAAT
 ACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAATCAGATAAAAAATTCAAACAATGG
 ATTAATATCATTGCGGGACGTAAAAATTGGAAAAAGCAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTAT
 CACACAGATGAAGTGAAAAAAGTTATCAAAGATACTTCAGCTGATATTCCACAATGGAACCCAGCTTTCTTGTACAA

SEQ ID NO. 2902: SAG1641 FROM THE 1169NT1 GBS TYPE V STRAIN
(REVERSE COMPLEMENT)

ATCAAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACCTTTTCTGACACTGAAAAAG
 CACGTTGGGATAAAAATTGAAAAGCTAGTAGGTGATAAAGCTAAAATCAAATTTACAGAATTTACAGATTATACACAAC
 CAAATCAAGCGACAGCCAATAAGGATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACCTGGAATAAGG
 AAAATAAGAAAAACTTAATCCACTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAGAAGGTAAAATCTC
 TTAATAAATTGAAAAAAGGAGCCACTATTGCAATTCCAAATGATGCAACAAATGGTAGCCGTGCATTGTATGTCCTTC
 AGTCAGCAGGTTTAATCAAATTGAATGTTTCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAAGG
 ATATTAATATTCAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATTAATAATA
 CATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAATCAGATAAAAAATTCAAACAATGGA
 TTAATATCATTGCGGGACGTAAAAATTGGAAAAAGCAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATC
 ACACAGATGAAGTGAAAAAAGTTATCAAAGATACTTCAGCTGATATTCCACAATGG

SEQ ID NO. 2903: SAG1641 FROM THE 18RS21 GBS TYPE II STRAIN

AATCAAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACCTTTTCTGACACTGAAAAA
 GCACGTTGGGATAAAAATTGAAAAGCTAGTAGGTGATAAAGCTAAAATCAAATTTACAGAATTTACAGATTATACACAA
 CCAAATCAAGCGACAGCCAATAAGGATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACCTGGAATAAG
 GAAAATAAGAAAAACTTAATCCACTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAGAAGGTAAAATCT
 CTTAAAAAATTGAAAAAAGGAGCCACTATTGCAATTCCAAATGATGCAACAAATGGTAGCCGTGCATTGTATGTCCTT
 CAGTCAGCAGGTTTAATCAAATTGAATGTTTCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAAG
 GATATTAATATTCAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATTAATAAT
 ACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAATCAGATAAAAAATTCAAACAATGG
 ATTAATATCATTGCGGGACGTAAAAATTGGAAAAAGCAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTAT
 CACACAGATGAAGTGAAAAAAGTTATCAAAGATACTTCAGCTGATATTCCAC

SEQ ID NO. 2904: SAG1641 FROM THE 2603 V/R GBS TYPE V STRAIN

AATCAAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACCTTTTCTGACACTGAAAAA
 GCACGTTGGGATAAAAATTGAAAAGCTAGTAGGTGATAAAGCTAAAATCAAATTTACAGAATTTACAGATTATACACAA
 CCAAATCAAGCGACAGCCAATAAGGATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACCTGGAATAAG
 GAAAATAAGAAAAACTTAATCCACTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAGAAGGTAAAATCT
 CTTAAAAAATTGAAAAAAGGAGCCACTATTGCAATTCCAAATGATGCAACAAATGGTAGCCGTGCATTGTATGTCCTT
 CAGTCAGCAGGTTTAATCAAATTGAATGTTTCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAAG
 GATATTAATATTCAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATTAATAAT
 ACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAATCAGATAAAAAATTCAAACAATGG
 ATTAATATCATTGCGGGACGTAAAAATTGGAAAAAGCAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTAT
 CACACAGATGAAGTGAAAAAAGTTATCAAAGATACTTCAGCTGATATTCCACAATGG

SEQ ID NO. 2905: SAG1641 FROM THE A909 GBS TYPE Ia STRAIN

AATCAAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACCTTTTCTGACACTGAAAAA
 GCACGTTGGGATAAAAATTGAAAAGCTAGTAGGTGATAAAGCTAAAATCAAATTTACAGAATTTACAGATTATACACAA
 CCAAATCAAGCGACAGCCAATAAGGATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACCTGGAATAAG
 GAAAATAAGAAAAACTTAATCCACTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAGAAGGTAAAATCT
 CTTAAAAAATTGAAAAAAGGAGCCACTATTGCAATTCCAAATGATGCAACAAATGGTAGCCGTGCATTGTATGTCCTT
 CAGTCAGCAGGTTTAATCAAATTGAATGTTTCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAAG
 GATATTAATATTCAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATTAATAAT
 ACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAATCAGATAAAAAATTCAAACAATGG
 ATTAATATCATTGCGGGACGTAAAAATTGGAAAAAGCAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTAT
 CACACAGATGAAGTGAAAAAAGTTATCAAAGATACTTCAGCTGATATTCCACAATGG

Table 29: Comparative Sequences relating to SAG1641 (YaeC family protein)**SEQ ID NO. 2906: SAG1641 FROM THE CJB110 GBS NONTYPEABLE STRAIN**

AAGTAAAGTTGTTAAAGTTGGTGTATGACCTTTTCTGACACTGAAAAAGCACGTTGGGATAAAATTGAAAAGCTAGT
 AGGCGATAAAAGCTAAAATCAAATTCACAGAATTTACAGATTATACACAACCAAATCAAGCGACAGCCAATAAGGATGT
 GGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAAGCTGGAATAAGGAAAATAAGAAAACTTAATTCACCTTGA
 AAAGACTTACTTAGCCCCAATTTCGTATCTATTCTGAGAAGGTAAAATCTCTTAAAAAATTGAAAAAGGAGCCACTAT
 TGCAATTCCAAATGATGCAACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGGTTAATCAAATTGAATGT
 TTCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAAGATATTAATATTCAGGAGTTAGATGCGAG
 TCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATTAATAATACATACATTGAGCAAGCTAATTTAAACC
 TTCAGATGCTATCTTTGTTGAGAAATCAGATAAAAATTCAAACAATGGATTAATATCATTGCGGGACGTAAAAATTG
 GAAAAAGCAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGAAGTGAAAAAAGTTATCAA
 AGATACTTCAGCTGATATTCCACAATGGAA

**SEQ ID NO. 2907: SAG1641 FROM THE COH1 GBS TYPE III STRAIN
(REVERSE COMPLEMENT)**

AGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACCTTTTCTGACACTGAAAAAGCACGTTG
 GGATAAAATTGAAAAGCTAGTAGGTGATAAAGCTAAAATCAAATTTACAGAATTTACAGATTATACACAACCAAATCA
 AGCGACAGCCAATAAGGATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAAGCTGGAATAAGGAAAATAA
 GAAAACTTAATTCACCTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAGAAGGTAAAATCTCTTAAAAA
 ATTGAAAAAAGGAGCCACTATTGCAATTCCAAATGATGCAACAAATGGTAGCCGTGCATTGTATGTACTTCAGTCAGC
 AGGTTTAATCAAATTGAATGTTTCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAAGGATATTA
 TATTCAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATTAATAATACATACAT
 TGAGCAAGCTAATTTAAACCTTCAGATGCTATCTTTGTTGAGAAATCAGATAAAAATTCAAACAATGGATTAATAT
 CATTGCGGGACGTAAAAATTGAAAAAGCAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGA
 TGAAGTGAAAAAAGTTATCAAAGATACTTCAGCTGATATTCCACAATGG

SEQ ID NO. 2908: SAG1641 FROM THE H36b GBS TYPE Ib STRAIN

AAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACCTTTTCTGACACTGAAAAAGCAC
 GTTGGGATAAAATTGAAAAGCTAGTAGGTGATAAAGCTAAAATCAAATTTACAGAATTTACAGATTATACACAACCAA
 ATCAAGCGACAGCCAATAAGGATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAAGCTGGAATAAGGAAA
 ATAAGAAAACTTAATTCACCTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAGAAGGTAAAATCTCTTA
 AAAAAATTGAAAAAAGGAGCCACTATTGCAATTCCAAATGATGCAACAAATGGTAGCCGTGCATTGTATGTCCTTCAGT
 CAGCAGGTTTAATCAAATTGAATGTTTCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAAGGATA
 TTAATATTCAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATTAATAATACAT
 ACATTGAGCAAGCTAATTTAAACCTTCAGATGCTATCTTTGTTGAGAAATCAGATAAAAATTCAAACAATGGATTA
 ATATCATTGCGGGACGTAAAAATTGAAAAAGCAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACA
 CAGATGAAGTGAAAAAAGTTATCAAAGATACTTCAGCTGATATTCCACAATGG

SEQ ID NO. 2909: SAG1641 FROM THE JM3190013 GBS TYPE VIII STRAIN

TTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACCTTTTCTGACACTGAAAAAGCACGTTGGGA
 TAAAATTGAAAAGCTAGTAGGTGATAAAGCTAAAATCAAATTTACAGAATTTACAGATTATACACAACCAAATCAAGC
 GACAGCCAATAAGGATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAAGCTGGAATAAGGAAAATAAGAA
 AACTTAATTCACCTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAGAAGGTAAAATCTCTTAAAAAATT
 GAAAAAAGGAGCCACTATTGCAATTCCAAATGATGCAACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGG
 TTTAATCAAATTGAATGTTTCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAAGGATATTAATAT
 TCAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATTAATAATACATACATTGA
 GCAAGCTAATTTAAACCTTCAGATGCTATCTTTGTTGAGAAATCAGATAAAAATTCAAACAATGGATTAATATCAT
 TGCGGGACGTAAAAATTGAAAAAGCAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGA
 AGTGAAAAAAGTTATCAAAGATACTTCAGCTGATATTCCACAATGG

SEQ ID NO. 2910: SAG1641 FROM THE M732 GBS TYPE III STRAIN

AATCAAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACCTTTTCTGACACTGAAAAA
 GCAGTTGGGATAAAATTGAAAAGCTAGTAGGTGATAAAGCTAAAATCAAATTTACAGAATTTACAGATTATACACA
 CCAAATCAAGCGACAGCCAATAAGGATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAAGCTGGAATAAG
 GAAAAAAGAAAACTTAATTCACCTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAGAAGGTAAAATCT
 CTTAAAAAATTGAAAAAAGGAGCCACTATTGCAATTCCAAATGATGCAACAAATGGTAGCCGTGCATTGTATGTCCTT
 CAGTCAGCAGGTTAATCAAATTGAATGTTTCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAAG
 GATATTAATATTCAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATTAATAAT
 ACATACATTGAGCAAGCTAATTTAAACCTTCAGATGCTATCTTTGTTGAGAAATCAGATAAAAATTCAAACAATGG
 ATTAATATCATTGCGGGACGTAAAAATTGAAAAAGCAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTAT
 CACACAGATGAAGTGAAAAAAGTTATCAAAGATACTTCAGCTGATATTCCACAATGG

Table 29: Comparativ Sequences relating to SAG1641 (Yae family pr tein)

SEQ ID NO. 2911: SAG1641 FROM THE M781 GBS TYPE III STRAIN

AGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACCTTTTCTGACACTGAAAAAGCACGTTG
 GGATAAAATGAAAAAGCTAGTAGGTGATAAAGCTAAAATCAAATTTACAGAATTTACAGATTATACACAACCAAATCA
 AGCGACAGCCAATAAGGATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACTGGAATAAGGAAAAATAA
 GAAAAACTTAATTCCACTTGAAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAGAAGGTAAAAATCTCTAAAAA
 ATTGAAAAAAGGAGCCACTATTGCAATTCCAAATGATGCAACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGC
 AGGTTTAATCAAATGAATGTTTCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAGGATATTAA
 TATTCAGGAGTTAGATGCGAGTCAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATTAATAATACATACAT
 TGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAATCAGATAAAAAATTCAAAACAATGGATTAAATAT
 CATTGCGGGACGTAAAAATTGAAAAAGCAAAAGAACGCTAAAGCTATCCAAGCTATCTGGGATGCTTATCACACAGA
 TGAAGTAAAAAAGTTATCAAAGATACTTCAGCTGATATTCCACAATGG

SEQ2901 ATCAAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACC
 SEQ2902 ATCAAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACC
 SEQ2903 ATCAAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACC
 SEQ2904 ATCAAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACC
 SEQ2905 ATCAAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACC
 SEQ2906 -----AAGTAAAGTTGTTAAAGTTGGTGTATGACC
 SEQ2907 -----AGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACC
 SEQ2908 ---AAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACC
 SEQ2909 -----TTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACC
 SEQ2910 ATCAAGAAGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACC
 SEQ2911 -----AGTTTCAGCAAGCTCAACTTCAAGTAAAGTTGTTAAAGTTGGTGTATGACC

SEQ2901 TTTTCTGACACTGAAAAAGCACGTTGGGATAAAATTGAAAAGCTAGTAGGCGATAAAGCT
 SEQ2902 TTTTCTGACACTGAAAAAGCACGTTGGGATAAAATTGAAAAGCTAGTAGGTGATAAAGCT
 SEQ2903 TTTTCTGACACTGAAAAAGCACGTTGGGATAAAATTGAAAAGCTAGTAGGTGATAAAGCT
 SEQ2904 TTTTCTGACACTGAAAAAGCACGTTGGGATAAAATTGAAAAGCTAGTAGGTGATAAAGCT
 SEQ2905 TTTTCTGACACTGAAAAAGCACGTTGGGATAAAATTGAAAAGCTAGTAGGTGATAAAGCT
 SEQ2906 TTTTCTGACACTGAAAAAGCACGTTGGGATAAAATTGAAAAGCTAGTAGGCGATAAAGCT
 SEQ2907 TTTTCTGACACTGAAAAAGCACGTTGGGATAAAATTGAAAAGCTAGTAGGTGATAAAGCT
 SEQ2908 TTTTCTGACACTGAAAAAGCACGTTGGGATAAAATTGAAAAGCTAGTAGGTGATAAAGCT
 SEQ2909 TTTTCTGACACTGAAAAAGCACGTTGGGATAAAATTGAAAAGCTAGTAGGTGATAAAGCT
 SEQ2910 TTTTCTGACACTGAAAAAGCACGTTGGGATAAAATTGAAAAGCTAGTAGGTGATAAAGCT
 SEQ2911 TTTTCTGACACTGAAAAAGCACGTTGGGATAAAATTGAAAAGCTAGTAGGTGATAAAGCT

SEQ2901 AAAATCAAATTCACAGAATTTACAGATTATACACAACCAAATCAAGCGACAGCCAATAAG
 SEQ2902 AAAATCAAATTTACAGAATTTACAGATTATACACAACCAAATCAAGCGACAGCCAATAAG
 SEQ2903 AAAATCAAATTTACAGAATTTACAGATTATACACAACCAAATCAAGCGACAGCCAATAAG
 SEQ2904 AAAATCAAATTTACAGAATTTACAGATTATACACAACCAAATCAAGCGACAGCCAATAAG
 SEQ2905 AAAATCAAATTTACAGAATTTACAGATTATACACAACCAAATCAAGCGACAGCCAATAAG
 SEQ2906 AAAATCAAATTCACAGAATTTACAGATTATACACAACCAAATCAAGCGACAGCCAATAAG
 SEQ2907 AAAATCAAATTTACAGAATTTACAGATTATACACAACCAAATCAAGCGACAGCCAATAAG
 SEQ2908 AAAATCAAATTTACAGAATTTACAGATTATACACAACCAAATCAAGCGACAGCCAATAAG
 SEQ2909 AAAATCAAATTTACAGAATTTACAGATTATACACAACCAAATCAAGCGACAGCCAATAAG
 SEQ2910 AAAATCAAATTTACAGAATTTACAGATTATACACAACCAAATCAAGCGACAGCCAATAAG
 SEQ2911 AAAATCAAATTTACAGAATTTACAGATTATACACAACCAAATCAAGCGACAGCCAATAAG

SEQ2901 GATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACTGGAATAAGGAAAAAT
 SEQ2902 GATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACTGGAATAAGGAAAAAT
 SEQ2903 GATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACTGGAATAAGGAAAAAT
 SEQ2904 GATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACTGGAATAAGGAAAAAT
 SEQ2905 GATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACTGGAATAAGGAAAAAT
 SEQ2906 GATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACTGGAATAAGGAAAAAT
 SEQ2907 GATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACTGGAATAAGGAAAAAT
 SEQ2908 GATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACTGGAATAAGGAAAAAT
 SEQ2909 GATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACTGGAATAAGGAAAAAT
 SEQ2910 GATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACTGGAATAAGGAAAAAT
 SEQ2911 GATGTGGATATTAATGCCTTTCAACATTACAATTTCTTAGAAAACTGGAATAAGGAAAAAT

SEQ2901 AAGAAAACTTAATTCACCTTGAAAAGACTTACTTAGCCCCAATTCGTATCTATTCTGAG
 SEQ2902 AAGAAAACTTAATTCACCTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAG
 SEQ2903 AAGAAAACTTAATTCACCTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAG
 SEQ2904 AAGAAAACTTAATTCACCTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAG
 SEQ2905 AAGAAAACTTAATTCACCTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAG
 SEQ2906 AAGAAAACTTAATTCACCTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAG
 SEQ2907 AAGAAAACTTAATTCACCTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAG
 SEQ2908 AAGAAAACTTAATTCACCTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAG

Table 29: Comparative Sequences relating to SAG1641 (YaeC family protein)

SEQ2909	AAGAAAACTTAATTCACCTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAG
SEQ2910	AAGAAAACTTAATTCACCTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAG
SEQ2911	AAGAAAACTTAATTCACCTTGAAAAGACTTACTTAGCTCCAATTCGTATCTATTCTGAG
SEQ2901	AAGGTAAAATCTCTTAAAAAATTGAAAAAGGAGCCACTATTGCAATTCCAAATGATGCA
SEQ2902	AAGGTAAAATCTCTTAAAAAATTGAAAAAGGAGCCACTATTGCAATTCCAAATGATGCA
SEQ2903	AAGGTAAAATCTCTTAAAAAATTGAAAAAGGAGCCACTATTGCAATTCCAAATGATGCA
SEQ2904	AAGGTAAAATCTCTTAAAAAATTGAAAAAGGAGCCACTATTGCAATTCCAAATGATGCA
SEQ2905	AAGGTAAAATCTCTTAAAAAATTGAAAAAGGAGCCACTATTGCAATTCCAAATGATGCA
SEQ2906	AAGGTAAAATCTCTTAAAAAATTGAAAAAGGAGCCACTATTGCAATTCCAAATGATGCA
SEQ2907	AAGGTAAAATCTCTTAAAAAATTGAAAAAGGAGCCACTATTGCAATTCCAAATGATGCA
SEQ2908	AAGGTAAAATCTCTTAAAAAATTGAAAAAGGAGCCACTATTGCAATTCCAAATGATGCA
SEQ2909	AAGGTAAAATCTCTTAAAAAATTGAAAAAGGAGCCACTATTGCAATTCCAAATGATGCA
SEQ2910	AAGGTAAAATCTCTTAAAAAATTGAAAAAGGAGCCACTATTGCAATTCCAAATGATGCA
SEQ2911	AAGGTAAAATCTCTTAAAAAATTGAAAAAGGAGCCACTATTGCAATTCCAAATGATGCA
SEQ2901	ACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGGTTTAATCAAATTGAATGTT
SEQ2902	ACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGGTTTAATCAAATTGAATGTT
SEQ2903	ACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGGTTTAATCAAATTGAATGTT
SEQ2904	ACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGGTTTAATCAAATTGAATGTT
SEQ2905	ACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGGTTTAATCAAATTGAATGTT
SEQ2906	ACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGGTTTAATCAAATTGAATGTT
SEQ2907	ACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGGTTTAATCAAATTGAATGTT
SEQ2908	ACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGGTTTAATCAAATTGAATGTT
SEQ2909	ACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGGTTTAATCAAATTGAATGTT
SEQ2910	ACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGGTTTAATCAAATTGAATGTT
SEQ2911	ACAAATGGTAGCCGTGCATTGTATGTCCTTCAGTCAGCAGGTTTAATCAAATTGAATGTT
SEQ2901	TCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAGGATATTAATATT
SEQ2902	TCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAGGATATTAATATT
SEQ2903	TCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAGGATATTAATATT
SEQ2904	TCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAGGATATTAATATT
SEQ2905	TCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAGGATATTAATATT
SEQ2906	TCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAGGATATTAATATT
SEQ2907	TCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAGGATATTAATATT
SEQ2908	TCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAGGATATTAATATT
SEQ2909	TCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAGGATATTAATATT
SEQ2910	TCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAGGATATTAATATT
SEQ2911	TCTGGTAAGAAGGTTGCAACAGTTGCTAATATCACATCTAATAAAAAGGATATTAATATT
SEQ2901	CAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATT
SEQ2902	CAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATT
SEQ2903	CAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATT
SEQ2904	CAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATT
SEQ2905	CAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATT
SEQ2906	CAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATT
SEQ2907	CAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATT
SEQ2908	CAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATT
SEQ2909	CAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATT
SEQ2910	CAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATT
SEQ2911	CAGGAGTTAGATGCGAGTCAAACACCACGTGCACTCAAAGATGTAGATGCAGCTATTATT
SEQ2901	AATAATACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAA
SEQ2902	AATAATACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAA
SEQ2903	AATAATACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAA
SEQ2904	AATAATACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAA
SEQ2905	AATAATACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAA
SEQ2906	AATAATACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAA
SEQ2907	AATAATACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAA
SEQ2908	AATAATACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAA
SEQ2909	AATAATACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAA
SEQ2910	AATAATACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAA
SEQ2911	AATAATACATACATTGAGCAAGCTAATTTAAAACCTTCAGATGCTATCTTTGTTGAGAAA

Table 29: Comparative Sequences relating to SAG1641 (YaeC family protein)

SEQ2901	TCAGATAAAAATTCAAAACAATGGATTAATATCATTGCGGGACGTAAAAATTGGAAAAAG
SEQ2902	TCAGATAAAAATTCAAAACAATGGATTAATATCATTGCGGGACGTAAAAATTGGAAAAAG
SEQ2903	TCAGATAAAAATTCAAAACAATGGATTAATATCATTGCGGGACGTAAAAATTGGAAAAAG
SEQ2904	TCAGATAAAAATTCAAAACAATGGATTAATATCATTGCGGGACGTAAAAATTGGAAAAAG
SEQ2905	TCAGATAAAAATTCAAAACAATGGATTAATATCATTGCGGGACGTAAAAATTGGAAAAAG
SEQ2906	TCAGATAAAAATTCAAAACAATGGATTAATATCATTGCGGGACGTAAAAATTGGAAAAAG
SEQ2907	TCAGATAAAAATTCAAAACAATGGATTAATATCATTGCGGGACGTAAAAATTGGAAAAAG
SEQ2908	TCAGATAAAAATTCAAAACAATGGATTAATATCATTGCGGGACGTAAAAATTGGAAAAAG
SEQ2909	TCAGATAAAAATTCAAAACAATGGATTAATATCATTGCGGGACGTAAAAATTGGAAAAAG
SEQ2910	TCAGATAAAAATTCAAAACAATGGATTAATATCATTGCGGGACGTAAAAATTGGAAAAAG
SEQ2911	TCAGATAAAAATTCAAAACAATGGATTAATATCATTGCGGGACGTAAAAATTGGAAAAAG
SEQ2901	CAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGAAGTGAAA
SEQ2902	CAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGAAGTGAAA
SEQ2903	CAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGAAGTGAAA
SEQ2904	CAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGAAGTGAAA
SEQ2905	CAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGAAGTGAAA
SEQ2906	CAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGAAGTGAAA
SEQ2907	CAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGAAGTGAAA
SEQ2908	CAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGAAGTGAAA
SEQ2909	CAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGAAGTGAAA
SEQ2910	CAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGAAGTGAAA
SEQ2911	CAAAAGAACGCTAAAGCTATCCAAGCTATCTTGGATGCTTATCACACAGATGAAGTGAAA
SEQ2901	AAAGTTATCAAAGATACTTCAGCTGATATTCACAATGGAACCCAGCTTCTTGTACAA
SEQ2902	AAAGTTATCAAAGATACTTCAGCTGATATTCACAATGG-----
SEQ2903	AAAGTTATCAAAGATACTTCAGCTGATATTCAC-----
SEQ2904	AAAGTTATCAAAGATACTTCAGCTGATATTCACAATGG-----
SEQ2905	AAAGTTATCAAAGATACTTCAGCTGATATTCACAATGG-----
SEQ2906	AAAGTTATCAAAGATACTTCAGCTGATATTCACAATGGAA-----
SEQ2907	AAAGTTATCAAAGATACTTCAGCTGATATTCACAATGG-----
SEQ2908	AAAGTTATCAAAGATACTTCAGCTGATATTCACAATGG-----
SEQ2909	AAAGTTATCAAAGATACTTCAGCTGATATTCACAATGG-----
SEQ2910	AAAGTTATCAAAGATAC-----
SEQ2911	AAAGTTATCAAAGATACTTCAGCTGATATTCACAATGG-----

>SEQ ID NO 2950: 35_090 frame: 1

NQEVSA SSTSSKVVKGVM TFSDEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
DVDINAFQHYNFLENWNKENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
TNGSRALYVLQSA GLIKLVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
VKIKDTSADIPQWNPFLY

>SEQ ID NO 2951: 35_1169NT frame: 3

QEVSA SSTSSKVVKGVM TFSDEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANKD
VDINAFQHYNFLENWNKENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDAT
NGSRALYVLQSA GLIKLVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAIIN
NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVKK
VIKIDTSADIPQW

>SEQ ID NO 2952: 35_18RS21 frame: 1

NQEVSA SSTSSKVVKGVM TFSDEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
DVDINAFQHYNFLENWNKENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
TNGSRALYVLQSA GLIKLVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
VKIKDTSADIP

>SEQ ID NO 2953: 35_2603 frame: 1

NQEVSA SSTSSKVVKGVM TFSDEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
DVDINAFQHYNFLENWNKENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
TNGSRALYVLQSA GLIKLVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
VKIKDTSADIPQW

Table 29: Comparative Sequences relating to SAG1641 (YaeC family protein)

>SEQ ID NO 2954:35_A909 frame: 1
 NQEVASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
 DVDINAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
 TNGSRALYVLQSAGLIKLVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
 NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
 KVIKDTADIPQW

>SEQ ID NO 2955:35_CJB110 frame: 2
 SKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANKDVDINAFQHY
 NFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDATNGSRALYVL
 QSAGLIKLVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAIINNNTYIEQANL
 KPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVKKVIKDTADIPQW

>SEQ ID NO 2956:35_COH1 frame: 2
 VSASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANKDVD
 INAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDATNG
 SRALYVLQSAGLIKLVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAIINNNT
 YIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVKKVI
 KDTADIPQW

>SEQ ID NO 2957:35_H36B frame: 3
 EVSASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANKDV
 DINAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDATN
 GSRALYVLQSAGLIKLVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAIINN
 TYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVKKV
 IKDTADIPQW

>SEQ ID NO 2958:35_JM9130013 frame: 2
 SASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANKDVDI
 NAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDATNGS
 RALYVLQSAGLIKLVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAIINNNTY
 IEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVKKVIK
 DTSADIPQW

>SEQ ID NO 2959:35_M732 frame: 1
 NQEVASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
 DVDINAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
 TNGSRALYVLQSAGLIKLVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
 NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
 KVIK

>SEQ ID NO 2960:35_M781 frame: 2
 VSASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANKDVD
 INAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDATNG
 SRALYVLQSAGLIKLVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAIINNNT
 YIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAIWDAYHTDEVKKVI
 KDTADIPQW

SEQ2950	QEVASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
SEQ2951	QEVASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
SEQ2952	QEVASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
SEQ2953	QEVASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
SEQ2954	QEVASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
SEQ2955	-----SKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
SEQ2956	--VSASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
SEQ2957	--EVSASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
SEQ2958	---SASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
SEQ2959	QEVASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK
SEQ2960	--VSASSTSSKVVKGVMFSDTEKARWDKIEKLVGDKAKIKFTEFTDYTPNQATANK

SEQ2950	DVDINAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
SEQ2951	DVDINAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
SEQ2952	DVDINAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
SEQ2953	DVDINAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
SEQ2954	DVDINAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
SEQ2955	DVDINAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
SEQ2956	DVDINAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
SEQ2957	DVDINAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
SEQ2958	DVDINAFQHYNFLENWKNENKKNLIPLEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA

Table 29: Comparative Sequences relating t SAG1641 (YaeC family protein)

SEQ2959	DVDINAFQHYNFLENWNKENKKNLIPILEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
SEQ2960	DVDINAFQHYNFLENWNKENKKNLIPILEKTYLAPIRIYSEKVKSLKKLKKGATIAIPNDA
SEQ2950	TNGSRALYVLQSAGLIKLNVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
SEQ2951	TNGSRALYVLQSAGLIKLNVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
SEQ2952	TNGSRALYVLQSAGLIKLNVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
SEQ2953	TNGSRALYVLQSAGLIKLNVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
SEQ2954	TNGSRALYVLQSAGLIKLNVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
SEQ2955	TNGSRALYVLQSAGLIKLNVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
SEQ2956	TNGSRALYVLQSAGLIKLNVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
SEQ2957	TNGSRALYVLQSAGLIKLNVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
SEQ2958	TNGSRALYVLQSAGLIKLNVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
SEQ2959	TNGSRALYVLQSAGLIKLNVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
SEQ2960	TNGSRALYVLQSAGLIKLNVSGKKVATVANITSNKKDINIQLDASQTPRALKDVDAAII
SEQ2950	NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
SEQ2951	NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
SEQ2952	NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
SEQ2953	NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
SEQ2954	NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
SEQ2955	NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
SEQ2956	NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
SEQ2957	NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
SEQ2958	NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
SEQ2959	NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
SEQ2960	NNTYIEQANLKPSDAIFVEKSDKNSKQWINIIAGRKNWKKQKNAKAIQAILDAYHTDEVK
SEQ2950	KVIKDT SADIPQWNP AFLY
SEQ2951	KVIKDT SADIPQW-----
SEQ2952	KVIKDT SADIP-----
SEQ2953	KVIKDT SADIPQW-----
SEQ2954	KVIKDT SADIPQW-----
SEQ2955	KVIKDT SADIPQW-----
SEQ2956	KVIKDT SADIPQW-----
SEQ2957	KVIKDT SADIPQW-----
SEQ2958	KVIKDT SADIPQW-----
SEQ2959	KVIKDT-----
SEQ2960	KVIKDT SADIPQW-----

**Table 30: Comparative Sequences relating to SAG2147
(protein f unknown function / lipoprotein, putative)**

**SEQ ID NO. 3001: SAG2147 FROM THE 1169NT1 GBS TYPE V STRAIN
(REVERSE COMPLEMENT)**

AAAAGTTCACAAGTTACTACTGAATCTTTGTCAAAGCAGATAAAAGTTCGCGTAGCC
AAAAAATCAAAAATGACTAAGGCGACATCTAAATCAAAGTAGAAGATGTAAAACAGGCT
CCAAAACCTTCTCAGGCATCTAATGAAGTCCCAAAATCAAGTTCTCAATCTACAGAAGCT
AATTCTCAGCAACAAGTTACTGCGAGTGAAGAGGCGGCTGTAGAACAAGCAGTTGTAACA
GAAAATACCCCTGCTACCAGTCAGGCACAACAACCTTATGCTGTTACTGAGACAACCTTAC
AAACCTGCTCAACACCAGACAAGTGGCCAAGTATTGAGCAATGGAAATACTGCAGGGGCG
GTCGGATCTGCTGCTGCAGCACAAATGGCTGCTGCAACAGGAGTCCCTCAGTCTACTTGG
GAACATATTATTGCCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGCCTCAGGAGCT
TCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGGATCAAGTT
AATTCAGCTATTAAAGCTTATCGTGCTCAAGGTTTATCAGCTTGGGGTTAC

**SEQ ID NO. 3002: SAG2147 FROM THE 18RS21 GBS TYPE II STRAIN
(REVERSE COMPLEMENT)**

AAAAGTTCACAAGTTACTACTGAATCTTTGTCAAAGCAGATAAAAGTTC
GCGTAGCCAAAAAATCAAAAATGACTAAGGCGACATCTAAATCAAAGTAGAAGATGTAA
AACAGGCTCCAAAACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAGTTCTCAATCTA
CAGAAGCTAATTCTCAGCAACAAGTTACTGCGAGTGAAGAGGCAGCTGTAGAACAAGCAG
TTGTAACAGAAAAACACCCCTGCTACCAGTCAGGCACAACAAGCTTATGCTGTTACTGAGA
CAACTTATAGACCTGCTCAACACCAGACGAGTGGCCAAGTATTGAGTAATGGAAATACTG
CAGGGGCTATTGGCTCAGCAGCTGCAGCACAAATGGCTGCTGCAACAGGAGTCCCTCAGT
CTACTTGGGAACATATTATTGCCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGCCT
CAGGAGCTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGG
ATCAAGTTAATTCAGCTATTAAAGCTTATCGTGCTCAAGGTTTATCAGCTTGGGGTTAC

**SEQ ID NO. 3003: SAG2147 FROM THE 2603 V/R GBS TYPE V STRAIN
(REVERSE COMPLEMENT)**

AAAAGTTCACAAGTTACTACTGAATCTTTGTCAAAGCAGATAAAAGT
TCGCGTAGCCAAAAAATCAAAAATGACTAAGGCGACATCTAAATCAAAGTAGAAGATGT
AAAACAGGCTCCAAAACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAGTTCTCAATC
TACAGAAGCTAATTCTCAGCAACAAGTTACTGCGAGTGAAGAGGCAGCTGTAGAACAAGC
AGTTGTAACAGAAAAACACCCCTGCTACCAGTCAGGCACAACAAGCTTATGCTGTTACTGA
GACAACCTTATAGACCTGCTCAACACCAGACGAGTGGCCAAGTATTGAGTAATGGAAATAC
TGCAGGGGCTATTGGCTCAGCAGCTGCAGCACAAATGGCTGCTGCAACAGGAGTCCCTCA
GTCTACTTGGGAACATATTATTGCCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGC
CTCAGGAGCTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCA
GGATCAAGTTAATTCAGCTATTAAAGCTTATCGTGCTCAAGGTTTATCAGCTTGGGGTTA
C

**SEQ ID NO. 3004: SAG2147 FROM THE 090 GBS TYPE Ia STRAIN
(REVERSE COMPLEMENT)**

TAGCCAAAAAATCAAAAATGATTAAGGCGACATCTAAATCAAAGTAGAAGATGTAAAAC
AGGCTCCAAAACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAGTTCTCAATCTACAG
AAGCTAATTCTCAGCAACAAGTTACTGCGAGTGAAGAGGCAGCTGTAGAACAAGCAGTTG
TAACAGAAAACACCCCTGCTACCAGTCAGGCACAACAAGCTTATGCTGTTACTGAGACAA
CTTATAGACCTGCTCAACACCAGACGAGTGGCCAAGTATTGAGTAATGGAAATACTGCAG
GGGCTATTGGCTCAGCAGCTGCAGCACAAATGGCTGCTGCAACAGGAGTCCCTCAGTCTA
CTTGGGAACATATTATTGCCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGCCTCAG
GAGCTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGGA

**SEQ ID NO. 3005: SAG2147 FROM THE A909 GBS TYPE Ia STRAIN
(REVERSE COMPLEMENT)**

AAGGCGACATCTAAATCAAAGTAGAAGATGTAAAACAGGCTCCAAAACCTTCTCAGGCA
TCTAATGAAGCCCCAAAATCAAGTTCTCAATCTACAGAAGCTAATTCTCAGCAACAAGTT
ACTGCGAGTGAAGAGGCAGCTGTAGAACAAGCAGTTGTAACAGAAAACACCCCTGCTACC
AGTCAGGCACAACAAGCTTATGCTGTTACTGAGACAACCTTATAGACCTGCTCAACACCAG
ACAAGTGGCCAAGTATTGAGTAATGGAAATACTGCAGGGGCTATTGGCTCAGCAGCTGCA
GCACAAATGGCTGCTGCAACAGGAGTCCCTCAGTCTACTTGGGAACATATTATTGCCCCGT
GAATCAAATGGTAATCCTAATGTTGCTAATGCCTCAGGAGCTTCAGGACTTTTCCAAACG
ATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGAATCAAGTTAATTCAGCTATTAAAGCT
TATCGTGCTCAAGGTTTATCA

**Table 30: Comparative Sequences relating to SAG2147
(protein of unknown function / lipoprotein, putative)**

**SEQ ID NO. 3006: SAG2147 FROM THE CJB110 GBS NONTYPEABLE STRAIN
(REVERSE COMPLEMENT)**

AATCTTTGTCAAAGCAGATAAAGTTTCGCGTAGCCAAAAAATCAAAAATGACTAAGGCGA
CATCTAAATCAAAGTAGAAGATGTAAAACAGGCTCCAAAACCTTCTCAGGCATCTAATG
AAGCCCCAAAATCAAGTTCTCAATCTACAGAAGCTAATTCTCAGCAACAAGTTACTGCGA
GTGAAGAGGCAGCTGTAGAACAAGCAGTTGTAAACAGAAAACACCCCTGCTACCAGTCAGG
CACAACAAGCTTATGCTGTTACTGAGACAACCTTATAGACCTGCTCAACACCAGACGAGTG
GCCAAGTATTGAGTAATGGAATACTGCAGGGGCTATTGGCTCAGCAGCTGCAGCACAAA
TGGCTGCTGCAACAGGAGTCCCTCAGTCTACTTGGGAACATATTATTGCCCGTGAATCAA
ATGGTAATCCTAATGTTGCTAATGCCTCAGGAGCTTCAGGACTTTTCCAAACGATGCCAG
GTTGGGGTTCAACAGCTACAGTTCAGGATCAAGTTAATTCAGCTATTAAAGCTTATCGTG
CTCAAGGTTTATCAGCTTGGGGTTAC

**SEQ ID NO. 3007: SAG2147 FROM THE COH1 GBS TYPE III STRAIN
(REVERSE COMPLEMENT)**

AAAAGTTCACAAGTTACTACTGAATCTTTGTCAAAGCAGATAA
AGTTTCGCGTAGCCAAAAAATCAAAAATGACTAAGGCGACATCTAAATCAAAGTAGAAGA
TGTAACAACAGGCTCCAAAACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAGTTCTCA
ATCTACAGAAGCTAATTCTCAGCAACAAGTTACTGCGAGTGAAGAGGCGGCTGTAGAACA
AGCAGTTGTAAACAGAAAATACCCCTGCTACCAGTCAGGCACAACAACCTTATGCTGTTAC
TGAGACAACCTTACAAACCTGCTCAACACCAGACAAGTGGCCAAGTATTGAGCAATGGAAA
TACTGCAGGGGCGGTGCGATCTGCTGCTGCAGCACAAATGGCTGCTGCAACAGGAGTCCC
TCAGTCTACTTGGGAACATATTATTGCCCGTGAATCAAATGGTAATCCTAATGTTGCTAA
TGCCTCAGGAGCTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGT
TCAGGATCAAGTTAATTCAGCTATTAAAGCTTATCGTGCTCAAGGTTTATCAGCTTGGGG
TTAC

**SEQ ID NO. 3008: SAG2147 FROM THE H36b GBS TYPE Ib STRAIN
(REVERSE COMPLEMENT)**

AAAAGTTCACAAGTTACTACTGAATCTTTGTCAAAGC
AGATAAGTTTCGCGTAGCCAAAAAATCAAAAATGACTAAGGCGACATCTAAATCAAAGT
AGAAGATGTAAAACAGGCTCCAAAACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAG
TTCTCAATCTACAGAAGCTAATTCTCAGCAACAAGTTACTGCGAGTGAAGAGGCAGCTGT
AGAACAAGCAGTTGTAAACAGAAAACACCCCTGCTACCAGTCAGGCACAACAAGCTTATGC
TGTTACTGAGACAACCTTATAGACCTGCTCAACACCAGACAAGTGGCCAAGTATTGAGTAA
TGGAAATACTGCAGGGGCTATTGGCTCAGCAGCTGCAGCACAAATGGCTGCTGCAACAGG
AGTCCCTCAGTCTACTTGGGAACATATTATTGCCCGTGAATCAAATGGTAATCCTAATGT
TGCTAATGCCTCAGGAGCTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGC
TACAGTTCAGGATCAAGTTAATTCAGCTATTAAAGCTT

**SEQ ID NO. 3009: SAG2147 FROM THE M732 GBS TYPE III STRAIN
(REVERSE COMPLEMENT)**

AAAAGTTCACAAGTTACTACTGAATCTTTGTCAAAGCAGATAAAGTTTCGCGTAGC
CAAAAATCAAAAATGACTAAGGCGACATCTAAATCAAAGTAGAAGATGTAAAACAGGC
TCCAAAACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAGTTCTCAATCTACAGAAGC
TAATTCTCAGCAACAAGTTACTGCGAGTGAAGAGGCGGCTGTAGAACAAGCAGTTGTAAAC
AGAAAATACCCCTGCTACCAGTCAGGCACAACAACCTTATGCTGTTACTGAGACAACCTTA
CAAACCTGCTCAACACCAGACAAGTGGCCAAGTATTGAGCAATGGAAATACTGCAGGGGC
GGTCGGATCTGCTGCTGCAGCACAAATGGCTGCTGCAACAGGAGTCCCTCAGTCTACTTG
GGAACATATTATTGCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGCCTCAGGAGC
TTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGGATCAAGT
TAATTCAGCTATTAAAGCTTATCGTGCTCAAGGTTTATCAGCTTGGGGTTA

**Table 30: Comparativ Sequences relating t SAG2147
(protein of unknown function / lipoprotein, putative)**

SEQ ID NO. 3010: SAG2147 FROM THE M781 GBS TYPE III STRAIN
(REVERSE COMPLEMENT)

GTAACCCCAAGCTGATAAACCTTGAGCACGATAAGCTTTAATAGCTGAATTAAGTTGATC
CTGAAGTGTAGCTGTTGAACCCCAACCTGGCATCGTTTGAAAAAGTCCTGAAGCTCCTGA
GGCATTAGCAACATTAGGATTACCATTGATTACAGGGCAATAATATGTTCCCAAGTAGA
CTGAGGGACTCCTGTTGCAGCAGCCATTGTGCTGCAGCAGCAGATCCGACCGCCCTGC
AGTATTTCCATTGCTCAATACTTGGCCACTTGTCTGGTGTGAGCAGGTTTGTAAGTTGT
CTCAGTAACAGCATAAGTTTGTGTGCCTGACTGGTAGCAGGGGTATTTCTGTTACAAC
TGCTTGTTCTACAGCCGCCTCTTCACTCGCAGTAAGTTGTTGCTGAGAATTAGCTTCTGT
AGATTGAGAAGTTGATTTTGGGGCTTCATTAGATGCCTGAGAAGGTTTTGGAGCCTGTTT
TACATCTTCTACTTTTGATTTAGATGTCGCCTTAGTCATTTTGTATTTTGGCTACGCG
AACTTTATCTGCTTTTGACAAAGA

SEQ3001 -----
SEQ3002 -----
SEQ3003 -----
SEQ3004 -----
SEQ3005 AGGCGACATCTAAATCAAAGTAGAAGATGTAAACAGGCTCCAAAACCTTCTCAGGCA
SEQ3007 -----
SEQ3008 -----
SEQ3009 -----
SEQ3010 -----

SEQ3001 -----
SEQ3002 -----
SEQ3003 -----
SEQ3004 -----
SEQ3005 CTAATGAAGCCCCAAATCAAGTTCTCAATCTACAGAAGCTAATTCTCAGCAACAAGTT
SEQ3007 -----
SEQ3008 -----
SEQ3009 -----
SEQ3010 -----

SEQ3001 -----
SEQ3002 -----
SEQ3003 -----
SEQ3004 -----
SEQ3005 CTGCGAGTGAAGAGGCAGCTGTAGAACAAGCAGTTGTAACAGAAAACACCCCTGCTACC
SEQ3007 -----
SEQ3008 -----
SEQ3009 -----
SEQ3010 -----

SEQ3001 -----
SEQ3002 -----
SEQ3003 -----
SEQ3004 -----
SEQ3005 GTCAGGCACAACAAGCTTATGCTGTTACTGAGACAACTTATAGACCTGCTCAACACCAG
SEQ3007 -----
SEQ3008 -----
SEQ3009 -----
SEQ3010 -----

SEQ3001 -----
SEQ3002 -----
SEQ3003 -----
SEQ3004 -----
SEQ3005 CAAGTGGCCAAGTATTGAGTAATGGAATACTGCAGGGGCTATTGGCTCAGCAGCTGCA
SEQ3007 -----
SEQ3008 -----
SEQ3009 -----
SEQ3010 -----

**Table 30: C mparative Sequences relating t SAG2147
(protein of unknown function / lipopr tein, putative)**

SEQ3001	-----
SEQ3002	-----
SEQ3003	-----
SEQ3004	-----
SEQ3005	CACAAATGGCTGCTGCAACAGGAGTCCCTCAGTCTACTTGGGAACATATTATTGCCCGT
SEQ3007	-----
SEQ3008	-----
SEQ3009	-----
SEQ3010	-----
SEQ3001	-----
SEQ3002	-----
SEQ3003	-----
SEQ3004	-----
SEQ3005	AATCAAATGGTAATCCTAATGTTGCTAATGCCTCAGGAGCTTCAGGACTTTTCCAAACG
SEQ3007	-----
SEQ3008	-----
SEQ3009	-----
SEQ3010	-----
SEQ3001	-----
SEQ3002	-----
SEQ3003	-----
SEQ3004	-----
SEQ3005	TGCCAGGTTGGGGTTCAACAGCTACAGTTCAGAATCAAGTTAATTTCAGCTATTAAAGCT
SEQ3007	-----
SEQ3008	-----
SEQ3009	-----
SEQ3010	-----
SEQ3001	AAAGTTCACAAGTTACTACTGAATCTTTGTCAAAGCAGATAAAGTTCGCGTAGCCAAA
SEQ3002	AAAGTTCACAAGTTACTACTGAATCTTTGTCAAAGCAGATAAAGTTCGCGTAGCCAAA
SEQ3003	AAAGTTCACAAGTTACTACTGAATCTTTGTCAAAGCAGATAAAGTTCGCGTAGCCAAA
SEQ3004	-----TAGCCAAA
SEQ3005	ATCGTGCTCAAGGTTTATCASAATCTTTGTCAAAGCAGATAAAGTTCGCGTAGCCAAA
SEQ3007	AAAGTTCACAAGTTACTACTGAATCTTTGTCAAAGCAGATAAAGTTCGCGTAGCCAAA
SEQ3008	AAAGTTCACAAGTTACTACTGAATCTTTGTCAAAGCAGATAAAGTTCGCGTAGCCAAA
SEQ3009	AAAGTTCACAAGTTACTACTGAATCTTTGTCAAAGCAGATAAAGTTCGCGTAGCCAAA
SEQ3010	-----GTAACCCCAAGCTGA---TAAACCTTGAGCAGGATAAGCTTTAATAGCTGAA
SEQ3001	AATCAAAAATGACTAAGGCGACATCTAAATCAAAGTAGAAGATGTAAACAGGCTCCA
SEQ3002	AATCAAAAATGACTAAGGCGACATCTAAATCAAAGTAGAAGATGTAAACAGGCTCCA
SEQ3003	AATCAAAAATGACTAAGGCGACATCTAAATCAAAGTAGAAGATGTAAACAGGCTCCA
SEQ3004	AATCAAAAATGATTAAGGCGACATCTAAATCAAAGTAGAAGATGTAAACAGGCTCCA
SEQ3005	AATCAAAAATGACTAAGGCGACATCTAAATCAAAGTAGAAGATGTAAACAGGCTCCA
SEQ3007	AATCAAAAATGACTAAGGCGACATCTAAATCAAAGTAGAAGATGTAAACAGGCTCCA
SEQ3008	AATCAAAAATGACTAAGGCGACATCTAAATCAAAGTAGAAGATGTAAACAGGCTCCA
SEQ3009	AATCAAAAATGACTAAGGCGACATCTAAATCAAAGTAGAAGATGTAAACAGGCTCCA
SEQ3010	TAACTTGATCCTGAAGTGTAGCTGTTGAACCCCAACCTGCGATCGTTTGAAAAGTCTT
SEQ3001	AACCTTCTCAGGCATCTAATGAAGTCCCAAAATCAAGTTCTCAATCTACAGAAGCTAAT
SEQ3002	AACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAGTTCTCAATCTACAGAAGCTAAT
SEQ3003	AACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAGTTCTCAATCTACAGAAGCTAAT
SEQ3004	AACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAGTTCTCAATCTACAGAAGCTAAT
SEQ3005	AACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAGTTCTCAATCTACAGAAGCTAAT
SEQ3007	AACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAGTTCTCAATCTACAGAAGCTAAT
SEQ3008	AACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAGTTCTCAATCTACAGAAGCTAAT
SEQ3009	AACCTTCTCAGGCATCTAATGAAGCCCCAAAATCAAGTTCTCAATCTACAGAAGCTAAT
SEQ3010	AAGTCTCTGAGGCATT---AGCAACATTAGGATTAC-CATTTGATTACAGGGCAATAAT
SEQ3001	TCTCAGCAACAAGTTACTGCGAGTGAAGAGGCGGCTGTAGAACAAGCAGTTGTAACAGA
SEQ3002	TCTCAGCAACAAGTTACTGCGAGTGAAGAGGCGGCTGTAGAACAAGCAGTTGTAACAGA
SEQ3003	TCTCAGCAACAAGTTACTGCGAGTGAAGAGGCGGCTGTAGAACAAGCAGTTGTAACAGA
SEQ3004	TCTCAGCAACAAGTTACTGCGAGTGAAGAGGCGGCTGTAGAACAAGCAGTTGTAACAGA
SEQ3005	TCTCAGCAACAAGTTACTGCGAGTGAAGAGGCGGCTGTAGAACAAGCAGTTGTAACAGA
SEQ3007	TCTCAGCAACAAGTTACTGCGAGTGAAGAGGCGGCTGTAGAACAAGCAGTTGTAACAGA
SEQ3008	TCTCAGCAACAAGTTACTGCGAGTGAAGAGGCGGCTGTAGAACAAGCAGTTGTAACAGA
SEQ3009	TCTCAGCAACAAGTTACTGCGAGTGAAGAGGCGGCTGTAGAACAAGCAGTTGTAACAGA
SEQ3010	TGTTCCCAAGTAGACTGAGGGACTCCTGTTGCAGCAGCCATTTGTGCTGCAGCAGCAGA

**Table 50: Comparative Sequences relating t SAG2147
(protein of unknown function / lipoprotein, putative)**

SEQ3001	--AAATACCCCTGCTACCAAGTCAGGCACAACAACTTATGCTGTTACTGAGACAACCTTA
SEQ3002	--AAACACCCCTGCTACCAAGTCAGGCACAACAACTTATGCTGTTACTGAGACAACCTTA
SEQ3003	--AAACACCCCTGCTACCAAGTCAGGCACAACAACTTATGCTGTTACTGAGACAACCTTA
SEQ3004	--AAACACCCCTGCTACCAAGTCAGGCACAACAACTTATGCTGTTACTGAGACAACCTTA
SEQ3005	--AAACACCCCTGCTACCAAGTCAGGCACAACAACTTATGCTGTTACTGAGACAACCTTA
SEQ3007	--AAATACCCCTGCTACCAAGTCAGGCACAACAACTTATGCTGTTACTGAGACAACCTTA
SEQ3008	--AAACACCCCTGCTACCAAGTCAGGCACAACAACTTATGCTGTTACTGAGACAACCTTA
SEQ3009	--AAATACCCCTGCTACCAAGTCAGGCACAACAACTTATGCTGTTACTGAGACAACCTTA
SEQ3010	CCGACCGCCCCCTGCAGTATTTCCATTGCTCAATACTTG-GCCACTTGTCTGGTGTGAG
SEQ3001	AAACCTGCTCAACACCAGACAAGTGGC-CAAGTATTGAGCAATGGAATACTGCAGGGG
SEQ3002	AGACCTGCTCAACACCAGACGAGTGGC-CAAGTATTGAGTAATGGAATACTGCAGGGG
SEQ3003	AGACCTGCTCAACACCAGACGAGTGGC-CAAGTATTGAGTAATGGAATACTGCAGGGG
SEQ3004	AGACCTGCTCAACACCAGACGAGTGGC-CAAGTATTGAGTAATGGAATACTGCAGGGG
SEQ3005	AGACCTGCTCAACACCAGACGAGTGGC-CAAGTATTGAGTAATGGAATACTGCAGGGG
SEQ3007	AAACCTGCTCAACACCAGACAAGTGGC-CAAGTATTGAGCAATGGAATACTGCAGGGG
SEQ3008	AGACCTGCTCAACACCAGACAAGTGGC-CAAGTATTGAGTAATGGAATACTGCAGGGG
SEQ3009	AAACCTGCTCAACACCAGACAAGTGGC-CAAGTATTGAGCAATGGAATACTGCAGGGG
SEQ3010	AGGTTTGTAAAGTTGTCTCAGTAACAGCATAAGTTTGTGTGCTGACTGGTAGCAGGGG
SEQ3001	GGTCGGATCTGCTGCTGCAGCACAATGGCTGCTGCAACAGGAGTCCCTCAGTCTACTT
SEQ3002	TATTGGCTCAGCAGCTGCAGCACAATGGCTGCTGCAACAGGAGTCCCTCAGTCTACTT
SEQ3003	TATTGGCTCAGCAGCTGCAGCACAATGGCTGCTGCAACAGGAGTCCCTCAGTCTACTT
SEQ3004	TATTGGCTCAGCAGCTGCAGCACAATGGCTGCTGCAACAGGAGTCCCTCAGTCTACTT
SEQ3005	TATTGGCTCAGCAGCTGCAGCACAATGGCTGCTGCAACAGGAGTCCCTCAGTCTACTT
SEQ3007	GGTCGGATCTGCTGCTGCAGCACAATGGCTGCTGCAACAGGAGTCCCTCAGTCTACTT
SEQ3008	TATTGGCTCAGCAGCTGCAGCACAATGGCTGCTGCAACAGGAGTCCCTCAGTCTACTT
SEQ3009	GGTCGGATCTGCTGCTGCAGCACAATGGCTGCTGCAACAGGAGTCCCTCAGTCTACTT
SEQ3010	A-TTT--TCTGTTACAACCTGCTTGTCTACAGCCGCTCTTCACTCGCAGTAACCTGTT
SEQ3001	GGGAACATATTATTGCCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGCCTCAGGAG
SEQ3002	GGGAACATATTATTGCCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGCCTCAGGAG
SEQ3003	GGGAACATATTATTGCCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGCCTCAGGAG
SEQ3004	GGGAACATATTATTGCCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGCCTCAGGAG
SEQ3005	GGGAACATATTATTGCCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGCCTCAGGAG
SEQ3007	GGGAACATATTATTGCCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGCCTCAGGAG
SEQ3008	GGGAACATATTATTGCCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGCCTCAGGAG
SEQ3009	GGGAACATATTATTGCCCCGTGAATCAAATGGTAATCCTAATGTTGCTAATGCCTCAGGAG
SEQ3010	GCTGAGA-ATTAGCTTCTGTAGATTGAG---AA--CTTGATTTTGGGGCTTCATTAGATG
SEQ3001	CTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGGATCAAG
SEQ3002	CTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGGATCAAG
SEQ3003	CTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGGATCAAG
SEQ3004	CTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGGA-----
SEQ3005	CTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGGATCAAG
SEQ3007	CTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGGATCAAG
SEQ3008	CTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGGATCAAG
SEQ3009	CTTCAGGACTTTTCCAAACGATGCCAGGTTGGGGTTCAACAGCTACAGTTCAGGATCAAG
SEQ3010	CCTGAGAAGGTTTT-----GGAGCCTGTTTTACATCTTCTACTTTTGATTAGATGTCGC
SEQ3001	TAATTCAGCTATTAAAGCTTATCGTGCTCAAGGTTTATCAGCTTGGGGTTAC--
SEQ3002	TAATTCAGCTATTAAAGCTTATCGTGCTCAAGGTTTATCAGCTTGGGGTTAC--
SEQ3003	TAATTCAGCTATTAAAGCTTATCGTGCTCAAGGTTTATCAGCTTGGGGTTAC--
SEQ3004	-----
SEQ3005	TAATTCAGCTATTAAAGCTTATCGTGCTCAAGGTTTATCAGCTTGGGGTTAC--
SEQ3007	TAATTCAGCTATTAAAGCTTATCGTGCTCAAGGTTTATCAGCTTGGGGTTAC--
SEQ3008	TAATTCAGCTATTAAAGCTT-----
SEQ3009	TAATTCAGCTATTAAAGCTTATCGTGCTCAAGGTTTATCAGCTTGGGGTTA---
SEQ3010	TTAGTCA-TTTTTGATTTTTTGGCTACGCGAACTTTATCTGCTTTTGACAAAGA

**Table 30: Comparative Sequences relating to SAG2147
(protein function / lipoprotein, putative)**

>SEQ ID NO 3050: 25_1169NT frame: 1
KSSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEVPKSSSQSTEAN
SQQQVTASEEAAVEQAVVTENTPATSAQQQTYAVTETTYKPAQHQTSGQVLSNGNTAGAV
GSAAAAQMAAATGVPQSTWEHIIARESNNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SAIKAYRAQGLSAWGY

>SEQ ID NO 3051: 25_18RS21 frame: 1
KSSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SQQQVTASEEAAVEQAVVTENTPATSAQQQYAVTETTYRPAQHQTSGQVLSNGNTAGAI
GSAAAAQMAAATGVPQSTWEHIIARESNNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SAIKAYRAQGLSAWGY

>SEQ ID NO 3052: 25_2603 frame: 1
KSSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SQQQVTASEEAAVEQAVVTENTPATSAQQQYAVTETTYRPAQHQTSGQVLSNGNTAGAI
GSAAAAQMAAATGVPQSTWEHIIARESNNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SAIKAYRAQGLSAWGY

>SEQ ID NO 3053: 25_090 frame: 3
AKKSKMIKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEANSQQQVTASEEAAVEQAVV
TENTPATSAQQQYAVTETTYRPAQHQTSGQVLSNGNTAGAI GSAAAAQMAAATGVPQST
WEHIIARESNNGNPNVANASGASGLFQTMPGWGSTATVQ

>SEQ ID NO 3054: 25_A909 frame: 1
KATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEANSQQQVTASEEAAVEQAVVTENTPAT
SAQQQYAVTETTYRPAQHQTSGQVLSNGNTAGAI GSAAAAQMAAATGVPQSTWEHIIAR
ESNNGNPNVANASGASGLFQTMPGWGSTATVQNVNSAIKAYRAQGLS

>SEQ ID NO 3055: 25_CJB110 frame: 3
SLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEANSQQQVTAS
EEAAVEQAVVTENTPATSAQQQYAVTETTYRPAQHQTSGQVLSNGNTAGAI GSAAAAQMA
AATGVPQSTWEHIIARESNNGNPNVANASGASGLFQTMPGWGSTATVQDQVNSAIKAYRA
QGLSAWGY

>SEQ ID NO 3056: 25_COH1 frame: 1
KSSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SQQQVTASEEAAVEQAVVTENTPATSAQQQTYAVTETTYKPAQHQTSGQVLSNGNTAGAV
GSAAAAQMAAATGVPQSTWEHIIARESNNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SAIKAYRAQGLSAWGY

>SEQ ID NO 3057: 25_H36B frame: 1
KSSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SQQQVTASEEAAVEQAVVTENTPATSAQQQYAVTETTYRPAQHQTSGQVLSNGNTAGAI
GSAAAAQMAAATGVPQSTWEHIIARESNNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SAIKA

>SEQ ID NO 3058: 25_M732 frame: 1
KSSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SQQQVTASEEAAVEQAVVTENTPATSAQQQTYAVTETTYKPAQHQTSGQVLSNGNTAGAV
GSAAAAQMAAATGVPQSTWEHIIARESNNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SAIKAYRAQGLSAWGY

>SEQ ID NO 3059: 25_M781 frame: 4
SLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEANSQQQVTAS
EEAAVEQAVVTENTPATSAQQQTYAVTETTYKPAQHQTSGQVLSNGNTAGAV GSAAAAQMA
AATGVPQSTWEHIIARESNNGNPNVANASGASGLFQTMPGWGSTATVQDQVNSAIKAYRA
QGLSAWGY

SEQ3050	SSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEVPKSSSQSTEAN
SEQ3051	SSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SEQ3052	SSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SEQ3053	-----AKKSKMIKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SEQ3054	-----KATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SEQ3055	-----SLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SEQ3056	SSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SEQ3057	SSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SEQ3058	SSQVTTESLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN
SEQ3059	-----SLSKADKVRVAKKSKMTKATSKSKVEDVKQAPKPSQASNEAPKSSSQSTEAN

Table 30: Comparative Sequences relating to SAG2147 (protein of unknown function / lip protein, putative)

SEQ3050	SQQQVTASEEAAVEQAVVTENTPATSAQQQTYAVTETTYKPAQHQTSGQVLSNGNTAGAV
SEQ3051	SQQQVTASEEAAVEQAVVTENTPATSAQQQAYAVTETTYRPAQHQTSGQVLSNGNTAGAI
SEQ3052	SQQQVTASEEAAVEQAVVTENTPATSAQQQAYAVTETTYRPAQHQTSGQVLSNGNTAGAI
SEQ3053	SQQQVTASEEAAVEQAVVTENTPATSAQQQAYAVTETTYRPAQHQTSGQVLSNGNTAGAI
SEQ3054	SQQQVTASEEAAVEQAVVTENTPATSAQQQAYAVTETTYRPAQHQTSGQVLSNGNTAGAI
SEQ3055	SQQQVTASEEAAVEQAVVTENTPATSAQQQAYAVTETTYRPAQHQTSGQVLSNGNTAGAI
SEQ3056	SQQQVTASEEAAVEQAVVTENTPATSAQQQTYAVTETTYKPAQHQTSGQVLSNGNTAGAV
SEQ3057	SQQQVTASEEAAVEQAVVTENTPATSAQQQAYAVTETTYRPAQHQTSGQVLSNGNTAGAI
SEQ3058	SQQQVTASEEAAVEQAVVTENTPATSAQQQTYAVTETTYKPAQHQTSGQVLSNGNTAGAV
SEQ3059	SQQQVTASEEAAVEQAVVTENTPATSAQQQTYAVTETTYKPAQHQTSGQVLSNGNTAGAV
SEQ3050	GSAAAAQMAAATGVPQSTWEHI IARESNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SEQ3051	GSAAAAQMAAATGVPQSTWEHI IARESNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SEQ3052	GSAAAAQMAAATGVPQSTWEHI IARESNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SEQ3053	GSAAAAQMAAATGVPQSTWEHI IARESNGNPNVANASGASGLFQTMPGWGSTATVQ----
SEQ3054	GSAAAAQMAAATGVPQSTWEHI IARESNGNPNVANASGASGLFQTMPGWGSTATVQNQVN
SEQ3055	GSAAAAQMAAATGVPQSTWEHI IARESNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SEQ3056	GSAAAAQMAAATGVPQSTWEHI IARESNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SEQ3057	GSAAAAQMAAATGVPQSTWEHI IARESNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SEQ3058	GSAAAAQMAAATGVPQSTWEHI IARESNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SEQ3059	GSAAAAQMAAATGVPQSTWEHI IARESNGNPNVANASGASGLFQTMPGWGSTATVQDQVN
SEQ3050	AIKAYRAQGLSAWGY
SEQ3051	AIKAYRAQGLSAWGY
SEQ3052	AIKAYRAQGLSAWGY
SEQ3053	-----
SEQ3054	AIKAYRAQGLS----
SEQ3055	AIKAYRAQGLSAWGY
SEQ3056	AIKAYRAQGLSAWGY
SEQ3057	AIKA-----
SEQ3058	AIKAYRAQGLSAWG-
SEQ3059	AIKAYRAQGLSAWGY

**Table 31: C mparative Sequences relating to SAG2148
(LysM domain protein)**

SEQ ID NO. 3101: SAG2148 FROM THE 1169NT1 GBS TYPE V STRAIN

GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACTACGGTACAAGAGTTAGTG
TCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGTGATGTTTTAAATTTGGATAATTCTACAGCTAGTCAA
GCAGAAGCAAATCTCAACCAACAATTGAAAATTCAATGAATTCCTTCATCAAATTTGAGTTCAAGTGATTGAGCTGCA
AAAGAAGAAATAGCTCGTCGTGAATCAAATGGTAGTTATACTGCACAGAATGGACAATATTATGGAAGATATCAACTG
TCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAAGTAGCGGACAATTATGTGGCTTCTCGTTAC
GGATCTTGGTCGGCAGCGCTATCATTTTGAATAGTAACGGCTGGTAT

SEQ ID NO. 3102: SAG2148 FROM THE 18RS21 GBS TYPE II STRAIN

GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACTACGGTACAAGAGTTAGTG
TCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGTGATGTTTTAAATTTGGATAATTCTACAGCTAGTCAA
GCAGAAGCAAATCTCAACCAACAATTGAAAATTCAATGAATTCCTTCATCAAATTTGAGTTCAAGTGATTGAGCTGCA
AAAGAAGAAATAGCTCGTCGTGAATCAAATGGTAGTTATACTGCACAGAATGGACAATATTATGGAAGATATCAACTG
TCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAAGTAGCGGACAATTATGTGGTTTCTCGTTAC
GGATCTTGGTCGGCAGCGCTATCATTTTGAATAGTAACGGCTGGTAT

SEQ ID NO. 3103: SAG2148 FROM THE 2603 V/R GBS TYPE V STRAIN

GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACTACGGTACAAGAGTTAGTG
TCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGTGATGTTTTAAATTTGGATAATTCTACAGCTAGTCAA
GCAGAAGCAAATCTCAACCAACAATTGAAAATTCAATGAATTCCTTCATCAAATTTGAGTTCAAGTGATTGAGCTGCA
AAAGAAGAAATAGCTCGTCGTGAATCAAATGGTAGTTATACTGCACAGAATGGACAATATTATGGAAGATATCAACTG
TCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAAGTAGCGGACAATTATGTGGTTTCTCGTTAC
GGATCTTGGTCGGCAGCGCTATCATTTTGAATAGTAACGGCTGGTAT

SEQ ID NO. 3104: SAG2148 FROM THE 090 GBS TYPE Ia STRAIN

GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACTACGGTACAAGAGTTAGTG
TCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGTGATGTTTTAAATTTGGATAATTCTAAAGCTAGTCAA
GCAGAAGCAAATCTCAACCAACAATTGAAAATTCAATGAATTCCTTCATCAAATTTGAGTTCAAGTGATTGAGCTGCA
AAAGAAGAAATAGCTCGTCGTGAATCAAATGGTAGTTATACTGCACAGAATGGACAATATTATGGAAGATATCAACTG
TCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAAGTAGCGGACAATTATGTGGTTTCTCGTTAC
GGATCTTGGTCGGCAGCGCTATCATTTTGAATAGTAACGGCTGGTAT

SEQ ID NO. 3105: SAG2148 FROM THE A909 GBS TYPE Ia STRAIN

GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACTACGGTACAAGAGTTAGTG
TCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGTGATGTTTTAAATTTGGATAATTCTACAGCTAGTCAA
GCAGAAGCAAATCTCAACCAACAATTGAAAATTCAATGAATTCCTTCATCAAATTTGAGTTCAAGTGATTGAGCTGCA
AAAGAAGAAATAGCTCGTCGTGAATCAAATGGTAGTTATACTGCACAGAATGGACAATATTATGGAAGATATCAACTG
TCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAAGTAGCGGACAATTATGTGGCTTCTCGTTAC
GGATCTTGGTCGGCAGCGCTATCATTTTGAATAGTAACGGCTGGTAT

SEQ ID NO. 3106: SAG2148 FROM THE CJB110 GBS NONTYPEABLE STRAIN

GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACTACGGTACAAGAGTTAGTG
TCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGTGATGTTTTAAATTTGGATAATTCTAAAGCTAGTCAA
GCAGAAGCAAATCTCAACCAACAATTGAAAATTCAATGAATTCCTTCATCAAATTTGAGTTCAAGTGATTGAGCTGCA
AAAGAAGAAATAGCTCGTCGTGAATCAAATGGTAGTTATACTGCACAGAATGGACAATATTATGGAAGATATCAACTG
TCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAAGTAGCGGACAATTATGTGGTTTCTCGTTAC
GGATCTTGGTCGGCAGCGCTATCATTTTGAATAGTAACGGCTGGTAT

SEQ ID NO. 3107: SAG2148 FROM THE COH1 GBS TYPE III STRAIN

GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACTACGGTACAATAGTTAGTG
TCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGTGATGTTTTAAATTTGGATAATTCTACAGCTAGTCAA
GCAGAAGCAAATCTCAACCAACAATTGAAAATTCAATGAATTCCTTCATCAAATTTGAGTTCAAGTGATTGAGCTGCA
AAAGAAGAAATAGCTCGTCGTGAATCAAATGGTAGTTATACTGCACAGAATGGACAATATTATGGAAGATATCAACTG
TCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAAGTAGCGGACAATTATGTGGCTTCTCGTTAC
GGATCTTGGTCGGCAGCGCTATCATTTTGAATAGTAACGGCTGGTAT

**Table 31: Comparative Sequences relating to SAG2148
(LysM d main pr tein)**

**SEQ ID NO. 3108: SAG2148 FROM THE H36b GBS TYPE Ib STRAIN
(REVERSE COMPLEMENT)**

GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACTACGGTACAAGAGTTAGTG
TCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGTGATGTTTTAAAATTGGATAATTCTACAGCTAGTCAA
GCAGAAGCAAAATCTCAACCAACAATTGAAAATTCAATGAATTCTTCATCAAATTTGAGTTCAAGTGATTACAGCCGCA
AAAGAAGAAATAGCTCGTCGTGAATCAAATGGTAGTTATACTGCACAGAATGGACAATATTATGGAAGATATCAACTG
TCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAAGTAGCGGACAATTATGTGGCTTCTCGTTAC
GGATCTTGGTCGGCAGCGCTATCATTTTGAATAGTAACGGCTGGTAT

**SEQ ID NO. 3109: SAG2148 FROM THE JM9130013 GBS TYPE VIII STRAIN
(REVERSE COMPLEMENT)**

GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACTACGGTACAAGAGTTAGTG
TCTCTCAATAGTATCAGTAACGCTGACGTCATCAGTATAGGTGATGTTTTAAAATTGGATAATTCTACAAGTATGTC
GCAGAAGCAAAATCTCAACCAACAATTGAAAATTCAATGAATTCTTCATCAAATTTGAGTTCAAGTGATTACAGCCGCA
AAAGAAGAAATAGCTCGTCGTGAATCAAATGGTAGTTATACTGCACAGAATGGACAATATTATGGAAGATATCAACTG
TCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAAGTAGCGGACAATTATGTGGCTTCTCGTTAC
GGATCTTGGTCGGCAGCGCTATCATTTTGAATAGTAACGGCTGGTAT

SEQ ID NO. 3110: SAG2148 FROM THE M732 GBS TYPE III STRAIN

GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACTACGGTACAATAGTTAGTG
TCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGTGATGTTTTAAAATTGGATAATTCTACAGCTAGTCAA
GCAGAAGCAAAATCTCAACCAACAATTGAAAATTCAATGAATTCTTCATCAAATTTGAGTTCAAGTGATTACAGCTGCA
AAAGAAGAAATAGCTCGTCGTGAATCAAATGGTAGTTATACTGCACAGAATGGACAATATTATGGAAGATATCAACTG
TCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAAGTAGCGGACAATTATGTGGCTTCTCGTTAC
GGATCTTGGTCGGCAGCGCTATCATTTTGAATAGTAACGGCTGGTAT

**SEQ ID NO. 3111: SAG2148 FROM THE M781 GBS TYPE III STRAIN
(REVERSE COMPLEMENT)**

GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACTACGGTACAATAGTTAGTG
TCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGTGATGTTTTAAAATTGGATAATTCTACAGCTAGTCAA
GCAGAAGCAAAATCTCAACCAACAATTGAAAATTCAATGAATTCTTCATCAAATTTGAGTTCAAGTGATTACAGCTGCA
AAAGAAGAAATAGCTCGTCGTGAATCAAATGGTAGTTATACTGCACAGAATGGACAATATTATGGAAGATATCAACTG
TCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAAGTAGCGGACAATTATGTGGCTTCTCGTTAC
GGATCTTGGTCGGCAGCGCTATCATTTTGAATAGTAACGGCTGGTAT

SEQ3101	GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACT
SEQ3102	GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACT
SEQ3103	GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACT
SEQ3104	GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACT
SEQ3105	GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACT
SEQ3106	GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACT
SEQ3107	GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACT
SEQ3108	GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACT
SEQ3109	GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACT
SEQ3110	GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACT
SEQ3111	GCATCTTATACCGTGAAATCAGGTGATACCTTATCAGCTATTGCTAAAAATCATAAACT

SEQ3101	ACGGTACAAGAGTTAGTGTCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGT
SEQ3102	ACGGTACAAGAGTTAGTGTCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGT
SEQ3103	ACGGTACAAGAGTTAGTGTCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGT
SEQ3104	ACGGTACAAGAGTTAGTGTCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGT
SEQ3105	ACGGTACAAGAGTTAGTGTCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGT
SEQ3106	ACGGTACAAGAGTTAGTGTCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGT
SEQ3107	ACGGTACAATAGTTAGTGTCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGT
SEQ3108	ACGGTACAAGAGTTAGTGTCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGT
SEQ3109	ACGGTACAAGAGTTAGTGTCTCTCAATAGTATCAGTAACGCTGACGTCATCAGTATAGGT
SEQ3110	ACGGTACAATAGTTAGTGTCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGT
SEQ3111	ACGGTACAATAGTTAGTGTCTCTCAATAGTATCAGTAACGCTGATGTCATCAGTATAGGT

**Table S1. Comparative Sequences relating to SAG2148
(LysM domain protein)**

SEQ3101	GATGTTTTAAATTTGGATAATTCTACAGCTAGTCAAGCAGAAGCAAAATCTCAACCAACA
SEQ3102	GATGTTTTAAATTTGGATAATTCTACAGCTAGTCAAGCAGAAGCAAAATCTCAACCAACA
SEQ3103	GATGTTTTAAATTTGGATAATTCTACAGCTAGTCAAGCAGAAGCAAAATCTCAACCAACA
SEQ3104	GATGTTTTAAATTTGGATAATTCTAAAGCTAGTCAAGCAGAAGCAAAATCTCAACCAACA
SEQ3105	GATGTTTTAAATTTGGATAATTCTACAGCTAGTCAAGCAGAAGCAAAATCTCAACCAACA
SEQ3106	GATGTTTTAAATTTGGATAATTCTAAAGCTAGTCAAGCAGAAGCAAAATCTCAACCAACA
SEQ3107	GATGTTTTAAATTTGGATAATTCTACAGCTAGTCAAGCAGAAGCAAAATCTCAACCAACA
SEQ3108	GATGTTTTAAATTTGGATAATTCTACAGCTAGTCAAGCAGAAGCAAAATCTCAACCAACA
SEQ3109	GATGTTTTAAATTTGGATAATTCTACAACCTAGTCAAGCAGAAGCAAAATCTCAACCAACA
SEQ3110	GATGTTTTAAATTTGGATAATTCTACAGCTAGTCAAGCAGAAGCAAAATCTCAACCAACA
SEQ3111	GATGTTTTAAATTTGGATAATTCTACAGCTAGTCAAGCAGAAGCAAAATCTCAACCAACA
SEQ3101	ATTGAAAATTCATGAATTCCTTCATCAAATTTGAGTTCAGTGATTGAGCTGCAAAAGAA
SEQ3102	ATTGAAAATTCATGAATTCCTTCATCAAATTTGAGTTCAGTGATTGAGCTGCAAAAGAA
SEQ3103	ATTGAAAATTCATGAATTCCTTCATCAAATTTGAGTTCAGTGATTGAGCTGCAAAAGAA
SEQ3104	ATTGAAAATTCATGAATTCCTTCATCAAATTTGAGTTCAGTGATTGAGCTGCAAAAGAA
SEQ3105	ATTGAAAATTCATGAATTCCTTCATCAAATTTGAGTTCAGTGATTGAGCTGCAAAAGAA
SEQ3106	ATTGAAAATTCATGAATTCCTTCATCAAATTTGAGTTCAGTGATTGAGCTGCAAAAGAA
SEQ3107	ATTGAAAATTCATGAATTCCTTCATCAAATTTGAGTTCAGTGATTGAGCTGCAAAAGAA
SEQ3108	ATTGAAAATTCATGAATTCCTTCATCAAATTTGAGTTCAGTGATTGAGCTGCAAAAGAA
SEQ3109	ATTGAAAATTCATGAATTCCTTCATCAAATTTGAGTTCAGTGATTGAGCTGCAAAAGAA
SEQ3110	ATTGAAAATTCATGAATTCCTTCATCAAATTTGAGTTCAGTGATTGAGCTGCAAAAGAA
SEQ3111	ATTGAAAATTCATGAATTCCTTCATCAAATTTGAGTTCAGTGATTGAGCTGCAAAAGAA
SEQ3101	GAAATAGCTCGTCGTGAATCAAATGGTAGTTTATACTGCACAGAATGGACAATATTATGGA
SEQ3102	GAAATAGCTCGTCGTGAATCAAATGGTAGTTTATACTGCACAGAATGGACAATATTATGGA
SEQ3103	GAAATAGCTCGTCGTGAATCAAATGGTAGTTTATACTGCACAGAATGGACAATATTATGGA
SEQ3104	GAAATAGCTCGTCGTGAATCAAATGGTAGTTTATACTGCACAGAATGGACAATATTATGGA
SEQ3105	GAAATAGCTCGTCGTGAATCAAATGGTAGTTTATACTGCACAGAATGGACAATATTATGGA
SEQ3106	GAAATAGCTCGTCGTGAATCAAATGGTAGTTTATACTGCACAGAATGGACAATATTATGGA
SEQ3107	GAAATAGCTCGTCGTGAATCAAATGGTAGTTTATACTGCACAGAATGGACAATATTATGGA
SEQ3108	GAAATAGCTCGTCGTGAATCAAATGGTAGTTTATACTGCACAGAATGGACAATATTATGGA
SEQ3109	GAAATAGCTCGTCGTGAATCAAATGGTAGTTTATACTGCACAGAATGGACAATATTATGGA
SEQ3110	GAAATAGCTCGTCGTGAATCAAATGGTAGTTTATACTGCACAGAATGGACAATATTATGGA
SEQ3111	GAAATAGCTCGTCGTGAATCAAATGGTAGTTTATACTGCACAGAATGGACAATATTATGGA
SEQ3101	AGATATCAACTGTCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAA
SEQ3102	AGATATCAACTGTCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAA
SEQ3103	AGATATCAACTGTCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAA
SEQ3104	AGATATCAACTGTCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAA
SEQ3105	AGATATCAACTGTCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAA
SEQ3106	AGATATCAACTGTCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAA
SEQ3107	AGATATCAACTGTCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAA
SEQ3108	AGATATCAACTGTCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAA
SEQ3109	AGATATCAACTGTCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAA
SEQ3110	AGATATCAACTGTCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAA
SEQ3111	AGATATCAACTGTCTCAATCTTACCTAAATGGCGACTTATCTCCTGAAAATCAAGAAAAA
SEQ3101	GTAGCGGACAATTATGTGGCTTCTCGTTACGGATCTTGGTCGGCAGCGCTATCATTTTGG
SEQ3102	GTAGCGGACAATTATGTGGTTTCTCGTTACGGATCTTGGTCGGCAGCGCTATCATTTTGG
SEQ3103	GTAGCGGACAATTATGTGGTTTCTCGTTACGGATCTTGGTCGGCAGCGCTATCATTTTGG
SEQ3104	GTAGCGGACAATTATGTGGTTTCTCGTTACGGATCTTGGTCGGCAGCGCTATCATTTTGG
SEQ3105	GTAGCGGACAATTATGTGGCTTCTCGTTACGGATCTTGGTCGGCAGCGCTATCATTTTGG
SEQ3106	GTAGCGGACAATTATGTGGTTTCTCGTTACGGATCTTGGTCGGCAGCGCTATCATTTTGG
SEQ3107	GTAGCGGACAATTATGTGGCTTCTCGTTACGGATCTTGGTCGGCAGCGCTATCATTTTGG
SEQ3108	GTAGCGGACAATTATGTGGCTTCTCGTTACGGATCTTGGTCGGCAGCGCTATCATTTTGG
SEQ3109	GTAGCGGACAATTATGTGGCTTCTCGTTACGGATCTTGGTCGGCAGCGCTATCATTTTGG
SEQ3110	GTAGCGGACAATTATGTGGCTTCTCGTTACGGATCTTGGTCGGCAGCGCTATCATTTTGG
SEQ3111	GTAGCGGACAATTATGTGGCTTCTCGTTACGGATCTTGGTCGGCAGCGCTATCATTTTGG

**Table 31. Comparative Sequences relating to SAC148
(LysM domain protein)**

SEQ3101 AATAGTAACGGCTGGTAT
 SEQ3102 AATAGTAACGGCTGGTAT
 SEQ3103 AATAGTAACGGCTGGTAT
 SEQ3104 AATAGTAACGGCTGGTAT
 SEQ3105 AATAGTAACGGCTGGTAT
 SEQ3106 AATAGTAACGGCTGGTAT
 SEQ3107 AATAGTAACGGCTGGTAT
 SEQ3108 AATAGTAACGGCTGGTAT
 SEQ3109 AATAGTAACGGCTGGTAT
 SEQ3110 AATAGTAACGGCTGGTAT
 SEQ3111 AATAGTAACGGCTGGTAT

>SEQ ID NO 3150:15_1169NT frame: 1

ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
 IENSMNSSSNLSSSDSAAKEEIIARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
 VADNYVASRYGWSAALSFWNSNGWY

>SEQ ID NO 3151:15_18RS21 frame: 1

ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
 IENSMNSSSNLSSSDSAAKEEIIARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
 VADNYVVSRYGWSAALSFWNSNGWY

>SEQ ID NO 3152:15_2603 frame: 1

ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
 IENSMNSSSNLSSSDSAAKEEIIARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
 VADNYVVSRYGWSAALSFWNSNGWY

>SEQ ID NO 3153:15_090 frame: 1

ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSKASQAEAKSQPT
 IENSMNSSSNLSSSDSAAKEEIIARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
 VADNYVVSRYGWSAALSFWNSNGWY

>SEQ ID NO 3154:15_A909 frame: 1

ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
 IENSMNSSSNLSSSDSAAKEEIIARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
 VADNYVASRYGWSAALSFWNSNGWY

>SEQ ID NO 3155:15_CJB110 frame: 1

ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSKASQAEAKSQPT
 IENSMNSSSNLSSSDSAAKEEIIARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
 VADNYVVSRYGWSAALSFWNSNGWY

>SEQ ID NO 3156:15_COH1 frame: 1

ASYTVKSGDTLSAIAKNHKTTVQ.LVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
 IENSMNSSSNLSSSDSAAKEEIIARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
 VADNYVASRYGWSAALSFWNSNGWY

>SEQ ID NO 3157:15_H36B frame: 1

ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
 IENSMNSSSNLSSSDSAAKEEIIARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
 VADNYVASRYGWSAALSFWNSNGWY

>SEQ ID NO 3158:15_JM9130013 frame: 1

ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSTTSQAEAKSQPT
 IENSMNSSSNLSSSDSAAKEEIIARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
 VADNYVASRYGWSAALSFWNSNGWY

>SEQ ID NO 3159:15_M732 frame: 1

ASYTVKSGDTLSAIAKNHKTTVQ.LVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
 IENSMNSSSNLSSSDSAAKEEIIARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
 VADNYVASRYGWSAALSFWNSNGWY

>SEQ ID NO 3160:15_M781 frame: 1

ASYTVKSGDTLSAIAKNHKTTVQ.LVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
 IENSMNSSSNLSSSDSAAKEEIIARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
 VADNYVASRYGWSAALSFWNSNGWY

**Table 31: Comparative Sequences relating to SAG2148
(LysM domain protein)**

SEQ3150	ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
SEQ3151	ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
SEQ3152	ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
SEQ3153	ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSKASQAEAKSQPT
SEQ3154	ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
SEQ3155	ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSKASQAEAKSQPT
SEQ3156	ASYTVKSGDTLSAIAKNHKTTVQ-LVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
SEQ3157	ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
SEQ3158	ASYTVKSGDTLSAIAKNHKTTVQELVSLNSISNADVISIGDVLKLDNSTTSQAEAKSQPT
SEQ3159	ASYTVKSGDTLSAIAKNHKTTVQ-LVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
SEQ3160	ASYTVKSGDTLSAIAKNHKTTVQ-LVSLNSISNADVISIGDVLKLDNSTASQAEAKSQPT
SEQ3150	IENSMNSSSNLSSSDSAAKEE IARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
SEQ3151	IENSMNSSSNLSSSDSAAKEE IARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
SEQ3152	IENSMNSSSNLSSSDSAAKEE IARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
SEQ3153	IENSMNSSSNLSSSDSAAKEE IARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
SEQ3154	IENSMNSSSNLSSSDSAAKEE IARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
SEQ3155	IENSMNSSSNLSSSDSAAKEE IARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
SEQ3156	IENSMNSSSNLSSSDSAAKEE IARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
SEQ3157	IENSMNSSSNLSSSDSAAKEE IARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
SEQ3158	IENSMNSSSNLSSSDSAAKEE IARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
SEQ3159	IENSMNSSSNLSSSDSAAKEE IARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
SEQ3160	IENSMNSSSNLSSSDSAAKEE IARRESNGSYTAQNGQYYGRYQLSQSYLNGDLSPENQEK
SEQ3150	VADNYVASRYGSWSAALSFWNSNGWY
SEQ3151	VADNYVVSRYGSWSAALSFWNSNGWY
SEQ3152	VADNYVVSRYGSWSAALSFWNSNGWY
SEQ3153	VADNYVVSRYGSWSAALSFWNSNGWY
SEQ3154	VADNYVASRYGSWSAALSFWNSNGWY
SEQ3155	VADNYVVSRYGSWSAALSFWNSNGWY
SEQ3156	VADNYVASRYGSWSAALSFWNSNGWY
SEQ3157	VADNYVASRYGSWSAALSFWNSNGWY
SEQ3158	VADNYVASRYGSWSAALSFWNSNGWY
SEQ3159	VADNYVASRYGSWSAALSFWNSNGWY
SEQ3160	VADNYVASRYGSWSAALSFWNSNGWY

Tabl 32: Conv rsion of ORF R f N s. with SAG Ref Nos.

ORF Ref N .	SAGxxxx Ref No.	aa	Annotation
ORF00003	SAG0017	447	PcsB protein
ORF00004	SAG0018	322	ribose-phosphate pyrophosphokinase
ORF00005	SAG0019	391	aminotransferase, class I
ORF00006	SAG0020	253	recombination protein O
ORF00008	SAG0021	283	protease, putative
ORF00009	SAG0022	330	fatty acid/phospholipid synthesis protein PlsX
ORF00010	SAG0023	79	acyl carrier protein
ORF00011	SAG0024	234	phosphoribosylaminoimidazole-succinocarboxamide synthase
ORF00012	SAG0025	1241	phosphoribosylformylglycinamide synthase, putative
ORF00013	SAG0026	484	amidophosphoribosyltransferase
ORF00014	SAG0027	340	phosphoribosylformylglycinamide cyclo-ligase
ORF00015	SAG0028	182	phosphoribosylglycinamide formyltransferase
ORF00016	SAG0029	250	acetyltransferase, GNAT family
ORF00017	SAG0030	515	phosphoribosylaminoimidazolecarboxamide formyltransferase/IMP cyclohydrolase
ORF00018	SAG0031	283	peptidase, M23/M37 family
ORF00020	SAG0032	434	group B streptococcal surface immunogenic protein
ORF00021	SAG0033	232	N-acetylmannosamine-6-P epimerase, putative
ORF00022	SAG0034	438	sugar ABC transporter, sugar-binding protein
ORF00023	SAG0035	295	sugar ABC transporter, permease protein
ORF00024	SAG0036	276	sugar ABC transporter, permease protein
ORF00025	SAG0037	147	conserved hypothetical protein
ORF00026	SAG0038	220	conserved hypothetical protein
ORF00027	SAG0039	305	N-acetylneuraminate lyase, putative
ORF00028	SAG0040	293	ROK family protein
ORF00029	SAG0041	325	acetyl xylan esterase, putative
ORF00030	SAG0042	267	phosphosugar-binding transcriptional regulator, RpiR family, putative
ORF00031	SAG0043	421	phosphoribosylamine-glycine ligase
ORF00032	SAG0044	162	phosphoribosylaminoimidazole carboxylase, catalytic subunit
ORF00033	SAG0045	363	phosphoribosylaminoimidazole carboxylase, ATPase subunit
ORF00035	SAG0046	463	hypothetical protein
ORF00036	SAG0047	432	adenylosuccinate lyase
ORF00037	SAG0048	303	transcriptional regulator, Cro/C1 family
ORF00038	SAG0049	332	Holliday junction DNA helicase RuvB
ORF00039	SAG0050	145	phosphotyrosine protein phosphatase, low molecular weight
ORF00040	SAG0051	126	MORN motif family protein
ORF00041	SAG0052	592	membrane protein, putative
ORF00042	SAG0053	880	aldehyde-alcohol dehydrogenase
ORF00043	SAG0054	338	alcohol dehydrogenase, propanol-preferring
ORF00044	SAG0055	496	threonine synthase
ORF00045	SAG0056	412	MATE efflux family protein
ORF00046	SAG0057	102	ribosomal protein S10
ORF00047	SAG0058	208	ribosomal protein L3
ORF00048	SAG0059	207	ribosomal protein L4
ORF00049	SAG0060	98	ribosomal protein L23
ORF00050	SAG0061	277	ribosomal protein L2
ORF00052	SAG0062	92	ribosomal protein S19
ORF00054	SAG0063	114	ribosomal protein L22
ORF00055	SAG0064	217	ribosomal protein S3

Table 32: Comparison of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Annotation
ORF00056	SAG0065	137	ribosomal protein L16
ORF00058	SAG0066	68	ribosomal protein L29
ORF00059	SAG0067	86	ribosomal protein S17
ORF00060	SAG0068	122	ribosomal protein L14
ORF00061	SAG0069	101	ribosomal protein L24
ORF00063	SAG0070	180	ribosomal protein L5
ORF00064	SAG0071	61	ribosomal protein S14, putative
ORF00065	SAG0072	132	ribosomal protein S8
ORF00066	SAG0073	178	ribosomal protein L6
ORF00068	SAG0074	118	ribosomal protein L18
ORF00069	SAG0075	164	ribosomal protein S5
ORF00070	SAG0076	59	ribosomal protein L30
ORF00071	SAG0077	146	ribosomal protein L15
ORF00072	SAG0078	434	preprotein translocase, SecY subunit
ORF00073	SAG0079	212	adenylate kinase
ORF00074	SAG0080	72	translation initiation factor IF-1
ORF00075	SAG0081	38	ribosomal protein L36
ORF00077	SAG0082	121	ribosomal protein S13
ORF00078	SAG0083	118	ribosomal protein S11
ORF00080	SAG0084	312	DNA-directed RNA polymerase, alpha subunit
ORF00081	SAG0085	128	ribosomal protein L17
ORF00087	SAG0086	97	hypothetical protein
ORF00088	SAG0087	59	hypothetical protein
ORF00089	SAG0088	56	hypothetical protein
ORF00090	SAG0089	183	conserved hypothetical protein
ORF00091	SAG0090	139	conserved hypothetical protein
ORF00093	SAG0091	144	transcriptional regulator ComX1, putative
ORF00094	SAG0092	230	phosphoglycerate mutase family protein
ORF00095	SAG0093	250	D-alanyl-D-alanine carboxypeptidase family protein
ORF00096	SAG0094	191	N-acetylmuramoyl-L-alanine amidase, family 4 protein
ORF00097	SAG0095	344	heat-inducible transcription repressor HrcA
ORF00098	SAG0096	190	heat shock protein GrpE
ORF00099	SAG0097	609	dnaK protein
ORF00100	SAG0098	379	dnaJ protein
ORF00101	SAG0099	415	transcriptional regulator, GntR family
ORF00102	SAG0100	258	tRNA pseudouridine synthase A
ORF00103	SAG0101	252	phosphomethylpyrimidine kinase, putative
ORF00104	SAG0102	154	conserved hypothetical protein
ORF00105	SAG0103	189	conserved hypothetical protein
ORF00106	SAG0104	280	conserved hypothetical protein
ORF00107	SAG0105	427	trigger factor
ORF00108	SAG0106	191	DNA-directed RNA polymerase, delta subunit, putative
ORF00109	SAG0107	534	CTP synthase
ORF00110	SAG0108	308	conserved hypothetical protein
ORF00111	SAG0109	148	deoxyuridine 5'-triphosphate nucleotidohydrolase
ORF00112	SAG0110	454	DNA repair protein RadA
ORF00113	SAG0111	165	carbonic anhydrase-related protein
ORF00115	SAG0112	439	pyridine nucleotide-disulphide oxidoreductase family protein
ORF00116	SAG0113	484	glutamyl-tRNA synthetase
ORF00117	SAG0114	322	ribose ABC transporter, periplasmic D-ribose-binding protein

Table 32: Conversion of ORF Ref N s. with SAG Ref Nos.

ORF Ref N .	SAGxxxx Ref No.	aa	Annotati n
ORF00118	SAG0115	310	ribose ABC transporter, permease protein
ORF00119	SAG0116	492	ribose ABC transporter, ATP-binding protein
ORF00120	SAG0117	132	ribose ABC transporter protein RbsD
ORF00121	SAG0118	303	ribokinase
ORF00122	SAG0119	328	ribose operon repressor RbsR
ORF00123	SAG0120	32	hypothetical protein
ORF00124	SAG0121	362	permease, putative
ORF00125	SAG0122	228	ABC transporter, ATP-binding protein
ORF00126	SAG0123	223	DNA-binding response regulator
ORF00128	SAG0124	356	sensor histidine kinase
ORF00129	SAG0125	396	argininosuccinate synthase
ORF00130	SAG0126	462	argininosuccinate lyase
ORF00131	SAG0127	293	fructose-bisphosphate aldolase
ORF00132	SAG0128	305	L-2-hydroxyisocaproate dehydrogenase
ORF00133	SAG0129	62	ribosomal protein L28
ORF00134	SAG0130	121	conserved hypothetical protein
ORF00135	SAG0131	543	DAK2 domain protein
ORF00136	SAG0132	294	SPFH domain/Band 7 family protein
ORF00137	SAG0133	38	conserved hypothetical protein
ORF00138	SAG0134	96	hypothetical protein
ORF00141	SAG0135	246	amino acid ABC transporter, ATP-binding protein
ORF00142	SAG0136	516	amino acid ABC transporter, amino acid-binding protein/permease protein
ORF00143	SAG0137	627	conserved hypothetical protein
ORF00145	SAG0138	279	undecaprenol kinase, putative
ORF00146	SAG0139	251	negative regulator of competence MecA, putative
ORF00148	SAG0140	386	glycosyl transferase, group 4 family protein
ORF00149	SAG0141	256	ABC transporter, ATP-binding protein
ORF00150	SAG0142	420	conserved hypothetical protein
ORF00151	SAG0143	410	selenocysteine lyase
ORF00152	SAG0144	147	NifU family protein
ORF00153	SAG0145	472	conserved hypothetical protein
ORF00154	SAG0146	395	penicillin-binding protein 4, putative
ORF00155	SAG0147	411	D-alanyl-D-alanine carboxypeptidase
ORF00156	SAG0148	551	oligopeptide ABC transporter, substrate binding protein, putative
ORF00157	SAG0149	304	oligopeptide ABC transporter, permease protein
ORF00158	SAG0150	343	oligopeptide ABC transporter, permease protein
ORF00160	SAG0151	348	oligopeptide ABC transporter, ATP-binding protein
ORF00161	SAG0152	310	oligopeptide ABC transporter, ATP-binding protein
ORF00166	SAG0153	283	4-diphosphocytidyl-2C-methyl-D-erythritol kinase
ORF00167	SAG0154	147	adc operon repressor AdcR
ORF00168	SAG0155	236	zinc ABC transporter, ATP-binding protein
ORF00169	SAG0156	270	zinc ABC transporter, permease protein
ORF00172	SAG0158	419	tyrosyl-tRNA synthetase
ORF00173	SAG0159	765	penicillin-binding protein 1B, putative
ORF00174	SAG0160	1191	DNA-directed RNA polymerase, beta subunit
ORF00176	SAG0161	1216	DNA-directed RNA polymerase beta' subunit
ORF00178	SAG0162	121	conserved hypothetical protein
ORF00179	SAG0163	323	competence protein CglA
ORF00180	SAG0164	282	competence protein CglB
ORF00181	SAG0165	151	conserved hypothetical protein
ORF00182	SAG0166	123	cons rved domain protein

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref N .	SAGxxxx Ref N .	aa	Annotati n
ORF00183	SAG0187	324	conserved hypothetical protein
ORF00184	SAG0168	397	acetate kinase
ORF00186	SAG0169	68	transcriptional regulator, Cro/Ci family
ORF00187	SAG0170	45	hypothetical protein
ORF00188	SAG0171	151	hypothetical protein
ORF00189	SAG0172	221	protease, putative
ORF00190	SAG0173	256	pyrroline-5-carboxylate reductase
ORF00191	SAG0174	355	glutamyl-aminopeptidase
ORF00192	SAG0175	79	hypothetical protein
ORF00193	SAG0176	94	conserved hypothetical protein
ORF00194	SAG0177	107	thioredoxin family protein
ORF00195	SAG0178	208	tRNA binding domain protein
ORF00196	SAG0179	238	conserved hypothetical protein
ORF00198	SAG0180	131	single-strand binding protein
ORF00199	SAG0181	214	hydrolase, haloacid dehalogenase-like family
ORF00200	SAG0182	581	sensor histidine kinase, putative
ORF00201	SAG0183	246	response regulator
ORF00203	SAG0184	151	conserved hypothetical protein
ORF00204	SAG0185	242	membrane protein, putative
ORF00205	SAG0186	36	hypothetical protein
ORF00206	SAG0187	542	oligopeptide ABC transporter, oligopeptide-binding protein
ORF00207	SAG0188	325	oligopeptide ABC transporter, permease protein
ORF00208	SAG0189	273	oligopeptide ABC transporter, permease protein
ORF00209	SAG0190	267	peptide ABC transporter, ATP-binding protein
ORF00210	SAG0191	208	peptide ABC transporter, ATP-binding protein
ORF00211	SAG0192	676	PTS system, IIBC components
ORF00212	SAG0193	541	alpha amylase family protein
ORF00214	SAG0194	639	transcriptional antiterminator, BglG family
ORF00216	SAG0195	377	IS1548, transposase
ORF00217	SAG0196	66	conserved domain protein
ORF00218	SAG0197	94	PTS system, IIB component, putative
ORF00219	SAG0198	451	PTS system, IIC component, putative
ORF00220	SAG0199	285	transketolase, N-terminal subunit
ORF00221	SAG0200	309	transketolase, C-terminal subunit
ORF00223	SAG0201	419	oxidoreductase, putative
ORF00224	SAG0202	89	ribosomal protein S15
ORF00225	SAG0203	709	polyribonucleotide nucleotidyltransferase
ORF00226	SAG0204	250	conserved hypothetical protein
ORF00227	SAG0205	194	serine O-acetyltransferase
ORF00228	SAG0206	60	hypothetical protein
ORF00229	SAG0207	447	cysteinyI-tRNA synthetase
ORF00230	SAG0208	128	conserved hypothetical protein
ORF00231	SAG0209	251	RNA methyltransferase, TmH family, group 3
ORF00232	SAG0210	172	conserved hypothetical protein
ORF00233	SAG0211	286	DegV family protein
ORF00234	SAG0212	32	hypothetical protein
ORF00235	SAG0213	39	hypothetical protein
ORF00236	SAG0214	148	ribosomal protein L13
ORF00237	SAG0215	130	ribosomal protein S9
ORF00238	SAG0216	33	hypothetical protein
ORF00239	SAG0217	384	site-specific recombinase, phage integrase family
ORF00240	SAG0218	158	transcriptional regulator, Cro/Ci family
ORF00241	SAG0219	101	hypothetical protein

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxx Ref No.	aa	Annotation
ORF00242	SAG0220	92	conserved hypothetical protein
ORF00243	SAG0221	76	hypothetical protein
ORF00244	SAG0222	108	conserved domain protein
ORF00245	SAG0223	209	conserved hypothetical protein, fusion
ORF00246	SAG0224	332	replication initiation protein, putative
ORF00247	SAG0225	144	hypothetical protein
ORF00248	SAG0226	418	recombination protein
ORF00249	SAG0227	156	hypothetical protein
ORF00250	SAG0228	111	conserved hypothetical protein
ORF00251	SAG0229	95	conserved hypothetical protein
ORF00252	SAG0230	96	conserved hypothetical protein
ORF00253	SAG0231	135	hypothetical protein
ORF00254	SAG0232	186	hypothetical protein
ORF00255	SAG0233	226	hypothetical protein
ORF00256	SAG0234	128	hypothetical protein
ORF00257	SAG0235	93	hypothetical protein
ORF00258	SAG0236	32	hypothetical protein
ORF00259	SAG0237	34	hypothetical protein
ORF00260	SAG0238	41	hypothetical protein
ORF00261	SAG0239	286	transcriptional regulator MutR family
ORF00262	SAG0240	393	transporter, putative
ORF00263	SAG0241	213	amino acid ABC transporter, permease protein
ORF00264	SAG0242	308	amino acid ABC transporter, amino acid-binding protein
ORF00265	SAG0243	211	amino acid ABC transporter, permease protein
ORF00266	SAG0244	381	amino acid ABC transporter, ATP-binding protein
ORF00272	SAG0245	152	hypothetical protein
ORF00273	SAG0246	268	hypothetical protein
ORF00274	SAG0247	116	hypothetical protein
ORF00275	SAG0248	90	hypothetical protein
ORF00276	SAG0249	116	hypothetical protein
ORF00278	SAG0250	193	hypothetical protein
ORF00279	SAG0251	72	transcriptional regulator, Cro/Ci family
ORF00280	SAG0252	186	acetyltransferase, GNAT family
ORF00281	SAG0253	192	acetyltransferase, GNAT family
ORF00282	SAG0254	226	acetyltransferase, GNAT family
ORF00283	SAG0255	315	conserved hypothetical protein
ORF00284	SAG0256	163	RNA polymerase sigma factor, ECF subfamily
ORF00285	SAG0257	53	hypothetical protein
ORF00287	SAG0258	202	transcriptional regulator, TetR family
ORF00288	SAG0259	365	ABC transporter efflux protein, DrrB family, putative
ORF00289	SAG0260	238	ABC transporter, ATP-binding protein
ORF00290	SAG0261	129	IS1381, transposase OrfB
ORF00291	SAG0262	127	IS1381, transposase OrfA
ORF00292	SAG0263	171	hypothetical protein
ORF00293	SAG0264	103	conserved hypothetical protein
ORF00294	SAG0265	235	conserved hypothetical protein
ORF00295	SAG0266	382	N-acetylglucosamine-6-phosphate deacetylase
ORF00296	SAG0267	180	conserved hypothetical protein
ORF00297	SAG0268	304	glycyl-tRNA synthetase, alpha subunit
ORF00298	SAG0269	213	acyl carrier protein phosphodiesterase, putative
ORF00299	SAG0270	679	glycyl-tRNA synthetase, beta subunit
ORF00300	SAG0271	85	conserved hypothetical protein
ORF00301	SAG0272	87	membrane protein, putative

Tabl 32: Conv rsion of ORF Ref Nos. with SAG R f Nos.

ORF Ref N .	SAGxxxx Ref No.	aa	Annotation
ORF00302	SAG0273	502	glycerol kinase
ORF00303	SAG0274	609	alpha-glycerophosphate oxidase
ORF00304	SAG0275	232	glycerol uptake facilitator protein
ORF00305	SAG0276	445	NADH oxidase, putative
ORF00306	SAG0277	476	conserved hypothetical protein
ORF00307	SAG0278	661	transketolase
ORF00308	SAG0279	101	conserved hypothetical protein
ORF00309	SAG0280	244	ABC transporter, ATP-binding protein
ORF00310	SAG0281	534	membrane protein, putative
ORF00313	SAG0282	461	PTS system, IIBC components
ORF00314	SAG0283	267	glutamate 5-kinase
ORF00315	SAG0284	417	gamma-glutamyl phosphate reductase
ORF00316	SAG0285	298	conserved hypothetical protein TIGR00006
ORF00317	SAG0286	108	cell division protein FtsL, putative
ORF00318	SAG0287	752	penicillin-binding protein 2X
ORF00319	SAG0288	336	phospho-N-acetylmuramoyl-pentapeptide-transferase
ORF00320	SAG0289	447	ATP-dependent RNA helicase, DEAD/DEAH box family
ORF00321	SAG0290	270	ABC transporter, substrate-binding protein
ORF00322	SAG0291	267	amino acid ABC transporter, permease protein
ORF00323	SAG0292	247	amino acid ABC transporter, ATP-binding protein
ORF00324	SAG0293	74	conserved hypothetical protein
ORF00325	SAG0294	304	thioredoxin reductase
ORF00326	SAG0295	486	conserved hypothetical protein
ORF00327	SAG0296	273	NAD synthetase
ORF00328	SAG0297	444	aminopeptidase C
ORF00329	SAG0298	750	penicillin-binding protein 1A
ORF00330	SAG0299	199	recombination protein U
ORF00331	SAG0300	172	conserved hypothetical protein
ORF00332	SAG0301	40	hypothetical protein
ORF00333	SAG0302	110	conserved hypothetical protein
ORF00335	SAG0303	384	conserved hypothetical protein
ORF00336	SAG0304	487	conserved hypothetical protein
ORF00337	SAG0305	160	autoinducer-2 production protein LuxS
ORF00338	SAG0306	535	KH domain protein
ORF00340	SAG0307	33	hypothetical protein
ORF00341	SAG0308		ABC transporter, ATP-binding protein, FRAMESHIFT
ORF00343	SAG0309	246	ABC transporter, permease protein, putative
ORF00344	SAG0310	361	conserved hypothetical protein
ORF00345	SAG0311		DNA-binding response regulator POINT MUTATION
ORF00347	SAG0312	234	conserved hypothetical protein
ORF00348	SAG0313	209	guanylate kinase
ORF00349	SAG0314	104	DNA-directed RNA polymerase, omega subunit, putative
ORF00350	SAG0315	796	primosomal protein N'
ORF00351	SAG0316	311	methionyl-tRNA formyltransferase
ORF00352	SAG0317	440	Sun protein
ORF00353	SAG0318	245	serine/threonine phosphatase, putative
ORF00354	SAG0319	651	serine/threonine protein kinase
ORF00355	SAG0320	231	conserved hypothetical prot in
ORF00356	SAG0321	339	sensor histidin kinase, putative
ORF00358	SAG0322	213	DNA-binding response regulator

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Annotation
ORF00359	SAG0323	466	hydrolase, haloacid dehalogenase family/peptidyl-prolyl cis-trans isomerase, cyclophilin type
ORF00360	SAG0324	124	general stress protein, putative
ORF00361	SAG0325	258	pyruvate formate-lyase-activating enzyme
ORF00362	SAG0326	251	transcriptional regulator, DeoR family
ORF00363	SAG0327	327	transcriptional regulator, putative
ORF00364	SAG0328	107	PTS system, cellobiose-specific IIA component
ORF00366	SAG0329	106	PTS system, cellobiose-specific IIB component
ORF00367	SAG0330	433	PTS system, cellobiose-specific IIC component
ORF00368	SAG0331	818	formate acetyltransferase
ORF00369	SAG0332	222	transaldolase family protein
ORF00371	SAG0333	362	glycerol dehydrogenase
ORF00372	SAG0334	308	cysteine synthase A
ORF00373	SAG0335	214	conserved hypothetical protein TIGR00257
ORF00374	SAG0336	429	helicase, putative
ORF00375	SAG0337	221	competence protein F, putative
ORF00376	SAG0338	184	ribosomal subunit interface protein
ORF00382	SAG0339	450	aspartate kinase family protein
ORF00383	SAG0340	216	hydrolase, haloacid dehalogenase-like family
ORF00384	SAG0341	49	hypothetical protein
ORF00385	SAG0342	263	enoyl-CoA hydratase/isomerase family protein
ORF00386	SAG0343	144	transcriptional regulator, MarR family
ORF00387	SAG0344	323	3-oxoacyl-(acyl-carrier-protein) synthase III
ORF00388	SAG0345	74	acyl carrier protein
ORF00390	SAG0346	319	enoyl-(acyl-carrier-protein) reductase II
ORF00391	SAG0347	308	malonyl CoA-acyl carrier protein transacylase
ORF00392	SAG0348	244	3-oxoacyl-[acyl-carrier protein] reductase
ORF00393	SAG0349	410	3-oxoacyl-(acyl-carrier-protein) synthase II
ORF00394	SAG0350	166	acetyl-CoA carboxylase, biotin carboxyl carrier protein
ORF00395	SAG0351	140	(3R)-hydroxymyristoyl-(acyl-carrier-protein) dehydratase
ORF00396	SAG0352	456	acetyl-CoA carboxylase, biotin carboxylase
ORF00397	SAG0353	291	acetyl-CoA carboxylase, carboxyl transferase, beta subunit
ORF00398	SAG0354	257	acetyl-CoA carboxylase, carboxyl transferase, alpha subunit
ORF00399	SAG0355	210	conserved hypothetical protein
ORF00400	SAG0356	425	seryl-tRNA synthetase
ORF00402	SAG0357	330	hypothetical protein
ORF00403	SAG0358	120	conserved hypothetical protein
ORF00404	SAG0359	303	PTS system, mannose-specific IID component
ORF00405	SAG0360	270	PTS system, mannose-specific IIC component
ORF00406	SAG0361	336	PTS system, mannose-specific IIB components
ORF00407	SAG0362	270	hydrolase, haloacid dehalogenase-like family
ORF00408	SAG0363	194	hypothetical protein
ORF00409	SAG0364	203	membrane protein, putative
ORF00410	SAG0365	473	xanthine/uracil permease family protein
ORF00411	SAG0366	169	conserved hypothetical protein TIGR00150, putative
ORF00412	SAG0367	186	acetyltransferase, GNAT family
ORF00413	SAG0368	435	transcriptional regulator, putative
ORF00414	SAG0369	98	conserved hypothetical protein
ORF00415	SAG0370	139	HIT family protein
ORF00416	SAG0371	167	hypothetical protein
ORF00417	SAG0372	85	hypothetical protein

Tabl 32: Conv rsion of ORF Ref Nos. with SAG R f Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Ann tati n
ORF00419	SAG0373	241	ABC transporter, ATP-binding protein
ORF00421	SAG0374	344	ABC transporter, permease protein
ORF00422	SAG0375	266	conserved hypothetical protein
ORF00423	SAG0376	211	conserved hypothetical protein TIGR00091
ORF00424	SAG0377	127	conserved hypothetical protein, POINT MUTATION
ORF00425	SAG0378	379	N utilization substance protein A
ORF00426	SAG0379	98	conserved hypothetical protein
ORF00427	SAG0380	100	ribosomal protein L7A family
ORF00428	SAG0381	927	translation initiation factor IF-2
ORF00429	SAG0382	122	ribosome-binding factor A
ORF00430	SAG0383	334	conserved hypothetical protein
ORF00431	SAG0384	138	transcriptional repressor CopY
ORF00432	SAG0385	744	copper-transporter ATPase CopA
ORF00433	SAG0386	68	copper-transporter protein CopZ
ORF00434	SAG0387	204	conserved hypothetical protein
ORF00435	SAG0388	270	hydrolase, haloacid dehalogenase-like family
ORF00436	SAG0389	880	DNA polymerase I
ORF00437	SAG0390	146	CoA binding domain protein
ORF00438	SAG0391	159	transcriptional regulator, Fur family
ORF00439	SAG0392	521	cell wall surface anchor family protein
ORF00440	SAG0393	228	DNA-binding response regulator
ORF00441	SAG0394	345	sensor histidine kinase
ORF00442	SAG0395	246	conserved hypothetical protein
ORF00443	SAG0396	380	queuine tRNA-ribosyltransferase
ORF00444	SAG0397	102	conserved hypothetical protein
ORF00445	SAG0398	179	bioY family protein
ORF00446	SAG0399	258	AtsA/ElaC family protein
ORF00447	SAG0400	168	cytidine/deoxycytidylate deaminase family protein
ORF00448	SAG0401	44	hypothetical protein
ORF00449	SAG0402	449	glucose-6-phosphate isomerase
ORF00450	SAG0403	175	5-formyltetrahydrofolate cyclo-ligase family protein
ORF00451	SAG0404	225	rhomboid family protein
ORF00452	SAG0405	347	lipoprotein
ORF00453	SAG0406	299	UTP-glucose-1-phosphate uridylyltransferase
ORF00454	SAG0407	338	glycerol-3-phosphate dehydrogenase (NAD(P)+)
ORF00455	SAG0408	109	ribonuclease P protein component
ORF00456	SAG0409	271	SpolIJ family protein
ORF00458	SAG0410	273	R3H domain protein
ORF00463	SAG0411	177	conserved hypothetical protein
ORF00464	SAG0412	258	RecX protein
ORF00465	SAG0413	451	RNA methyltransferase, TrmA family
ORF00466	SAG0414	153	conserved hypothetical protein
ORF00467	SAG0415	142	acetyltransferase, GNAT family
ORF00468	SAG0416	1233	protease, putative
ORF00469	SAG0417	302	glycosyl transferase, group 2 family protein
ORF00470	SAG0418	336	ribonucleoside-diphosphate reductase 2, beta subunit
ORF00471	SAG0419	137	nrdI protein
ORF00472	SAG0420	721	ribonucleoside-diphosphate reductase 2, alpha subunit
ORF00473	SAG0421	1055	conserved hypothetical protein
ORF00474	SAG0422	129	conserved hypothetical protein
ORF00475	SAG0423	132	conserved domain protein

Tabl 32: Conv rsl n of ORF Ref Nos. with SAG R f Nos.

ORF Ref N .	SAGxxxx Ref N .	aa	Ann tation
ORF00476	SAG0424	94	hypothetical protein
ORF00478	SAG0425	105	carboxymuconolactone decarboxylase family protein
ORF00479	SAG0426	131	conserved hypothetical protein
ORF00480	SAG0427	129	transcriptional regulator, MerR family
ORF00482	SAG0428	345	alcohol dehydrogenase, zinc-containing
ORF00483	SAG0429	284	oxidoreductase, aldo/keto reductase family
ORF00484	SAG0430	287	cation efflux system protein
ORF00485	SAG0431	174	transcriptional regulator, TetR family
ORF00486	SAG0432	397	transcriptional regulator, AraC family
ORF00487	SAG0433	1389	surface protein Rib
ORF00488	SAG0434	61	transposase, IS256 family, truncation
ORF00489	SAG0435	97	DNA-damage-inducible protein J, putative
ORF00490	SAG0436	62	hypothetical protein
ORF00491	SAG0437	123	hypothetical protein
ORF00493	SAG0438	145	bacteriophage L54a, integrase, truncation
ORF00495	SAG0439		conserved hypothetical protein, FRAMESHIFT
ORF00496	SAG0440	84	conserved hypothetical protein
ORF00497	SAG0441	103	conserved domain protein
ORF00499	SAG0442	189	acetyltransferase, GNAT family
ORF00500	SAG0443	194	acetyltransferase, GNAT family
ORF00501	SAG0444	188	conserved hypothetical protein
ORF00502	SAG0445	883	valyl-tRNA synthetase
ORF00503	SAG0446	319	oxidoreductase, Gfo/ldh/MocA family
ORF00504	SAG0447	287	magnesium transporter, CorA family
ORF00506	SAG0448	391	transposase, IS256 family
ORF00507	SAG0449	354	conserved hypothetical protein
ORF00508	SAG0450	330	aspartate-ammonia ligase
ORF00510	SAG0451	149	bacteriocin transport accessory protein, putative
ORF00511	SAG0452	179	type II DNA modification methyltransferase, putative
ORF00512	SAG0453	96	hypothetical protein
ORF00513	SAG0454	161	phosphopantetheine adenylyltransferase
ORF00515	SAG0455	357	conserved hypothetical protein
ORF00518	SAG0456		conserved hypothetical protein, degenerate
ORF00519	SAG0457	192	conserved hypothetical protein
ORF00520	SAG0458	368	conserved hypothetical protein TIGR00048
ORF00521	SAG0459	171	VanZF domain protein
ORF00522	SAG0460	581	ABC transporter, ATP-binding/permease protein
ORF00523	SAG0461	579	ABC transporter, ATP-binding/permease protein
ORF00524	SAG0462	188	anthranilate synthase component II
ORF00525	SAG0463	179	bioY family protein
ORF00526	SAG0464	330	biotin synthetase
ORF00527	SAG0465	164	hypothetical protein
ORF00528	SAG0466	371	thiolase
ORF00531	SAG0467	409	AMP-binding enzyme domain protein
ORF00532	SAG0468	210	endonuclease III
ORF00533	SAG0469	131	type IV prepilin peptidase-related protein
ORF00534	SAG0470	69	conserved hypothetical protein
ORF00535	SAG0471	322	glucokinase
ORF00536	SAG0472	126	rhodanese domain protein
ORF00537	SAG0473	613	elongation factor Tu family protein
ORF00538	SAG0474	81	conserved hypothetical protein
ORF00540	SAG0475	451	UDP-N-acetylmuramoylalanine-D-glutamate ligase

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Annotation
ORF00541	SAG0476	358	UDP-N-acetylglucosamine--N-acetylmuramyl-(pentapeptide) pyrophosphoryl-undecaprenol N-acetylglucosamine transferase
ORF00542	SAG0477	378	cell division protein DivIB, putative
ORF00544	SAG0478	429	cell division protein FtsA
ORF00545	SAG0479	426	cell division protein FtsZ
ORF00546	SAG0480	224	ylmE protein, putative
ORF00547	SAG0481	201	ylmF protein
ORF00548	SAG0482	84	YGGT family protein
ORF00549	SAG0483	262	ylmH protein
ORF00550	SAG0484	256	cell division protein DivIVA, putative
ORF00552	SAG0485	930	isoleucyl-tRNA synthetase
ORF00553	SAG0486	100	conserved hypothetical protein
ORF00554	SAG0487	151	MutT/nudix family protein
ORF00555	SAG0488	753	ATP-dependent Clp protease, ATP-binding subunit
ORF00556	SAG0489	34	hypothetical protein
ORF00557	SAG0490	76	conserved hypothetical protein
ORF00558	SAG0491	230	amino acid ABC transporter, permease protein
ORF00559	SAG0492	244	amino acid ABC transporter, ATP-binding protein
ORF00560	SAG0493	564	phosphoglucomutase/phosphomannomutase family protein
ORF00562	SAG0494	284	methylenetetrahydrofolate dehydrogenase/methenyltetrahydrofolate cyclohydrolase
ORF00563	SAG0495	278	conserved hypothetical protein
ORF00564	SAG0496	446	exodeoxyribonuclease VII, large subunit
ORF00565	SAG0497	71	exodeoxyribonuclease VII, small subunit
ORF00566	SAG0498	290	geranyltranstransferase, putative
ORF00567	SAG0499	275	hemolysin A
ORF00568	SAG0500	157	arginine repressor ArgR, putative
ORF00570	SAG0501	552	DNA repair protein RecN
ORF00571	SAG0502	278	DegV family protein
ORF00572	SAG0503	279	Lipase/Acylhydrolase, putative
ORF00573	SAG0504	200	conserved hypothetical protein
ORF00574	SAG0505	91	DNA-binding protein HU
ORF00575	SAG0506	65	hypothetical protein
ORF00576	SAG0507	310	dihydroorotate dehydrogenase A
ORF00577	SAG0508	411	beta-lactam resistance factor
ORF00578	SAG0509	403	beta-lactam resistance factor
ORF00579	SAG0510	406	murM protein, putative
ORF00580	SAG0511	270	hydrolase, haloacid dehalogenase-like family
ORF00581	SAG0512	438	HD domain protein
ORF00582	SAG0513	128	conserved hypothetical protein
ORF00583	SAG0514	894	cation-transporting ATPase, E1-E2 family
ORF00584	SAG0515	286	conserved hypothetical protein
ORF00585	SAG0516	643	fructose-1,6-bisphosphatase, putative
ORF00586	SAG0517	374	iron-sulfur cluster-binding protein, putative
ORF00587	SAG0518		peptide chain release factor 2, FRAMESHIFT
ORF00588	SAG0519	230	cell division ABC transport r, ATP-binding protein FtsE
ORF00589	SAG0520	309	cell division ABC transporter, permease protein FtsX
ORF00590	SAG0521	236	carboxymethylenebut nolidase-related protein
ORF00591	SAG0522	232	metallo-beta-lactamase superfamily protein

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxx Ref No.	aa	Annotation
ORF00592	SAG0523	254	oxidoreductase, short chain dehydrogenase/reductase family
ORF00593	SAG0524	835	DNA polymerase III, epsilon subunit/ATP-dependent helicase DinG
ORF00595	SAG0525	397	aspartate aminotransferase
ORF00596	SAG0526	448	asparaginyl-tRNA synthetase
ORF00597	SAG0527	185	conserved hypothetical protein
ORF00598	SAG0528	327	inosine-uridine preferring nucleoside hydrolase
ORF00599	SAG0529	38	hypothetical protein
ORF00600	SAG0530	137	OsmC/Ohr family protein
ORF00601	SAG0531	296	conserved hypothetical protein
ORF00602	SAG0532	324	conserved hypothetical protein
ORF00603	SAG0533	303	Uncharacterized BCR, COG1481
ORF00604	SAG0534	465	dipeptidase
ORF00605	SAG0535	506	zinc ABC transporter, zinc-binding adhesion liprotein
ORF00606	SAG0536	86	ribosomal protein L31
ORF00607	SAG0537	311	DHH family protein
ORF00608	SAG0538	340	adenosine deaminase, putative
ORF00609	SAG0539	147	flavodoxin
ORF00610	SAG0540	91	chorismate mutase, putative
ORF00611	SAG0541	398	voltage-gated chloride channel family protein
ORF00612	SAG0542	127	IS1381, transposase OrfA
ORF00613	SAG0543	129	IS1381, transposase OrfB
ORF00614	SAG0544	115	ribosomal protein L19
ORF00615	SAG0545	359	site-specific recombinase, phage integrase family
ORF00617	SAG0546	67	conserved domain protein
ORF00618	SAG0547	185	hypothetical protein
ORF00619	SAG0548	265	repressor protein, putative
ORF00620	SAG0549	47	hypothetical protein
ORF00621	SAG0550	74	conserved hypothetical protein
ORF00622	SAG0551	52	conserved hypothetical protein
ORF00623	SAG0552	62	hypothetical protein
ORF00624	SAG0553	268	hypothetical protein
ORF00626	SAG0554	63	transcriptional regulator, Cro/C1 family
ORF00627	SAG0555	249	antirepressor, putative
ORF00628	SAG0556	47	hypothetical protein
ORF00630	SAG0557	76	hypothetical protein
ORF00632	SAG0558	74	hypothetical protein
ORF00633	SAG0559	286	conserved hypothetical protein
ORF00634	SAG0560	77	conserved hypothetical protein
ORF00635	SAG0561	46	hypothetical protein
ORF00636	SAG0562	84	hypothetical protein
ORF00637	SAG0563	53	hypothetical protein
ORF00638	SAG0564	160	conserved hypothetical protein
ORF00639	SAG0565	224	conserved domain protein
ORF00640	SAG0566	138	single-strand binding protein
ORF00641	SAG0567	439	reverse transcriptase/maturase family protein
ORF00642	SAG0568	67	conserved hypothetical protein
ORF00643	SAG0569	158	conserved hypothetical protein
ORF00644	SAG0570	115	hypothetical protein
ORF00645	SAG0571	43	hypothetical protein
ORF00646	SAG0572	138	conserved hypothetical protein
ORF00647	SAG0573	54	hypothetical protein

Tabl 32: Conversion of ORF R f N s. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Annotati n
ORF00648	SAG0574	89	conserved hypothetical protein
ORF00649	SAG0575	110	hypothetical protein
ORF00650	SAG0576	43	hypothetical protein
ORF00652	SAG0577	177	conserved hypothetical protein
ORF00653	SAG0578	88	conserved hypothetical protein
ORF00654	SAG0581	118	conserved hypothetical protein
ORF00655	SAG0582	422	conserved hypothetical protein
ORF00656	SAG0583	406	conserved hypothetical protein
ORF00657	SAG0584	62	conserved hypothetical protein, truncation
ORF00658	SAG0585	471	conserved hypothetical protein
ORF00659	SAG0586	154	conserved hypothetical protein
ORF00660	SAG0587	300	structural protein, putative
ORF00661	SAG0588	71	conserved hypothetical protein
ORF00662	SAG0589	143	conserved hypothetical protein
ORF00663	SAG0590	112	conserved hypothetical protein
ORF00664	SAG0591	78	conserved hypothetical protein
ORF00665	SAG0592	111	conserved hypothetical protein
ORF00666	SAG0593	185	structural protein
ORF00667	SAG0594	81	conserved hypothetical protein
ORF00668	SAG0595	123	conserved hypothetical protein
ORF00669	SAG0596	670	PbIA, internal deletion
ORF00670	SAG0597	506	minor structural protein, putative
ORF00671	SAG0598	1374	minor structural protein, putative
ORF00672	SAG0599	668	minor structural protein, putative
ORF00673	SAG0600	109	hypothetical protein
ORF00674	SAG0601	70	hypothetical protein
ORF00675	SAG0602	100	conserved hypothetical protein
ORF00676	SAG0603	111	holin, putative
ORF00677	SAG0604	239	lysin, putative
ORF00678	SAG0605	323	conserved hypothetical protein
ORF00679	SAG0606	66	conserved hypothetical protein
ORF00681	SAG0607	56	conserved hypothetical protein
ORF00682	SAG0608	59	hypothetical protein
ORF00683	SAG0609	193	site-specific recombinase, phage integrase family
ORF00685	SAG0610	134	conserved hypothetical protein
ORF00687	SAG0611		transposase, degenerate FRAMESHIFT
ORF00689	SAG0612	53	conserved hypothetical protein, FRAMESHIFT
ORF00690	SAG0613	425	transmembrane protein Vexp1
ORF00691	SAG0614	218	ABC transporter, ATP-binding protein Vexp2
ORF00692	SAG0615	458	transmembrane protein Vexp3
ORF00693	SAG0616	217	DNA-binding response regulator VncR
ORF00694	SAG0617	439	sensor histidine kinase VncS
ORF00695	SAG0618	195	transposase OrfB, IS3 family, truncation
ORF00697	SAG0619	66	conserved hypothetical protein
ORF00698	SAG0620	62	hypothetical protein
ORF00699	SAG0621	401	rod shape-determining protein RodA, putative
ORF00700	SAG0622	186	hydrolase, haloacid dehalogenase-like family
ORF00701	SAG0623	650	DNA gyrase, B subunit
ORF00702	SAG0624	574	septation ring formation regulator EzrA, putative
ORF00703	SAG0625	213	phosphoserine phosphatase SerB
ORF00704	SAG0626	161	MutT/nudix family protein
ORF00705	SAG0627	151	conserved hypothetical protein
ORF00706	SAG0628	435	enolase
ORF00707	SAG0629	354	conserved domain protein

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Annotation
ORF00708	SAG0630	427	3-phosphoshikimate 1-carboxyvinyltransferase
ORF00709	SAG0631	170	shikimate kinase
ORF00710	SAG0632	457	psr protein
ORF00711	SAG0633	451	RNA methyltransferase, TrmA family
ORF00712	SAG0634	70	hypothetical protein
ORF00713	SAG0635	245	acid phosphatase precursor, class B
ORF00714	SAG0636	172	conserved hypothetical protein
ORF00717	SAG0637		transcriptional regulator, TetR family, putative, FRAMESHIFT
ORF00718	SAG0638	109	cell wall surface anchor family protein
ORF00720	SAG0639	273	transposase OrfB, IS3 family
ORF00721	SAG0640	91	transposase OrfA, IS3 family
ORF00722	SAG0641		Tn5252, Orf 10 protein, degenerate POINT MUTATION
ORF00723	SAG0642	59	hypothetical protein
ORF00725	SAG0643		chaperonin, 33 kDa DEGENERATE
ORF00728	SAG0644	402	transcriptional regulator, AraC family
ORF00727	SAG0645	554	cell wall surface anchor family protein, putative
ORF00728	SAG0646	307	cell wall surface anchor family protein
ORF00729	SAG0647	305	sortase family protein
ORF00731	SAG0648	260	sortase family protein
ORF00732	SAG0649	890	cell wall surface anchor family protein, putative
ORF00734	SAG0650	189	sortase family protein, FRAMESHIFT
ORF00735	SAG0651	201	hypothetical protein
ORF00737	SAG0653	76	conserved hypothetical protein, DEGENERATE
ORF00738	SAG0654	34	hypothetical protein
ORF00740	SAG0656	36	hypothetical protein
ORF00741	SAG0657	89	hypothetical protein
ORF00742	SAG0658	383	lipoprotein, putative
ORF00743	SAG0659	330	ABC transporter, ATP-binding protein
ORF00744	SAG0660	272	membrane protein
ORF00745	SAG0661	261	conserved hypothetical protein
ORF00747	SAG0663	282	cylD protein
ORF00748	SAG0664	240	cylG protein
ORF00749	SAG0665	101	acyl carrier protein AcpC
ORF00750	SAG0666	158	cylZ protein FRAMESHIFT
ORF00751	SAG0667	309	cylA protein
ORF00752	SAG0668	292	cylB protein
ORF00753	SAG0669	667	cylE protein
ORF00754	SAG0670	317	cylF protein
ORF00755	SAG0671	731	cylI protein
ORF00756	SAG0672	403	cylJ protein
ORF00757	SAG0673	191	cylK protein
ORF00758	SAG0674	113	hypothetical protein
ORF00759	SAG0675	171	surface protein antigen-related protein
ORF00760	SAG0676	885	serine protease, subtilase family, putative
ORF00761	SAG0677	1062	hypothetical protein
ORF00762	SAG0678		endopeptidase O DEGENERATE
ORF00766	SAG0679	286	hydrolase, alpha/beta fold family, putative
ORF00767	SAG0680	339	hypothetical protein
ORF00768	SAG0681	353	conserved domain protein
ORF00769	SAG0682	409	permease, putative
ORF00770	SAG0683		transmembrane protein Vexp3, putative FRAMESHIFT
ORF00774	SAG0684	223	ABC transporter, ATP-binding protein

Table 32: Comparison of ORF Ref Nos. with SAG Ref Nos.

ORF Ref N .	SAGxxxx Ref No.	aa	Annotation
ORF00775	SAG0685	472	conserved hypothetical protein
ORF00776	SAG0686	261	DNA-entry nuclease, putative
ORF00777	SAG0687	212	DedA family protein, putative
ORF00778	SAG0688	218	ABC transporter, ATP-binding protein
ORF00779	SAG0689	257	membrane protein, putative
ORF00780	SAG0690	272	conserved hypothetical protein
ORF00781	SAG0691	294	transcriptional regulator, LysR family
ORF00783	SAG0692	193	regulatory protein, putative
ORF00785	SAG0693	377	IS1548, transposase
ORF00786	SAG0694	173	regulatory protein, putative, truncation
ORF00787	SAG0695	330	D-lactate dehydrogenase
ORF00788	SAG0696	516	sodium:galactoside symporter family protein, putative
ORF00789	SAG0697	341	2-keto-3-deoxygluconate kinase
ORF00790	SAG0698	599	beta-glucuronidase
ORF00791	SAG0699	223	transcriptional regulator, GntR family
ORF00792	SAG0700	205	2-dehydro-3-deoxyphosphogluconate aldolase/4-hydroxy-2-oxoglutarate aldolase
ORF00793	SAG0701	466	Glucuronate isomerase
ORF00794	SAG0702	348	mannonate dehydratase
ORF00795	SAG0703	279	D-mannonate oxidoreductase
ORF00796	SAG0704	270	hydrolase, haloacid dehalogenase-like family
ORF00797	SAG0705	596	glycosyl hydrolase, family 3
ORF00798	SAG0706	361	proline dipeptidase
ORF00799	SAG0707	334	transcriptional regulator, RegM family
ORF00800	SAG0708	488	alpha amylase family protein
ORF00801	SAG0709	332	glycosyl transferase, group 1 family protein
ORF00802	SAG0710	444	glycosyl transferase, group 1 family protein
ORF00803	SAG0711	647	threonyl-tRNA synthetase
ORF00804	SAG0712	234	DNA-binding response regulator
ORF00805	SAG0713	339	conserved hypothetical protein
ORF00806	SAG0714	188	conserved hypothetical protein
ORF00807	SAG0715	216	amino acid ABC transporter, permease protein
ORF00808	SAG0716	231	amino acid ABC transporter, permease protein
ORF00809	SAG0717	266	amino acid ABC transporter, amino acid-binding protein
ORF00810	SAG0718	251	amino acid ABC transporter, ATP-binding protein
ORF00811	SAG0719	236	DNA-binding response regulator
ORF00812	SAG0720	449	sensory box histidine kinase
ORF00813	SAG0721	269	metallo-beta-lactamase family protein
ORF00814	SAG0722	122	conserved hypothetical protein
ORF00815	SAG0723	236	ribonuclease III
ORF00816	SAG0724	1179	SMC family protein
ORF00817	SAG0725	265	hydrolase, haloacid dehalogenase-like family
ORF00818	SAG0726	274	hydrolase, haloacid dehalogenase-like family
ORF00819	SAG0727	536	signal recognition particle-docking protein FtsY
ORF00820	SAG0728	270	ABC transporter, substrate-binding protein
ORF00821	SAG0729	300	ABC transporter, permease protein, putative
ORF00822	SAG0730	42	ABC transporter, ATP-binding protein
ORF00823	SAG0731	347	bacterial luciferase family protein
ORF00824	SAG0732	720	transcriptional accessory protein Tex, putative
ORF00825	SAG0733	142	conserved hypothetical protein
ORF00826	SAG0734	87	phage shock protein C, putativ
ORF00827	SAG0735	44	hypothetical protein
ORF00828	SAG0736	311	HPr(Ser) kinase/phosphatase

Tabl 32: Conversi n of ORF R f Nos. with SAG R f Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Ann tation
ORF00830	SAG0737	257	prolipoprotein diacylglyceryl transferase
ORF00832	SAG0738	132	conserved hypothetical protein
ORF00833	SAG0739	143	conserved hypothetical protein
ORF00834	SAG0740	91	conserved hypothetical protein
ORF00835	SAG0741	303	peptidase, U32 family, putative
ORF00836	SAG0742	428	peptidase, U32 family
ORF00837	SAG0743	70	conserved hypothetical protein
ORF00838	SAG0744	265	membrane protein, putative
ORF00839	SAG0745	446	Mn2+/Fe2+ transporter, NRAMP family
ORF00840	SAG0746	369	riboflavin biosynthesis protein RibD
ORF00841	SAG0747	208	riboflavin synthase, alpha subunit
ORF00842	SAG0748	397	riboflavin biosynthesis protein RibA
ORF00843	SAG0749	156	riboflavin synthase, beta subunit
ORF00844	SAG0750	496	lysyl-tRNA synthetase
ORF00845	SAG0751	300	hydrolase, haloacid dehalogenase-like family
ORF00846	SAG0752	213	phosphoglycerate mutase family protein
ORF00847	SAG0753	157	ebsC family protein, putative
ORF00848	SAG0754	205	conserved domain protein
ORF00850	SAG0755	282	peptidase, U32 family
ORF00852	SAG0756	174	conserved hypothetical protein
ORF00853	SAG0757	129	lipoprotein, putative
ORF00855	SAG0758	599	oligoendopeptidase F, putative
ORF00856	SAG0759	931	phosphoenolpyruvate carboxylase
ORF00857	SAG0760	377	IS1548, transposase
ORF00859	SAG0761	422	cell division protein, FtsW/RodA/SpoVE family
ORF00861	SAG0762	398	translation elongation factor Tu
ORF00863	SAG0763	252	triosephosphate isomerase
ORF00865	SAG0764	230	phosphoglycerate mutase
ORF00866	SAG0765	681	penicillin-binding protein 2b
ORF00867	SAG0766	198	recombination protein RecR
ORF00868	SAG0767	348	D-alanine-D-alanine ligase
ORF00869	SAG0768	455	UDP-N-acetylmuramoylalanyl-D-glutamyl-2,6-diaminopimelate-D-alanyl-D-alanyl ligase
ORF00870	SAG0769	406	oxalate:formate antiporter
ORF00871	SAG0770	228	conserved hypothetical protein
ORF00872	SAG0771	512	cell wall surface anchor family protein
ORF00873	SAG0772	514	peptide chain release factor 3
ORF00874	SAG0773	126	conserved hypothetical protein
ORF00876	SAG0774	244	ABC transporter, ATP-binding protein
ORF00878	SAG0775	220	ABC transporter, permease protein
ORF00879	SAG0776	276	lipoprotein, putative
ORF00880	SAG0777	528	ATP-dependent RNA helicase, DEAD/DEAH box family
ORF00882	SAG0778	88	conserved hypothetical protein
ORF00883	SAG0779	254	conserved hypothetical protein
ORF00884	SAG0780	246	acyltransferase family protein
ORF00885	SAG0781	217	competence protein CeiA
ORF00887	SAG0782	745	DNA internalization-related competence protein ComEC/Rec2
ORF00888	SAG0783	269	hydrolase, haloacid dehalogenase-like family
ORF00889	SAG0784	314	sugar-binding transcriptional regulator, LacI family
ORF00890	SAG0785	330	conserved hypothetical protein
ORF00891	SAG0786	242	conserved domain protein
ORF00892	SAG0787	345	DNA polymerase III, delta subunit, putative

Tabl 32: Conversion f ORF Ref N s. with SAG Ref Nos.

ORF Ref N .	SAGxxxx R f N .	aa	Ann tati n
ORF00893	SAG0788	202	superoxide dismutase, Fe-Mn
ORF00894	SAG0789	283	transcriptional antiterminator LicT
ORF00895	SAG0790	622	PTS system, beta-glucosides-specific IIABC components
ORF00896	SAG0791	475	6-phospho-beta-glucosidase
ORF00898	SAG0792	364	conserved hypothetical protein
ORF00899	SAG0793	380	conserved hypothetical protein TIGR00045
ORF00900	SAG0794	418	permease, GntP family
ORF00902	SAG0795	354	conserved hypothetical protein
ORF00903	SAG0796	147	transcriptional regulator, MarR family
ORF00904	SAG0797	342	S-adenosylmethionine:tRNA ribosyltransferase-isomerase
ORF00905	SAG0798	226	membrane protein, putative
ORF00906	SAG0799	233	glucosamine-6-phosphate isomerase
ORF00907	SAG0800	318	Glutathione S-transferases domain protein
ORF00908	SAG0801	239	ribosomal small subunit pseudouridine synthase
ORF00909	SAG0802	38	hypothetical protein
ORF00910	SAG0803	383	major facilitator family protein
ORF00911	SAG0804	315	competence protein CoiA
ORF00912	SAG0805	601	oligoendopeptidase B
ORF00913	SAG0806	208	hydrolase, haloacid dehalogenase-like family
ORF00914	SAG0807	235	O-methyltransferase family protein
ORF00916	SAG0808	309	protease maturation protein, putative
ORF00918	SAG0809	161	conserved hypothetical protein
ORF00919	SAG0810	872	alanyl-tRNA synthetase
ORF00921	SAG0811	238	membrane protein, putative
ORF00922	SAG0812	272	glycosyl transferase, family 8
ORF00923	SAG0813	81	hypothetical protein
ORF00924	SAG0814	95	conserved domain protein
ORF00925	SAG0815	71	transcriptional regulator, Cro/Ci family
ORF00926	SAG0816	253	conserved hypothetical protein
ORF00927	SAG0817	187	conserved hypothetical protein
ORF00928	SAG0818	319	ribonucleoside-diphosphate reductase 2, beta subunit
ORF00929	SAG0819	719	ribonucleoside-diphosphate reductase 2, alpha subunit
ORF00930	SAG0820	74	ribonucleoside-diphosphate reductase 2, NrdH-redoxin
ORF00931	SAG0821	87	phosphocarrier protein HPr
ORF00932	SAG0822	577	phosphoenolpyruvate-protein phosphotransferase
ORF00933	SAG0823	475	glyceraldehyde-3-phosphate dehydrogenase, NADP-dependent
ORF00934	SAG0824	417	polysaccharide deacetylase family protein
ORF00935	SAG0825	360	ATP-dependent RNA helicase, DEAD/DEAH box family
ORF00936	SAG0826	209	uridine kinase
ORF00937	SAG0827	165	conserved hypothetical protein
ORF00938	SAG0828	554	DNA polymerase III, gamma and tau subunits
ORF00939	SAG0829	64	conserved hypothetical protein
ORF00940	SAG0830	311	biotin-acetyl-CoA-carboxylase ligas
ORF00941	SAG0831	398	S-adenosylmethionine synthetase
ORF00942	SAG0832	753	hypothetical protein
ORF00943	SAG0833	181	hypothetical protein
ORF00944	SAG0834	42	hypothetical protein
ORF00945	SAG0835	188	conserved hypothetical protein

Table 32: Comparison of ORF Ref Nos. with SAG Ref Nos.

ORF Ref N .	SAGxxxx Ref No.	aa	Annotation
ORF00946	SAG0836	184	conserved hypothetical protein
ORF00948	SAG0837	428	ABC transporter, ATP-binding protein
ORF00950	SAG0838	233	hypothetical protein
ORF00951	SAG0839	226	transcriptional regulator, TenA family
ORF00952	SAG0840	265	phosphomethylpyrimidine kinase
ORF00953	SAG0841	256	hydroxyethylthiazole kinase
ORF00954	SAG0842	223	thiamine-phosphate pyrophosphorylase
ORF00955	SAG0843	419	UDP-N-acetylglucosamine 1-carboxyvinyltransferase
ORF00956	SAG0844	184	acetyltransferase, GNAT family
ORF00957	SAG0845	427	CBS domain protein
ORF00958	SAG0846	286	methionine aminopeptidase, type I
ORF00959	SAG0847	306	ribonuclease BN, putative
ORF00961	SAG0848	151	GtrA family protein
ORF00962	SAG0849	169	conserved hypothetical protein
ORF00963	SAG0850	652	DNA ligase, NAD-dependent
ORF00964	SAG0851	339	BmrU protein, putative
ORF00966	SAG0852	766	pullulanase, putative
ORF00967	SAG0853	622	1,4-alpha-glucan branching enzyme
ORF00968	SAG0854	379	glucose-1-phosphate adenylyltransferase
ORF00969	SAG0855		glycogen biosynthesis protein GlgD FRAMESHIFT
ORF00971	SAG0856	476	glycogen synthase
ORF00972	SAG0857	66	ATP synthase F0, C subunit
ORF00973	SAG0858	238	ATP synthase F0, A subunit
ORF00974	SAG0859	165	ATP synthase F0, B subunit
ORF00975	SAG0860	178	ATP synthase F1, delta subunit
ORF00976	SAG0861	501	ATP synthase F1, alpha subunit
ORF00977	SAG0862	293	ATP synthase F1, gamma subunit
ORF00978	SAG0863	468	ATP synthase F1, beta subunit
ORF00979	SAG0864	137	ATP synthase F1, epsilon subunit
ORF00980	SAG0865	76	conserved hypothetical protein
ORF00981	SAG0866	423	UDP-N-acetylglucosamine 1-carboxyvinyltransferase
ORF00982	SAG0867	63	conserved hypothetical protein
ORF00983	SAG0868	285	DNA-entry nuclease
ORF00984	SAG0869	346	phenylalanyl-tRNA synthetase, alpha subunit
ORF00985	SAG0870	173	acetyltransferase, GNAT family
ORF00986	SAG0871	801	phenylalanyl-tRNA synthetase, beta subunit
ORF00987	SAG0872	300	conserved hypothetical protein
ORF00988	SAG0873	1077	exonuclease RxB
ORF00989	SAG0874	1207	exonuclease RxA
ORF00990	SAG0875	305	magnesium transporter, CorA family, putative
ORF00991	SAG0876	458	tRNA modification GTPase TrmE
ORF00992	SAG0877	636	ABC transporter, ATP-binding protein
ORF00993	SAG0878	322	acetoin dehydrogenase, thymine PPi dependent, E1 component, alpha subunit
ORF00994	SAG0879	332	acetoin dehydrogenase, thymine PPi dependent, E1 component, beta subunit
ORF00995	SAG0880	462	acetoin dehydrogenase, thymine PPi dependent, E2 component, dihydrolipoamide acetyltransferase
ORF00996	SAG0881	585	acetoin dehydrogenase, thymine PPi dependent, E3 component, dihydrolipoamide dehydrogenase
ORF00997	SAG0882	329	lipoate-protein ligase A
ORF00998	SAG0883	261	cobyrinic acid synthase, putative

Table 32: Conversion of ORF R f Nos. with SAG R f Nos.

ORF Ref N .	SAGxxxx Ref No.	aa	Annotation
ORF00999	SAG0884	447	mur ligase family protein
ORF01000	SAG0885	283	conserved hypothetical protein TIGR00159
ORF01001	SAG0886	319	Gram-positive signal peptide, YSIRK family domain protein
ORF01002	SAG0887	450	phosphoglucosyltransferase/phosphomannosyltransferase family protein
ORF01003	SAG0888	123	conserved hypothetical protein
ORF01004	SAG0889	126	conserved hypothetical protein
ORF01005	SAG0890	376	oxygen-independent coproporphyrinogen III oxidase, putative
ORF01006	SAG0891	245	conserved hypothetical protein
ORF01007	SAG0892	256	hydrolase, haloacid dehalogenase-like family
ORF01008	SAG0893	218	conserved hypothetical protein
ORF01009	SAG0894	1370	conserved hypothetical protein
ORF01010	SAG0895	289	lipoyl-binding domain protein
ORF01011	SAG0896	108	oxidoreductase, putative
ORF01012	SAG0897	221	conserved hypothetical protein
ORF01013	SAG0898	83	hypothetical protein
ORF01014	SAG0899	57	hypothetical protein
ORF01015	SAG0900	56	hypothetical protein
ORF01016	SAG0901	127	hypothetical protein
ORF01018	SAG0902	45	hypothetical protein
ORF01019	SAG0903	44	hypothetical protein
ORF01021	SAG0904	56	hypothetical protein
ORF01022	SAG0905	138	nucleoside diphosphate kinase
ORF01023	SAG0906	610	GTP-binding protein LepA
ORF01024	SAG0907	877	streptococcal histidine triad family protein
ORF01025	SAG0908	203	HD domain protein
ORF01026	SAG0909	154	acetyltransferase, GNAT family
ORF01027	SAG0910	144	PilB-related protein
ORF01030	SAG0911	930	cation-transporting ATPase, E1-E2 family
ORF01031	SAG0912	367	nucleoside diphosphate kinase domain protein
ORF01032	SAG0913	212	chloramphenicol acetyltransferase
ORF01033	SAG0914	203	conserved hypothetical protein
ORF01034	SAG0915	405	Tn916, transposase
ORF01035	SAG0916	67	Tn916, excisionase
ORF01037	SAG0918	76	Tn916, hypothetical protein
ORF01038	SAG0919	157	Tn916, hypothetical protein
ORF01039	SAG0921	117	Tn916, transcriptional regulator, putative
ORF01040	SAG0923	639	Tn916, tetracycline resistance protein
ORF01041	SAG0925	310	Tn916, hypothetical protein
ORF01042	SAG0926	333	Tn916, NLP/P60 family protein
ORF01044	SAG0927	725	Tn916, hypothetical protein FRAMESHIFT
ORF01047	SAG0928		Tn916, hypothetical protein FRAMESHIFT
ORF01048	SAG0929	168	Tn916, hypothetical protein
ORF01049	SAG0930	165	Tn916, hypothetical protein
ORF01050	SAG0931	73	Tn916, hypothetical protein
ORF01051	SAG0932	401	Tn916, transcriptional regulator, putative
ORF01052	SAG0933	461	Tn916, FtsK/SpolIIE family protein
ORF01053	SAG0934	128	Tn916, hypothetical protein
ORF01054	SAG0935	104	Tn916, hypothetical protein
ORF01056	SAG0937		ABC transporter, ATP-binding protein, FRAMESHIFT
ORF01057	SAG0938	122	transcriptional regulator, GntR family
ORF01058	SAG0939	1034	DNA polymerase III, alpha subunit

Tabl 32: Conv rsi n of ORF Ref Nos. with SAG Ref Nos.

ORF R f N .	SAGxxx R f No.	aa	Ann 'tati n
ORF01059	SAG0940	340	6-phosphofructokinase
ORF01060	SAG0941	500	pyruvate kinase
ORF01061	SAG0942	185	signal peptidase I, putative
ORF01062	SAG0943	47	hypothetical protein
ORF01063	SAG0944	604	glucosamine-fructose-6-phosphate aminotransferase (isomerizing)
ORF01064	SAG0945	377	IS1548, transposase
ORF01066	SAG0946	109	phnA protein
ORF01068	SAG0947	213	amino acid ABC transporter, permease protein
ORF01069	SAG0948	209	amino acid ABC transporter, ATP-binding protein
ORF01070	SAG0949	276	amino acid ABC transporter, amino acid-binding protein
ORF01072	SAG0950	82	ribosomal protein S20
ORF01073	SAG0951	306	pantothenate kinase
ORF01074	SAG0952	196	conserved hypothetical protein
ORF01075	SAG0953	129	cytidine deaminase
ORF01076	SAG0954	349	lipoprotein
ORF01077	SAG0955	511	sugar ABC transporter, ATP-binding protein
ORF01078	SAG0956	353	sugar ABC transporter, permease protein, putative
ORF01079	SAG0957	318	sugar ABC transporter, permease protein, putative
ORF01080	SAG0958	456	NADH oxidase
ORF01081	SAG0959	329	L-lactate dehydrogenase
ORF01082	SAG0960	819	DNA gyrase, A subunit
ORF01083	SAG0961	247	sortase SrlA
ORF01084	SAG0962	137	glyoxylase family protein
ORF01085	SAG0963	320	conserved hypothetical protein
ORF01086	SAG0964	375	Na ⁺ /H ⁺ exchanger family protein
ORF01087	SAG0965	127	IS1381, transposase OrfA
ORF01088	SAG0966	129	IS1381, transposase OrfB
ORF01089	SAG0967	520	GMP synthase
ORF01090	SAG0968	232	transcriptional regulator, GntR family
ORF01091	SAG0969	444	gid protein
ORF01092	SAG0970	247	acetyltransferase, GNAT family
ORF01093	SAG0971	282	lipoprotein, putative
ORF01095	SAG0972		conserved hypothetical protein, FRAMESHIFT
ORF01096	SAG0973	320	nisin-resistance protein, putative
ORF01097	SAG0974	250	ABC transporter, ATP-binding protein
ORF01098	SAG0975	651	ABC transporter, permease protein, putative
ORF01099	SAG0976	222	DNA-binding response regulator
ORF01100	SAG0977	312	sensor histidine kinase
ORF01101	SAG0978	356	site-specific recombinase, phage integrase family
ORF01102	SAG0979	553	ABC transporter, substrate binding protein, putative
ORF01103	SAG0980	257	conserved hypothetical protein
ORF01104	SAG0981	228	SatD
ORF01106	SAG0982	521	signal recognition particle protein
ORF01108	SAG0983	110	conserved hypothetical protein
ORF01109	SAG0984	437	sensor histidine kinase CiaH
ORF01110	SAG0985	226	DNA-binding response regulator CiaR
ORF01111	SAG0986	849	aminopeptidase N
ORF01112	SAG0987	217	phosphate transport system regulatory protein PhoU

Table 32: Conversion of ORF Ref N s. with SAG R f Nos.

ORF Ref No.	SAGxxx R f N .	aa	Ann tation
ORF01113	SAG0988	252	phosphate ABC transporter, ATP-binding protein PstB, putative
ORF01114	SAG0989	267	phosphate ABC transporter, ATP-binding protein PstB, putative
ORF01115	SAG0990	295	phosphate ABC transporter, permease protein PstA, putative
ORF01116	SAG0991	305	phosphate ABC transporter, permease protein
ORF01117	SAG0992	286	phosphate ABC transporter, phosphate-binding protein
ORF01118	SAG0993	436	NOL1/NOP2/sun family protein
ORF01119	SAG0994	254	inositol monophosphatase family protein
ORF01120	SAG0995	93	conserved hypothetical protein
ORF01121	SAG0996	137	conserved hypothetical protein
ORF01122	SAG0997	310	macrolide-efflux protein mreA/riboflavin biosynthesis protein RibF
ORF01123	SAG0998	294	tRNA pseudouridine synthase B
ORF01124	SAG0999	143	acetyltransferase, GNAT family
ORF01125	SAG1000	423	conserved hypothetical protein
ORF01126	SAG1001	196	conserved hypothetical protein
ORF01127	SAG1002	292	protease, putative
ORF01128	SAG1003	876	permease, putative
ORF01129	SAG1004	233	ABC transporter, ATP-binding protein
ORF01131	SAG1005	706	DNA topoisomerase I
ORF01132	SAG1006	280	DprA/SMF protein, putative DNA processing factor
ORF01133	SAG1007	342	iron-compound ABC transporter, iron-compound-binding protein
ORF01134	SAG1008	253	iron compound ABC transporter, ATP-binding protein
ORF01135	SAG1009	324	iron compound ABC transporter, permease protein
ORF01136	SAG1010	320	iron compound ABC transporter, permease protein
ORF01137	SAG1011	182	acetyltransferase, CysE/LacA/LpxA/NodL family
ORF01138	SAG1012	253	ribonuclease HII
ORF01139	SAG1013	283	GTP-binding protein
ORF01140	SAG1014	190	conserved hypothetical protein
ORF01142	SAG1015	494	carbon starvation protein CstA, putative
ORF01143	SAG1016	244	response regulator
ORF01144	SAG1017	579	sensor histidine kinase, putative
ORF01145	SAG1018	40	hypothetical protein
ORF01146	SAG1019	39	conserved hypothetical protein, FRAMESHIFT
ORF01148	SAG1020	227	hypothetical protein
ORF01149	SAG1021	107	hypothetical protein
ORF01150	SAG1022	177	hypothetical protein
ORF01151	SAG1023	48	hypothetical protein
ORF01152	SAG1024	183	hypothetical protein
ORF01153	SAG1025	149	hypothetical protein
ORF01156	SAG1026		immunogenic secreted protein, DEGENERATE
ORF01157	SAG1027	84	conserved hypothetical protein
ORF01158	SAG1028	196	hypothetical protein
ORF01159	SAG1029	101	hypothetical protein
ORF01160	SAG1030	304	conserved hypothetical protein
ORF01161	SAG1031	120	extracellular protein, putative POINT MUATION
ORF01162	SAG1032	85	conserved hypothetical protein
ORF01164	SAG1033	1309	FtsK/SpoIIIE family protein
ORF01166	SAG1034	55	hypothetical prot in

Table 32: Conversion of ORF Ref N s. with SAG R f Nos.

ORF Ref N .	SAGxxxx R f No.	aa	Annotation
ORF01167	SAG1035	424	conserved hypothetical protein
ORF01168	SAG1036	80	conserved hypothetical protein
ORF01169	SAG1037	157	hypothetical protein
ORF01172	SAG1038	1003	phage infection protein, putative
ORF01173	SAG1039	96	conserved hypothetical protein
ORF01174	SAG1040	260	conserved domain protein
ORF01175	SAG1041	107	hypothetical protein
ORF01176	SAG1042	1060	carbamoyl-phosphate synthase, large subunit
ORF01177	SAG1043	358	carbamoyl-phosphate synthase, small subunit
ORF01178	SAG1044	307	aspartate carbamoyltransferase
ORF01179	SAG1045	430	dihydroorotase, multifunctional complex type
ORF01180	SAG1046	209	orotate phosphoribosyltransferase
ORF01181	SAG1047	233	orotidine 5'-phosphate decarboxylase
ORF01182	SAG1048	410	membrane protein, putative
ORF01183	SAG1049	513	ABC transporter, ATP-binding protein
ORF01184	SAG1050	112	ribonucleotide reductase, truncation
ORF01185	SAG1051	358	aspartate-semialdehyde dehydrogenase
ORF01186	SAG1052	47	cell wall surface anchor family protein, putative
ORF01187	SAG1053	30	hypothetical protein
ORF01188	SAG1054	531	cardiolipin synthetase
ORF01189	SAG1055	556	formate-tetrahydrofolate ligase
ORF01190	SAG1056	339	lipoate-protein ligase A
ORF01191	SAG1057	292	conserved hypothetical protein
ORF01192	SAG1058	272	conserved hypothetical protein
ORF01193	SAG1059	110	glycine cleavage system H protein, putative
ORF01194	SAG1060	328	bacterial luciferase family protein
ORF01195	SAG1061	399	oxidoreductase, FMN-binding
ORF01197	SAG1062	282	lipoate-protein ligase A family protein
ORF01198	SAG1063	228	flavoprotein-related protein
ORF01199	SAG1064	180	flavoprotein family protein
ORF01200	SAG1065	190	membrane protein, putative
ORF01201	SAG1066	572	phosphoglucosyltransferase
ORF01202	SAG1067	178	IS861, transposase OrfA
ORF01203	SAG1068	277	IS861, transposase OrfB
ORF01204	SAG1069	65	hypothetical protein
ORF01205	SAG1070	577	ABC transporter, ATP-binding/permease protein
ORF01206	SAG1071	573	ABC transporter, ATP-binding/permease protein
ORF01207	SAG1072	200	conserved hypothetical protein
ORF01208	SAG1073	325	conserved hypothetical protein
ORF01209	SAG1074	418	Serine hydroxymethyltransferase
ORF01210	SAG1075	183	Sua5/YciO/YrdC/YwIC family protein
ORF01211	SAG1076	276	modification methylase, HemK family
ORF01212	SAG1077	359	peptide chain release factor 1
ORF01213	SAG1078	189	thymidine kinases
ORF01214	SAG1079	60	4-oxalocrotonate tautomerase
ORF01215	SAG1080	47	hypothetical protein
ORF01216	SAG1081	312	ApbE family protein
ORF01217	SAG1082	200	conserved hypothetical protein
ORF01218	SAG1083	411	conserved hypothetical protein
ORF01219	SAG1084	262	formate/nitrite transporter family protein
ORF01220	SAG1085	424	xanthine permease
ORF01221	SAG1086	193	xanthine phosphoribosyltransferase
ORF01222	SAG1087	327	guanosine monophosphate reductase
ORF01223	SAG1088	446	drug resistance transporter, EmrB/QacA family, putative

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref N .	aa	Annotation
ORF01224	SAG1089	230	conserved hypothetical protein
ORF01225	SAG1090	666	potassium uptake protein, putative
ORF01226	SAG1091	216	oxidoreductase, short chain dehydrogenase/reductase family, FRAMESHIFT
ORF01227	SAG1092	330	phosphate acetyltransferase
ORF01228	SAG1093	294	ribosomal large subunit pseudouridine synthase, RluD subfamily
ORF01229	SAG1094	278	conserved hypothetical protein
ORF01230	SAG1095	223	GTP pyrophosphokinase family protein
ORF01231	SAG1096	190	conserved hypothetical protein
ORF01232	SAG1097	324	ribose-phosphate pyrophosphokinase
ORF01233	SAG1098	371	cysteine desulphurase
ORF01234	SAG1099	115	conserved hypothetical protein
ORF01235	SAG1100	210	DNA-binding protein
ORF01236	SAG1101	226	DNA repair protein RadC
ORF01237	SAG1102	377	membrane protein, putative
ORF01238	SAG1103	478	6-phospho-beta-glucosidase
ORF01239	SAG1104	204	platelet activating factor, putative
ORF01240	SAG1105	273	hydrolase, haloacid dehalogenase-like family
ORF01241	SAG1106	309	transcriptional regulator, AraC family, putative
ORF01242	SAG1107	510	voltage-gated chloride channel family protein
ORF01243	SAG1108	357	spermidine/putrescine ABC transporter, spermidine/putrescine-binding protein
ORF01244	SAG1109	258	spermidine/putrescine ABC transporter, permease protein
ORF01245	SAG1110	264	spermidine/putrescine ABC transporter, permease protein
ORF01246	SAG1111	384	spermidine/putrescine ABC transporter, ATP-binding protein
ORF01247	SAG1112	300	UDP-N-acetylenolpyruvoylglucosamine reductase
ORF01248	SAG1113	162	2-amino-4-hydroxy-6-hydroxymethyldihydropteridine pyrophosphokinase
ORF01249	SAG1114	120	dihydroneopterin aldolase
ORF01250	SAG1115	267	dihydropteroate synthase
ORF01251	SAG1116	187	GTP cyclohydrolase I
ORF01252	SAG1117	420	folylpolyglutamate synthase
ORF01253	SAG1118	295	rarD protein
ORF01254	SAG1119	288	homoserine kinase
ORF01255	SAG1120	427	homoserine dehydrogenase
ORF01256	SAG1121	295	polysaccharide deacetylase family protein
ORF01257	SAG1122	515	transporter, BCCT family protein
ORF01258	SAG1123	34	hypothetical protein
ORF01259	SAG1124	458	aldehyde dehydrogenase family protein
ORF01260	SAG1125	335	membrane protein
ORF01261	SAG1126	228	conserved hypothetical protein
ORF01262	SAG1127	113	conserved hypothetical protein, FRAMESHIFT
ORF01263		187	hypothetical protein
ORF01264	SAG1128	65	transcriptional regulator, Cro/Ci family
ORF01265	SAG1129	36	hypothetical protein
ORF01266	SAG1130	49	hypothetical protein
ORF01268	SAG1131	164	thiol peroxidase
ORF01269	SAG1132	219	conserved hypothetical protein
ORF01272	SAG1133	254	conserved hypothetical protein

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx R f No.	aa	Annotation
ORF01273	SAG1134	213	transcriptional regulator, GntR family/potassium uptake protein, TrkA family
ORF01274	SAG1135	183	gls24 protein, putative
ORF01275	SAG1136		conserved hypothetical protein FRAMESHIFT
ORF01276	SAG1137	180	gls24 protein, putative
ORF01277	SAG1138	64	conserved hypothetical protein
ORF01279	SAG1139	193	conserved hypothetical protein
ORF01280	SAG1140	82	conserved hypothetical protein
ORF01281	SAG1141	112	conserved hypothetical protein
ORF01282	SAG1142	759	ATP-dependent DNA helicase PcrA
ORF01283	SAG1143	100	conserved hypothetical protein, FRAMESHIFT
ORF01284	SAG1144	441	uracil permease
ORF01285	SAG1145	448	sodium:alanine symporter family protein
ORF01286	SAG1146	411	cation efflux family protein
ORF01287	SAG1147	130	conserved hypothetical protein
ORF01288	SAG1148	231	membrane protein, putative
ORF01289	SAG1149	207	conserved hypothetical protein
ORF01290	SAG1150	400	ribosomal protein S1
ORF01291	SAG1151	76	conserved hypothetical protein
ORF01292	SAG1152	340	branched-chain amino acid aminotransferase
ORF01294	SAG1153	819	DNA topoisomerase IV, A subunit
ORF01295	SAG1154	653	DNA topoisomerase IV, B subunit
ORF01296	SAG1155	207	conserved hypothetical protein TIGR00023
ORF01297	SAG1156	217	uracil-DNA glycosylase
ORF01298	SAG1157	161	conserved hypothetical protein
ORF01299	SAG1158	413	CMP-N-acetylneuraminic acid synthetase NeuA
ORF01300	SAG1159	209	neuD protein
ORF01301	SAG1160	384	UDP-N-acetylglucosamine-2-epimerase NeuC
ORF01302	SAG1161	341	N-acetyl neuramic acid synthetase NeuB
ORF01303	SAG1162	466	cpsL protein
ORF01304	SAG1163	318	cpsVK protein
ORF01305	SAG1164	321	cpsVJ protein
ORF01306	SAG1165	327	cpsVO protein
ORF01307	SAG1166	295	cpsVN protein
ORF01308	SAG1167	241	cpsVM protein
ORF01309	SAG1168	364	cpsVH protein
ORF01310	SAG1169	163	CpsVG
ORF01311	SAG1170	149	CpsF
ORF01312	SAG1171	462	CpsE
ORF01313	SAG1172	229	CpsD protein
ORF01314	SAG1173	230	cpsC protein
ORF01315	SAG1174	243	capsular polysaccharide biosynthesis protein CpsB
ORF01316	SAG1175	485	capsular polysaccharide biosynthesis protein CpsA
ORF01317	SAG1176	290	capsular polysaccharide synthesis operon transcriptional regulator CpsY
ORF01318	SAG1177	255	cpsIaS protein
ORF01319	SAG1178	236	purine nucleoside phosphorylase
ORF01320	SAG1179	418	voltage-gated chlorid channel family protein, putative
ORF01321	SAG1180	269	purine nucleoside phosphorylas
ORF01322	SAG1181	135	arsenate reductase
ORF01323	SAG1182	403	phosphopentomutase
ORF01324	SAG1183	223	ribose 5-phosphate isomerase

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Annotation
ORF01326	SAG1184	236	conserved hypothetical protein
ORF01327	SAG1185	262	tributylin esterase
ORF01328	SAG1186	553	metallo-beta-lactamase superfamily protein
ORF01329	SAG1187	253	ABC transporter, ATP-binding protein
ORF01330	SAG1188	287	ABC transporter, permease protein
ORF01331	SAG1189	334	conserved hypothetical protein
ORF01332	SAG1190	551	adherence and virulence protein A
ORF01333	SAG1191	239	alpha-acetolactate decarboxylase
ORF01334	SAG1192	560	acetolactate synthase, catabolic
ORF01335	SAG1193	408	TPR domain protein
ORF01336	SAG1194	396	membrane protein
ORF01337	SAG1195	153	MutT/nudix family protein
ORF01338	SAG1196	160	mutator MutT protein
ORF01339	SAG1197	1072	hyaluronidase
ORF01340	SAG1198	348	dTDP-glucose 4,6-dehydratase
ORF01341	SAG1199	197	dTDP-4-dehydrorhamnose 3,5-epimerase
ORF01342	SAG1200	289	glucose-1-phosphate thymidyltransferase
ORF01343	SAG1201	367	iminodiacetate oxidase, putative
ORF01344	SAG1202	262	conserved hypothetical protein TIGR00486
ORF01345	SAG1203	227	conserved hypothetical protein
ORF01346	SAG1204	226	DNA replication protein Dnad, putative
ORF01347	SAG1205	172	adenine phosphoribosyltransferase
ORF01348	SAG1206	854	conserved domain protein
ORF01349	SAG1207	32	hypothetical protein
ORF01350	SAG1208	732	single-stranded-DNA-specific exonuclease RecJ
ORF01351	SAG1209	253	oxidoreductase, short chain dehydrogenase/reductase family
ORF01352	SAG1210	309	metallo-beta-lactamase superfamily protein
ORF01353	SAG1211	215	conserved hypothetical protein
ORF01354	SAG1212	412	GTP-binding protein HflX
ORF01355	SAG1213	296	tRNA delta(2)-isopentenylpyrophosphate transferase
ORF01356	SAG1214	58	hypothetical protein
ORF01357	SAG1215	305	exfoliative toxin A, putative
ORF01358	SAG1216	1252	pullulanase, putative
ORF01361	SAG1217		conserved hypothetical protein, FRAMESHIFT
ORF01362	SAG1218	194	conserved hypothetical protein
ORF01363	SAG1219	468	peptidase, M20/M25/M40 family
ORF01364	SAG1220	200	nitroreductase family protein
ORF01365	SAG1221		glycerophosphoryl diester phosphodiesterase, putative, POINT MUTATION
ORF01367	SAG1222	593	exonuclease ABC, C subunit
ORF01368	SAG1223	255	conserved hypothetical protein
ORF01369	SAG1224	446	MATE efflux family protein
ORF01370	SAG1225	136	conserved hypothetical protein
ORF01371	SAG1226	165	conserved hypothetical protein
ORF01372	SAG1227	198	conserved hypothetical protein
ORF01373	SAG1228	96	ISSdy1, transposase OrfA
ORF01374	SAG1229	259	ISSdy1, transposase OrfB
ORF01375	SAG1230	96	conserved hypothetical protein
ORF01377	SAG1231		transposase OrfB, IS3 family, degenerate FRAMESHIFT
ORF01379	SAG1232	77	transposase OrfB, IS3 family, truncation
ORF01380	SAG1233	822	streptococcal histidine triad family protein
ORF01381	SAG1234	306	laminin-binding surface protein

Tabl 32: Conv rsi n f ORF Ref N . with SAG Ref Nos.

ORF R f N .	SAGxxxx Ref No.	aa	Ann tation
ORF01382	SAG1235	425	GBS1, group II intron, maturase
ORF01383	SAG1236		c5a peptidase precursor FRAMESHIFT
ORF01384	SAG1237	444	hypothetical protein
ORF01385	SAG1238	202	hypothetical protein
ORF01386	SAG1239	76	conserved hypothetical protein
ORF01387	SAG1240	125	conserved hypothetical protein, truncation
ORF01388	SAG1241	78	transposase OrfA, IS3 family
ORF01389	SAG1242	67	transposase OrfB, IS3 family, truncation
ORF01390	SAG1243	96	ISSdy1, transposase OrfA FRAMESHIFT
ORF01391	SAG1244	259	ISSdy1, transposase OrfB
ORF01392	SAG1245	38	hypothetical protein
ORF01393	SAG1246	389	hypothetical protein
ORF01394	SAG1247	399	integrase, phage family
ORF01395	SAG1248	75	conserved hypothetical protein
ORF01396	SAG1249	74	transcriptional regulator, Cro/C1 family
ORF01397	SAG1250	621	Tn5252, relaxase
ORF01398	SAG1251	121	Tn5252, Orf 9 protein
ORF01399	SAG1252	120	Tn5252, Orf 10 protein
ORF01401	SAG1253	435	transposase, ISL3 family
ORF01403	SAG1254	546	mercuric reductase
ORF01404	SAG1255	130	mercuric resistance operon regulatory protein MerR
ORF01406	SAG1256	142	IS861, transposase OrfB, truncation
ORF01407	SAG1257	709	cation-transporting ATPase, E1-E2 family
ORF01408	SAG1258	122	cadmium efflux system accessory protein
ORF01409	SAG1259	99	conserved hypothetical protein
ORF01410	SAG1260	262	hypothetical protein
ORF01411	SAG1261	198	conserved hypothetical protein
ORF01412	SAG1262	695	cation-transporting ATPase, E1-E2 family
ORF01414	SAG1263		conserved domain protein, FRAMESHIFT
ORF01415	SAG1264	148	transcriptional repressor CopY, putative
ORF01416	SAG1265	206	cadmium resistance transporter, putative
ORF01417	SAG1266	152	hypothetical protein
ORF01418	SAG1267	108	hypothetical protein
ORF01419	SAG1268	230	repressor protein, putative
ORF01420	SAG1269	44	hypothetical protein
ORF01421	SAG1270	471	ImpB/MucB/SamB family protein
ORF01423	SAG1271	116	conserved hypothetical protein
ORF01424	SAG1272	102	conserved hypothetical protein
ORF01425	SAG1273	118	conserved hypothetical protein
ORF01426	SAG1274	129	conserved hypothetical protein
ORF01427	SAG1275	75	hypothetical protein
ORF01428	SAG1276	358	conserved hypothetical protein
ORF01430	SAG1277	163	hypothetical protein
ORF01431	SAG1278	96	hypothetical protein
ORF01432	SAG1279	99	conserved domain protein
ORF01433	SAG1280	2274	Helicases conserved C-terminal domain protein
ORF01434	SAG1281	183	hypothetical protein
ORF01435	SAG1282	63	lipoprotein, putative
ORF01436	SAG1283	1631	cell wall surface anchor family protein
ORF01437	SAG1284	196	abortiv infection protein AbiGI
ORF01438	SAG1285	281	abortive infection protein AbiGII
ORF01439	SAG1286	933	conserved hypothetical protein
ORF01440	SAG1287	776	conserved hypothetical protein
ORF01441	SAG1288	117	conserved hypothetical protein, DEGENERATE

Table 32: C nversion of ORF R f N s. with SAG R f Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Annotati n
ORF01442	SAG1289	284	conserved hypothetical protein
ORF01443	SAG1290	80	hypothetical protein
ORF01444	SAG1291	605	Tn5252, Orf 21 protein, internal deletion
ORF01445	SAG1292	162	hypothetical protein
ORF01446	SAG1293	194	protease, putative
ORF01447	SAG1294	77	conserved hypothetical protein
ORF01449	SAG1295	127	conserved hypothetical protein
ORF01450	SAG1296	142	conserved hypothetical protein
ORF01451	SAG1297	451	type II DNA modification methyltransferase Spn5252IP
ORF01452	SAG1298	31	hypothetical protein
ORF01453	SAG1299	272	conserved hypothetical protein
ORF01454	SAG1300	57	conserved hypothetical protein
ORF01455	SAG1301	121	ribosomal protein L7/L12
ORF01456	SAG1302	166	ribosomal protein L10
ORF01458	SAG1303	702	ATP-dependent Clp protease, ATP-binding subunit
ORF01459	SAG1304	32	hypothetical protein
ORF01460	SAG1305	314	homocysteine S-methyltransferase MmuM, putative
ORF01461	SAG1306	458	amino acid permease
ORF01463	SAG1307	216	hypothetical protein
ORF01464	SAG1308	167	hypothetical protein
ORF01465	SAG1309	30	hypothetical protein
ORF01466	SAG1310	182	transcriptional regulator, TetR family
ORF01467	SAG1311	198	GTP-binding protein
ORF01468	SAG1312	408	ATP-dependent Clp protease, ATP-binding subunit ClpX
ORF01469	SAG1313	56	conserved hypothetical protein
ORF01470	SAG1314	164	dihydrofolate reductase
ORF01471	SAG1315	279	thymidylate synthase
ORF01472	SAG1316	390	HMG-CoA synthase
ORF01473	SAG1317	427	3-hydroxy-3-methylglutaryl-CoA reductase
ORF01474	SAG1318	149	conserved hypothetical protein
ORF01475	SAG1319	187	hemolysin III, putative
ORF01476	SAG1320	304	conserved hypothetical protein TIGR00147
ORF01477	SAG1321	284	glutathione S-transferase family protein
ORF01478	SAG1322	72	conserved domain protein
ORF01479	SAG1323	331	isopentenyl-diphosphate delta-isomerase
ORF01480	SAG1324	330	phosphomevalonate kinase
ORF01481	SAG1325	314	diphosphomevalonate decarboxylase
ORF01482	SAG1326	292	mevalonate kinase, putative
ORF01483	SAG1327	409	sensor histidine kinase
ORF01484	SAG1328	228	DNA-binding response regulator
ORF01485	SAG1329	208	GTP pyrophosphokinase family protein
ORF01486	SAG1330	68	hypothetical protein
ORF01488	SAG1331	979	R5 protein
ORF01489	SAG1332	146	transcriptional regulator, MarR family, putative
ORF01490	SAG1333	690	5'-nucleotidase family protein
ORF01491	SAG1334	136	polypeptide deformylase, putative
ORF01492	SAG1335	449	NADP-specific glutamate dehydrogenase
ORF01494	SAG1336	169	conserved hypothetical protein
ORF01495	SAG1337	589	ABC transporter, ATP-binding/permease protein
ORF01496	SAG1338	579	ABC transporter, ATP-binding/permease protein
ORF01497	SAG1339	157	acetyltransferase, GNAT family

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxx Ref No.	aa	Annotation
ORF01498	SAG1340	622	ABC transporter, ATP-binding protein
ORF01499	SAG1341	402	polyA polymerase family protein
ORF01500	SAG1342	282	DegV family protein
ORF01501	SAG1343	126	conserved hypothetical protein
ORF01502	SAG1344	177	hypothetical protein
ORF01503	SAG1345	164	conserved hypothetical protein
ORF01504	SAG1346	641	PTS system, fructose specific IIBC components
ORF01505	SAG1347	303	1-phosphofructokinase
ORF01506	SAG1348	247	lactose phosphotransferase system repressor
ORF01507	SAG1349	411	beta-lactam resistance factor
ORF01508	SAG1350	544	surface antigen-related protein
ORF01509	SAG1351	307	2-dehydropantoate 2-reductase, putative
ORF01510	SAG1352	356	regulatory protein, putative
ORF01511	SAG1353	330	pyridine nucleotide-disulphide oxidoreductase family protein
ORF01512	SAG1354	251	tRNA (guanine-N1)-methyltransferase
ORF01513	SAG1355	172	16S rRNA processing protein RimM
ORF01515	SAG1356	503	transcriptional regulator, RofA family
ORF01516	SAG1357	80	KH domain protein
ORF01517	SAG1358	90	ribosomal protein S16
ORF01518	SAG1359	415	permease, putative
ORF01519	SAG1360	236	ABC transporter, ATP-binding protein
ORF01520	SAG1361	414	conserved hypothetical protein
ORF01522	SAG1362	532	carbamoyl-phosphate synthase, large subunit, putative
ORF01523	SAG1363	356	carbamoyl-phosphate synthase, small subunit
ORF01524	SAG1364	173	pyrimidine operon regulatory protein
ORF01525	SAG1365	298	ribosomal large subunit pseudouridine synthase, RluD subfamily
ORF01526	SAG1366	154	lipoprotein signal peptidase
ORF01527	SAG1367	301	transcriptional regulator, LysR family
ORF01528	SAG1368	94	ribosomal protein L27
ORF01529	SAG1369	112	conserved hypothetical protein
ORF01530	SAG1370	104	ribosomal protein L21
ORF01531	SAG1371	392	conserved hypothetical protein
ORF01532	SAG1372	404	thiamine biosynthesis protein Thil
ORF01533	SAG1373	381	cysteine desulphurase
ORF01535	SAG1374	150	conserved hypothetical protein
ORF01536	SAG1375	449	glutathione reductase
ORF01537	SAG1376	111	conserved hypothetical protein
ORF01538	SAG1377	388	chorismate synthase
ORF01539	SAG1378	355	3-dehydroquinate synthase
ORF01540	SAG1379	225	3-dehydroquinate dehydratase
ORF01541	SAG1380	385	conserved hypothetical protein
ORF01542	SAG1381	714	sulfatase
ORF01543	SAG1382	119	ribosomal protein L20
ORF01544	SAG1383	66	ribosomal protein L35
ORF01545	SAG1384	176	translation initiation factor IF-3
ORF01546	SAG1385	227	cytidylate kinase
ORF01547	SAG1386	174	conserved hypothetical protein
ORF01548	SAG1387	65	ferredoxin, 4Fe-4S
ORF01549	SAG1388	163	conserved hypothetical protein
ORF01550	SAG1389	406	peptidase t
ORF01551	SAG1390	544	polysaccharide biosynthesis protein, putative

Table 32: Comparison of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref N .	aa	Annotation
ORF01552	SAG1391	484	UDP-N-acetylmuramoylalanyl-D-glutamate-2,6-diaminopimelate ligase
ORF01553	SAG1392	264	iron compound ABC transporter, ATP-binding protein
ORF01554	SAG1393	310	iron compound ABC transporter, substrate-binding protein
ORF01555	SAG1394	341	iron compound ABC transporter, permease protein
ORF01556	SAG1395	333	iron compound ABC transporter, permease protein
ORF01557	SAG1396	217	conserved hypothetical protein
ORF01558	SAG1397	311	inorganic pyrophosphatase, manganese-dependent
ORF01559	SAG1398	262	pyruvate formate-lyase-activating enzyme
ORF01560	SAG1399	444	CBS domain protein
ORF01561	SAG1400	188	conserved hypothetical protein
ORF01563	SAG1401	311	conserved hypothetical protein TIGR01212
ORF01564	SAG1402	213	PAP2 family protein
ORF01565	SAG1403	194	membrane protein, putative
ORF01566	SAG1404	308	cell wall surface anchor family protein
ORF01567	SAG1405	294	sortase family protein
ORF01568	SAG1406	293	sortase family protein
ORF01569	SAG1407	705	cell wall surface anchor family protein
ORF01570	SAG1408	901	cell wall surface anchor family protein
ORF01571	SAG1409	326	transcriptional regulator, RofA family FRAMESHIFT
ORF01572	SAG1410	379	glycosyl transferase, group 1 family protein
ORF01573	SAG1411	282	exopolysaccharide biosynthesis protein, putative
ORF01574	SAG1412	474	exopolysaccharide biosynthesis protein, putative
ORF01575	SAG1413	454	hypothetical protein
ORF01576	SAG1414	308	glycosyl transferase, group 2 family protein
ORF01577	SAG1415	311	glycosyl transferase, group 2 family protein
ORF01578	SAG1416	352	dTDP-glucose 4,6-dehydratase, putative
ORF01579	SAG1417	240	4-diphosphocytidyl-2C-methyl-D-erythritol synthase, putative
ORF01580	SAG1418	259	licD protein, putative
ORF01581	SAG1419	577	hypothetical protein
ORF01582	SAG1420	117	conserved hypothetical protein
ORF01583	SAG1421	243	glycosyl transferase, group 2 family protein
ORF01584	SAG1422	313	glycosyl transferase, group 2 family protein
ORF01585	SAG1423	384	conserved hypothetical protein
ORF01586	SAG1424	284	dTDP-4-dehydrorhamnose reductase
ORF01587	SAG1425	113	conserved hypothetical protein
ORF01589	SAG1426	369	RNA polymerase sigma-70 factor
ORF01590	SAG1427	602	DNA primase
ORF01591	SAG1428	125	large conductance mechanosensitive channel protein
ORF01592	SAG1429	58	ribosomal protein S21
ORF01593	SAG1430	167	conserved hypothetical protein
ORF01594	SAG1431	268	amino acid ABC transporter, amino acid-binding protein
ORF01596	SAG1432	347	ammonium transporter family protein
ORF01597	SAG1433	375	conserved hypothetical protein
ORF01598	SAG1434	328	rhodanese family protein
ORF01599	SAG1435	101	conserved hypothetical protein
ORF01600	SAG1436	457	glycerol-3-phosphate transporter, putative

Tabl 32: Conv rsion of ORF Ref N s. with SAG Ref Nos.

ORF Ref N	SAGxxxx Ref No.	aa	Annotation
ORF01601	SAG1437	55	hypothetical protein
ORF01602	SAG1438	754	glycogen phosphorylase
ORF01603	SAG1439	498	4-alpha-glucanotransferase
ORF01604	SAG1440	342	maltose operon repressor MalR, putative
ORF01605	SAG1441	415	maltose/maltodextrin ABC transporter, maltose/maltodextrin-binding protein
ORF01606	SAG1442	456	maltose ABC transporter, permease protein
ORF01607	SAG1443	278	maltose ABC transporter, permease protein
ORF01608	SAG1444	490	proton/peptide symporter family protein
ORF01610	SAG1445		MutT/nudix family protein, FRAMESHIFT
ORF01611	SAG1446	62	hypothetical protein
ORF01612	SAG1447	441	conserved hypothetical protein
ORF01613	SAG1448	502	glycosyl transferase, group 1 family protein
ORF01614	SAG1449	795	preprotein translocase SecA subunit, putative
ORF01615	SAG1450	330	conserved domain protein
ORF01617	SAG1451	494	conserved hypothetical protein
ORF01618	SAG1452	514	conserved hypothetical protein
ORF01619	SAG1453	409	preprotein translocase SecY family protein
ORF01621	SAG1454	398	conserved hypothetical protein
ORF01622	SAG1455	295	glycosyl transferase, group 2 family protein
ORF01623	SAG1456	312	glycosyl transferase, family 8, degenerate
ORF01624	SAG1457	129	IS1381, transposase OrfB
ORF01625	SAG1458	127	IS1381, transposase OrfA
ORF01626	SAG1459	413	glycosyl transferase family 8
ORF01627	SAG1460	401	glycosyl transferase, family 8
ORF01628	SAG1461	335	conserved hypothetical protein
ORF01630	SAG1462	970	cell wall surface anchor family protein
ORF01632	SAG1463		transcriptional regulator, RofA family POINT MUTATION
ORF01634	SAG1464	663	excinuclease ABC, B subunit
ORF01635	SAG1465	306	protease, putative
ORF01636	SAG1466	727	glutamine ABC transporter, glutamine-binding protein/permease protein, putative
ORF01637	SAG1467	246	glutamine ABC transporter, ATP-binding protein, GlnQ putative
ORF01638	SAG1468	116	conserved hypothetical protein
ORF01639	SAG1469	52	conserved hypothetical protein
ORF01640	SAG1470	437	GTP-binding protein, GTP1/Obg family
ORF01641	SAG1471	42	conserved hypothetical protein
ORF01643	SAG1472	413	aminopeptidase PepS
ORF01645	SAG1473	192	cell wall surface anchor family protein
ORF01646	SAG1474	680	amidase family protein
ORF01647	SAG1475	240	ribosomal small subunit pseudouridine synthase A
ORF01648	SAG1476	280	oxidoreductase, aldo/keto reductase family
ORF01650	SAG1477	224	nitroreductase family protein
ORF01651	SAG1478	130	lactoylglutathione lyase
ORF01652	SAG1479	308	glycosyl transferase, group 2 family protein
ORF01653	SAG1480	462	amino acid permease
ORF01654	SAG1481	155	SsrA-binding protein
ORF01655	SAG1482	801	exoribonuclease, VacB/Rnb family
ORF01657	SAG1483	78	preprotein translocase, SecG subunit
ORF01658	SAG1485	389	multi-drug resistance protein
ORF01660	SAG1486	548	hypothetical protein
ORF01661	SAG1487	233	ABC transporter, ATP binding protein

Table 32: Conversion of ORF Ref N s. with SAG Ref Nos.

ORF Ref N .	SAGxxxx Ref No.	aa	Annotati n
ORF01662	SAG1488	195	dephospho-CoA kinase
ORF01663	SAG1489	273	formamidopyrimidine-DNA glycosylase
ORF01665	SAG1490	282	transcriptional regulator, MutR family
ORF01666	SAG1491	530	hypothetical protein
ORF01667	SAG1492	58	hypothetical protein
ORF01668	SAG1493		hypothetical protein
ORF01670	SAG1494	32	hypothetical protein
ORF01672	SAG1495	81	protease, putative, POINT MUTATION
ORF01673	SAG1496	110	hypothetical protein
ORF01674	SAG1497	37	hypothetical protein
ORF01675	SAG1498	133	hypothetical protein
ORF01677	SAG1499	299	GTP-binding protein Era
ORF01678	SAG1500	132	diacylglycerol kinase
ORF01679	SAG1501	161	conserved hypothetical protein TIGR00043
ORF01680	SAG1502	268	tetracenomycin polyketide synthesis O-methyltransferase TcmP, putative
ORF01681	SAG1503	39	hypothetical protein
ORF01682	SAG1504	38	hypothetical protein
ORF01683	SAG1505	158	MutT/nudix family protein
ORF01684	SAG1506	267	hypothetical protein
ORF01685	SAG1507	345	PhoH family protein
ORF01686	SAG1508	590	67 kDa Myosin-crossreactive streptococcal antigen
ORF01687	SAG1509	71	conserved hypothetical protein
ORF01688	SAG1510	169	peptide methionine sulfoxide reductase
ORF01689	SAG1511	284	conserved hypothetical protein
ORF01690	SAG1512	185	ribosome recycling factor
ORF01691	SAG1513	242	uridylate kinase
ORF01692	SAG1514	226	peptide ABC transporter, ATP-binding protein
ORF01693	SAG1515	262	peptide ABC transporter, ATP-binding protein
ORF01694	SAG1516	255	peptide ABC transporter, permease protein
ORF01695	SAG1517	314	peptide ABC transporter, permease protein
ORF01696	SAG1518	525	peptide ABC transporter, peptide-binding protein
ORF01697	SAG1519	229	ribosomal protein L1
ORF01698	SAG1520	141	ribosomal protein L11
ORF01699	SAG1521	388	transposase, IS30 family, putative
ORF01700	SAG1522	460	transporter, major facilitator family
ORF01702	SAG1523	404	peptidase, M20/M25/M40 family
ORF01703	SAG1524	294	transcriptional regulator, LysR family
ORF01704	SAG1525	117	conserved hypothetical protein
ORF01705	SAG1526	178	IS861, transposase OrfA
ORF01706	SAG1527	277	IS861, transposase OrfB
ORF01707	SAG1528	571	chorismate binding enzyme
ORF01708	SAG1529	785	FtsK/SpoIIIE family protein
ORF01709	SAG1530	267	peptidyl-prolyl cis-trans isomerase, cyclophilin-type
ORF01710	SAG1531	277	manganese ABC transporter, permease protein
ORF01711	SAG1532	238	manganese ABC transporter, ATP-binding protein
ORF01712	SAG1533	308	manganese ABC transporter, manganese-binding adhesion liprotein
ORF01713	SAG1534	215	iron-dependent transcriptional regulator
ORF01714	SAG1535	229	5-methylthioadenosine nucleosidase/S-adenosylhomocysteine nucleosidase
ORF01715	SAG1536	89	conserved hypothetical protein
ORF01716	SAG1537	184	MutT/nudix family protein

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Annotation
ORF01718	SAG1538	459	UDP-N-acetylglucosamine pyrophosphorylase
ORF01719	SAG1539	31	hypothetical protein
ORF01720	SAG1540	137	conserved hypothetical protein
ORF01721	SAG1541	125	glyoxalase family protein
ORF01722	SAG1542	318	oxidoreductase, Gfo/Idh/MocA family
ORF01724	SAG1543		conserved hypothetical protein, FRAMESHIFT
ORF01725	SAG1544	232	gluconate 5-dehydrogenase, putative
ORF01726	SAG1545	78	conserved hypothetical protein
ORF01727	SAG1546	82	conserved hypothetical protein
ORF01729	SAG1547	166	acetyltransferase, GNAT family
ORF01730	SAG1548	422	glycosyl transferase, group 2 family protein
ORF01731	SAG1549	127	IS1381, transposase OrfA
ORF01732	SAG1550	129	IS1381, transposase OrfB
ORF01733	SAG1551	67	hypothetical protein
ORF01734	SAG1552	719	conserved hypothetical protein
ORF01735	SAG1553	477	hypothetical protein
ORF01736	SAG1554	225	hypothetical protein
ORF01737	SAG1555	231	hypothetical protein
ORF01738	SAG1556	445	branched-chain amino acid transport system II carrier protein
ORF01739	SAG1557	665	methionyl-tRNA synthetase
ORF01740	SAG1558	291	tellurite resistance protein TehB
ORF01741	SAG1559	231	membrane protein, putative
ORF01742	SAG1560	40	hypothetical protein
ORF01743	SAG1561	405	PTS system component, putative
ORF01744	SAG1562	280	conserved hypothetical protein
ORF01745	SAG1563	275	exodeoxyribonuclease
ORF01746	SAG1564	118	conserved hypothetical protein
ORF01747	SAG1565	158	methylated-DNA-protein-cysteine S-methyltransferase
ORF01748	SAG1566	393	D-isomer specific 2-hydroxyacid dehydrogenase family protein
ORF01749	SAG1567	182	acetyltransferase, GNAT family
ORF01750	SAG1568		phosphoserine aminotransferase FRAMESHIFT
ORF01752	SAG1569	211	copper homeostasis protein CutC, putative
ORF01753	SAG1570	34	conserved hypothetical protein
ORF01754	SAG1571	53	hypothetical protein
ORF01755	SAG1572	287	tetrapyrrole methylase family protein
ORF01756	SAG1573	108	conserved hypothetical protein
ORF01758	SAG1574	287	DNA polymerase III, delta prime subunit, putative
ORF01759	SAG1575	211	thymidylate kinase
ORF01761	SAG1576	267	transposase, IS30 family, putative, truncation
ORF01763	SAG1577	219	AcuB family protein
ORF01764	SAG1578	236	branched-chain amino acid ABC transporter, ATP-binding protein
ORF01765	SAG1579	254	branched-chain amino acid ABC transporter, ATP-binding protein
ORF01766	SAG1580	317	branched-chain amino acid ABC transporter, permease protein
ORF01767	SAG1581	289	branched-chain amino acid ABC transporter, permease protein
ORF01769	SAG1582	388	branched-chain amino acid ABC transporter, amino acid-binding protein
ORF01770	SAG1583	81	conserved hypothetical protein
ORF01772	SAG1584	377	IS1548, transposase

Table 32: Comparison of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref N .	aa	Annotation
ORF01773	SAG1585	196	ATP-dependent Clp protease, proteolytic subunit ClpP
ORF01774	SAG1586	209	uracil phosphoribosyltransferase
ORF01775	SAG1587	389	aminotransferase, class I
ORF01777	SAG1588	182	RNA methyltransferase, TrmH family, group 2
ORF01778	SAG1589	450	amino acid permease, putative
ORF01779	SAG1590	449	potassium uptake protein, Trk family
ORF01780	SAG1591	475	cation uptake protein, Trk family
ORF01781	SAG1592	83	conserved hypothetical protein TIGR00278
ORF01782	SAG1593	240	ribosomal large subunit pseudouridine synthase B
ORF01783	SAG1594	194	conserved hypothetical protein TIGR00281
ORF01784	SAG1595	235	Uncharacterized ACR, COG1354
ORF01785	SAG1596	246	integrase/recombinase, phage integrase family
ORF01786	SAG1597	157	CBS domain protein
ORF01787	SAG1598	173	conserved hypothetical protein
ORF01788	SAG1599	324	HAM1 protein
ORF01789	SAG1600	264	glutamate racemase
ORF01790	SAG1601	79	conserved hypothetical protein
ORF01791	SAG1602	180	membrane protein, putative
ORF01792	SAG1603	173	transcriptional regulator, biotin repressor family
ORF01793	SAG1604	229	membrane protein, putative
ORF01794	SAG1605	167	conserved hypothetical protein
ORF01795	SAG1606	247	RNA methyltransferase, TrmH family
ORF01796	SAG1607	92	acylphosphatase
ORF01797	SAG1608	310	membrane protein, putative
ORF01799	SAG1609	221	amino acid ABC transporter, permease protein
ORF01800	SAG1610	285	amino acid ABC transporter, substrate-binding protein
ORF01801	SAG1611	486	amidase family protein
ORF01802	SAG1612	160	transcription elongation factor GreA
ORF01803	SAG1613	600	Uncharacterized BCR, YceG family COG1559, putative
ORF01804	SAG1614	167	acetyltransferase, GNAT family
ORF01805	SAG1615	443	UDP-N-acetylmuramate-alanine ligase
ORF01806	SAG1616	205	conserved hypothetical protein
ORF01807	SAG1617	32	hypothetical protein
ORF01808	SAG1618	1032	Snf2 family protein
ORF01810	SAG1619	377	IS1548, transposase
ORF01811	SAG1620	436	phosphoglycerate dehydrogenase-related protein
ORF01812	SAG1621	300	primosomal protein Dnal
ORF01813	SAG1622	391	conserved hypothetical protein
ORF01814	SAG1623	159	conserved hypothetical protein TIGR00244
ORF01815	SAG1624	501	sensor histidine kinase CsrS
ORF01816	SAG1625	229	DNA-binding response regulator CsrR
ORF01817	SAG1626	177	conserved hypothetical protein
ORF01818	SAG1627	296	heat shock protein HtpX
ORF01820	SAG1628	184	lemA protein
ORF01821	SAG1629	237	glucose-inhibited division protein B
ORF01822	SAG1630	459	sodium transport family protein
ORF01823	SAG1631	223	potassium uptake protein, Trk family, putative
ORF01824	SAG1632	276	cobalt transport family protein
ORF01825	SAG1633	558	ABC transporter, ATP-binding protein
ORF01826	SAG1634	212	conserved hypothetical protein
ORF01827	SAG1635	402	sodium:dicarboxylate symporter family protein

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Annotation
ORF01828	SAG1636	455	branched-chain amino acid transport system II carrier protein
ORF01829	SAG1637	351	alcohol dehydrogenase, zinc-containing
ORF01830	SAG1638	230	ABC transporter, permease protein
ORF01831	SAG1639	356	ABC transporter, ATP-binding protein
ORF01832	SAG1640	458	peptidase, M20/M25/M40 family
ORF01833	SAG1641	274	lipoprotein, putative
ORF01834	SAG1642	277	ABC transporter, substrate-binding protein
ORF01835	SAG1643	229	glutamine amidotransferase, class I
ORF01836	SAG1644	37	hypothetical protein
ORF01837	SAG1645	238	conserved hypothetical protein TIGR01033
ORF01838	SAG1646	32	hypothetical protein
ORF01839	SAG1647	328	dihydroxyacetone kinase family protein
ORF01840	SAG1648	178	transcriptional regulator, TetR family, putative
ORF01842	SAG1649	37	hypothetical protein
ORF01843	SAG1650	329	dihydroxyacetone kinase family protein
ORF01844	SAG1651	192	dihydroxyacetone kinase family protein
ORF01845	SAG1652	124	conserved hypothetical protein
ORF01846	SAG1653	237	glycerol uptake facilitator protein
ORF01847	SAG1654	134	conserved hypothetical protein
ORF01848	SAG1655	237	transcriptional regulator, MerR family
ORF01849	SAG1656	369	conserved hypothetical protein
ORF01850	SAG1657	83	hypothetical protein
ORF01851	SAG1658	244	conserved hypothetical protein
ORF01852	SAG1659	118	iojap-related protein
ORF01853	SAG1660	173	isochorismatase family protein
ORF01854	SAG1661	195	conserved hypothetical protein TIGR00488
ORF01855	SAG1662	210	conserved hypothetical protein TIGR00482
ORF01856	SAG1663	105	conserved hypothetical protein TIGR00253
ORF01857	SAG1664	372	GTP-binding protein
ORF01858	SAG1665	177	hydrolase, haloacid dehalogenase-like family
ORF01859	SAG1666	295	membrane protein
ORF01860	SAG1667	480	glutamyl-tRNA(Gln) amidotransferase, B subunit
ORF01861	SAG1668	488	glutamyl-tRNA(Gln) amidotransferase, A subunit
ORF01862	SAG1669	100	glutamyl-tRNA(Gln) amidotransferase, C subunit
ORF01863	SAG1670	881	pyruvate phosphate dikinase
ORF01864	SAG1671	276	conserved hypothetical protein
ORF01865	SAG1672	170	CBS domain protein
ORF01866	SAG1673	377	3-hydroxyacyl-CoA dehydrogenase family protein
ORF01867	SAG1674	182	isochorismatase family protein
ORF01869	SAG1675	261	transcriptional regulator CodY, putative
ORF01870	SAG1676	403	aminotransferase, class I
ORF01871	SAG1677	137	universal stress protein family FRAMESHIFT
ORF01872	SAG1678	460	hydrolase, haloacid dehalogenase-like family
ORF01873	SAG1679	320	asparaginase family protein
ORF01874	SAG1680	292	shikimate 5-dehydrogenase
ORF01875	SAG1681	304	oxidoreductase, aldo/keto reductase family
ORF01876	SAG1682	671	ATP-dependent DNA helicase RecG
ORF01877	SAG1683	512	immunogenic secreted protein, putative
ORF01878	SAG1684	366	alanine racemase
ORF01879	SAG1685	119	holo-(acyl-carrier-protein) synthase
ORF01880	SAG1686	335	phospho-2-dehydro-3-deoxyheptonate aldolase
ORF01881	SAG1687	842	preprotein translocase, SecA subunit
ORF01882	SAG1688	315	mannose-6-phosphate isomerase, class I
ORF01883	SAG1689	293	fructokinase

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Annotation
ORF01885	SAG1690	639	PTS system IIABC components
ORF01886	SAG1691	479	sucrose-6-phosphate hydrolase
ORF01887	SAG1692	320	sucrose operon repressor ScrR
ORF01888	SAG1693	144	N utilization substance protein B
ORF01889	SAG1694	129	conserved hypothetical protein
ORF01890	SAG1695	186	translation elongation factor P
ORF01892	SAG1696	38	hypothetical protein
ORF01893	SAG1697	48	hypothetical protein
ORF01894	SAG1698	99	conserved hypothetical protein
ORF01895	SAG1699	30	hypothetical protein
ORF01896	SAG1700	76	hypothetical protein
ORF01897	SAG1701	56	hypothetical protein
ORF01898	SAG1702	41	hypothetical protein
ORF01899	SAG1703	54	hypothetical protein
ORF01900	SAG1704	150	cytidine/deoxycytidylate deaminase family protein
ORF01902	SAG1705		peptidase, M24 family POINT MUTATION
ORF01903	SAG1706	238	conserved hypothetical protein
ORF01904	SAG1707	499	drug resistance transporter, EmrB/QacA family
ORF01905	SAG1708	38	hypothetical protein
ORF01906	SAG1709	942	excinuclease ABC, A subunit
ORF01907	SAG1710	223	conserved hypothetical protein
ORF01908	SAG1711	314	magnesium transporter, CorA family
ORF01909	SAG1712	79	ribosomal protein S18
ORF01910	SAG1713	163	single-strand binding protein
ORF01911	SAG1714	95	ribosomal protein S6
ORF01912	SAG1715	374	A/G-specific adenine glycosylase
ORF01913	SAG1716	197	transcriptional regulator, Cro/C1 family
ORF01914	SAG1717	104	thioredoxin
ORF01915	SAG1718	166	PAP2 family protein
ORF01916	SAG1719	779	MutS2 family protein
ORF01917	SAG1720	180	conserved hypothetical protein
ORF01918	SAG1721	103	conserved hypothetical protein
ORF01919	SAG1722	297	ribonuclease HIII
ORF01920	SAG1723	197	signal peptidase I
ORF01921	SAG1724	806	helicase, putative
ORF01922	SAG1725	160	conserved hypothetical protein
ORF01923	SAG1726	364	DNA-damage inducible protein P
ORF01924	SAG1727	770	formate acetyltransferase
ORF01925	SAG1728	124	FMN-binding protein
ORF01926	SAG1729	309	conserved hypothetical protein
ORF01927	SAG1730	251	proteinase, putative, degenerate, FRAMESHIFT
ORF01928	SAG1731	298	membrane protein, putative
ORF01929	SAG1732	282	glycerol uptake facilitator protein, putative
ORF01930	SAG1733	150	universal stress protein family
ORF01931	SAG1734	400	transporter, putative
ORF01932	SAG1735	219	transcriptional regulator, Crp/Fnr family
ORF01933	SAG1736	761	X-pro dipeptidyl-peptidase
ORF01934	SAG1737	119	hypothetical protein
ORF01936	SAG1738	326	polyprenyl synthetase family protein
ORF01937	SAG1739	582	ABC transporter, ATP-binding protein CydC
ORF01938	SAG1740	572	ABC transporter, ATP-binding protein CydD
ORF01939	SAG1741	339	cytochrome d ubiquinol oxidase, subunit II
ORF01940	SAG1742	475	cytochrome d oxidase, subunit I
ORF01941	SAG1743	402	pyridine nucleotide-disulphide oxidoreductase family protein

Tabl 32: Conversi n of ORF R f Nos. with SAG Ref Nos.

ORF Ref N .	SAGxxxx Ref No.	aa	Annotation
ORF01942	SAG1744	299	prenyltransferas , UbiA family
ORF01943	SAG1745	148	hypothetical protein
ORF01944	SAG1746	35	hypothetical protein
ORF01945	SAG1747	99	conserved hypothetical protein TIGR00103
ORF01946	SAG1748	396	cyclopropane-fatty-acyl-phospholipid synthase
ORF01947	SAG1749	241	transcriptional regulator, merR family
ORF01948	SAG1750	195	exonuclease
ORF01949	SAG1751	178	conserved hypothetical protein
ORF01950	SAG1752	375	conserved hypothetical protein TIGR00275
ORF01951	SAG1753	260	conserved hypothetical protein
ORF01952	SAG1754	89	ribosomal protein S14
ORF01953	SAG1755	38	hypothetical protein
ORF01954	SAG1756	341	conserved hypothetical protein
ORF01957	SAG1757	336	O-sialoglycoprotein endopeptidase family protein
ORF01958	SAG1758	135	ribosomal-protein-alanine acetyltransferase, putative
ORF01960	SAG1759	230	glycoprotease family protein, putative
ORF01961	SAG1760	76	conserved hypothetical protein
ORF01962	SAG1761	559	metallo-beta-lactamase superfamily protein
ORF01963	SAG1762	169	conserved hypothetical protein
ORF01964	SAG1763	448	glutamine synthetase, type I
ORF01965	SAG1764	123	transcriptional regulator GlnR
ORF01967	SAG1765	179	conserved hypothetical protein
ORF01969	SAG1766	398	phosphoglycerate kinase
ORF01970	SAG1767	289	acid phosphatase
ORF01971	SAG1768	336	glyceraldehyde 3-phosphate dehydrogenase
ORF01972	SAG1769	692	translation elongation factor G
ORF01973	SAG1770	156	ribosomal protein S7
ORF01974	SAG1771	137	ribosomal protein S12
ORF01975	SAG1772	270	pur operon repressor
ORF01976	SAG1773	313	HD domain protein
ORF01977	SAG1774	424	conserved hypothetical protein
ORF01978	SAG1775	210	conserved hypothetical protein
ORF01979	SAG1776	220	ribulose-phosphate 3-epimerase
ORF01980	SAG1777	290	conserved hypothetical protein TIGR00157
ORF01981	SAG1778	283	rRNA (guanine-N1-)-methyltransferase, putative
ORF01983	SAG1779	290	dimethyladenosine transferase
ORF01984	SAG1780	163	hypothetical protein
ORF01985	SAG1781	186	primase-related protein
ORF01987	SAG1782	260	deoxyribonuclease, TatD family
ORF01988	SAG1783	90	hypothetical protein
ORF01989	SAG1784	130	hypothetical protein
ORF01990	SAG1785	430	hypothetical protein
ORF01991	SAG1786	130	hypothetical protein
ORF01992	SAG1787	420	dlb protein
ORF01993	SAG1788	79	D-alanyl carrier protein
ORF01994	SAG1789	421	dlb protein
ORF01996	SAG1790	511	D-alanine-activating enzyme
ORF01997	SAG1791	395	sensor histidine kinase
ORF01998	SAG1792	224	DNA-binding response regulator
ORF01999	SAG1793	44	ribosomal protein L34
ORF02000	SAG1794	451	membrane protein, putativ
ORF02001	SAG1795	388	transposase, IS30 family, putative
ORF02002	SAG1796	575	amino acid ABC transporter, permease protein
ORF02004	SAG1797	407	amino acid ABC transporter, ATP-binding protein

Table 32: Conversion of ORF Ref Nos. with SAG Ref N s.

ORF Ref N .	SAGxxxx Ref N .	aa	Annotation
ORF02005	SAG1798	39	hypothetical protein
ORF02006	SAG1799	792	xylulose-5-phosphate/fructose-6-phosphate phosphoketolase
ORF02007	SAG1800	363	conserved hypothetical protein
ORF02008	SAG1801	559	transcriptional antiterminator, BglG family
ORF02009	SAG1802	253	conserved hypothetical protein
ORF02010	SAG1803	505	carbohydrate kinase, FGGY family
ORF02011	SAG1804	329	hypothetical protein
ORF02012	SAG1805	483	PTS system component, putative
ORF02015	SAG1806	318	glyoxylate reductase, NADH-dependent
ORF02016	SAG1807	339	hypothetical protein
ORF02017	SAG1808	327	sugar binding transcriptional regulator, LacI family
ORF02018	SAG1809	215	transaldolase family protein
ORF02019	SAG1810	238	carbohydrate isomerase, AraD/FucA family
ORF02020	SAG1811	287	hexulose-6-phosphate isomerase, putative
ORF02021	SAG1812	221	hexulose-6-phosphate synthase, putative
ORF02022	SAG1813	161	PTS system, IIA component
ORF02023	SAG1814	92	PTS system, IIB component
ORF02024	SAG1815	479	transport protein SgaT, putative
ORF02025	SAG1816	205	hypothetical protein
ORF02026	SAG1817	157	hypothetical protein
ORF02027	SAG1818	430	adenylosuccinate synthetase
ORF02028	SAG1819	340	perfringolysin O regulator protein
ORF02029	SAG1820	224	conserved hypothetical protein
ORF02030	SAG1821	750	glutamate--cysteine ligase-related protein
ORF02031	SAG1822	272	conserved hypothetical protein
ORF02032	SAG1823	418	conserved hypothetical protein
ORF02033	SAG1824	291	chaperonin, 33 kDa
ORF02034	SAG1825	325	NifR3/Smm1 family protein
ORF02035	SAG1826	213	deoxynucleoside kinase family protein
ORF02036	SAG1827	163	phosphinothricin N-acetyltransferase
ORF02037	SAG1828	815	ATP-dependent Clp protease, ATP-binding subunit
ORF02038	SAG1829	154	transcriptional regulator CtsR
ORF02039	SAG1830	153	conserved hypothetical protein
ORF02040	SAG1831	346	translation elongation factor Ts
ORF02041	SAG1832	256	ribosomal protein S2
ORF02042	SAG1833	186	alkyl hydroperoxide reductase, subunit C
ORF02043	SAG1834	510	alkyl hydroperoxide reductase, subunit F
ORF02044	SAG1835	134	conserved hypothetical protein
ORF02045	SAG1836	61	conserved hypothetical protein
ORF02046	SAG1837	468	lysin, putative
ORF02047	SAG1838	109	holin, putative
ORF02048	SAG1839	136	conserved hypothetical protein
ORF02049	SAG1840	112	hypothetical protein
ORF02050	SAG1841	76	conserved domain protein
ORF02051	SAG1842	1224	PbIB, putative
ORF02053	SAG1843	240	conserved hypothetical protein
ORF02056	SAG1844	911	conserved hypothetical protein
ORF02057	SAG1845	42	hypothetical protein
ORF02058	SAG1846	158	hypothetical protein
ORF02059	SAG1847	227	conserved hypothetical protein
ORF02060	SAG1848	114	conserved hypothetical protein
ORF02061	SAG1849	115	hypothetical protein

Table 32: C nversion f ORF R f N s. with SAG Ref Nos.

ORF R f No.	SAGxxxx Ref No.	aa	Ann tation
ORF02062	SAG1850	101	hypothetical protein
ORF02063	SAG1851	111	conserved domain protein
ORF02064	SAG1852	420	conserved domain protein
ORF02066	SAG1853	180	protease, putative
ORF02067	SAG1854	380	conserved hypothetical protein
ORF02068	SAG1855	570	terminase large subunit, putative
ORF02069	SAG1856	161	hypothetical protein
ORF02070	SAG1858	95	hypothetical protein
ORF02071	SAG1859	180	site-specific recombinase, phage integrase family
ORF02072	SAG1860	154	conserved hypothetical protein
ORF02073	SAG1861	119	transcriptional regulator, Cro/Ci family
ORF02075	SAG1862	86	hypothetical protein
ORF02076	SAG1863	138	single-strand binding protein
ORF02077	SAG1864	68	hypothetical protein
ORF02078	SAG1865	74	conserved hypothetical protein
ORF02079	SAG1866	109	conserved hypothetical protein
ORF02080	SAG1867	163	conserved hypothetical protein
ORF02081	SAG1868	134	hypothetical protein
ORF02082	SAG1869	437	type II DNA modification methyltransferase, putative
ORF02083	SAG1870	273	DNA replication protein DnaC, putative
ORF02084	SAG1871	248	conserved hypothetical protein
ORF02085	SAG1872	200	hypothetical protein
ORF02086	SAG1873	443	replicative DNA helicase
ORF02087	SAG1874	87	hypothetical protein
ORF02088	SAG1875	94	conserved hypothetical protein
ORF02089	SAG1876	176	HNH endonuclease family protein
ORF02090	SAG1877	236	antirepressor protein, putative
ORF02091	SAG1878	102	conserved domain protein
ORF02092	SAG1879	156	hypothetical protein
ORF02093	SAG1880	54	hypothetical protein
ORF02094	SAG1881	51	hypothetical protein
ORF02095	SAG1882	120	repressor protein, putative
ORF02097	SAG1884	134	hypothetical protein
ORF02098	SAG1885	356	site-specific recombinase, phage integrase family
ORF02100	SAG1886	32	hypothetical protein
ORF02101	SAG1887	689	Na ⁺ /H ⁺ exchanger family protein
ORF02102	SAG1888	78	hypothetical protein
ORF02103	SAG1889	317	microcin immunity protein MccF, putative
ORF02104	SAG1890	631	endopeptidase O
ORF02105	SAG1891	327	oxidoreductase, Gfo/Idh/MocA family
ORF02107	SAG1892	358	membrane protein, putative
ORF02108	SAG1893	59	hypothetical protein
ORF02109	SAG1894	214	Cyclic nucleotide-binding domain protein
ORF02110	SAG1895	204	polypeptide deformylase
ORF02111	SAG1896	333	sugar binding transcriptional regulator RegR
ORF02112	SAG1897	634	conserved hypothetical protein
ORF02113	SAG1898	271	PTS system, IID component
ORF02114	SAG1899	288	PTS system, IIC component
ORF02115	SAG1900	164	PTS system, IIB component
ORF02116	SAG1901	398	glucuronyl hydrolase
ORF02118	SAG1902	144	PTS system, IIA component
ORF02119	SAG1903	34	hypothetical protein

Tabl 32: Conv rsion of ORF R f Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Ann tation
ORF02120	SAG1904	270	oxidoreductase, short-chain dehydrogenase/reductas family
ORF02121	SAG1905	212	conserved hypothetical protein
ORF02122	SAG1906	335	carbohydrate kinase, PfkB family
ORF02123	SAG1907	212	2-dehydro-3-deoxyphosphogluconate aldolase/4-hydroxy-2-oxoglutarate aldolase
ORF02124	SAG1908	499	hypothetical protein
ORF02125	SAG1909	204	nitroreductase family protein
ORF02126	SAG1910	141	transcriptional regulator, MarR family
ORF02127	SAG1911	1468	DNA polymerase III, alpha subunit, Gram-positive type
ORF02128	SAG1912	194	N-acetylmuramoyl-L-alanine amidase, family 4 protein
ORF02129	SAG1913	617	prolyl-tRNA synthetase
ORF02130	SAG1914	419	membrane-associated zinc metalloprotease, putative
ORF02131	SAG1915	264	phosphatidate cytidyltransferase
ORF02132	SAG1916	250	undecaprenyl diphosphate synthase
ORF02133	SAG1917	113	preprotein translocase, YajC subunit
ORF02134	SAG1918	114	conserved hypothetical protein
ORF02135	SAG1919	387	malate oxidoreductase
ORF02136	SAG1920	445	citrate carrier protein, CCS family
ORF02137	SAG1921	508	sensor histidine kinase family protein
ORF02138	SAG1922	229	response regulator
ORF02139	SAG1923	331	UDP-glucose 4-epimerase
ORF02140	SAG1924	535	glucan 1,6-alpha-glucosidase
ORF02141	SAG1925	377	sugar ABC transporter, ATP-binding protein
ORF02142	SAG1926	283	helix-turn-helix domain protein, fis-type
ORF02143	SAG1927	298	lacX protein
ORF02144	SAG1928	325	tagatose 1,6-diphosphate aldolase
ORF02145	SAG1929	310	tagatose-6-phosphate kinase
ORF02146	SAG1930	171	galactose-6-phosphate isomerase, LacB subunit
ORF02147	SAG1931	141	galactose-6-phosphate isomerase, LacA subunit
ORF02148	SAG1932	816	neuraminidase
ORF02149	SAG1933	482	PTS system, IIC component, putative
ORF02150	SAG1934	101	PTS system, IIB component, putative
ORF02152	SAG1935	157	PTS system, IIA component, putative
ORF02153	SAG1936	258	lactose phosphotransferase system repressor
ORF02156	SAG1937		streptococcal histidine triad family protein, degenerate, FRAMESHIFT
ORF02157	SAG1938	307	adhesion lipoprotein, putative
ORF02158	SAG1939	147	conserved hypothetical protein TIGR00256
ORF02159	SAG1940	738	GTP pyrophosphokinase
ORF02160	SAG1941	800	2',3'-cyclic-nucleotide 2'-phosphodiesterase
ORF02161	SAG1942	151	ndrI protein, putative
ORF02162	SAG1943	345	conserved hypothetical protein
ORF02163	SAG1944	165	conserved hypothetical protein
ORF02164	SAG1945	345	iron ABC transporter, iron-binding protein
ORF02165	SAG1946	257	DNA-binding response regulator
ORF02166	SAG1947	549	conserved hypothetical protein
ORF02167	SAG1948	275	PTS system, IID component
ORF02168	SAG1949	269	PTS system, IIC component
ORF02169	SAG1950	163	PTS system, IIB component
ORF02170	SAG1951	141	PTS system, IIA component, putative
ORF02171	SAG1952	353	membrane protein, putative
ORF02172	SAG1953	60	hypothetical protein

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Annotation
ORF02173	SAG1954	384	hypothetical protein
ORF02174	SAG1955	282	ABC transporter, ATP-binding protein
ORF02175	SAG1956	96	conserved domain protein
ORF02176	SAG1957	250	response regulator
ORF02177	SAG1958	276	conserved hypothetical protein
ORF02178	SAG1959	727	PTS system, IIABC components
ORF02179	SAG1960	551	sensor histidine kinase
ORF02180	SAG1961	225	phosphate regulon response regulator PhoB
ORF02181	SAG1962	218	phosphate transport system regulatory protein PhoU, putative
ORF02182	SAG1963	253	phosphate ABC transporter, ATP-binding protein
ORF02183	SAG1964	292	phosphate ABC transporter, permease protein
ORF02184	SAG1965	281	phosphate ABC transporter, permease protein
ORF02186	SAG1966	293	hemolysin precursor, putative
ORF02187	SAG1967	195	hypothetical protein
ORF02188	SAG1968	246	conserved hypothetical protein TIGR00046
ORF02189	SAG1969	317	ribosomal protein L11 methyltransferase
ORF02190	SAG1970	102	conserved hypothetical protein
ORF02191	SAG1971	41	hypothetical protein
ORF02192	SAG1972	238	transcriptional regulator, MerR family
ORF02194	SAG1973	156	acetyltransferase, GNAT family
ORF02195	SAG1974	152	MutT/nudix family protein
ORF02196	SAG1975	47	hypothetical protein
ORF02197	SAG1976	156	conserved hypothetical protein
ORF02198	SAG1977	163	acetyltransferase, GNAT family
ORF02199	SAG1978	422	ATPase, AAA family
ORF02201	SAG1979	253	hypothetical protein
ORF02202	SAG1980	300	ABC transporter, ATP-binding protein
ORF02203	SAG1981	68	hypothetical protein
ORF02205	SAG1982	359	transcriptional regulator, Cro/Ci family
ORF02206	SAG1983	105	conserved hypothetical protein
ORF02207	SAG1984	188	conserved hypothetical protein TIGR00730
ORF02208	SAG1985	51	hypothetical protein
ORF02209	SAG1986	375	integrase, phage family, putative
ORF02210	SAG1987	61	conserved hypothetical protein
ORF02211	SAG1988	342	conserved hypothetical protein
ORF02212	SAG1989	139	hypothetical protein
ORF02213	SAG1990	127	hypothetical protein
ORF02214	SAG1991	204	transcriptional regulator, Cro/Ci family
ORF02215	SAG1992	518	conserved hypothetical protein
ORF02216	SAG1993	373	site-specific recombinase, phage integrase family
ORF02217	SAG1994	108	conserved hypothetical protein
ORF02219	SAG1995	210	hypothetical protein
ORF02221	SAG1996	263	cell wall anchor protein-related protein
ORF02223	SAG1997	182	hypothetical protein
ORF02224	SAG1998	457	hypothetical protein
ORF02225	SAG1999	47	hypothetical protein
ORF02226	SAG2000	666	membrane protein, putative
ORF02227	SAG2001	756	conjugal transfer protein, interruption-C
ORF02228	SAG2002	129	IS1381, transposase OrfB
ORF02229	SAG2003	127	IS1381, transposase OrfA
ORF02230	SAG2005	136	conserved hypothetical protein
ORF02231	SAG2006	88	conserved hypothetical protein
ORF02232	SAG2007	317	conserved hypothetical protein

Table 32: Conversion of ORF Ref Nos. with SAG Ref Nos.

ORF Ref No.	SAGxxxx Ref No.	aa	Annotation
ORF02233	SAG2008	84	conserved hypothetical protein
ORF02234	SAG2009	88	conserved hypothetical protein
ORF02235	SAG2010	157	hypothetical protein
ORF02236	SAG2011	160	conserved hypothetical protein
ORF02237	SAG2012	90	hypothetical protein
ORF02238	SAG2013	189	hypothetical protein
ORF02239	SAG2014	449	hypothetical protein
ORF02240	SAG2015	99	transcriptional regulator, Cro/Ci family
ORF02241	SAG2016	125	hypothetical protein
ORF02242	SAG2017	429	transcriptional regulator, Cro/Ci family
ORF02243	SAG2018	553	FtsK/SpoIIIE family protein
ORF02244	SAG2019	153	hypothetical protein
ORF02245	SAG2020	98	hypothetical protein
ORF02246	SAG2021	826	cell wall surface anchor family protein
ORF02247	SAG2022	417	transposase, ISL3 family
ORF02249	SAG2023	546	mercuric reductase
ORF02250	SAG2024	130	mercuric resistance operon regulatory protein MerR
ORF02251	SAG2025	522	Mn2+/Fe2+ transporter, NRAMP family
ORF02252	SAG2026	240	membrane protein, putative
ORF02253	SAG2027	205	ABC transporter, ATP-binding protein
ORF02254	SAG2028	36	conserved hypothetical protein
ORF02255	SAG2029	284	streptomycin resistance protein
ORF02257	SAG2030	130	hypothetical protein
ORF02258	SAG2031	202	hypothetical protein
ORF02259	SAG2032	111	conserved hypothetical protein
ORF02260	SAG2033	162	acetyltransferase, GNAT family
ORF02261	SAG2034	247	membrane protein, putative
ORF02262	SAG2035	300	ABC transporter, ATP-binding protein
ORF02263	SAG2036	68	hypothetical protein
ORF02264	SAG2037	358	transcriptional regulator, Cro/Ci family
ORF02265	SAG2038	204	PAP2 family protein
ORF02266	SAG2039	98	conserved hypothetical protein
ORF02267	SAG2040	186	conserved hypothetical protein TIGR00730
ORF02268	SAG2041	287	protease, putative
ORF02269	SAG2042	100	rhodanese family protein
ORF02270	SAG2043	255	cAMP factor
ORF02271	SAG2044	62	hypothetical protein
ORF02272	SAG2045	179	DNA topology modulation protein FlaR, putative
ORF02273	SAG2046	361	glycerol dehydrogenase, putative
ORF02274	SAG2047	235	conserved hypothetical protein
ORF02275	SAG2048	614	5-methyltetrahydrofolate-homocysteine methyltransferase, putative
ORF02276	SAG2049	745	5-methyltetrahydropteroyltriglutamate-homocysteine methyltransferase
ORF02277	SAG2050	107	conserved hypothetical protein
ORF02278	SAG2051	230	branched-chain amino acid transport protein AzlC, putative
ORF02279	SAG2052	41	hypothetical protein
ORF02280	SAG2053	1570	serine protease, subtilase family, putative
ORF02281	SAG2054	228	DNA-binding response regulator
ORF02282	SAG2055	462	sensor histidine kinase
ORF02283	SAG2056	202	chromosome assembly-related protein
ORF02285	SAG2057	833	leucyl-tRNA synthetase
ORF02286	SAG2058	415	major facilitator family protein

Tabl 32: Conversion of ORF Ref Nos. with SAG Ref N s.

ORF Ref No.	SAGxxxx Ref N .	aa	Annotation
ORF02287	SAG2059	281	conserved hypothetical protein
ORF02288	SAG2060	398	glycosyl transferase, family 8
ORF02289	SAG2061	401	glycosyl transferase, family 8
ORF02290	SAG2062	179	transcription antitermination protein NusG
ORF02291	SAG2063	630	pathogenicity protein, putative
ORF02292	SAG2064	57	preprotein translocase, SecE subunit, putative
ORF02293	SAG2066	773	penicillin-binding protein 2A
ORF02294	SAG2067	294	ribosomal large subunit pseudouridine synthase, RluD subfamily
ORF02295	SAG2068	546	Lyme disease proteins of unknown function, putative
ORF02296	SAG2069	403	phosphopentomutase
ORF02297	SAG2070	223	deoxyribose-phosphate aldolase
ORF02298	SAG2071	400	Na ⁺ dependent nucleoside transporter
ORF02300	SAG2072	259	uridine phosphorylase
ORF02301	SAG2073	245	transcriptional regulator, GntR family
ORF02302	SAG2074	540	60 kda chaperonin
ORF02303	SAG2075	94	chaperonin, 10 kDa
ORF02305	SAG2076	267	ABC transporter, ATP-binding protein
ORF02306	SAG2077	298	ABC transporter, permease protein
ORF02307	SAG2078	320	lipoprotein, putative
ORF02308	SAG2079	265	hydrolase, haloacid dehalogenase-like family
ORF02309	SAG2080	286	glyoxalase family protein
ORF02310	SAG2081	243	conserved hypothetical protein
ORF02311	SAG2082	205	anaerobic ribonucleoside-triphosphate reductase activating protein
ORF02312	SAG2083	163	acetyltransferase, GNAT family
ORF02313	SAG2084	310	virulence factor MvIM, putative
ORF02314	SAG2085	47	conserved hypothetical protein
ORF02315	SAG2086	723	anaerobic ribonucleoside-triphosphate reductase
ORF02316	SAG2087	495	conserved hypothetical protein
ORF02317	SAG2088	40	hypothetical protein
ORF02318	SAG2089	105	conserved hypothetical protein
ORF02319	SAG2090	136	conserved hypothetical protein TIGR00250
ORF02320	SAG2091	88	conserved hypothetical protein
ORF02321	SAG2092	132	conserved hypothetical protein
ORF02322	SAG2093	379	recA protein
ORF02323	SAG2094		competence/damage-inducible protein ClnA FRAMESHIFT
ORF02325	SAG2095	183	DNA-3-methyladenine glycosylase I
ORF02327	SAG2096	196	Holliday junction DNA helicase RuvA
ORF02328	SAG2097	418	transporter, putative
ORF02329	SAG2098	659	DNA mismatch repair protein HexB
ORF02330	SAG2099	33	hypothetical protein
ORF02331	SAG2100	67	cold shock protein, CSD family
ORF02332	SAG2101	858	DNA mismatch repair protein HexA
ORF02333	SAG2102	145	arginine repressor ArgR, putative
ORF02334	SAG2103	563	arginyl-tRNA synthetase
ORF02335	SAG2104	102	conserved hypothetical protein
ORF02337	SAG2105	290	conserved hypothetical protein
ORF02338	SAG2106	314	conserved hypothetical protein
ORF02339	SAG2107	583	aspartyl-tRNA synthetase
ORF02340	SAG2108	426	histidyl-tRNA synthetase
ORF02341	SAG2109	60	ribosomal protein L32

Table 32: C nversion f ORF R f N s. with SAG R f Nos.

ORF Ref No.	SAGxxxx Ref N .	aa	Ann tation
ORF02342	SAG2110	49	ribosomal protein L33
ORF02343	SAG2111	173	conserved hypothetical protein
ORF02344	SAG2112	494	site-specific recombinase, phage integrase family
ORF02345	SAG2113	82	conserved hypothetical protein
ORF02346	SAG2114	342	conserved hypothetical protein
ORF02347	SAG2115	143	hypothetical protein
ORF02349	SAG2116	151	conserved hypothetical protein
ORF02350	SAG2117	71	hypothetical protein
ORF02351	SAG2118	306	transcriptional regulator, Cro/Ci family
ORF02352	SAG2119	373	conserved domain protein
ORF02355	SAG2120	56	hypothetical protein
ORF02356	SAG2121	176	hypothetical protein
ORF02357	SAG2122	223	DNA-binding response regulator
ORF02358	SAG2123	454	sensor histidine kinase
ORF02359	SAG2124	517	membrane protein, putative
ORF02360	SAG2125	308	carbamate kinase
ORF02361	SAG2126	332	ornithine carbamoyltransferase
ORF02362	SAG2127	431	sensor histidine kinase
ORF02363	SAG2128	277	response regulator
ORF02364	SAG2129	240	amino acid ABC transporter, ATP-binding protein
ORF02365	SAG2130	504	amino acid ABC transporter, permease and amino acid binding protein
ORF02367	SAG2131	847	membrane protein, putative
ORF02368	SAG2132	247	conserved hypothetical protein
ORF02369	SAG2133	118	conserved hypothetical protein
ORF02370	SAG2134	772	membrane protein, putative
ORF02371	SAG2135	179	transcriptional regulator, TetR family, putative
ORF02372	SAG2136	98	conserved hypothetical protein
ORF02373	SAG2137	203	ribosomal protein S4
ORF02374	SAG2138	95	conserved hypothetical protein
ORF02375	SAG2139	451	replicative DNA helicase
ORF02376	SAG2140	150	ribosomal protein L9
ORF02377	SAG2141	660	DHH family protein
ORF02378	SAG2142	613	glucose inhibited division protein A
ORF02379	SAG2143	203	conserved hypothetical protein TIGR00427
ORF02380	SAG2144	373	tRNA (5-methylaminomethyl-2-thiouridylate)-methyltransferase
ORF02381	SAG2145	222	L-serine dehydratase, iron-sulfur-dependent, beta subunit
ORF02382	SAG2146	290	L-serine dehydratase, iron-sulfur-dependent, alpha subunit
ORF02383	SAG2147	234	conserved hypothetical protein
ORF02384	SAG2148	179	LysM domain protein
ORF02385	SAG2149	264	cobalt transport family protein
ORF02386	SAG2150	280	ABC transporter, ATP-binding protein
ORF02387	SAG2151	279	ABC transporter, ATP-binding protein, FRAMESHIFT
ORF02388	SAG2152	180	CDP-diacylglycerol--glycerol-3-phosphate 3-phosphatidyltransferase
ORF02389	SAG2153	427	peptidase, M16 family
ORF02390	SAG2154	414	conserved hypothetical protein
ORF02391	SAG2155	117	conserved hypothetical protein
ORF02392	SAG2156	369	recF protein
ORF02393	SAG2157	278	transporter, putative
ORF02395	SAG2158	220	transcriptional regulator, Cro/Ci family

Tabl 32: Conv rsi n f ORF Ref Nos. with SAG Ref Nos.

ORF R f No.	SAGxxxx Ref N .	aa	Annotation
ORF02396	SAG2159	493	inosine-5'-monophosphate dehydrogenase
ORF02397	SAG2160	161	transcriptional regulator, ArgR family
ORF02398	SAG2161	226	transcriptional regulator, Crp/Fnr family
ORF02399	SAG2162	234	conserved hypothetical protein
ORF02400	SAG2163	410	arginine deiminase
ORF02401	SAG2164	136	acetyltransferase, GNAT family
ORF02402	SAG2165	337	ornithine carbamoyltransferase
ORF02403	SAG2166	475	arginine/ornithine antiporter
ORF02404	SAG2167	318	carbamate kinase
ORF02405	SAG2168	341	tryptophanyl-tRNA synthetase
ORF02406	SAG2169	230	conserved hypothetical protein
ORF02407	SAG2170	290	conserved hypothetical protein
ORF02408	SAG2171	539	ABC transporter, ATP-binding protein
ORF02409	SAG2172	859	ABC transporter, permease protein, putative
ORF02410	SAG2173	159	conserved hypothetical protein TIGR00246
ORF02411	SAG2174	409	serine protease
ORF02412	SAG2175	257	partitioning protein, ParB family
ORF02413	SAG0001	453	chromosomal replication initiator protein DnaA
ORF02415	SAG0002	378	DNA polymerase III, beta subunit
ORF02416	SAG0003	293	diacylglycerol kinase catalytic domain protein, putative
ORF02417	SAG0004	65	conserved hypothetical protein
ORF02418	SAG0005	67	hypothetical protein
ORF02419	SAG0006	371	conserved hypothetical GTP-binding protein
ORF02420	SAG0007	191	peptidyl-tRNA hydrolase
ORF02421	SAG0008	1165	transcription-repair coupling factor
ORF02422	SAG0009	31	hypothetical protein
ORF02423	SAG0010	90	S4 domain protein
ORF02424	SAG0011	123	cell division protein DivIC, putative
ORF02425	SAG0012	44	conserved hypothetical protein
ORF02426	SAG0013	428	conserved hypothetical protein
ORF02427	SAG0014	424	MesJYcf62 family protein
ORF02428	SAG0015	180	hypoxanthine-guanine phosphoribosyltransferase
ORF02429	SAG0016	658	cell division protein FtsH
ORF03000	SAG0157		Dnase-related protein, DEGENERATE
ORF03001	SAG0579	142	conserved hypothetical protein
ORF03002	SAG0580	111	conserved hypothetical protein, truncation
ORF03003	SAG0652		Tn5252, Orf 28 protein, degenerate
ORF03004	SAG0655	57	conserved hypothetical protein
ORF03005	SAG0662	101	cylX protein
ORF03006	SAG0917	83	Tn916, hypothetical protein
ORF03007	SAG0920	23	Tn916, hypothetical protein
ORF03008	SAG0922	61	Tn916, hypothetical protein
ORF03009	SAG0924	28	Tn916, tetM leader peptide
ORF03010	SAG0936	39	Tn916, hypothetical protein
ORF03011	SAG1484	48	ribosomal protein L33
ORF03012	SAG1857	119	HNH endonuclease family protein
ORF03013	SAG1883	128	conserved hypothetical protein
ORF03014	SAG2065	50	ribosomal protein L33
ORF03015	SAG2004	67	conjugal transfer protein, interruption-N

Table 33. List of GAS ORFs which are shared with GBS and Spn

gi|13621326|gb|AAK33146.1|
gi|13621327|gb|AAK33147.1|
gi|13621328|gb|AAK33148.1|
gi|13621329|gb|AAK33149.1|
gi|13621330|gb|AAK33150.1|
gi|13621331|gb|AAK33151.1|
gi|13621332|gb|AAK33152.1|
gi|13621333|gb|AAK33153.1|
gi|13621334|gb|AAK33154.1|
gi|13621335|gb|AAK33155.1|
gi|13621337|gb|AAK33156.1|
gi|13621340|gb|AAK33158.1|
gi|13621341|gb|AAK33159.1|
gi|13621343|gb|AAK33160.1|
gi|13621344|gb|AAK33161.1|
gi|13621346|gb|AAK33163.1|
gi|13621347|gb|AAK33164.1|
gi|13621348|gb|AAK33165.1|
gi|13621349|gb|AAK33166.1|
gi|13621350|gb|AAK33167.1|
gi|13621353|gb|AAK33169.1|
gi|13621354|gb|AAK33170.1|
gi|13621355|gb|AAK33171.1|
gi|13621357|gb|AAK33173.1|
gi|13621358|gb|AAK33174.1|
gi|13621359|gb|AAK33175.1|
gi|13621361|gb|AAK33176.1|
gi|13621362|gb|AAK33177.1|
gi|13621363|gb|AAK33178.1|
gi|13621364|gb|AAK33179.1|
gi|13621365|gb|AAK33180.1|
gi|13621366|gb|AAK33181.1|
gi|13621367|gb|AAK33182.1|
gi|13621368|gb|AAK33183.1|
gi|13621369|gb|AAK33184.1|
gi|13621370|gb|AAK33185.1|
gi|13621372|gb|AAK33186.1|
gi|13621373|gb|AAK33187.1|
gi|13621374|gb|AAK33188.1|
gi|13621375|gb|AAK33189.1|
gi|13621376|gb|AAK33190.1|
gi|13621377|gb|AAK33191.1|
gi|13621378|gb|AAK33192.1|
gi|13621379|gb|AAK33193.1|
gi|13621380|gb|AAK33194.1|
gi|13621382|gb|AAK33196.1|
gi|13621383|gb|AAK33197.1|
gi|13621384|gb|AAK33198.1|
gi|13621385|gb|AAK33199.1|
gi|13621386|gb|AAK33200.1|
gi|13621387|gb|AAK33201.1|
gi|13621388|gb|AAK33202.1|
gi|13621389|gb|AAK33203.1|
gi|13621390|gb|AAK33204.1|
gi|13621391|gb|AAK33205.1|
gi|13621392|gb|AAK33206.1|

Table 33: List of GAS ORFs which are shared with GBS and Spn

gi|13621393|gb|AAK33207.1|
gi|13621394|gb|AAK33208.1|
gi|13621397|gb|AAK33210.1|
gi|13621398|gb|AAK33211.1|
gi|13621399|gb|AAK33212.1|
gi|13621401|gb|AAK33214.1|
gi|13621403|gb|AAK33215.1|
gi|13621404|gb|AAK33216.1|
gi|13621405|gb|AAK33217.1|
gi|13621407|gb|AAK33218.1|
gi|13621408|gb|AAK33219.1|
gi|13621409|gb|AAK33220.1|
gi|13621413|gb|AAK33224.1|
gi|13621415|gb|AAK33226.1|
gi|13621416|gb|AAK33227.1|
gi|13621418|gb|AAK33229.1|
gi|13621419|gb|AAK33230.1|
gi|13621424|gb|AAK33234.1|
gi|13621425|gb|AAK33235.1|
gi|13621426|gb|AAK33236.1|
gi|13621434|gb|AAK33243.1|
gi|13621450|gb|AAK33258.1|
gi|13621455|gb|AAK33262.1|
gi|13621456|gb|AAK33263.1|
gi|13621457|gb|AAK33264.1|
gi|13621467|gb|AAK33273.1|
gi|13621468|gb|AAK33274.1|
gi|13621469|gb|AAK33275.1|
gi|13621470|gb|AAK33276.1|
gi|13621471|gb|AAK33277.1|
gi|13621472|gb|AAK33278.1|
gi|13621473|gb|AAK33279.1|
gi|13621476|gb|AAK33281.1|
gi|13621477|gb|AAK33282.1|
gi|13621478|gb|AAK33283.1|
gi|13621480|gb|AAK33285.1|
gi|13621481|gb|AAK33286.1|
gi|13621491|gb|AAK33295.1|
gi|13621494|gb|AAK33298.1|
gi|13621496|gb|AAK33299.1|
gi|13621501|gb|AAK33304.1|
gi|13621502|gb|AAK33305.1|
gi|13621505|gb|AAK33307.1|
gi|13621506|gb|AAK33308.1|
gi|13621507|gb|AAK33309.1|
gi|13621510|gb|AAK33312.1|
gi|13621511|gb|AAK33313.1|
gi|13621513|gb|AAK33315.1|
gi|13621516|gb|AAK33317.1|
gi|13621518|gb|AAK33319.1|
gi|13621521|gb|AAK33322.1|
gi|13621522|gb|AAK33323.1|
gi|13621523|gb|AAK33324.1|
gi|13621524|gb|AAK33325.1|
gi|13621525|gb|AAK33326.1|
gi|13621527|gb|AAK33327.1|

Table 35. List of GAS ORFs which are shared with GBS and Spn

gi|13621528|gb|AAK33328.1|
gi|13621529|gb|AAK33329.1|
gi|13621530|gb|AAK33330.1|
gi|13621531|gb|AAK33331.1|
gi|13621532|gb|AAK33332.1|
gi|13621533|gb|AAK33333.1|
gi|13621534|gb|AAK33334.1|
gi|13621535|gb|AAK33335.1|
gi|13621536|gb|AAK33336.1|
gi|13621537|gb|AAK33337.1|
gi|13621539|gb|AAK33338.1|
gi|13621540|gb|AAK33339.1|
gi|13621541|gb|AAK33340.1|
gi|13621542|gb|AAK33341.1|
gi|13621543|gb|AAK33342.1|
gi|13621544|gb|AAK33343.1|
gi|13621546|gb|AAK33345.1|
gi|13621547|gb|AAK33346.1|
gi|13621548|gb|AAK33347.1|
gi|13621550|gb|AAK33348.1|
gi|13621551|gb|AAK33349.1|
gi|13621552|gb|AAK33350.1|
gi|13621553|gb|AAK33351.1|
gi|13621554|gb|AAK33352.1|
gi|13621555|gb|AAK33353.1|
gi|13621557|gb|AAK33355.1|
gi|13621559|gb|AAK33356.1|
gi|13621560|gb|AAK33357.1|
gi|13621561|gb|AAK33358.1|
gi|13621562|gb|AAK33359.1|
gi|13621563|gb|AAK33360.1|
gi|13621564|gb|AAK33361.1|
gi|13621565|gb|AAK33362.1|
gi|13621566|gb|AAK33363.1|
gi|13621567|gb|AAK33364.1|
gi|13621569|gb|AAK33365.1|
gi|13621571|gb|AAK33367.1|
gi|13621572|gb|AAK33368.1|
gi|13621573|gb|AAK33369.1|
gi|13621574|gb|AAK33370.1|
gi|13621575|gb|AAK33371.1|
gi|13621576|gb|AAK33372.1|
gi|13621577|gb|AAK33373.1|
gi|13621579|gb|AAK33374.1|
gi|13621581|gb|AAK33376.1|
gi|13621582|gb|AAK33377.1|
gi|13621583|gb|AAK33378.1|
gi|13621584|gb|AAK33379.1|
gi|13621585|gb|AAK33380.1|
gi|13621586|gb|AAK33381.1|
gi|13621588|gb|AAK33383.1|
gi|13621589|gb|AAK33384.1|
gi|13621590|gb|AAK33385.1|
gi|13621592|gb|AAK33386.1|
gi|13621593|gb|AAK33387.1|
gi|13621594|gb|AAK33388.1|

Table 33: List of GAS ORFs which are shared with GBS and Spn

gi|13621595|gb|AAK33389.1|
gi|13621596|gb|AAK33390.1|
gi|13621597|gb|AAK33391.1|
gi|13621598|gb|AAK33392.1|
gi|13621599|gb|AAK33393.1|
gi|13621600|gb|AAK33394.1|
gi|13621602|gb|AAK33395.1|
gi|13621603|gb|AAK33396.1|
gi|13621604|gb|AAK33397.1|
gi|13621605|gb|AAK33398.1|
gi|13621606|gb|AAK33399.1|
gi|13621607|gb|AAK33400.1|
gi|13621608|gb|AAK33401.1|
gi|13621609|gb|AAK33402.1|
gi|13621611|gb|AAK33404.1|
gi|13621614|gb|AAK33406.1|
gi|13621615|gb|AAK33407.1|
gi|13621616|gb|AAK33408.1|
gi|13621617|gb|AAK33409.1|
gi|13621618|gb|AAK33410.1|
gi|13621619|gb|AAK33411.1|
gi|13621620|gb|AAK33412.1|
gi|13621621|gb|AAK33413.1|
gi|13621622|gb|AAK33414.1|
gi|13621623|gb|AAK33415.1|
gi|13621624|gb|AAK33416.1|
gi|13621625|gb|AAK33417.1|
gi|13621627|gb|AAK33419.1|
gi|13621629|gb|AAK33420.1|
gi|13621630|gb|AAK33421.1|
gi|13621631|gb|AAK33422.1|
gi|13621633|gb|AAK33424.1|
gi|13621634|gb|AAK33425.1|
gi|13621636|gb|AAK33427.1|
gi|13621637|gb|AAK33428.1|
gi|13621638|gb|AAK33429.1|
gi|13621640|gb|AAK33430.1|
gi|13621642|gb|AAK33432.1|
gi|13621644|gb|AAK33434.1|
gi|13621645|gb|AAK33435.1|
gi|13621647|gb|AAK33437.1|
gi|13621648|gb|AAK33438.1|
gi|13621650|gb|AAK33440.1|
gi|13621651|gb|AAK33441.1|
gi|13621652|gb|AAK33442.1|
gi|13621657|gb|AAK33446.1|
gi|13621658|gb|AAK33447.1|
gi|13621660|gb|AAK33449.1|
gi|13621670|gb|AAK33458.1|
gi|13621671|gb|AAK33459.1|
gi|13621672|gb|AAK33460.1|
gi|13621675|gb|AAK33462.1|
gi|13621676|gb|AAK33463.1|
gi|13621678|gb|AAK33465.1|
gi|13621680|gb|AAK33467.1|
gi|13621681|gb|AAK33468.1|

Table 33. List of GAS ORFs which are shared with GBS and Spn

gi|13621682|gb|AAK33469.1|
 gi|13621683|gb|AAK33470.1|
 gi|13621684|gb|AAK33471.1|
 gi|13621685|gb|AAK33472.1|
 gi|13621688|gb|AAK33474.1|
 gi|13621689|gb|AAK33475.1|
 gi|13621690|gb|AAK33476.1|
 gi|13621691|gb|AAK33477.1|
 gi|13621692|gb|AAK33478.1|
 gi|13621693|gb|AAK33479.1|
 gi|13621694|gb|AAK33480.1|
 gi|13621695|gb|AAK33481.1|
 gi|13621697|gb|AAK33483.1|
 gi|13621698|gb|AAK33484.1|
 gi|13621700|gb|AAK33485.1|
 gi|13621701|gb|AAK33486.1|
 gi|13621702|gb|AAK33487.1|
 gi|13621714|gb|AAK33498.1|
 gi|13621715|gb|AAK33499.1|
 gi|13621717|gb|AAK33501.1|
 gi|13621718|gb|AAK33502.1|
 gi|13621719|gb|AAK33503.1|
 gi|13621720|gb|AAK33504.1|
 gi|13621726|gb|AAK33509.1|
 gi|13621727|gb|AAK33510.1|
 gi|13621729|gb|AAK33512.1|
 gi|13621730|gb|AAK33513.1|
 gi|13621731|gb|AAK33514.1|
 gi|13621732|gb|AAK33515.1|
 gi|13621733|gb|AAK33516.1|
 gi|13621734|gb|AAK33517.1|
 gi|13621735|gb|AAK33518.1|
 gi|13621736|gb|AAK33519.1|
 gi|13621741|gb|AAK33523.1|
 gi|13621742|gb|AAK33524.1|
 gi|13621743|gb|AAK33525.1|
 gi|13621744|gb|AAK33526.1|
 gi|13621745|gb|AAK33527.1|
 gi|13621747|gb|AAK33528.1|
 gi|13621756|gb|AAK33537.1|
 gi|13621773|gb|AAK33552.1|
 gi|13621774|gb|AAK33553.1|
 gi|13621775|gb|AAK33554.1|
 gi|13621777|gb|AAK33556.1|
 gi|13621778|gb|AAK33557.1|
 gi|13621779|gb|AAK33558.1|
 gi|13621781|gb|AAK33559.1|
 gi|13621782|gb|AAK33560.1|
 gi|13621785|gb|AAK33563.1|
 gi|13621786|gb|AAK33564.1|
 gi|13621787|gb|AAK33565.1|
 gi|13621788|gb|AAK33566.1|
 gi|13621789|gb|AAK33567.1|
 gi|13621790|gb|AAK33568.1|
 gi|13621793|gb|AAK33571.1|
 gi|13621794|gb|AAK33572.1|

Table 33. List of GAS ORFs which are shared with GBS and Spn

gi|13621796|gb|AAK33573.1|
 gi|13621797|gb|AAK33574.1|
 gi|13621799|gb|AAK33576.1|
 gi|13621800|gb|AAK33577.1|
 gi|13621802|gb|AAK33579.1|
 gi|13621806|gb|AAK33583.1|
 gi|13621808|gb|AAK33584.1|
 gi|13621809|gb|AAK33585.1|
 gi|13621810|gb|AAK33586.1|
 gi|13621811|gb|AAK33587.1|
 gi|13621812|gb|AAK33588.1|
 gi|13621813|gb|AAK33589.1|
 gi|13621814|gb|AAK33590.1|
 gi|13621817|gb|AAK33592.1|
 gi|13621818|gb|AAK33593.1|
 gi|13621819|gb|AAK33594.1|
 gi|13621820|gb|AAK33595.1|
 gi|13621821|gb|AAK33596.1|
 gi|13621822|gb|AAK33597.1|
 gi|13621823|gb|AAK33598.1|
 gi|13621824|gb|AAK33599.1|
 gi|13621825|gb|AAK33600.1|
 gi|13621826|gb|AAK33601.1|
 gi|13621828|gb|AAK33602.1|
 gi|13621829|gb|AAK33603.1|
 gi|13621830|gb|AAK33604.1|
 gi|13621831|gb|AAK33605.1|
 gi|13621834|gb|AAK33608.1|
 gi|13621835|gb|AAK33609.1|
 gi|13621836|gb|AAK33610.1|
 gi|13621837|gb|AAK33611.1|
 gi|13621839|gb|AAK33612.1|
 gi|13621840|gb|AAK33613.1|
 gi|13621841|gb|AAK33614.1|
 gi|13621842|gb|AAK33615.1|
 gi|13621843|gb|AAK33616.1|
 gi|13621844|gb|AAK33617.1|
 gi|13621898|gb|AAK33667.1|
 gi|13621901|gb|AAK33670.1|
 gi|13621902|gb|AAK33671.1|
 gi|13621904|gb|AAK33672.1|
 gi|13621907|gb|AAK33675.1|
 gi|13621908|gb|AAK33676.1|
 gi|13621909|gb|AAK33677.1|
 gi|13621910|gb|AAK33678.1|
 gi|13621912|gb|AAK33680.1|
 gi|13621924|gb|AAK33690.1|
 gi|13621929|gb|AAK33694.1|
 gi|13621930|gb|AAK33695.1|
 gi|13621931|gb|AAK33696.1|
 gi|13621933|gb|AAK33698.1|
 gi|13621934|gb|AAK33699.1|
 gi|13621935|gb|AAK33700.1|
 gi|13621936|gb|AAK33701.1|
 gi|13621937|gb|AAK33702.1|
 gi|13621938|gb|AAK33703.1|

Table 33. List of GAS ORFs which are shared with GBS and Spn

gi|13621939|gb|AAK33704.1|
 gi|13621942|gb|AAK33706.1|
 gi|13621944|gb|AAK33708.1|
 gi|13621945|gb|AAK33709.1|
 gi|13621946|gb|AAK33710.1|
 gi|13621950|gb|AAK33714.1|
 gi|13621953|gb|AAK33716.1|
 gi|13621954|gb|AAK33717.1|
 gi|13621955|gb|AAK33718.1|
 gi|13621956|gb|AAK33719.1|
 gi|13621957|gb|AAK33720.1|
 gi|13621958|gb|AAK33721.1|
 gi|13621959|gb|AAK33722.1|
 gi|13621961|gb|AAK33723.1|
 gi|13621975|gb|AAK33736.1|
 gi|13621977|gb|AAK33738.1|
 gi|13621978|gb|AAK33739.1|
 gi|13621979|gb|AAK33740.1|
 gi|13621980|gb|AAK33741.1|
 gi|13621981|gb|AAK33742.1|
 gi|13621982|gb|AAK33743.1|
 gi|13621985|gb|AAK33745.1|
 gi|13621986|gb|AAK33746.1|
 gi|13621987|gb|AAK33747.1|
 gi|13621989|gb|AAK33749.1|
 gi|13621990|gb|AAK33750.1|
 gi|13621992|gb|AAK33752.1|
 gi|13621993|gb|AAK33753.1|
 gi|13621994|gb|AAK33754.1|
 gi|13621996|gb|AAK33755.1|
 gi|13621997|gb|AAK33756.1|
 gi|13621998|gb|AAK33757.1|
 gi|13621999|gb|AAK33758.1|
 gi|13622000|gb|AAK33759.1|
 gi|13622001|gb|AAK33760.1|
 gi|13622002|gb|AAK33761.1|
 gi|13622003|gb|AAK33762.1|
 gi|13622004|gb|AAK33763.1|
 gi|13622005|gb|AAK33764.1|
 gi|13622006|gb|AAK33765.1|
 gi|13622008|gb|AAK33766.1|
 gi|13622009|gb|AAK33767.1|
 gi|13622010|gb|AAK33768.1|
 gi|13622012|gb|AAK33770.1|
 gi|13622013|gb|AAK33771.1|
 gi|13622017|gb|AAK33774.1|
 gi|13622018|gb|AAK33775.1|
 gi|13622019|gb|AAK33776.1|
 gi|13622020|gb|AAK33777.1|
 gi|13622021|gb|AAK33778.1|
 gi|13622024|gb|AAK33781.1|
 gi|13622025|gb|AAK33782.1|
 gi|13622026|gb|AAK33783.1|
 gi|13622031|gb|AAK33787.1|
 gi|13622032|gb|AAK33788.1|
 gi|13622033|gb|AAK33789.1|

Table 33. List of GAS ORFs which are shared with GBS and Spn

gi|13622034|gb|AAK33790.1|
 gi|13622035|gb|AAK33791.1|
 gi|13622039|gb|AAK33794.1|
 gi|13622041|gb|AAK33796.1|
 gi|13622042|gb|AAK33797.1|
 gi|13622043|gb|AAK33798.1|
 gi|13622044|gb|AAK33799.1|
 gi|13622045|gb|AAK33800.1|
 gi|13622046|gb|AAK33801.1|
 gi|13622048|gb|AAK33802.1|
 gi|13622049|gb|AAK33803.1|
 gi|13622050|gb|AAK33804.1|
 gi|13622051|gb|AAK33805.1|
 gi|13622052|gb|AAK33806.1|
 gi|13622054|gb|AAK33808.1|
 gi|13622055|gb|AAK33809.1|
 gi|13622056|gb|AAK33810.1|
 gi|13622058|gb|AAK33812.1|
 gi|13622060|gb|AAK33813.1|
 gi|13622062|gb|AAK33815.1|
 gi|13622064|gb|AAK33817.1|
 gi|13622065|gb|AAK33818.1|
 gi|13622068|gb|AAK33821.1|
 gi|13622069|gb|AAK33822.1|
 gi|13622070|gb|AAK33823.1|
 gi|13622071|gb|AAK33824.1|
 gi|13622073|gb|AAK33825.1|
 gi|13622074|gb|AAK33826.1|
 gi|13622075|gb|AAK33827.1|
 gi|13622077|gb|AAK33829.1|
 gi|13622079|gb|AAK33831.1|
 gi|13622083|gb|AAK33834.1|
 gi|13622085|gb|AAK33836.1|
 gi|13622086|gb|AAK33837.1|
 gi|13622087|gb|AAK33838.1|
 gi|13622088|gb|AAK33839.1|
 gi|13622089|gb|AAK33840.1|
 gi|13622090|gb|AAK33841.1|
 gi|13622091|gb|AAK33842.1|
 gi|13622092|gb|AAK33843.1|
 gi|13622093|gb|AAK33844.1|
 gi|13622095|gb|AAK33845.1|
 gi|13622096|gb|AAK33846.1|
 gi|13622097|gb|AAK33847.1|
 gi|13622162|gb|AAK33908.1|
 gi|13622163|gb|AAK33909.1|
 gi|13622164|gb|AAK33910.1|
 gi|13622165|gb|AAK33911.1|
 gi|13622166|gb|AAK33912.1|
 gi|13622169|gb|AAK33914.1|
 gi|13622170|gb|AAK33915.1|
 gi|13622171|gb|AAK33916.1|
 gi|13622172|gb|AAK33917.1|
 gi|13622174|gb|AAK33919.1|
 gi|13622175|gb|AAK33920.1|
 gi|13622176|gb|AAK33921.1|

Table 33: List of GAS ORFs which are shared with GBS and Spn

gi|13622177|gb|AAK33922.1|
 gi|13622179|gb|AAK33923.1|
 gi|13622180|gb|AAK33924.1|
 gi|13622181|gb|AAK33925.1|
 gi|13622182|gb|AAK33926.1|
 gi|13622183|gb|AAK33927.1|
 gi|13622184|gb|AAK33928.1|
 gi|13622185|gb|AAK33929.1|
 gi|13622186|gb|AAK33930.1|
 gi|13622189|gb|AAK33932.1|
 gi|13622190|gb|AAK33933.1|
 gi|13622191|gb|AAK33934.1|
 gi|13622192|gb|AAK33935.1|
 gi|13622198|gb|AAK33940.1|
 gi|13622200|gb|AAK33942.1|
 gi|13622201|gb|AAK33943.1|
 gi|13622204|gb|AAK33946.1|
 gi|13622205|gb|AAK33947.1|
 gi|13622207|gb|AAK33949.1|
 gi|13622208|gb|AAK33950.1|
 gi|13622211|gb|AAK33952.1|
 gi|13622213|gb|AAK33954.1|
 gi|13622214|gb|AAK33955.1|
 gi|13622215|gb|AAK33956.1|
 gi|13622216|gb|AAK33957.1|
 gi|13622217|gb|AAK33958.1|
 gi|13622218|gb|AAK33959.1|
 gi|13622219|gb|AAK33960.1|
 gi|13622222|gb|AAK33962.1|
 gi|13622223|gb|AAK33963.1|
 gi|13622224|gb|AAK33964.1|
 gi|13622233|gb|AAK33972.1|
 gi|13622235|gb|AAK33974.1|
 gi|13622236|gb|AAK33975.1|
 gi|13622237|gb|AAK33976.1|
 gi|13622239|gb|AAK33978.1|
 gi|13622240|gb|AAK33979.1|
 gi|13622241|gb|AAK33980.1|
 gi|13622242|gb|AAK33981.1|
 gi|13622243|gb|AAK33982.1|
 gi|13622244|gb|AAK33983.1|
 gi|13622250|gb|AAK33988.1|
 gi|13622252|gb|AAK33990.1|
 gi|13622253|gb|AAK33991.1|
 gi|13622255|gb|AAK33993.1|
 gi|13622256|gb|AAK33994.1|
 gi|13622257|gb|AAK33995.1|
 gi|13622259|gb|AAK33996.1|
 gi|13622260|gb|AAK33997.1|
 gi|13622261|gb|AAK33998.1|
 gi|13622262|gb|AAK33999.1|
 gi|13622263|gb|AAK34000.1|
 gi|13622264|gb|AAK34001.1|
 gi|13622265|gb|AAK34002.1|
 gi|13622266|gb|AAK34003.1|
 gi|13622268|gb|AAK34005.1|

Table 33: List of GAS ORFs which are shared with GBS and Spn

gi|13622269|gb|AAK34006.1|
 gi|13622271|gb|AAK34007.1|
 gi|13622272|gb|AAK34008.1|
 gi|13622273|gb|AAK34009.1|
 gi|13622274|gb|AAK34010.1|
 gi|13622275|gb|AAK34011.1|
 gi|13622276|gb|AAK34012.1|
 gi|13622277|gb|AAK34013.1|
 gi|13622278|gb|AAK34014.1|
 gi|13622279|gb|AAK34015.1|
 gi|13622281|gb|AAK34017.1|
 gi|13622282|gb|AAK34018.1|
 gi|13622283|gb|AAK34019.1|
 gi|13622284|gb|AAK34020.1|
 gi|13622285|gb|AAK34021.1|
 gi|13622287|gb|AAK34022.1|
 gi|13622288|gb|AAK34023.1|
 gi|13622289|gb|AAK34024.1|
 gi|13622290|gb|AAK34025.1|
 gi|13622294|gb|AAK34029.1|
 gi|13622295|gb|AAK34030.1|
 gi|13622296|gb|AAK34031.1|
 gi|13622297|gb|AAK34032.1|
 gi|13622298|gb|AAK34033.1|
 gi|13622299|gb|AAK34034.1|
 gi|13622301|gb|AAK34035.1|
 gi|13622306|gb|AAK34040.1|
 gi|13622326|gb|AAK34058.1|
 gi|13622328|gb|AAK34060.1|
 gi|13622329|gb|AAK34061.1|
 gi|13622330|gb|AAK34062.1|
 gi|13622332|gb|AAK34064.1|
 gi|13622333|gb|AAK34065.1|
 gi|13622335|gb|AAK34066.1|
 gi|13622338|gb|AAK34069.1|
 gi|13622339|gb|AAK34070.1|
 gi|13622340|gb|AAK34071.1|
 gi|13622341|gb|AAK34072.1|
 gi|13622343|gb|AAK34073.1|
 gi|13622350|gb|AAK34080.1|
 gi|13622351|gb|AAK34081.1|
 gi|13622352|gb|AAK34082.1|
 gi|13622353|gb|AAK34083.1|
 gi|13622355|gb|AAK34084.1|
 gi|13622356|gb|AAK34085.1|
 gi|13622357|gb|AAK34086.1|
 gi|13622358|gb|AAK34087.1|
 gi|13622359|gb|AAK34088.1|
 gi|13622360|gb|AAK34089.1|
 gi|13622361|gb|AAK34090.1|
 gi|13622362|gb|AAK34091.1|
 gi|13622363|gb|AAK34092.1|
 gi|13622364|gb|AAK34093.1|
 gi|13622366|gb|AAK34094.1|
 gi|13622367|gb|AAK34095.1|
 gi|13622368|gb|AAK34096.1|

Table 33: List of GAS ORFs which are shared with GBS and Spn

gi|13622369|gb|AAK34097.1|
 gi|13622370|gb|AAK34098.1|
 gi|13622371|gb|AAK34099.1|
 gi|13622372|gb|AAK34100.1|
 gi|13622373|gb|AAK34101.1|
 gi|13622374|gb|AAK34102.1|
 gi|13622375|gb|AAK34103.1|
 gi|13622376|gb|AAK34104.1|
 gi|13622377|gb|AAK34105.1|
 gi|13622378|gb|AAK34106.1|
 gi|13622380|gb|AAK34107.1|
 gi|13622383|gb|AAK34110.1|
 gi|13622384|gb|AAK34111.1|
 gi|13622387|gb|AAK34114.1|
 gi|13622389|gb|AAK34116.1|
 gi|13622394|gb|AAK34120.1|
 gi|13622395|gb|AAK34121.1|
 gi|13622396|gb|AAK34122.1|
 gi|13622398|gb|AAK34124.1|
 gi|13622399|gb|AAK34125.1|
 gi|13622400|gb|AAK34126.1|
 gi|13622401|gb|AAK34127.1|
 gi|13622403|gb|AAK34128.1|
 gi|13622405|gb|AAK34130.1|
 gi|13622406|gb|AAK34131.1|
 gi|13622407|gb|AAK34132.1|
 gi|13622408|gb|AAK34133.1|
 gi|13622415|gb|AAK34139.1|
 gi|13622416|gb|AAK34140.1|
 gi|13622417|gb|AAK34141.1|
 gi|13622419|gb|AAK34143.1|
 gi|13622420|gb|AAK34144.1|
 gi|13622424|gb|AAK34147.1|
 gi|13622425|gb|AAK34148.1|
 gi|13622431|gb|AAK34153.1|
 gi|13622432|gb|AAK34154.1|
 gi|13622433|gb|AAK34155.1|
 gi|13622434|gb|AAK34156.1|
 gi|13622435|gb|AAK34157.1|
 gi|13622436|gb|AAK34158.1|
 gi|13622437|gb|AAK34159.1|
 gi|13622444|gb|AAK34165.1|
 gi|13622447|gb|AAK34168.1|
 gi|13622450|gb|AAK34170.1|
 gi|13622451|gb|AAK34171.1|
 gi|13622455|gb|AAK34175.1|
 gi|13622457|gb|AAK34177.1|
 gi|13622458|gb|AAK34178.1|
 gi|13622460|gb|AAK34179.1|
 gi|13622461|gb|AAK34180.1|
 gi|13622462|gb|AAK34181.1|
 gi|13622463|gb|AAK34182.1|
 gi|13622464|gb|AAK34183.1|
 gi|13622465|gb|AAK34184.1|
 gi|13622467|gb|AAK34186.1|
 gi|13622468|gb|AAK34187.1|

Tabl 33: List of GAS ORFs which are shared with GBS and Spn

gi|13622471|gb|AAK34189.1|
 gi|13622473|gb|AAK34191.1|
 gi|13622474|gb|AAK34192.1|
 gi|13622477|gb|AAK34195.1|
 gi|13622478|gb|AAK34196.1|
 gi|13622479|gb|AAK34197.1|
 gi|13622481|gb|AAK34198.1|
 gi|13622482|gb|AAK34199.1|
 gi|13622483|gb|AAK34200.1|
 gi|13622484|gb|AAK34201.1|
 gi|13622485|gb|AAK34202.1|
 gi|13622486|gb|AAK34203.1|
 gi|13622491|gb|AAK34207.1|
 gi|13622492|gb|AAK34208.1|
 gi|13622493|gb|AAK34209.1|
 gi|13622494|gb|AAK34210.1|
 gi|13622495|gb|AAK34211.1|
 gi|13622496|gb|AAK34212.1|
 gi|13622497|gb|AAK34213.1|
 gi|13622499|gb|AAK34214.1|
 gi|13622500|gb|AAK34215.1|
 gi|13622501|gb|AAK34216.1|
 gi|13622506|gb|AAK34221.1|
 gi|13622507|gb|AAK34222.1|
 gi|13622508|gb|AAK34223.1|
 gi|13622509|gb|AAK34224.1|
 gi|13622511|gb|AAK34225.1|
 gi|13622512|gb|AAK34226.1|
 gi|13622513|gb|AAK34227.1|
 gi|13622515|gb|AAK34229.1|
 gi|13622516|gb|AAK34230.1|
 gi|13622517|gb|AAK34231.1|
 gi|13622518|gb|AAK34232.1|
 gi|13622520|gb|AAK34233.1|
 gi|13622521|gb|AAK34234.1|
 gi|13622523|gb|AAK34236.1|
 gi|13622524|gb|AAK34237.1|
 gi|13622525|gb|AAK34238.1|
 gi|13622526|gb|AAK34239.1|
 gi|13622527|gb|AAK34240.1|
 gi|13622579|gb|AAK34289.1|
 gi|13622583|gb|AAK34292.1|
 gi|13622585|gb|AAK34294.1|
 gi|13622587|gb|AAK34296.1|
 gi|13622588|gb|AAK34297.1|
 gi|13622590|gb|AAK34299.1|
 gi|13622591|gb|AAK34300.1|
 gi|13622593|gb|AAK34301.1|
 gi|13622595|gb|AAK34303.1|
 gi|13622596|gb|AAK34304.1|
 gi|13622597|gb|AAK34305.1|
 gi|13622598|gb|AAK34306.1|
 gi|13622599|gb|AAK34307.1|
 gi|13622600|gb|AAK34308.1|
 gi|13622601|gb|AAK34309.1|
 gi|13622603|gb|AAK34310.1|

Table 33: List of GAS ORFs which are shared with GBS and Spn

gi|13622604|gb|AAK34311.1|
 gi|13622606|gb|AAK34313.1|
 gi|13622607|gb|AAK34314.1|
 gi|13622608|gb|AAK34315.1|
 gi|13622609|gb|AAK34316.1|
 gi|13622610|gb|AAK34317.1|
 gi|13622611|gb|AAK34318.1|
 gi|13622612|gb|AAK34319.1|
 gi|13622615|gb|AAK34321.1|
 gi|13622616|gb|AAK34322.1|
 gi|13622617|gb|AAK34323.1|
 gi|13622618|gb|AAK34324.1|
 gi|13622621|gb|AAK34327.1|
 gi|13622622|gb|AAK34328.1|
 gi|13622623|gb|AAK34329.1|
 gi|13622624|gb|AAK34330.1|
 gi|13622625|gb|AAK34331.1|
 gi|13622626|gb|AAK34332.1|
 gi|13622628|gb|AAK34333.1|
 gi|13622629|gb|AAK34334.1|
 gi|13622630|gb|AAK34335.1|
 gi|13622631|gb|AAK34336.1|
 gi|13622632|gb|AAK34337.1|
 gi|13622634|gb|AAK34339.1|
 gi|13622636|gb|AAK34341.1|
 gi|13622640|gb|AAK34344.1|
 gi|13622641|gb|AAK34345.1|
 gi|13622652|gb|AAK34355.1|
 gi|13622653|gb|AAK34356.1|
 gi|13622654|gb|AAK34357.1|
 gi|13622656|gb|AAK34359.1|
 gi|13622660|gb|AAK34363.1|
 gi|13622665|gb|AAK34367.1|
 gi|13622668|gb|AAK34370.1|
 gi|13622675|gb|AAK34376.1|
 gi|13622676|gb|AAK34377.1|
 gi|13622683|gb|AAK34383.1|
 gi|13622684|gb|AAK34384.1|
 gi|13622685|gb|AAK34385.1|
 gi|13622688|gb|AAK34387.1|
 gi|13622689|gb|AAK34388.1|
 gi|13622690|gb|AAK34389.1|
 gi|13622691|gb|AAK34390.1|
 gi|13622692|gb|AAK34391.1|
 gi|13622693|gb|AAK34392.1|
 gi|13622694|gb|AAK34393.1|
 gi|13622695|gb|AAK34394.1|
 gi|13622696|gb|AAK34395.1|
 gi|13622698|gb|AAK34396.1|
 gi|13622699|gb|AAK34397.1|
 gi|13622700|gb|AAK34398.1|
 gi|13622701|gb|AAK34399.1|
 gi|13622702|gb|AAK34400.1|
 gi|13622703|gb|AAK34401.1|
 gi|13622704|gb|AAK34402.1|
 gi|13622705|gb|AAK34403.1|

Table 33: List of GAS ORFs which are shared with GBS and Spn

gi|13622711|gb|AAK34408.1|
 gi|13622713|gb|AAK34410.1|
 gi|13622714|gb|AAK34411.1|
 gi|13622715|gb|AAK34412.1|
 gi|13622718|gb|AAK34414.1|
 gi|13622719|gb|AAK34415.1|
 gi|13622720|gb|AAK34416.1|
 gi|13622721|gb|AAK34417.1|
 gi|13622722|gb|AAK34418.1|
 gi|13622723|gb|AAK34419.1|
 gi|13622727|gb|AAK34422.1|
 gi|13622728|gb|AAK34423.1|
 gi|13622729|gb|AAK34424.1|
 gi|13622730|gb|AAK34425.1|
 gi|13622731|gb|AAK34426.1|
 gi|13622733|gb|AAK34428.1|
 gi|13622734|gb|AAK34429.1|
 gi|13622735|gb|AAK34430.1|
 gi|13622736|gb|AAK34431.1|
 gi|13622737|gb|AAK34432.1|
 gi|13622740|gb|AAK34434.1|
 gi|13622741|gb|AAK34435.1|
 gi|13622742|gb|AAK34436.1|
 gi|13622744|gb|AAK34438.1|
 gi|13622745|gb|AAK34439.1|
 gi|13622746|gb|AAK34440.1|
 gi|13622749|gb|AAK34442.1|
 gi|13622750|gb|AAK34443.1|
 gi|13622751|gb|AAK34444.1|
 gi|13622752|gb|AAK34445.1|
 gi|13622753|gb|AAK34446.1|
 gi|13622754|gb|AAK34447.1|
 gi|13622760|gb|AAK34452.1|
 gi|13622762|gb|AAK34454.1|
 gi|13622763|gb|AAK34455.1|
 gi|13622764|gb|AAK34456.1|
 gi|13622765|gb|AAK34457.1|
 gi|13622766|gb|AAK34458.1|
 gi|13622767|gb|AAK34459.1|
 gi|13622768|gb|AAK34460.1|
 gi|13622770|gb|AAK34462.1|
 gi|13622771|gb|AAK34463.1|
 gi|13622774|gb|AAK34465.1|
 gi|13622775|gb|AAK34466.1|
 gi|13622776|gb|AAK34467.1|
 gi|13622777|gb|AAK34468.1|
 gi|13622778|gb|AAK34469.1|
 gi|13622779|gb|AAK34470.1|
 gi|13622780|gb|AAK34471.1|
 gi|13622781|gb|AAK34472.1|
 gi|13622782|gb|AAK34473.1|
 gi|13622783|gb|AAK34474.1|
 gi|13622785|gb|AAK34475.1|
 gi|13622787|gb|AAK34477.1|
 gi|13622789|gb|AAK34479.1|
 gi|13622790|gb|AAK34480.1|

Table 33: List of GAS ORFs which are shared with GBS and Spn

gi|13622791|gb|AAK34481.1|
 gi|13622792|gb|AAK34482.1|
 gi|13622793|gb|AAK34483.1|
 gi|13622794|gb|AAK34484.1|
 gi|13622795|gb|AAK34485.1|
 gi|13622796|gb|AAK34486.1|
 gi|13622798|gb|AAK34487.1|
 gi|13622799|gb|AAK34488.1|
 gi|13622800|gb|AAK34489.1|
 gi|13622801|gb|AAK34490.1|
 gi|13622802|gb|AAK34491.1|
 gi|13622803|gb|AAK34492.1|
 gi|13622804|gb|AAK34493.1|
 gi|13622805|gb|AAK34494.1|
 gi|13622806|gb|AAK34495.1|
 gi|13622807|gb|AAK34496.1|
 gi|13622808|gb|AAK34497.1|
 gi|13622809|gb|AAK34498.1|
 gi|13622810|gb|AAK34499.1|
 gi|13622812|gb|AAK34500.1|
 gi|13622813|gb|AAK34501.1|
 gi|13622814|gb|AAK34502.1|
 gi|13622815|gb|AAK34503.1|
 gi|13622818|gb|AAK34506.1|
 gi|13622821|gb|AAK34509.1|
 gi|13622822|gb|AAK34510.1|
 gi|13622823|gb|AAK34511.1|
 gi|13622825|gb|AAK34512.1|
 gi|13622826|gb|AAK34513.1|
 gi|13622827|gb|AAK34514.1|
 gi|13622828|gb|AAK34515.1|
 gi|13622829|gb|AAK34516.1|
 gi|13622830|gb|AAK34517.1|
 gi|13622833|gb|AAK34520.1|
 gi|13622838|gb|AAK34524.1|
 gi|13622839|gb|AAK34525.1|
 gi|13622840|gb|AAK34526.1|
 gi|13622841|gb|AAK34527.1|
 gi|13622847|gb|AAK34532.1|
 gi|13622848|gb|AAK34533.1|
 gi|13622849|gb|AAK34534.1|
 gi|13622853|gb|AAK34537.1|
 gi|13622854|gb|AAK34538.1|
 gi|13622856|gb|AAK34540.1|
 gi|13622857|gb|AAK34541.1|
 gi|13622858|gb|AAK34542.1|
 gi|13622860|gb|AAK34543.1|
 gi|13622861|gb|AAK34544.1|
 gi|13622862|gb|AAK34545.1|
 gi|13622863|gb|AAK34546.1|
 gi|13622864|gb|AAK34547.1|
 gi|13622865|gb|AAK34548.1|
 gi|13622866|gb|AAK34549.1|
 gi|13622867|gb|AAK34550.1|
 gi|13622868|gb|AAK34551.1|
 gi|13622869|gb|AAK34552.1|

Tabl 35. List of GAS ORFs which are shared with GBS and Spn

gi|13622870|gb|AAK34553.1|
 gi|13622873|gb|AAK34555.1|
 gi|13622875|gb|AAK34557.1|
 gi|13622876|gb|AAK34558.1|
 gi|13622877|gb|AAK34559.1|
 gi|13622878|gb|AAK34560.1|
 gi|13622879|gb|AAK34561.1|
 gi|13622880|gb|AAK34562.1|
 gi|13622881|gb|AAK34563.1|
 gi|13622882|gb|AAK34564.1|
 gi|13622885|gb|AAK34566.1|
 gi|13622886|gb|AAK34567.1|
 gi|13622887|gb|AAK34568.1|
 gi|13622888|gb|AAK34569.1|
 gi|13622890|gb|AAK34571.1|
 gi|13622893|gb|AAK34574.1|
 gi|13622896|gb|AAK34576.1|
 gi|13622898|gb|AAK34578.1|
 gi|13622899|gb|AAK34579.1|
 gi|13622900|gb|AAK34580.1|
 gi|13622901|gb|AAK34581.1|
 gi|13622903|gb|AAK34583.1|
 gi|13622905|gb|AAK34585.1|
 gi|13622906|gb|AAK34586.1|
 gi|13622907|gb|AAK34587.1|
 gi|13622908|gb|AAK34588.1|
 gi|13622910|gb|AAK34589.1|
 gi|13622911|gb|AAK34590.1|
 gi|13622912|gb|AAK34591.1|
 gi|13622913|gb|AAK34592.1|
 gi|13622914|gb|AAK34593.1|
 gi|13622915|gb|AAK34594.1|
 gi|13622917|gb|AAK34596.1|
 gi|13622918|gb|AAK34597.1|
 gi|13622919|gb|AAK34598.1|
 gi|13622921|gb|AAK34599.1|
 gi|13622922|gb|AAK34600.1|
 gi|13622924|gb|AAK34602.1|
 gi|13622925|gb|AAK34603.1|
 gi|13622926|gb|AAK34604.1|
 gi|13622927|gb|AAK34605.1|
 gi|13622928|gb|AAK34606.1|
 gi|13622929|gb|AAK34607.1|
 gi|13622930|gb|AAK34608.1|
 gi|13622931|gb|AAK34609.1|
 gi|13622933|gb|AAK34610.1|
 gi|13622941|gb|AAK34617.1|
 gi|13622944|gb|AAK34620.1|
 gi|13622945|gb|AAK34621.1|
 gi|13622947|gb|AAK34623.1|
 gi|13622948|gb|AAK34624.1|
 gi|13622949|gb|AAK34625.1|
 gi|13622950|gb|AAK34626.1|
 gi|13622952|gb|AAK34627.1|
 gi|13622955|gb|AAK34630.1|
 gi|13622956|gb|AAK34631.1|

Table 33: List of GAS ORFs which are shared with GBS and Spn

gi|13622959|gb|AAK34634.1|
 gi|13622961|gb|AAK34636.1|
 gi|13622963|gb|AAK34638.1|
 gi|13622964|gb|AAK34639.1|
 gi|13622967|gb|AAK34641.1|
 gi|13622969|gb|AAK34643.1|
 gi|13622971|gb|AAK34645.1|
 gi|13622973|gb|AAK34647.1|
 gi|13622974|gb|AAK34648.1|
 gi|13622977|gb|AAK34651.1|
 gi|13622981|gb|AAK34654.1|
 gi|13622982|gb|AAK34655.1|
 gi|13622983|gb|AAK34656.1|
 gi|13622984|gb|AAK34657.1|
 gi|13622985|gb|AAK34658.1|
 gi|13622989|gb|AAK34661.1|
 gi|13622990|gb|AAK34662.1|
 gi|13622991|gb|AAK34663.1|
 gi|13622992|gb|AAK34664.1|
 gi|13622995|gb|AAK34666.1|
 gi|13622996|gb|AAK34667.1|
 gi|13622998|gb|AAK34669.1|
 gi|13622999|gb|AAK34670.1|
 gi|13623000|gb|AAK34671.1|
 gi|13623001|gb|AAK34672.1|
 gi|13623002|gb|AAK34673.1|
 gi|13623004|gb|AAK34674.1|
 gi|13623005|gb|AAK34675.1|
 gi|13623006|gb|AAK34676.1|
 gi|13623007|gb|AAK34677.1|
 gi|13623009|gb|AAK34679.1|
 gi|13623019|gb|AAK34688.1|
 gi|13623020|gb|AAK34689.1|
 gi|13623030|gb|AAK34698.1|
 gi|13623031|gb|AAK34699.1|
 gi|13623032|gb|AAK34700.1|
 gi|13623033|gb|AAK34701.1|
 gi|13623038|gb|AAK34705.1|
 gi|13623045|gb|AAK34712.1|
 gi|13623046|gb|AAK34713.1|
 gi|13623047|gb|AAK34714.1|
 gi|13623049|gb|AAK34715.1|
 gi|13623050|gb|AAK34716.1|
 gi|13623051|gb|AAK34717.1|
 gi|13623052|gb|AAK34718.1|
 gi|13623053|gb|AAK34719.1|
 gi|13623054|gb|AAK34720.1|
 gi|13623056|gb|AAK34722.1|
 gi|13623058|gb|AAK34724.1|
 gi|13623062|gb|AAK34727.1|
 gi|13623064|gb|AAK34729.1|
 gi|13623065|gb|AAK34730.1|
 gi|13623069|gb|AAK34733.1|
 gi|13623074|gb|AAK34738.1|
 gi|13623081|gb|AAK34744.1|
 gi|13623082|gb|AAK34745.1|

Table 33: List of GAS ORFs which are shared with GBS and Spn

gi|13623083|gb|AAK34746.1|
 gi|13623085|gb|AAK34747.1|
 gi|13623086|gb|AAK34748.1|
 gi|13623088|gb|AAK34750.1|
 gi|13623089|gb|AAK34751.1|
 gi|13623090|gb|AAK34752.1|
 gi|13623091|gb|AAK34753.1|
 gi|13623093|gb|AAK34755.1|
 gi|13623095|gb|AAK34756.1|
 gi|13623096|gb|AAK34757.1|
 gi|13623098|gb|AAK34759.1|
 gi|13623099|gb|AAK34760.1|
 gi|13623100|gb|AAK34761.1|
 gi|13623102|gb|AAK34763.1|
 gi|13623103|gb|AAK34764.1|
 gi|13623105|gb|AAK34766.1|
 gi|13623107|gb|AAK34767.1|
 gi|13623128|gb|AAK34787.1|
 gi|13623129|gb|AAK34788.1|
 gi|13623131|gb|AAK34790.1|
 gi|13623132|gb|AAK34791.1|
 gi|13623133|gb|AAK34792.1|
 gi|13623134|gb|AAK34793.1|
 gi|13623136|gb|AAK34794.1|
 gi|13623138|gb|AAK34796.1|
 gi|13623139|gb|AAK34797.1|
 gi|13623150|gb|AAK34807.1|
 gi|13623151|gb|AAK34808.1|
 gi|13623152|gb|AAK34809.1|
 gi|13623154|gb|AAK34811.1|
 gi|13623155|gb|AAK34812.1|
 gi|13623156|gb|AAK34813.1|
 gi|13623157|gb|AAK34814.1|
 gi|13623159|gb|AAK34815.1|
 gi|13623161|gb|AAK34817.1|
 gi|13623162|gb|AAK34818.1|
 gi|13623163|gb|AAK34819.1|
 gi|13623165|gb|AAK34821.1|
 gi|13623166|gb|AAK34822.1|
 gi|13623167|gb|AAK34823.1|
 gi|13623168|gb|AAK34824.1|
 gi|13623170|gb|AAK34826.1|
 gi|13623171|gb|AAK34827.1|
 gi|13623175|gb|AAK34830.1|
 gi|13623176|gb|AAK34831.1|
 gi|13623177|gb|AAK34832.1|
 gi|13623179|gb|AAK34834.1|
 gi|13623180|gb|AAK34835.1|
 gi|13623182|gb|AAK34836.1|
 gi|13623183|gb|AAK34837.1|
 gi|13623184|gb|AAK34838.1|
 gi|13623185|gb|AAK34839.1|
 gi|13623186|gb|AAK34840.1|
 gi|13623187|gb|AAK34841.1|

Table 34: List of GAS ORF's which are shared with GBS but which do not have homologues with Spn

gi|13621381|gb|AAK33195.1|
 gi|13621423|gb|AAK33233.1|
 gi|13621440|gb|AAK33249.1|
 gi|13621443|gb|AAK33251.1|
 gi|13621453|gb|AAK33260.1|
 gi|13621454|gb|AAK33261.1|
 gi|13621479|gb|AAK33284.1|
 gi|13621482|gb|AAK33287.1|
 gi|13621492|gb|AAK33296.1|
 gi|13621493|gb|AAK33297.1|
 gi|13621497|gb|AAK33300.1|
 gi|13621498|gb|AAK33301.1|
 gi|13621512|gb|AAK33314.1|
 gi|13621514|gb|AAK33316.1|
 gi|13621556|gb|AAK33354.1|
 gi|13621570|gb|AAK33366.1|
 gi|13621587|gb|AAK33382.1|
 gi|13621610|gb|AAK33403.1|
 gi|13621613|gb|AAK33405.1|
 gi|13621626|gb|AAK33418.1|
 gi|13621632|gb|AAK33423.1|
 gi|13621635|gb|AAK33426.1|
 gi|13621643|gb|AAK33433.1|
 gi|13621655|gb|AAK33444.1|
 gi|13621656|gb|AAK33445.1|
 gi|13621659|gb|AAK33448.1|
 gi|13621673|gb|AAK33461.1|
 gi|13621686|gb|AAK33473.1|
 gi|13621696|gb|AAK33482.1|
 gi|13621703|gb|AAK33488.1|
 gi|13621712|gb|AAK33497.1|
 gi|13621728|gb|AAK33511.1|
 gi|13621738|gb|AAK33520.1|
 gi|13621739|gb|AAK33521.1|
 gi|13621740|gb|AAK33522.1|
 gi|13621772|gb|AAK33551.1|
 gi|13621776|gb|AAK33555.1|
 gi|13621791|gb|AAK33569.1|
 gi|13621798|gb|AAK33575.1|
 gi|13621801|gb|AAK33578.1|
 gi|13621803|gb|AAK33580.1|
 gi|13621804|gb|AAK33581.1|
 gi|13621832|gb|AAK33606.1|
 gi|13621833|gb|AAK33607.1|
 gi|13621896|gb|AAK33665.1|
 gi|13621897|gb|AAK33666.1|
 gi|13621906|gb|AAK33674.1|
 gi|13621911|gb|AAK33679.1|
 gi|13621949|gb|AAK33713.1|
 gi|13621951|gb|AAK33715.1|
 gi|13621962|gb|AAK33724.1|
 gi|13621963|gb|AAK33725.1|
 gi|13621964|gb|AAK33726.1|
 gi|13621971|gb|AAK33732.1|
 gi|13621976|gb|AAK33737.1|
 gi|13621983|gb|AAK33744.1|

Table 34: List of GAS ORF's which are shared with GBS but which do not have homologues with Spn

gi|13621988|gb|AAK33748.1|
 gi|13622014|gb|AAK33772.1|
 gi|13622015|gb|AAK33773.1|
 gi|13622022|gb|AAK33779.1|
 gi|13622023|gb|AAK33780.1|
 gi|13622028|gb|AAK33784.1|
 gi|13622029|gb|AAK33785.1|
 gi|13622037|gb|AAK33792.1|
 gi|13622038|gb|AAK33793.1|
 gi|13622040|gb|AAK33795.1|
 gi|13622057|gb|AAK33811.1|
 gi|13622061|gb|AAK33814.1|
 gi|13622063|gb|AAK33816.1|
 gi|13622066|gb|AAK33819.1|
 gi|13622067|gb|AAK33820.1|
 gi|13622076|gb|AAK33828.1|
 gi|13622078|gb|AAK33830.1|
 gi|13622084|gb|AAK33835.1|
 gi|13622098|gb|AAK33848.1|
 gi|13622099|gb|AAK33849.1|
 gi|13622100|gb|AAK33850.1|
 gi|13622104|gb|AAK33854.1|
 gi|13622110|gb|AAK33859.1|
 gi|13622116|gb|AAK33865.1|
 gi|13622124|gb|AAK33873.1|
 gi|13622159|gb|AAK33905.1|
 gi|13622193|gb|AAK33936.1|
 gi|13622194|gb|AAK33937.1|
 gi|13622195|gb|AAK33938.1|
 gi|13622196|gb|AAK33939.1|
 gi|13622202|gb|AAK33944.1|
 gi|13622203|gb|AAK33945.1|
 gi|13622206|gb|AAK33948.1|
 gi|13622210|gb|AAK33951.1|
 gi|13622221|gb|AAK33961.1|
 gi|13622231|gb|AAK33971.1|
 gi|13622234|gb|AAK33973.1|
 gi|13622238|gb|AAK33977.1|
 gi|13622245|gb|AAK33984.1|
 gi|13622246|gb|AAK33985.1|
 gi|13622248|gb|AAK33986.1|
 gi|13622249|gb|AAK33987.1|
 gi|13622251|gb|AAK33989.1|
 gi|13622254|gb|AAK33992.1|
 gi|13622267|gb|AAK34004.1|
 gi|13622291|gb|AAK34026.1|
 gi|13622302|gb|AAK34036.1|
 gi|13622303|gb|AAK34037.1|
 gi|13622304|gb|AAK34038.1|
 gi|13622327|gb|AAK34059.1|
 gi|13622344|gb|AAK34074.1|
 gi|13622345|gb|AAK34075.1|
 gi|13622346|gb|AAK34076.1|
 gi|13622347|gb|AAK34077.1|
 gi|13622348|gb|AAK34078.1|
 gi|13622349|gb|AAK34079.1|

Table 34: List of GAS ORF's which are shared with GBS but which do not have homologues with Spn

gi|13622382|gb|AAK34109.1|
 gi|13622386|gb|AAK34113.1|
 gi|13622391|gb|AAK34118.1|
 gi|13622392|gb|AAK34119.1|
 gi|13622397|gb|AAK34123.1|
 gi|13622404|gb|AAK34129.1|
 gi|13622412|gb|AAK34136.1|
 gi|13622413|gb|AAK34137.1|
 gi|13622414|gb|AAK34138.1|
 gi|13622418|gb|AAK34142.1|
 gi|13622430|gb|AAK34152.1|
 gi|13622446|gb|AAK34167.1|
 gi|13622449|gb|AAK34169.1|
 gi|13622453|gb|AAK34173.1|
 gi|13622470|gb|AAK34188.1|
 gi|13622487|gb|AAK34204.1|
 gi|13622490|gb|AAK34206.1|
 gi|13622502|gb|AAK34217.1|
 gi|13622503|gb|AAK34218.1|
 gi|13622514|gb|AAK34228.1|
 gi|13622528|gb|AAK34241.1|
 gi|13622540|gb|AAK34252.1|
 gi|13622541|gb|AAK34253.1|
 gi|13622544|gb|AAK34255.1|
 gi|13622545|gb|AAK34256.1|
 gi|13622546|gb|AAK34257.1|
 gi|13622547|gb|AAK34258.1|
 gi|13622548|gb|AAK34259.1|
 gi|13622550|gb|AAK34261.1|
 gi|13622551|gb|AAK34262.1|
 gi|13622552|gb|AAK34263.1|
 gi|13622556|gb|AAK34267.1|
 gi|13622557|gb|AAK34268.1|
 gi|13622558|gb|AAK34269.1|
 gi|13622559|gb|AAK34270.1|
 gi|13622563|gb|AAK34273.1|
 gi|13622571|gb|AAK34281.1|
 gi|13622576|gb|AAK34286.1|
 gi|13622581|gb|AAK34290.1|
 gi|13622582|gb|AAK34291.1|
 gi|13622586|gb|AAK34295.1|
 gi|13622589|gb|AAK34298.1|
 gi|13622605|gb|AAK34312.1|
 gi|13622633|gb|AAK34338.1|
 gi|13622635|gb|AAK34340.1|
 gi|13622637|gb|AAK34342.1|
 gi|13622638|gb|AAK34343.1|
 gi|13622657|gb|AAK34360.1|
 gi|13622707|gb|AAK34404.1|
 gi|13622716|gb|AAK34413.1|
 gi|13622724|gb|AAK34420.1|
 gi|13622732|gb|AAK34427.1|
 gi|13622743|gb|AAK34437.1|
 gi|13622761|gb|AAK34453.1|
 gi|13622773|gb|AAK34464.1|
 gi|13622788|gb|AAK34478.1|

Table 34: List of GAS ORF's which are shared with GBS but which do not have homologues with Spn

gi|13622816|gb|AAK34504.1|
 gi|13622817|gb|AAK34505.1|
 gi|13622846|gb|AAK34531.1|
 gi|13622852|gb|AAK34536.1|
 gi|13622874|gb|AAK34556.1|
 gi|13622889|gb|AAK34570.1|
 gi|13622891|gb|AAK34572.1|
 gi|13622892|gb|AAK34573.1|
 gi|13622897|gb|AAK34577.1|
 gi|13622902|gb|AAK34582.1|
 gi|13622904|gb|AAK34584.1|
 gi|13622916|gb|AAK34595.1|
 gi|13622923|gb|AAK34601.1|
 gi|13622934|gb|AAK34611.1|
 gi|13622953|gb|AAK34628.1|
 gi|13622954|gb|AAK34629.1|
 gi|13622960|gb|AAK34635.1|
 gi|13622968|gb|AAK34642.1|
 gi|13622980|gb|AAK34653.1|
 gi|13622987|gb|AAK34659.1|
 gi|13623012|gb|AAK34682.1|
 gi|13623013|gb|AAK34683.1|
 gi|13623014|gb|AAK34684.1|
 gi|13623015|gb|AAK34685.1|
 gi|13623016|gb|AAK34686.1|
 gi|13623018|gb|AAK34687.1|
 gi|13623022|gb|AAK34691.1|
 gi|13623029|gb|AAK34697.1|
 gi|13623037|gb|AAK34704.1|
 gi|13623055|gb|AAK34721.1|
 gi|13623060|gb|AAK34725.1|
 gi|13623061|gb|AAK34726.1|
 gi|13623063|gb|AAK34728.1|
 gi|13623066|gb|AAK34731.1|
 gi|13623068|gb|AAK34732.1|
 gi|13623092|gb|AAK34754.1|
 gi|13623097|gb|AAK34758.1|
 gi|13623104|gb|AAK34765.1|
 gi|13623126|gb|AAK34785.1|
 gi|13623130|gb|AAK34789.1|
 gi|13623137|gb|AAK34795.1|
 gi|13623153|gb|AAK34810.1|
 gi|13623164|gb|AAK34820.1|
 gi|13623178|gb|AAK34833.1|

Table 35: GAS ORF's which have homologs with pneumococcus but which do not have homologs with GBS

gi|13621338|gb|AAK33157.1|
 gi|13621352|gb|AAK33168.1|
 gi|13621410|gb|AAK33221.1|
 gi|13621433|gb|AAK33242.1|
 gi|13621445|gb|AAK33253.1|
 gi|13621446|gb|AAK33254.1|
 gi|13621447|gb|AAK33255.1|
 gi|13621448|gb|AAK33256.1|
 gi|13621449|gb|AAK33257.1|
 gi|13621451|gb|AAK33259.1|
 gi|13621460|gb|AAK33267.1|
 gi|13621466|gb|AAK33272.1|
 gi|13621489|gb|AAK33293.1|
 gi|13621490|gb|AAK33294.1|
 gi|13621519|gb|AAK33320.1|
 gi|13621520|gb|AAK33321.1|
 gi|13621653|gb|AAK33443.1|
 gi|13621722|gb|AAK33506.1|
 gi|13621723|gb|AAK33507.1|
 gi|13621724|gb|AAK33508.1|
 gi|13621805|gb|AAK33582.1|
 gi|13621900|gb|AAK33669.1|
 gi|13622011|gb|AAK33769.1|
 gi|13622212|gb|AAK33953.1|
 gi|13622280|gb|AAK34016.1|
 gi|13622381|gb|AAK34108.1|
 gi|13622409|gb|AAK34134.1|
 gi|13622410|gb|AAK34135.1|
 gi|13622423|gb|AAK34146.1|
 gi|13622428|gb|AAK34151.1|
 gi|13622441|gb|AAK34162.1|
 gi|13622442|gb|AAK34163.1|
 gi|13622454|gb|AAK34174.1|
 gi|13622456|gb|AAK34176.1|
 gi|13622619|gb|AAK34325.1|
 gi|13622642|gb|AAK34346.1|
 gi|13622643|gb|AAK34347.1|
 gi|13622664|gb|AAK34366.1|
 gi|13622666|gb|AAK34368.1|
 gi|13622667|gb|AAK34369.1|
 gi|13622671|gb|AAK34372.1|
 gi|13622672|gb|AAK34373.1|
 gi|13622673|gb|AAK34374.1|
 gi|13622674|gb|AAK34375.1|
 gi|13622679|gb|AAK34380.1|
 gi|13622680|gb|AAK34381.1|
 gi|13622682|gb|AAK34382.1|
 gi|13622755|gb|AAK34448.1|
 gi|13622758|gb|AAK34450.1|
 gi|13622759|gb|AAK34451.1|
 gi|13622835|gb|AAK34521.1|
 gi|13622837|gb|AAK34523.1|
 gi|13622937|gb|AAK34614.1|
 gi|13622942|gb|AAK34618.1|
 gi|13622946|gb|AAK34622.1|
 gi|13622978|gb|AAK34652.1|

Table 35: GAS ORF's which have homologues with pneumococcus but which do not have homologues with GBS

gi|13623027|gb|AAK34695.1|
gi|13623087|gb|AAK34749.1|
gi|13623101|gb|AAK34762.1|
gi|13623144|gb|AAK34802.1|
gi|13623146|gb|AAK34804.1|
gi|13623147|gb|AAK34805.1|

Table 36: Sph ORF's which share homologues with GBS and GAS.

SP0001
SP0002
SP0003
SP0004
SP0005
SP0006
SP0007
SP0008
SP0010
SP0011
SP0013
SP0014
SP0019
SP0021
SP0024
SP0027
SP0032
SP0033
SP0034
SP0035
SP0036
SP0037
SP0042
SP0044
SP0045
SP0046
SP0047
SP0048
SP0051
SP0053
SP0054
SP0056
SP0063
SP0073
SP0074
SP0078
SP0079
SP0083
SP0084
SP0085
SP0095
SP0105
SP0106
SP0111
SP0112
SP0118
SP0120
SP0121
SP0122
SP0127
SP0128
SP0129
SP0148
SP0149
SP0151
SP0152

Tabl 36: Spn ORF's which share h m logu s with GBS and GAS.

SP0158
SP0173
SP0179
SP0180
SP0184
SP0185
SP0186
SP0187
SP0189
SP0192
SP0194
SP0197
SP0199
SP0202
SP0204
SP0205
SP0208
SP0209
SP0210
SP0211
SP0212
SP0213
SP0214
SP0215
SP0216
SP0217
SP0218
SP0219
SP0220
SP0221
SP0222
SP0224
SP0225
SP0226
SP0227
SP0228
SP0229
SP0230
SP0231
SP0232
SP0233
SP0234
SP0235
SP0236
SP0240
SP0242
SP0243
SP0245
SP0246
SP0247
SP0248
SP0249
SP0250
SP0251
SP0252
SP0253

3

Tabl 36: Spn ORF's which share hom logu s with GBS and GAS.

SP0385
SP0386
SP0387
SP0400
SP0401
SP0402
SP0403
SP0404
SP0405
SP0406
SP0408
SP0410
SP0411
SP0412
SP0415
SP0416
SP0417
SP0418
SP0419
SP0420
SP0421
SP0422
SP0423
SP0424
SP0425
SP0426
SP0427
SP0433
SP0434
SP0435
SP0436
SP0437
SP0438
SP0439
SP0441
SP0442
SP0443
SP0452
SP0453
SP0454
SP0457
SP0458
SP0459
SP0461
SP0466
SP0467
SP0474
SP0477
SP0478
SP0483
SP0486
SP0488
SP0489
SP0493
SP0494
SP0499

Tabl 36: Sph ORF's which share homologues with GBS and GAS.

SP0500
SP0501
SP0502
SP0515
SP0516
SP0517
SP0519
SP0521
SP0522
SP0523
SP0526
SP0549
SP0550
SP0552
SP0553
SP0554
SP0555
SP0556
SP0557
SP0563
SP0567
SP0568
SP0576
SP0577
SP0578
SP0579
SP0581
SP0588
SP0589
SP0591
SP0592
SP0593
SP0603
SP0604
SP0605
SP0608
SP0610
SP0611
SP0613
SP0614
SP0615
SP0616
SP0618
SP0620
SP0622
SP0623
SP0624
SP0626
SP0630
SP0631
SP0636
SP0637
SP0638
SP0645
SP0646
SP0647

Table 36: Spn ORF's which share homologues with GBS and GAS.

SP0787
SP0788
SP0792
SP0793
SP0797
SP0798
SP0799
SP0801
SP0802
SP0803
SP0805
SP0806
SP0807
SP0816
SP0817
SP0820
SP0822
SP0823
SP0824
SP0825
SP0828
SP0829
SP0831
SP0835
SP0837
SP0838
SP0839
SP0841
SP0843
SP0844
SP0845
SP0846
SP0847
SP0848
SP0851
SP0852
SP0855
SP0856
SP0862
SP0864
SP0865
SP0867
SP0868
SP0869
SP0870
SP0871
SP0872
SP0873
SP0875
SP0876
SP0877
SP0878
SP0880
SP0881
SP0893
SP0894

Tabl 36: Spn ORF's which share homologues with GBS and GAS.

SP0895
SP0896
SP0897
SP0904
SP0905
SP0908
SP0909
SP0912
SP0923
SP0927
SP0928
SP0929
SP0931
SP0932
SP0933
SP0935
SP0936
SP0937
SP0938
SP0943
SP0944
SP0945
SP0946
SP0947
SP0948
SP0954
SP0955
SP0959
SP0960
SP0961
SP0962
SP0964
SP0966
SP0967
SP0968
SP0969
SP0970
SP0971
SP0972
SP0974
SP0975
SP0976
SP0978
SP0979
SP0980
SP0981
SP0984
SP0985
SP0987
SP0988
SP0989
SP0991
SP0992
SP0993
SP1002
SP1003

Table 36: Sph ORF's which share homologues with GBS and GAS.

SP1004
SP1008
SP1010
SP1012
SP1016
SP1017
SP1018
SP1020
SP1021
SP1022
SP1024
SP1025
SP1026
SP1029
SP1033
SP1034
SP1035
SP1045
SP1056
SP1067
SP1068
SP1069
SP1070
SP1071
SP1072
SP1073
SP1074
SP1076
SP1079
SP1081
SP1082
SP1083
SP1084
SP1087
SP1088
SP1089
SP1090
SP1093
SP1094
SP1095
SP1096
SP1097
SP1098
SP1099
SP1100
SP1102
SP1105
SP1106
SP1107
SP1110
SP1111
SP1112
SP1113
SP1114
SP1115
SP1116

Tabl 36: Spn ORF's which share homologues with GBS and GAS.

SP1117
SP1118
SP1119
SP1128
SP1151
SP1152
SP1155
SP1156
SP1157
SP1159
SP1160
SP1161
SP1162
SP1163
SP1164
SP1167
SP1168
SP1169
SP1174
SP1175
SP1176
SP1177
SP1178
SP1179
SP1180
SP1182
SP1184
SP1185
SP1187
SP1190
SP1191
SP1192
SP1193
SP1197
SP1200
SP1202
SP1204
SP1205
SP1207
SP1208
SP1212
SP1213
SP1218
SP1219
SP1220
SP1225
SP1226
SP1227
SP1228
SP1229
SP1230
SP1231
SP1232
SP1233
SP1238
SP1241

Tabl 36: Spn ORF's which share homol gues with GBS and GAS.

SP1242
SP1244
SP1245
SP1246
SP1247
SP1248
SP1249
SP1260
SP1263
SP1266
SP1275
SP1276
SP1277
SP1278
SP1279
SP1280
SP1283
SP1284
SP1285
SP1286
SP1287
SP1288
SP1289
SP1290
SP1291
SP1293
SP1297
SP1298
SP1299
SP1308
SP1316
SP1324
SP1329
SP1330
SP1331
SP1336
SP1341
SP1354
SP1355
SP1357
SP1358
SP1359
SP1362
SP1368
SP1370
SP1371
SP1372
SP1374
SP1375
SP1376
SP1377
SP1378
SP1380
SP1381
SP1383
SP1386

Table 36: Sp1 ORF's which share homologies with CBS and GAS.

SP1387
SP1388
SP1389
SP1390
SP1393
SP1394
SP1395
SP1396
SP1397
SP1398
SP1399
SP1400
SP1402
SP1403
SP1404
SP1405
SP1406
SP1407
SP1408
SP1409
SP1411
SP1412
SP1413
SP1414
SP1415
SP1416
SP1420
SP1421
SP1427
SP1428
SP1429
SP1434
SP1435
SP1445
SP1446
SP1448
SP1449
SP1450
SP1452
SP1453
SP1456
SP1457
SP1458
SP1460
SP1461
SP1462
SP1465
SP1466
SP1469
SP1470
SP1473
SP1474
SP1475
SP1478
SP1479
SP1482

Tabl 36: Spn ORF's which share homologu s with GBS and GAS.

SP1483
SP1485
SP1489
SP1491
SP1498
SP1500
SP1501
SP1502
SP1504
SP1505
SP1507
SP1508
SP1509
SP1510
SP1511
SP1512
SP1513
SP1517
SP1518
SP1519
SP1521
SP1522
SP1523
SP1529
SP1530
SP1534
SP1535
SP1536
SP1537
SP1538
SP1539
SP1540
SP1541
SP1542
SP1544
SP1547
SP1549
SP1551
SP1552
SP1553
SP1554
SP1557
SP1558
SP1559
SP1560
SP1561
SP1563
SP1564
SP1565
SP1566
SP1568
SP1569
SP1571
SP1574
SP1575
SP1577

Tabl 36: Spn ORF's which share homologues with GBS and GAS.

SP1580
SP1583
SP1584
SP1586
SP1587
SP1588
SP1589
SP1590
SP1591
SP1597
SP1598
SP1599
SP1602
SP1603
SP1606
SP1608
SP1609
SP1610
SP1615
SP1616
SP1617
SP1624
SP1625
SP1626
SP1631
SP1633
SP1638
SP1644
SP1645
SP1646
SP1647
SP1648
SP1649
SP1650
SP1652
SP1653
SP1655
SP1659
SP1661
SP1662
SP1664
SP1665
SP1666
SP1667
SP1668
SP1670
SP1671
SP1672
SP1674
SP1675
SP1676
SP1677
SP1681
SP1682
SP1683
SP1684

Table 36: Spn ORF's which share homologues with GBS and GAS.

SP1685
SP1688
SP1689
SP1697
SP1698
SP1699
SP1702
SP1709
SP1711
SP1712
SP1713
SP1714
SP1717
SP1721
SP1722
SP1724
SP1725
SP1726
SP1727
SP1732
SP1733
SP1734
SP1735
SP1736
SP1737
SP1738
SP1739
SP1742
SP1743
SP1744
SP1746
SP1747
SP1748
SP1749
SP1750
SP1752
SP1759
SP1776
SP1780
SP1781
SP1782
SP1785
SP1790
SP1795
SP1799
SP1804
SP1816
SP1817
SP1825
SP1839
SP1840
SP1845
SP1847
SP1848
SP1851
SP1855

Tabl 36: Spn ORF's which share homologues with GBS and GAS.

SP1857
SP1858
SP1860
SP1861
SP1865
SP1871
SP1873
SP1874
SP1875
SP1876
SP1877
SP1878
SP1879
SP1880
SP1881
SP1883
SP1884
SP1887
SP1888
SP1889
SP1890
SP1895
SP1896
SP1900
SP1901
SP1902
SP1903
SP1906
SP1908
SP1909
SP1916
SP1918
SP1922
SP1940
SP1942
SP1944
SP1953
SP1957
SP1960
SP1961
SP1963
SP1964
SP1966
SP1967
SP1968
SP1969
SP1970
SP1972
SP1973
SP1974
SP1975
SP1976
SP1979
SP1980
SP1981
SP1982

Tabl 36: Spn ORF's which shar homologu s with GBS and GAS.

SP1983
SP1984
SP1985
SP1987
SP1989
SP1990
SP1991
SP1993
SP1994
SP1996
SP1997
SP1998
SP1999
SP2006
SP2007
SP2010
SP2011
SP2012
SP2020
SP2021
SP2022
SP2027
SP2028
SP2030
SP2031
SP2032
SP2033
SP2034
SP2035
SP2036
SP2037
SP2038
SP2040
SP2041
SP2042
SP2044
SP2045
SP2048
SP2052
SP2053
SP2054
SP2055
SP2056
SP2057
SP2058
SP2063
SP2065
SP2069
SP2070
SP2072
SP2073
SP2075
SP2077
SP2078
SP2082
SP2083

Tabl 36: Spn ORF's which shar homologu s with GBS and GAS.

SP2085
 SP2086
 SP2087
 SP2088
 SP2090
 SP2091
 SP2092
 SP2094
 SP2099
 SP2100
 SP2101
 SP2106
 SP2107
 SP2108
 SP2109
 SP2110
 SP2112
 SP2113
 SP2114
 SP2119
 SP2121
 SP2129
 SP2131
 SP2135
 SP2142
 SP2148
 SP2150
 SP2151
 SP2152
 SP2153
 SP2156
 SP2161
 SP2162
 SP2169
 SP2170
 SP2171
 SP2172
 SP2173
 SP2174
 SP2175
 SP2176
 SP2184
 SP2185
 SP2186
 SP2187
 SP2188
 SP2189
 SP2191
 SP2192
 SP2193
 SP2194
 SP2195
 SP2202
 SP2203
 SP2204
 SP2205

Tabl 36: Spn ORF's which shar homol gu s with GBS and GAS.

SP2206
SP2207
SP2208
SP2209
SP2210
SP2214
SP2215
SP2216
SP2219
SP2220
SP2221
SP2222
SP2224
SP2225
SP2226
SP2227
SP2228
SP2229
SP2230
SP2231
SP2233
SP2234
SP2235
SP2238
SP2239
SP2240

**Tabl 37: Spn ORF's which share
homologues with GBS but do n t shar hom l gues with GAS**

SP0012
SP0020
SP0039
SP0050
SP0082
SP0107
SP0113
SP0119
SP0146
SP0150
SP0175
SP0176
SP0177
SP0178
SP0237
SP0255
SP0260
SP0267
SP0278
SP0288
SP0346
SP0347
SP0348
SP0349
SP0366
SP0376
SP0413
SP0445
SP0462
SP0463
SP0479
SP0480
SP0482
SP0484
SP0537
SP0538
SP0566
SP0580
SP0585
SP0599
SP0600
SP0601
SP0606
SP0607
SP0609
SP0617
SP0627
SP0655
SP0656
SP0710
SP0711
SP0717
SP0718
SP0720
SP0723
SP0724

**Tabl 37: Spn ORF's which shar
hom logu s with GBS but d not share h m l gues with GAS**

SP0725
SP0730
SP0739
SP0749
SP0750
SP0751
SP0752
SP0753
SP0754
SP0769
SP0789
SP0791
SP0826
SP0900
SP0913
SP0914
SP0939
SP0941
SP0942
SP0953
SP0973
SP0977
SP1011
SP1013
SP1027
SP1054
SP1055
SP1080
SP1086
SP1121
SP1122
SP1123
SP1124
SP1126
SP1127
SP1137
SP1166
SP1173
SP1194
SP1195
SP1215
SP1240
SP1256
SP1261
SP1271
SP1272
SP1273
SP1274
SP1306
SP1310
SP1332
SP1333
SP1334
SP1346
SP1348
SP1350

Table 37: Spn ORF's which share homologues with GBS but do not share homologues with GAS

SP1360
 SP1361
 SP1365
 SP1382
 SP1384
 SP1392
 SP1447
 SP1451
 SP1463
 SP1464
 SP1471
 SP1472
 SP1524
 SP1527
 SP1600
 SP1605
 SP1607
 SP1632
 SP1634
 SP1651
 SP1673
 SP1680
 SP1695
 SP1700
 SP1701
 SP1720
 SP1729
 SP1740
 SP1741
 SP1745
 SP1751
 SP1757
 SP1758
 SP1761
 SP1762
 SP1763
 SP1764
 SP1765
 SP1766
 SP1767
 SP1768
 SP1770
 SP1771
 SP1772
 SP1783
 SP1802
 SP1828
 SP1856
 SP1867
 SP1869
 SP1870
 SP1872
 SP1891
 SP1907
 SP1910
 SP1911

**Tabl 37: Spn ORF's which shar
homol gues with GBS but do n t share h mologues with GAS**

SP1927
SP1928
SP1943
SP1959
SP2001
SP2002
SP2009
SP2026
SP2029
SP2039
SP2061
SP2064
SP2066
SP2079
SP2084
SP2095
SP2096
SP2098
SP2103
SP2127
SP2128
SP2130
SP2134
SP2137
SP2138
SP2157
SP2196

**Table 37: Spn ORF's which share homologues with GAS
but do not share hom I gu s with GBS**

SP0065
SP0075
SP0090
SP0091
SP0092
SP0099
SP0100
SP0153
SP0155
SP0156
SP0200
SP0306
SP0313
SP0341
SP0476
SP0496
SP0509
SP0527
SP0648
SP0658
SP0659
SP0661
SP0677
SP0715
SP0742
SP0743
SP0858
SP0859
SP0860
SP0910
SP0986
SP0994
SP0999
SP1000
SP1001
SP1023
SP1075
SP1129
SP1147
SP1171
SP1186
SP1315
SP1317
SP1319
SP1320
SP1321
SP1322
SP1438
SP1442
SP1525
SP1546
SP1570
SP1572
SP1578
SP1604
SP1715

**Table 37: Spn ORF's which shar homologues with GAS
but d not shar homol gues with GBS**

SP1754
SP1797
SP1798
SP1800
SP1885
SP1919
SP1923
SP1941
SP1950
SP2016
SP2017
SP2051
SP2060
SP2111
SP2143
SP2144
SP2201
SP2236